



Patient's setting

COMMUNITY Lab 2





dental chair position



Patient position



Operator position

Dental chair position


- 1– Modern dental chairs are designed to provide total body support and comfort to the patient.
- 2– Chair design and adjustment permit maximal operator access to the work area.






3–The chair should be low, the back rest upright and the arm rest adjusted to allow the patient to get into the chair.

4– After the patient is seated, the arm rest is returned to its normal position. The headrest cushion is positioned to support the head and elevate the chin slightly away from chest so that neck muscle strain is minimal and swallowing is facilitated. The chair is then adjusted to place the patient in a reclining positio



5– The operating light is situated above the patient's head and its direction to the arch being examined



6– The operating stool must have a broad base for stability and must be padded and offer good back support



Dental chair position

- 1– Modern dental chairs are designed to provide total body support and comfort to the patient.
- 2– Chair design and adjustment permit maximal operator access to the work area.
- 3–The chair should be low, the back rest upright and the arm rest adjusted to allow the patient to get into the chair.
- 4– After the patient is seated, the arm rest is returned to its normal position. The headrest cushion is positioned to support the head and elevate the chin slightly away from chest so that neck muscle strain is minimal and swallowing is facilitated. The chair is then adjusted to place the patient in a reclining position.
- 5– The operating light is situated above the patient's head and its direction to the arch being examined
- 6– The operating stool must have a broad base for stability and must be padded and offer good back support


Patient position

1) *Upright position.*

2) *Reclined position:* The chair is reclined at 45°.


3) *Supine position:* The patient's head knees and feet should be approximately at the same level.


4) *Emergency position:* Patient's head should be positioned lower than the feet.




Operating position

- Proper operating positions and good posture reduce fatigue and physical strain and possibility of developing musculoskeletal disorders.
- Most dental procedures can be accomplished while seated. Unnecessary curvature of the spine or slumping of should be avoided.





- For a right-handed operator :
- RIGHT FRONT, RIGHT, RIGHT REAR and DIRECT REAR
- These are sometimes referred as 7-, 9-, 11- and 12- o'clock positions,





For a left-handed operator :

- LEFT FRONT, LEFT, LEFT REAR and DIRECT REAR positions,
- these are referred as 5-, 3-, 1- and 12-o'clock positions, respectively.

Right Front Position (7 o'clock)



1. It helps in examination of the patient
2. Working areas include:
 - a. Mandibular anterior
 - b. Maxillary anterior teeth
 - c. Mandibular posterior teeth (Right side)



Right Position (9 o'clock)



Working areas include:

- a. Facial surfaces of maxillary right posterior teeth
- b. Facial surfaces of mandibular right posterior teeth
- c. Occlusal surfaces of mandibular right posterior teeth.




Right Rear Position (11 o'clock)

1. In this position, dentist sits behind and slightly to the right of the patient and the left arm is positioned around patient's head
2. This is preferred position for most of dental procedures
3. Most areas of mouth are accessible from this position either using
direct or indirect vision
4. Working areas include:
 - a. Palatal and incisal (occlusal) surfaces of maxillary teeth
 - b. Mandibular teeth (direct vision).



Direct Rear Position (12 o'clock)

1. Dentist sits directly behind the patient and looks down over the patient's head during procedure.
2. Working areas are lingual surfaces of mandibular teeth.





Thank you

