Cucumber Report

Start : Nov 09, 12:23:27.388 pm	End : Nov 09, 12:26:09.709 pm	Duration : 2 m 42.321 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 1 FAILED - 1 SKIPPED - 0	PASSED - 5 FAILED - 1 SKIPPED - 3

Features: 1 — 0 %

Scenarios: 2 — 50 %

Steps: 9 — 55 %

#	Feature Name	T	P	F	S	Duration
1	NFT Mint and Buy	2	1	1	0	2 m 42.321 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	NFT Mint and Buy	Create NFT	5	5	0	0	1 m 55.098 s
2	NFT Mint and Buy	Buy NFT	4	0	1	3	47.178 s

(F)- NFT Mint and Buy

FAILED	DURATION - 2 m 42.321 s	Scenarios		Steps	
		Total - 2		Total - 9	
/ 12:23:27.388 pm // 12:26:09.709 pm /		Pass - 1	2	Pass - 5	9
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 3	

(S)- Create NFT

PASSED	DURATION - 1 m 55.098 s		Steps	
/ 12:23:27.401 pm // 12:25:22.499 pm /			Total - 5	
NFT Mint and Buy			Pass - 5	5
			Fail - 0	
@create			Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given User is on NFTMall homepage	PASSED	8.508 s
2	When User navigated to the NFTMint page	PASSED	8.568 s
3	And Fill up the NFTMint form and click on create btn	PASSED	56.834 s
4	And Confirm the transaction in the Metamask Notification page	PASSED	23.827 s
5	Then Validate that NFT is minted	PASSED	6.772 s

(S)- Buy NFT

FAILED	DURATION - 47.178 s		Steps	
/ 12:25:22.531 pm // 12:26:09.709 pm /			Total - 4	
NFT Mint and Buy			Pass - 0	4
			Fail - 1	
@buy			Skip - 3	

#	Step / Hook Details	Status	Duration
1	Given User is on NFTMall homepage	FAILED	38.128 s

	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//input[@id='password']"} (Session info: chrome=107.0.5304.89) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.6.0', revision: '79f1c02ae20' System info: os.name: 'Windows 11', os. arch: 'amd64', os.version: '10.0', java.version: '17.0.5' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [c615a721c5de7fd5e0c43ae7bbae82d5, findElement {using=xpath, value=//input[@id='password']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.89, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: D:/Default}, goog:chromeOptions: {debuggerAddress: localhost:51192}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:51192/devtoo..., se:cdpVersion: 107.0.5304.89, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: c615a721c5de7fd5e0c43ae7bbae82d5
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:541)
	  at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)
	  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357)
	  at com.pwc.pageobjects.MetaMaskNotificationPage.unlockMetaMaskAccount(MetaMaskNotificationPage.java:28)
	  at com.pwc.stepdefs.NFTMallStepDefs.user_is_on_NFTMall_homepage(NFTMallStepDefs.java:40)
	  at ?.User is on NFTMall homepage(file:///D:/Workspace/com.pwc/src/test/resources/Features/nftmall.feature:13)
	* Not displayable characters are replaced by '?'.		

2	When user clicks on Buy Now btn for the specified NFT	SKIPPED	0.002 s
3	And Confirm the transaction in the Metamask Notification page	SKIPPED	0.001 s
4	Then validate purchased NFT on My Collection tab under MyProfile section	SKIPPED	0.000 s
	AFTER - com.pwc.util.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.314 s
	Buy NFT		
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.quit()" because "this.driver" is null at com.pwc.util.Hooks.tearDown(Hooks.java:34)		

#	Step / Hook Details	Status	Duration
	Loading configurations...		

(Step) AFTER - com.pwc.util.Hooks.
tearDown(io.cucumber.java.Scenario)

(S) Buy NFT

(F) NFT Mint and Buy

Loading configurations...

Help Center

Account

Media Center

Jobs

Ways to Watch

Terms of Use

NFT