



# Manual iBoxen Driver App

## App version 2.2.4

## Contents

|                                                                      |    |
|----------------------------------------------------------------------|----|
| Getting started.....                                                 | 4  |
| System requirements.....                                             | 4  |
| Language.....                                                        | 4  |
| App Updates .....                                                    | 4  |
| Login.....                                                           | 5  |
| Deep Link .....                                                      | 5  |
| Main page .....                                                      | 6  |
| Location Report .....                                                | 7  |
| Delivery .....                                                       | 8  |
| Delivery detailed steps .....                                        | 8  |
| Open locker doors during delivery .....                              | 10 |
| Open door after delivery .....                                       | 11 |
| Delivery Deviations .....                                            | 12 |
| The parcel did not fit (*2.2.4) .....                                | 13 |
| The door did not open .....                                          | 13 |
| The door did not close .....                                         | 13 |
| Another parcel in locker (*2.2.4) .....                              | 13 |
| Custom reason .....                                                  | 13 |
| Try another locker.....                                              | 14 |
| Selecting “Another parcel in locker” (*2.2.4) .....                  | 15 |
| Delivering cancelled parcels .....                                   | 18 |
| Pickup.....                                                          | 19 |
| Pickup Deviations.....                                               | 21 |
| No parcels inside.....                                               | 21 |
| The door did not open .....                                          | 21 |
| Custom reason .....                                                  | 21 |
| Parcel check .....                                                   | 22 |
| External buttons .....                                               | 23 |
| Zebra scanner .....                                                  | 24 |
| Error handling .....                                                 | 25 |
| If the app hangs, has a spinning wheel, Bluetooth problems etc ..... | 25 |
| All boxes needs to be closed – Before a delivery .....               | 25 |

|                                                                           |    |
|---------------------------------------------------------------------------|----|
| All boxes needs to be closed – After a delivery .....                     | 26 |
| Parcel scanned at the wrong location .....                                | 27 |
| Parcel does not exist.....                                                | 27 |
| Parcel has incorrect dimensions or incorrect formatted phone number ..... | 28 |
| Loss of internet connection .....                                         | 28 |
| Bluetooth connection issues.....                                          | 28 |

## Getting started

Welcome to iBoxen Driver mobile application.

The driver app is used by drivers to deliver and pickup parcels. In the app the driver has options to report a successful delivery or pickup. The driver can also report deviations with parcels or report issues with the location itself. This document will go through the functionality in the app and give hints for a fast and efficient delivery.

## System requirements

- Android: recommended minimum OS version 10 (the app can be used down to OS version 7)
- iOS: minimum 13

Versions are available on Apple Store and Google play. App can also be as an APK to be centrally distributed.

## Language

The driver app is available in Swedish, English, Finish and German. The language is set from the device language. If there is another device language the default app language is English.

## App Updates

When we need to update the app we can do this in two different ways.

- Full version updates, a new version needs to be downloaded and installed. Bigger changes to the application.
- Over the air, OTA, update is done automatically when the app is restarted. Smaller changes to the application.

## Login

When the app is opened the user needs to login. Username and password are supplied to the drivers by the Carriers internal administrator.

## Deep Link

Using a deeplink with an unknown driver and a secret which has been agreed upon between iBoxen & Carrier, allows a seamless integration between the driver's production app and iBoxen's app where the driver never have to manually enter login credentials.

**com.qlociboxen.driverapp://login?driverId=X&secret=X**


Using a deeplink with a known driver's username + secret allows the driver to not have to manually login to the iBoxen driver app. This approach requires the carrier to upload all drivers into iBoxen system in advance.

**com.qlociboxen.driverapp://login?username=X&password=X**

## Main page

When the user is logged in the main page is shown. The main page has a bottom taskbar where the driver can select Delivery, Check or Pickup.

The red circle with exclamation mark  is used when the driver needs to report a problem with a location. Not to be confused with reporting deviations with a parcel.




## Location Report

This option is used when there is an issue with the **location** not the parcel. Click the  and select one of the reasons, please also attach a photo.

The report is sent to iBoxen Operations which will look over the report and decide if a maintenance crew will be sent out to fix the issue.

If no box is found, the coordinates where the phone is located at the time, will be used in the report.



The image displays two screenshots of a mobile application interface for reporting issues with lockers. Both screenshots show the 'Location report' screen for 'Report problems with lockers at Drottning Kristinas esplanad 53'.

The left screenshot shows the main form with the following elements:

- Reason\***: A dropdown menu with the placeholder text 'Pick reason' and a downward arrow.
- Comment**: A text input field.
- Take photo**: A button with a camera icon and the text 'Take photo'.
- Submit**: A green button with the text 'Submit'.

The right screenshot shows the same form, but with a dropdown menu open, displaying a list of reasons:

- Damaged locker
- Graffiti
- Physically blocked locker
- Problem accessing with app
- Other

At the bottom of both screenshots, there is a navigation bar with three icons: 'Delivery' (a box icon), 'Check' (a magnifying glass icon), and 'Pickup' (a truck icon). Below the icons are three small circles, likely representing a progress indicator or a menu.

## Delivery

When a driver arrives at a location, they start by clicking the green button “Start Delivery”.

The parcel scan view is shown, and the driver can start the delivery by scanning the first parcel. If the device used is a Zebra, the [Zebra scanner](#) will be used instead of the device camera.

If there is an open locker on the location, the driver will be instructed to close the open locker before continuing with the delivery. This is needed to make sure the parcels are placed in the correct locker.


If there is a pickup on the location the driver will first be notified by that and needs to collect. Please see section [Pickup Flow](#) for more details about pickup.

### Delivery detailed steps

Step 1: Click Start delivery


Step 2: Automatic connect to location

Step 3: Scan parcel barcode





Step 4: When the first parcel is scanned the locker door automatically opens. If there is an issue, the driver can open the locker again with the dark green button “Open door”.



Step 5: Place the parcel inside the locker

Step 6: Close the locker door and click the green button “Parcel delivered”

Step 7: The app will automatically redirect to the scan page ready to scan next parcel


Step 8: If there are no more parcels for this location the driver clicks the back button to go to the main page.

### Open locker doors during delivery

We recommend the driver to always close all locker doors when arriving at a location to remove issues during delivery.

If a locker door has been left open on the box and the driver starts the delivery, the app asks the driver to close all open locker doors first, to ensure that the parcel is placed in the correct locker and not a previously opened locker.


We first prompt a simple message with OK button. If the open lockers are still not closed, we prompt again and give the option to select that they have tried to close the doors but failed. We then let the driver continue with the delivery. The driver can try again and close the doors and click the OK button, after trying 3 times the open doors the delivery will continue.



### Open door after delivery

If the driver hasn't closed the locker door properly, after placing the parcel, the app will prompt him to do so, until this is fixed the delivery is not yet completed. The driver can select to use the red button "Issues with the box" to try another locker if this one can't be closed.

Please see section [Delivery Deviations](#) for details.



## Delivery Deviations


If the driver has issues completing the delivery due to parcel issues, he should mark the parcel as “Failed delivery” the driver then will be prompted with reasons why and get the option to try another locker.

Step 1: The driver clicks the red button Failed delivery

Step 2: The driver is presented with five options

- The parcel did not fit
- The door did not open
- The door did not close
- Another parcel in locker
- Custom reason – if selected the driver needs to enter a reason in free text

Step 3: The driver selects one of the reasons



Step 4: The driver will be given a chance to try another locker, if the reason is parcel did not fit, a larger locker will be offered.

Step 5a: If the driver agrees to try a new locker the delivery can continue by the ordinary steps.

Step 5b: If the driver denies a to try another locker the delivery will be marked as deviation and can't be delivered.

Step 5c: If there is no new available locker the delivery will be marked as deviation and can't be delivered.

Please note it is very important that the delivery is fully reported either as a success or deviation.

#### The parcel did not fit (\*2.2.4)

If option the parcel did not fit is selected the driver is asked if he wants to try a bigger locker. If he selects yes, the app presents the driver with a list of available sizes for them to choose from.

#### The door did not open

If option the door did not open is selected the driver is asked if he wants to try another locker. If he selects yes, we try to allocate another locker. If no locker is available the parcel will be reported as a deviation and can't be delivered.

It's recommended to feel the locker to make sure it has not opened.

#### The door did not close

This option is only used if there is an issue closing the allocated locker after it has been opened. If option, the door did not close, is selected the driver is asked if he wants to try another locker. If he selects yes, we try to allocate another locker. If no locker is available, the parcel will be reported as a deviation and can't be delivered.

#### Another parcel in locker (\*2.2.4)


This option should be used if the allotted compartment is already occupied by another parcel. By selecting this option, the driver will be guided through handling the parcel currently occupying the compartment as well as how to proceed.

#### Custom reason

If option custom reason is selected the driver is asked to enter a free text and the driver will get the same option to select another compartment as for the other deviations. If the driver selects not to try another compartment, the system will regard the delivery as failed.


Try another locker

For all deviations the driver can select to try another locker, this is how does messages looks like.




### Selecting “Another parcel in locker” (\*2.2.4)

Depending on the agreed rule set with iBoxen the driver process would either be pickup and bring back the other parcel or put it back into the compartment and get a new compartment for the parcel to be delivered.




The driver will be presented with either an instruction to put the parcel back into the box and proceed with their parcel to another compartment. Or they will be told to bring the parcel back with them.

Bring back to terminal




Put parcel back into compartment





If there's no new compartment available for the scenario where the driver "Put parcel back into compartment" they will get the message that there are no new available compartments:




## Delivering cancelled parcels

Default setup is that a cancelled parcel cannot be delivered.

If a parcel is scanned after it has been cancelled this message will be shown to the driver “This parcel could not be delivered due to its status: currentStatus: cancelled.

There is an option to be able to still deliver cancelled parcels, please contact us at iBoxen to talk about this alternative.



## Pickup

If there is a pickup the app will always force the driver to make the pickup before starting the deliveries.


A pickup can be started in two ways:

Step 1a: Initiated from the delivery tab

When a driver connects to a location to make a delivery and there is a pickup to collect the driver is alert by this when they have connected to the location. They need to collect the pickup before they are allowed to deliver. Closing this popup will prompt the driver again to do the pickup.

Step 1b: Initiated from the pickup tab

The driver starts the pickup by going to the Pickup tab and clicks Start pickup.



Step 2: After the initiation the app presents a list of the parcels to collect at that location. The driver clicks on one of the parcels in the list.


Active pickups are indicated with pink buttons and passive pickups with green buttons.

Step 3. The locker door is automatically opened. If needed driver can select the dark green button to initiate another try to open the locker.

Step 4: The driver collects the parcel and closes the door.

Step 5: The driver clicks the green button Parcel picked up to complete the pickup.

Step 6: If there are more parcels to collect the list will be shown again.



## Pickup Deviations

If there is an issue with the pickup and the driver cannot collect the parcel, the driver needs to report a deviation.

Currently there are 3 options to choose from:

- No parcels inside
- The door did not open
- Custom reason

### No parcels inside


The parcel is set to deviation and the driver continues with his next pickup or delivery.

### The door did not open

If the driver selects the door did not open, the compartment will be set to service mode and a repair will be issues. When the compartment has been fixed the parcel will be set to pickup automatically, so when a driver visits the location, they will be asked to pick up the parcel again.

### Custom reason

If the driver selects custom reason, he needs to enter why and then press save. The parcel is then set to status deviation with sub status custom.




## Parcel check

If a driver is unsure about a parcel, the check functionality can be used to verify the parcel status and to which location it should be delivered.

The driver scans the barcode, if the parcel exists the parcel information is shown, if the parcel does not exist a message is shown "This parcel is not registered in the iBoxen System."


By clicking on the "Show on map" button a map is shown and if needed the location can be opened in an external map application on the device. Stop/Start following shows a blue dot where the driver is in relation to the red pin which is the location.



## External buttons

The driver app supports functionality to open other applications from inside the Driver app. We have two options for how to open an external app.


- Go to APPNAME
  - Works for both iOS and Android
  - Can be specified with AppIntentURL or Package name
- Go to previous app
  - Goes back to the app which opened iBoxen Driver
  - Only works on Android
  - On iOS usually the standard iOS system back button works



## Zebra scanner

The driver app has support for the Zebra scanner. If the device is a Zebra then the scanner will be used by default instead of the camera on the device.

If needed the driver can switch to the camera in the app.





## Error handling

If the app hangs, has a spinning wheel, Bluetooth problems etc

Most issues can be solved with these steps.

For a fast solution: **Restart the device.**


If that doesn't help or you cant restart the device follow these steps.

1. Quit the app
2. Turn Bluetooth off and on again
3. Start the app again
4. Make sure the app has Bluetooth permission enabled
5. Make sure the app has location permission enabled

## All boxes needs to be closed – Before a delivery

Before starting a delivery, all lockers need to be closed, this is to make sure the parcel is placed in the right locker.


Please check and close all lockers on the location.



### All boxes needs to be closed – After a delivery


When finishing a delivery, the locker needs to be closed.

Please make sure the locker you have delivered to is properly closed.




### Parcel scanned at the wrong location

Parcels are preregistered to be delivered to a specific location, if the parcel is scanned at another location the parcel cannot be delivered. The driver will be prompted by this message. "This parcel is not registered at this location in iBoxen system. Please verify the delivery location in your internal carrier app."




### Parcel does not exist

If the parcel has not been preregistered it cannot be delivered. The driver will be prompted by this message. "This parcel is not registered in iBoxen system. Please verify the delivery location in your internal carrier app."




### Parcel has incorrect dimensions or incorrect formatted phone number

This scenario only happens if a parcel was accidentally brought on a drivers route, as the parcel would have been given an error when registered through iBoxen API. A parcel that has too big dimensions or has an incorrect format on the receiver phone number cant be delivered. These errors need to be fixed before next delivery attempt.



### Loss of internet connection

This error shows up when there is a loss of internet connection.



### Bluetooth connection issues

This error shows up when there is a Bluetooth connection issue.

