13.0   CHAPTER THIRTEEN

13.1   CSS Borders

The CSS border properties allow you to specify the style, width, and color of an element's border.

CSS Border Style

The border-style property specifies what kind of border to display.

The following values are allowed:

- ⇒ dotted - Defines a dotted border

- ⇒ dashed - Defines a dashed border

- ⇒ solid - Defines a solid border

- ⇒ double - Defines a double border

- ⇒ groove - Defines a 3D grooved border. The effect depends on the border-color value

- ⇒ ridge - Defines a 3D ridged border. The effect depends on the border-color value

- ⇒ inset - Defines a 3D inset border. The effect depends on the border-color value

- ⇒ outset - Defines a 3D outset border. The effect depends on the border-color value

⇒ none - Defines no border

⇒ hidden - Defines a hidden border

The border-style property can have from one to four values (for the top border, right border, bottom border, and the left border).

Example

Demonstration of the different border styles:

p.dotted {border-style: dotted;}

p.dashed {border-style: dashed;}

p.solid {border-style: solid;}

p.double {border-style: double;}

p.groove {border-style: groove;}

p.ridge {border-style: ridge;}

p.inset {border-style: inset;}

p.outset {border-style: outset;}

p.none {border-style: none;}

p.hidden {border-style: hidden;}

p.mix {border-style: dotted dashed solid double;}

A Dashed border

A Solid border

A Double border

A Groove border. the effect depends on the border-color value

A Ridge border. The effect depends on the border-color value

An Inset border. The effect depends on the border-color value

An Outset border. The effect depends on the border-color value

No border

A Hidden border

A Mixed border