

iDepo Hardware and Software Requirements (25 Users)

iInterchange Systems Pvt. Ltd.

*Note: This is a privileged and confidential document of iInterchange Systems Pvt Ltd. No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means (electronic, mechanical, photocopying, recording, or otherwise), without prior written consent from **iInterchange***

Table of Contents

1.	INTRODUCTION	3
2.	REQUIREMENTS	3
	Hardware	3
	2.1. Server	3
	2.2. Client	3
	Software	3
	2.3. Server	3
	2.4. Client	4

1. Introduction

This document outlines the hardware and software requirements for the deployment of iDepo, developed by iInterchange Systems Pvt. Ltd. This requirement shall cater not more than 25 concurrent users and exclusively for hosting iDepo.

2. Requirements

Hardware

2.1. Server

iInterchange recommends the following requirement as minimum requirement to attain optimal performance on the application:

Processor	Intel Dual core Intel Zeon 3.0 Mhz or higher clock speed.
RAM	2 gigabytes (GB) or above
Hard disk	500 GB
Network Speed	2 MBPS

2.2. Client

The machines used to access the application mainly from other locations are defined as Client PCs. The recommended configuration of Client machines as under:

Processor	Intel Pentium IV, 2 gigahertz (GHz) equal or higher
RAM	1 GB

2 MBPS speed would be required for network connectivity shared by 4 people.

Software

2.3. Server

- Windows Server 2003 (downgraded Server 2008 license) with external connector license.
- Internet Information Services 6.0 or above (part of the operating system).
- Microsoft .Net Framework 3.5 SP1.
- Microsoft SQL server 2005 Express Edition SP2.
- Internet Explorer 6 or above.

2.4. Client

- Any operating system compatible to run Microsoft Internet Explorer 6.0 or above.
- Microsoft Report Viewer ActiveX.

CONFIDENTIAL