

Rapport de projet

Titre Professionnel Concepteur Développeur d'Applications

Lifequest - Application de gestion financière personnelle

Candidat : Antonin MINGAM

Titre visé : Concepteur Développeur d'Applications Niveau 6

Référentiel : TP-01281 millésime 04 (24/05/2023)

Annexes

1.1 Diagramme de Séquence LiveView

TODO: Insérer le diagramme puml

2.1 Exemple d'utilisation de LiveView : `dashboard_live`

```

defmodule LifequestWeb.DashboardLive.Index do
  use LifequestWeb, :live_view

  alias Lifequest.Finances

  @impl true
  def render(assigns) do
    ~H"""
    <Layouts.app flash={@flash} current_scope={@current_scope}>
      <h1 class="text-4xl font-bold mb-2">{gettext("Dashboard")}</h1>
      <p class="text-sm opacity-70 mb-8">
        {format_month(@current_month)}
      </p>

      <div class="grid grid-cols-1 md:grid-cols-2 gap-6 mb-12">
        <.donut_chart
          title={gettext("Monthly income")}
          slices={@income_slices}
          empty_label={gettext("No income this month.")}
        />
        <.donut_chart
          title={gettext("Monthly expenses")}
          slices={@expense_slices}
          empty_label={gettext("No expenses this month.")}
        />
      </div>

      <.pending_recurring_section direction={:income} pending={@pending_incomes}>
      <.pending_recurring_section direction={:expense} pending={@pending_expenses}>

      <.empty_state :if={@incomes == [] and @pending_incomes == []} direction={:income}>
      <.empty_state :if={@expenses == [] and @pending_expenses == []} direction={:expense}>

    </Layouts.app>
    """
  end
end

```

```

@impl true
def mount(_params, _session, socket) do
  scope = socket.assigns.current_scope
  today = Date.utc_today()

  {:ok,
   socket
   |> assign(:page_title, gettext("Dashboard"))
   |> assign(:current_month, today)
   |> load_dashboard_data(scope, today)}
end

defp load_dashboard_data(socket, scope, date) do
  incomes = Finances.list_transactions_for_month(scope, :income, date)
  expenses = Finances.list_transactions_for_month(scope, :expense, date)
  pending_incomes = Finances.list_pending_recurring(scope, :income, date)
  pending_expenses = Finances.list_pending_recurring(scope, :expense, date)

  socket
  |> assign(:incomes, incomes)
  |> assign(:expenses, expenses)
  |> assign(:pending_incomes, pending_incomes)
  |> assign(:pending_expenses, pending_expenses)
end

# --- Events ---

@impl true
def handle_event("validate_recurring", %{"id" => id}, socket) do
  scope = socket.assigns.current_scope
  transaction = Finances.get_transaction!(scope, id)
  date = socket.assigns.current_month

  case Finances.validate_recurring(scope, transaction, date) do
    {:ok, _new_transaction} ->

```

```

{:noreply, load_dashboard_data(socket, scope, date)}

{:error, _changeset} ->
  {:noreply, put_flash(socket, :error, gettext("Error validating t
end
end

defp pending_recurring_section(assigns) do
  ~H"""
  <div :if={@pending != []} class="card bg-warning/10 shadow mb-8">
    <div class="card-body">
      <h2 class="card-title mb-4">{pending_title(@direction)}</h2>
      <div class="space-y-3">
        <div :for={transaction <- @pending} class="flex justify-between">
          <div>
            <span class="font-medium">{transaction.label}</span>
            <span class="badge badge-outline badge-sm ml-2">
              {format_transaction_type(transaction)}
            </span>
          </div>
          <div class="flex items-center gap-3">
            <span>{format_currency(transaction.amount)}</span>
            <button
              phx-click="validate_recurring"
              phx-value-id={transaction.id}
              class="btn btn-primary btn-sm"
            >
              {gettext("Validate")}
            </button>
          </div>
        </div>
      </div>
    </div>
  </div>
  """

```

end
end

2.2 Exemple de tests unitaires Frontend :

`dashboard_live_test`


```

defmodule LifequestWeb.DashboardLive.IndexTest do
  use LifequestWeb.ConnCase

  import Phoenix.LiveViewTest
  import Lifequest.FinancesFixtures

  setup :register_and_log_in_user

  defp create_recurring_last_month(scope, attrs \\ %{}) do
    last_month = Date.shift(Date.utc_today(), month: -1)

    transaction_fixture(
      scope,
      Map.merge(
        %{
          label: "Recurring salary",
          direction: :income,
          income_type: :salary,
          amount: "3000.00",
          date: Date.new!(last_month.year, last_month.month, 5),
          is_recurring: true,
          is_active: true
        },
        attrs
      )
    )
  end

  describe "Dashboard with recurring transactions" do
    test "shows pending recurring incomes from last month", %{conn: conn} do
      create_recurring_last_month(scope)

      {:ok, _live, html} = live(conn, ~p"/dashboard")

      assert html =~ "Revenus récurrents à valider"
    end
  end
end

```

```

    assert html =~ "Recurring salary"
    assert html =~ "3000.00 €"
    assert html =~ "Valider"
end

test "shows pending recurring expenses from last month", %{conn: conn} do
    last_month = Date.shift(Date.utc_today(), month: -1)

    create_recurring_last_month(scope, %{
        label: "Recurring rent",
        direction: :expense,
        income_type: nil,
        expense_type: :essential,
        amount: "800.00",
        date: Date.new!(last_month.year, last_month.month, 5)
    })

    {:ok, _live, html} = live(conn, ~p"/dashboard")

    assert html =~ "Dépenses récurrentes à valider"
    assert html =~ "Recurring rent"
end

test "does not show recurring already validated this month", %{conn: conn} do
    create_recurring_last_month(scope)
    create_income(scope, %{label: "Recurring salary", amount: "3000.00"})

    {:ok, _live, html} = live(conn, ~p"/dashboard")

    refute html =~ "Revenus récurrents à valider"
end

test "validate_recurring duplicates transaction to current month", %{conn: conn} do
    create_recurring_last_month(scope)

    {:ok, live_view, _html} = live(conn, ~p"/dashboard")

```

```

    assert has_element?(live_view, "button", "Valider")

    live_view
    |> element("button", "Valider")
    |> render_click()

    html = render(live_view)

    refute html =~ "Revenus récurrents à valider"
    assert html =~ "3000.00 €"
  end
end
end

```

3.1 Pattern matching : clauses multiples et gestion des retours

```

defp format_transaction_type(%{direction: :income, income_type: type}),
  do: format_income_type(type)

defp format_transaction_type(%{direction: :expense, expense_type: type})
  do: format_expense_type(type)

defp format_income_type(:salary), do: gettext("Salary")
defp format_income_type(:freelance), do: gettext("Freelance")
defp format_income_type(:rental), do: gettext("Rental")
defp format_income_type(:bonus), do: gettext("Bonus")
defp format_income_type(_), do: gettext("Unknown")

```

```
def handle_event("validate_recurring", %{"id" => id}, socket) do
  scope = socket.assigns.current_scope
  transaction = Finances.get_transaction!(scope, id)
  date = socket.assigns.current_month

  case Finances.validate_recurring(scope, transaction, date) do
    {:ok, _new_transaction} ->
      {:noreply, load_dashboard_data(socket, scope, date)}

    {:error, _changeset} ->
      {:noreply, put_flash(socket, :error, gettext("Error validating tra
  end
end
```

3.2 Tests unitaires du contexte **Finances** : isolation par scope

```
describe "transactions" do
  import Lifequest.AccountsFixtures, only: [user_scope_fixture: 0]
  import Lifequest.FinancesFixtures

  test "list_transactions/1 returns all scoped transactions" do
    scope = user_scope_fixture()
    other_scope = user_scope_fixture()
    transaction = transaction_fixture(scope)
    other_transaction = transaction_fixture(other_scope)

    assert [result] = Finances.list_transactions(scope)
    assert result.id == transaction.id

    assert [other_result] = Finances.list_transactions(other_scope)
    assert other_result.id == other_transaction.id
  end

  test "get_transaction!/2 returns the transaction with given id" do
    scope = user_scope_fixture()
    transaction = transaction_fixture(scope)
    other_scope = user_scope_fixture()

    assert Finances.get_transaction!(scope, transaction.id) == transaction

    assert_raise Ecto.NoResultsError, fn ->
      Finances.get_transaction!(other_scope, transaction.id)
    end
  end
end
```