

## Pantheon Report

Generated at 2019-08-01 01:09:44 (UTC).

Tested in mahimahi: mm-delay 40 mm-link Verizon-LTE-short.up Verizon-LTE-short.down

Repeated the test of 2 congestion control schemes once.

Each test lasted for 30 seconds running 1 flow.



### System info:

```
Linux 4.15.0-55-generic
net.core.default_qdisc = fq
net.core.rmem_default = 212992
net.core.rmem_max = 212992
net.core.wmem_default = 212992
net.core.wmem_max = 212992
net.ipv4.tcp_rmem = 4096 87380 6291456
net.ipv4.tcp_wmem = 4096 16384 4194304
```

### Git summary:

```
branch: master @ 76826ab9e0de286bac4c537ad2b7f2a4f2d47bb6
third_party/aurora @ f3e943d61015b39960854ba6391797e0c7984d74
third_party/aurora-model @ e292c316c23fb837255c4e142e40590d154bbe95
third_party/eagle @ f66d3a824f0abdd3b1d0afc0cc323607b2c38eca
M sender-receiver/sender-receiver/sender_receiver/envs/example-xentropy.py
third_party/fillp @ d6da1459332fcee56963885d7eba17e6a32d4519
third_party/fillp-sheep @ 0e5bb722943babcd2b090d2c64fcd45e12e923f9
third_party/genericCC @ d0153f8e594aa89e93b032143cedbdf58e562f4
third_party/gold @ e47bed6d7495aa223eec8de2c7a43035967074ef
M environment/__pycache__/datagram_pb2.cpython-36.opt-1.pyc
M environment/__pycache__/datagram_pb2.cpython-36.pyc
M environment/__pycache__/environment.cpython-36.opt-1.pyc
M environment/__pycache__/helpers.cpython-36.opt-1.pyc
M environment/__pycache__/helpers.cpython-36.pyc
M environment/__pycache__/mahimahi.cpython-36.opt-1.pyc
M environment/__pycache__/project_root.cpython-36.opt-1.pyc
M environment/__pycache__/project_root.cpython-36.pyc
M environment/__pycache__/receiver.cpython-36.opt-1.pyc
M environment/__pycache__/receiver.cpython-36.pyc
M environment/logs.txt
M model
third_party/goldLSTM @ 6b512ee75b163fd680d7bf3cde4cf6d6aa7102c4
third_party/indigo @ 2601c92e4aa9d58d38dc4dfe0ecdbf90c077e64d
third_party/libutp @ b3465b942e2826f2b179eaab4a906ce6bb7cf3cf
third_party/pantheon-tunnel @ f866d3f58d27afd942717625ee3a354cc2e802bd
third_party/pcc @ 1afc958fa0d66d18b623c091a55fec872b4981e1
M receiver/src/buffer.h
M receiver/src/core.cpp
```

```
M sender/src/buffer.h
M sender/src/core.cpp
third_party/pcc-experimental @ cd43e34e3f5f5613e8acd08fab92c4eb24f974ab
third_party/proto-quick @ 77961f1a82733a86b42f1bc8143ebc978f3cff42
third_party/scream-reproduce @ f099118d1421aa3131bf11fff1964974e1da3bdb2
M src/ScreamClient
M src/ScreamServer
third_party/sprout @ 366e35c6178b01e31d4a46ad18c74f9415f19a26
M src/examples/cellsim.cc
M src/examples/sproutbt2.cc
M src/network/sproutconn.cc
third_party/synthesizedBBR @ f66d3a824f0abdd3b1d0afc0cc323607b2c38eca
third_party/verus @ d4b447ea74c6c60a261149af2629562939f9a494
M src/verus.hpp
M tools/plot.py
third_party/vivace @ 2baf86211435ae071a32f96b7d8c504587f5d7f4
third_party/webrtc @ 3f0cc2a9061a41b6f9dde4735770d143a1fa2851
```



| scheme | # runs | mean avg tput (Mbit/s)<br>flow 1 | mean 95th-%ile delay (ms)<br>flow 1 | mean loss rate (%)<br>flow 1 |
|--------|--------|----------------------------------|-------------------------------------|------------------------------|
| Eagle  | 1      | 3.94                             | 1794.72                             | 0.04                         |
| SynBBR | 1      | 3.24                             | 265.54                              | 0.29                         |

Run 1: Statistics of Eagle

Start at: 2019-08-01 01:08:07

End at: 2019-08-01 01:08:38

# Below is generated by plot.py at 2019-08-01 01:09:42

# Datalink statistics

-- Total of 1 flow:

Average capacity: 7.50 Mbit/s

Average throughput: 3.94 Mbit/s (52.5% utilization)

95th percentile per-packet one-way delay: 1794.720 ms

Loss rate: 0.04%



-- Flow 1:

Average throughput: 3.94 Mbit/s

95th percentile per-packet one-way delay: 1794.720 ms

Loss rate: 0.04%

Run 1: Report of Eagle — Data Link



Run 1: Statistics of SynBBR

Start at: 2019-08-01 01:08:42

End at: 2019-08-01 01:09:12

# Below is generated by plot.py at 2019-08-01 01:09:42

# Datalink statistics

-- Total of 1 flow:

Average capacity: 7.51 Mbit/s

Average throughput: 3.24 Mbit/s (43.1% utilization)

95th percentile per-packet one-way delay: 265.538 ms

Loss rate: 0.29%

-- Flow 1:

Average throughput: 3.24 Mbit/s

95th percentile per-packet one-way delay: 265.538 ms

Loss rate: 0.29%

Run 1: Report of SynBBR — Data Link

