

Pantheon Report

Generated at 2019-07-04 16:03:26 (UTC).
Tested in mahimahi: mm-link 12mbps.trace 12mbps.trace
Repeated the test of 1 congestion control schemes once.
Each test lasted for 30 seconds running 1 flow.



System info:

Linux 4.15.0-54-generic
net.core.default_qdisc = fq_codel
net.core.rmem_default = 212992
net.core.rmem_max = 212992
net.core.wmem_default = 212992
net.core.wmem_max = 212992
net.ipv4.tcp_rmem = 4096 87380 6291456
net.ipv4.tcp_wmem = 4096 16384 4194304

Git summary:

branch: master @ 40eda44235568afb728a301af2a90c3278805802
third_party/fillp @ d6da1459332fcee56963885d7eba17e6a32d4519
third_party/fillp-sheep @ 0e5bb722943babcd2b090d2c64fcd45e12e923f9
third_party/genericCC @ d0153f8e594aa89e93b032143cedbdf5e58e562f4
third_party/gold @ e47bed6d7495aa223eec8de2c7a43035967074ef
M environment/__pycache__/datagram_pb2.cpython-36.opt-1.pyc
M environment/__pycache__/datagram_pb2.cpython-36.pyc
M environment/__pycache__/environment.cpython-36.opt-1.pyc
M environment/__pycache__/helpers.cpython-36.opt-1.pyc
M environment/__pycache__/helpers.cpython-36.pyc
M environment/__pycache__/mahimahi.cpython-36.opt-1.pyc
M environment/__pycache__/project_root.cpython-36.opt-1.pyc
M environment/__pycache__/project_root.cpython-36.pyc
M environment/__pycache__/receiver.cpython-36.opt-1.pyc
M environment/__pycache__/receiver.cpython-36.pyc
M environment/logs.txt
M model
third_party/goldLSTM @ 48278d12dd5c310d9876b568565b3e79d402d177
third_party/indigo @ 2601c92e4aa9d58d38dc4dfe0ecdbf90c077e64d
third_party/libutp @ b3465b942e2826f2b179eaab4a906ce6bb7cf3cf
third_party/pantheon-tunnel @ f866d3f58d27afd942717625ee3a354cc2e802bd
third_party/pcc @ 1afc958fa0d66d18b623c091a55fec872b4981e1
third_party/pcc-experimental @ cd43e34e3f5f5613e8acd08fab92c4eb24f974ab
third_party/proto-quic @ 77961f1a82733a86b42f1bc8143ebc978f3cff42
third_party/scream-reproduce @ f099118d1421aa3131bf11ff1964974e1da3bdb2
third_party/sprout @ 366e35c6178b01e31d4a46ad18c74f9415f19a26
M src/examples/cellsim.cc
M src/examples/sproutbt2.cc

```
M src/network/sproutconn.cc
third_party/verus @ d4b447ea74c6c60a261149af2629562939f9a494
M src/verus.hpp
M tools/plot.py
third_party/vivace @ 2baf86211435ae071a32f96b7d8c504587f5d7f4
third_party/webrtc @ 3f0cc2a9061a41b6f9dde4735770d143a1fa2851
```



scheme	# runs	mean avg tput (Mbit/s) flow 1	mean 95th-%ile delay (ms) flow 1	mean loss rate (%) flow 1
GoldLSTM	1	6.78	37.12	0.00

Run 1: Statistics of GoldLSTM

Start at: 2019-07-04 16:02:41

End at: 2019-07-04 16:03:11

Below is generated by plot.py at 2019-07-04 16:03:25

Datalink statistics

-- Total of 1 flow:

Average capacity: 12.00 Mbit/s

Average throughput: 6.78 Mbit/s (56.5% utilization)

95th percentile per-packet one-way delay: 37.125 ms

Loss rate: 0.00%

-- Flow 1:

Average throughput: 6.78 Mbit/s

95th percentile per-packet one-way delay: 37.125 ms

Loss rate: 0.00%

Run 1: Report of GoldLSTM — Data Link

