





 main





 1 Branch


 0 Tags


 Add file

 Code

 **Владимир Кондратчиков** Merge branch 'main' of <https://github.com/iResidentt/Kondratchikov-3831> 9364170 · last week  **9 Commits**

 .gitignore	Добавлен .gitignore	last week
 README.md	Create README.md	last week
 file1.txt	Разрешен конфликт при слиянии	last week
 file2.txt	Изменен file2.txt в новой ветке	last week

 README



# Kondratchikov-3831

No description, website, or topics provided.

 Readme

 Activity

 0 stars

 0 watching

 0 forks

### Releases

No releases published

[Create a new release](#)

### Packages

No packages published

[Publish your first package](#)

MINGW64/c/Users/dodal/Kondratchikov-3831

dodal@DESKTOP-GCNKTB MINGW64 ~/Kondratchikov-3831 (main)

```
$ git merge new-feature
Updating e789a97..1fca3ba
Fast-forward
```

```
 file2.txt | 1 +
1 file changed, 1 insertion(+)
```

dodal@DESKTOP-GCNKTB MINGW64 ~/Kondratchikov-3831 (main)

```
$ echo "Изменение в основной ветке" >> file1.txt
```

dodal@DESKTOP-GCNKTB MINGW64 ~/Kondratchikov-3831 (main)

```
$ git add file1.txt
```

warning: in the working copy of 'file1.txt', LF will be replaced by CRLF the next time Git touches it

dodal@DESKTOP-GCNKTB MINGW64 ~/Kondratchikov-3831 (main)

```
$ git commit -m "Изменен file1.txt в основной ветке"
```

```
[main 38db9ac] Изменен file1.txt в основной ветке
1 file changed, 1 insertion(+)
```

dodal@DESKTOP-GCNKTB MINGW64 ~/Kondratchikov-3831 (main)

```
$ git checkout new-feature
```

Switched to branch 'new-feature'

dodal@DESKTOP-GCNKTB MINGW64 ~/Kondratchikov-3831 (new-feature)

```
$ echo "Изменение в новой ветке" >> file1.txt
```

dodal@DESKTOP-GCNKTB MINGW64 ~/Kondratchikov-3831 (new-feature)

```
$ git add file1.txt
```

From <https://github.com/iResidentt/Kondratchikov-3831>

```
* branch      main      -> FETCH_HEAD
```

Merge made by the 'ort' strategy.

```
 README.md | 1 +
```

```
1 file changed, 1 insertion(+)
```

```
create mode 100644 README.md
```

dodal@DESKTOP-GCNKTB MINGW64 ~/Kondratchikov-3831 (main)

```
$ git push origin main
```

Enumerating objects: 26, done.

Counting objects: 100% (26/26), done.

Delta compression using up to 16 threads

Compressing objects: 100% (22/22), done.

Writing objects: 100% (25/25), 2.75 KiB | 1.37 MiB/s, done.

Total 25 (delta 6), reused 0 (delta 0), pack-reused 0 (from 0)

remote: Resolving deltas: 100% (6/6), done.

To <https://github.com/iResidentt/Kondratchikov-3831.git>

```
6e19964..9364170  main -> main
```

dodal@DESKTOP-GCNKTB MINGW64 ~/Kondratchikov-3831 (main)

```
$
```



MINGW64:/c/Users/dodal/Kondratchikov-3831

```
dodal@DESKTOP-GCNKTB MINGW64 ~ (master)
$ mkdir Kondratchikov-3831
mkdir: cannot create directory 'Kondratchikov-3831': File exists

dodal@DESKTOP-GCNKTB MINGW64 ~ (master)
$ cd Kondratchikov-3831

dodal@DESKTOP-GCNKTB MINGW64 ~/Kondratchikov-3831 (main)
$ git init
Reinitialized existing Git repository in C:/Users/dodal/Kondratchikov-3831/.git/

dodal@DESKTOP-GCNKTB MINGW64 ~/Kondratchikov-3831 (main)
$ echo "Первый файл" > file1.txt

dodal@DESKTOP-GCNKTB MINGW64 ~/Kondratchikov-3831 (main)
$ echo "Второй файл" > file2.txt

dodal@DESKTOP-GCNKTB MINGW64 ~/Kondratchikov-3831 (main)
$ git add .
warning: in the working copy of '.gitignore', LF will be replaced by CRLF the next time Git touches it
warning: in the working copy of 'file1.txt', LF will be replaced by CRLF the next time Git touches it
warning: in the working copy of 'file2.txt', LF will be replaced by CRLF the next time Git touches it

dodal@DESKTOP-GCNKTB MINGW64 ~/Kondratchikov-3831 (main)
$ git commit -m "Первый коммит: добавлены file1.txt и file2.txt"
[main (root-commit) 718e92b] Первый коммит: добавлены file1.txt и file2.txt
3 files changed, 3 insertions(+)
create mode 100644 .gitignore
create mode 100644 file1.txt
create mode 100644 file2.txt

dodal@DESKTOP-GCNKTB MINGW64 ~/Kondratchikov-3831 (main)
$ echo "*.log" > .gitignore

dodal@DESKTOP-GCNKTB MINGW64 ~/Kondratchikov-3831 (main)
$ git add .gitignore
warning: in the working copy of '.gitignore', LF will be replaced by CRLF the next time Git touches it

dodal@DESKTOP-GCNKTB MINGW64 ~/Kondratchikov-3831 (main)
$ git commit -m "Добавлен .gitignore"
[main 47ac16f] Добавлен .gitignore
1 file changed, 1 insertion(+), 1 deletion(-)

dodal@DESKTOP-GCNKTB MINGW64 ~/Kondratchikov-3831 (main)
$ echo "Изменение в первом файле" >> file1.txt

dodal@DESKTOP-GCNKTB MINGW64 ~/Kondratchikov-3831 (main)
$ git add file1.txt
warning: in the working copy of 'file1.txt', LF will be replaced by CRLF the next time Git touches it

dodal@DESKTOP-GCNKTB MINGW64 ~/Kondratchikov-3831 (main)
$ git commit -m "Изменен file1.txt"
[main e789a97] Изменен file1.txt
1 file changed, 1 insertion(+)

dodal@DESKTOP-GCNKTB MINGW64 ~/Kondratchikov-3831 (main)
$ git checkout -b new-feature
Switched to a new branch 'new-feature'

dodal@DESKTOP-GCNKTB MINGW64 ~/Kondratchikov-3831 (new-feature)
$ echo "Новое содержимое во втором файле" >> file2.txt

dodal@DESKTOP-GCNKTB MINGW64 ~/Kondratchikov-3831 (new-feature)
$ git add file2.txt
warning: in the working copy of 'file2.txt', LF will be replaced by CRLF the next time Git touches it

dodal@DESKTOP-GCNKTB MINGW64 ~/Kondratchikov-3831 (new-feature)
$ git commit -m "Изменен file2.txt в новой ветке"
[new-feature 1fca3ba] Изменен file2.txt в новой ветке
1 file changed, 1 insertion(+)
```

