Jenkins

mkdir Jenkins

cd jenkins

notepad Dockerfile

Rename-Item Dockerfile.txt Dockerfile

notepad docker-compose.yml

docker-compose up -d

```
PS C:\Users\Ivan\Desktop\jenkins> docker-compose up -d
time="2025-04-02T15:38:06+02:00" level=warning msg="C:\\Users\\Ivan\\Desktop\\jenkins\\docker-compose.yml: `version` is obsolete"
[+] Running 17/17
 ✔ docker Pulled                                                                                          46.3s
   ✔ f18232174bc9 Pull complete                                                                            1.6s
   ✔ 532d671d7887 Pull complete                                                                            1.8s
   ✔ 4f4fb700ef54 Pull complete                                                                            0.6s
   ✔ 059e69770cd7 Pull complete                                                                            1.2s
   ✔ a91a67d14af0 Pull complete                                                                            5.6s
   ✔ 400f9b604068 Pull complete                                                                           18.6s
   ✔ 992adfb269ce Pull complete                                                                           19.1s
   ✔ 0d632c4828a1 Pull complete                                                                            6.3s
   ✔ 5a6d9202faad Pull complete                                                                            7.5s
   ✔ 3971f1ed9686 Pull complete                                                                            8.3s
   ✔ 0c40a16065be Pull complete                                                                           16.8s
   ✔ bb3e0f30d232 Pull complete                                                                           17.7s
   ✔ f6257f3aeaf0 Pull complete                                                                           18.4s
   ✔ e7a779817a63 Pull complete                                                                           42.0s
   ✔ 58914f08e9d9 Pull complete                                                                           19.7s
   ✔ 6f454196713a Pull complete                                                                           20.0s
[+] Building 100.4s (11/11) FINISHED                                                              docker:default
 => [jenkins-blueocean internal] load build definition from Dockerfile                                    0.0s
 => => transferring dockerfile: 613B                                                                      0.0s
 => [jenkins-blueocean internal] load metadata for docker.io/jenkins/jenkins:2.440.2-jdk17                2.4s
 => [jenkins-blueocean auth] jenkins/jenkins:pull token for registry-1.docker.io                         0.0s
 => [jenkins-blueocean internal] load .dockerignore                                                       0.0s
 => => transferring context: 2B                                                                           0.0s
 => [jenkins-blueocean 1/6] FROM docker.io/jenkins/jenkins:2.440.2-jdk17@sha256:2edc8c5eb4dbe901233ec4fada4667448509576b7ba1324f856a406b9acbc613   39.9s
 => => resolve docker.io/jenkins/jenkins:2.440.2-jdk17@sha256:2edc8c5eb4dbe901233ec4fada4667448509576b7ba1324f856a406b9acbc613   0.0s
 => => sha256:2edc8c5eb4dbe901233ec4fada4667448509576b7ba1324f856a406b9acbc613 3.12kB / 3.12kB           0.0s
 => => sha256:58a2b91373da3f14c2d36da1473c5f7ce7470d5784f770dfa5b10811e019aaf5 8.85MB / 8.85MB           5.4s
 => => sha256:cf917fc79a281ed96b3c7fb9336fc341918738706dcb213170ded8c58c4966e9 12.42kB / 12.42kB         0.0s
 => => sha256:71215d55680cf0ab2dcc0e1dd65ed76414e3fb0c294249b5b9319a8fa7c398e4 49.55MB / 49.55MB        23.8s
 => => sha256:31935640cc4399d7118bc5087d6dc645721a791f42508be1a9d45a132023620b 61.36MB / 61.36MB        14.3s
 => => sha256:a31fb0373e4a1d128b598695c6b6dde3a0d1db7d309d24e6ad183c44a4235b74 2.58kB / 2.58kB           0.0s
 => => sha256:39f28ec61129618f68583c13a69e1eb6047fa46beef353fc9465907d870f7911 1.23kB / 1.23kB           5.7s
 => => sha256:4e5c17f255a16ccef5727d76e4703e3da8ac37e2518f4d7e7495654e4cd8f4f4 185B / 185B               5.9s
 => => sha256:9489baaa02c6e6ded3660054596debeb2d0ba4b25f6affbf90099906f2ef4585 86.30MB / 86.30MB        37.8s
 => => sha256:e356a7224b958e302be66dfbeab737da4b89f2ec46f28906d1a6f09449fe3c63 191B / 191B              14.9s
 => => sha256:b60e1a9e0291a4064c27b4fd20afbb3352059545a3320bd07245ecdef3487e18 6.21MB / 6.21MB          17.4s
 => => sha256:9767c22f3135ee1be001d19b8849aaed149c3150eb7559b503502225f043fc6d 63.11MB / 63.11MB        33.8s
 => => sha256:9d4c327a55ea835c8cec4a316dcb422bc62ab1d9af8e9da98334144943cc96ee 1.93kB / 1.93kB          24.4s
 => => extracting sha256:71215d55680cf0ab2dcc0e1dd65ed76414e3fb0c294249b5b9319a8fa7c398e4                 5.5s
 => => sha256:ba2ac3875c91807ea4f162fd3ff7720be5f2d3668274d3299e8c5e225655c221 1.23kB / 1.23kB          24.6s
 => => sha256:6eb1c1c71ae48b9925c8be7605e02bea916215f348217fb2f4cc72abae04bf6e 393B / 393B              24.9s
 => => extracting sha256:31935640cc4399d7118bc5087d6dc645721a791f42508be1a9d45a132023620b                2.9s
 => => extracting sha256:58a2b91373da3f14c2d36da1473c5f7ce7470d5784f770dfa5b10811e019aaf5                0.2s
 => => extracting sha256:39f28ec61129618f68583c13a69e1eb6047fa46beef353fc9465907d870f7911                0.0s
 => => extracting sha256:4e5c17f255a16ccef5727d76e4703e3da8ac37e2518f4d7e7495654e4cd8f4f4                0.0s
 => => extracting sha256:9489baaa02c6e6ded3660054596debeb2d0ba4b25f6affbf90099906f2ef4585                0.7s
 => => extracting sha256:e356a7224b958e302be66dfbeab737da4b89f2ec46f28906d1a6f09449fe3c63                0.0s
 => => extracting sha256:b60e1a9e0291a4064c27b4fd20afbb3352059545a3320bd07245ecdef3487e18                0.1s
 => => extracting sha256:9767c22f3135ee1be001d19b8849aaed149c3150eb7559b503502225f043fc6d                0.8s
 => => extracting sha256:9d4c327a55ea835c8cec4a316dcb422bc62ab1d9af8e9da98334144943cc96ee                0.0s
 => => extracting sha256:ba2ac3875c91807ea4f162fd3ff7720be5f2d3668274d3299e8c5e225655c221                0.0s
 => => extracting sha256:6eb1c1c71ae48b9925c8be7605e02bea916215f348217fb2f4cc72abae04bf6e                0.0s
 => [jenkins-blueocean 2/6] RUN apt-get update && apt-get install -y lsb-release                          9.0s
 => [jenkins-blueocean 3/6] RUN curl -fsSLo /usr/share/keyrings/docker-archive-keyring.asc  https://download.docker.com/linux/debian/gpg  0.7s
 => [jenkins-blueocean 4/6] RUN echo "deb [arch=$(dpkg --print-architecture)  signed-by=/usr/share/keyrings/docker-archive-keyring.asc]  https://do  0.5s
 => [jenkins-blueocean 5/6] RUN apt-get update && apt-get install -y docker-ce-cli                       16.6s
 => [jenkins-blueocean 6/6] RUN jenkins-plugin-cli --plugins "blueocean docker-workflow"                 30.2s
 => [jenkins-blueocean] exporting to image                                                                0.8s
 => => exporting layers                                                                                   0.7s
 => => writing image sha256:4d07dc902b93585da8bd3051e3d3f141ec206f083dd1d1d3eabcbee5220ac48c              0.0s
 => => naming to docker.io/library/jenkins-jenkins-blueocean                                              0.0s
[+] Running 3/3
 ✔ Network jenkins_default              Created                                                           0.1s
 ✔ Container jenkins-jenkins-blueocean-1  Started                                                         0.2s
```

ls

chmod -R 777 jenkins-data

```
Ivan@DESKTOP-B2JS5BQ MINGW64 ~/Desktop/jenkins
$ ls
Dockerfile   docker-compose.yml   jenkins-data/   jenkins-docker-certs/

Ivan@DESKTOP-B2JS5BQ MINGW64 ~/Desktop/jenkins
$ chmod -R 777 jenkins-data

Ivan@DESKTOP-B2JS5BQ MINGW64 ~/Desktop/jenkins
$ |
```

docker-compose up -d

```
PS C:\Users\Ivan\Desktop\jenkins> docker-compose up -d
time="2025-04-02T15:52:24+02:00" level=warning msg="C:\\Users\\Ivan\\Desktop\\jenkins\\docker-compose.yml: `version` is obsolete"
[+] Running 2/0
 ✔ Container jenkins-docker-1             Running                                                         0.0s
 ✔ Container jenkins-jenkins-blueocean-1  Running                                                         0.0s
```

docker-compose ps

```
PS C:\Users\Ivan\Desktop\jenkins> docker-compose ps
time="2025-04-02T15:53:54+02:00" level=warning msg="C:\\Users\\Ivan\\Desktop\\jenkins\\docker-compose.yml: `version` is obsolete"
NAME                         IMAGE                       COMMAND                 SERVICE           CREATED          STATUS          PORTS
jenkins-docker-1             docker:dind                 "dockerd-entrypoint…"   docker            13 minutes ago   Up 13 minutes   2375-2376/tcp
jenkins-jenkins-blueocean-1  jenkins-jenkins-blueocean   "/usr/bin/tini -- /u…"  jenkins-blueocean 13 minutes ago   Up 13 minutes   0.0.0.0:8080->8080/tcp, 0.0.0.0:50000->50000/tcp
```

http://localhost:8080

docker-compose logs


```
jenkins-blueocean-1  |  Jenkins initial setup is required. An admin user has been created and a password generated.
jenkins-blueocean-1  |  Please use the following password to proceed to installation:
jenkins-blueocean-1  |
jenkins-blueocean-1  |  11954a7ba82349c4929dad89bbd336e7
jenkins-blueocean-1  |
jenkins-blueocean-1  |  This may also be found at: /var/jenkins_home/secrets/initialAdminPassword
```

Getting Started

✓ Folders Plugin	✓ OWASP Markup Formatter	✓ Build Timeout	✓ Credentials Binding Plugin	** Resource Disposer Workspace Cleanup Ant
✓ Timestamper	✓ Workspace Cleanup	✓ Ant	✓ Gradle	Gradle Pipeline GitHub
✓ Pipeline	✓ GitHub Branch Source	✓ Pipeline: GitHub Groovy Libraries	✓ Pipeline: Stage View	GitHub Branch Source Pipeline: GitHub Groovy Libraries
✓ Git plugin	✓ SSH Build Agents	✓ Matrix Authorization Strategy	✓ PAM Authentication	** Pipeline: REST API Pipeline: Stage View Git
✓ LDAP	✓ Email Extension	✓ Mailer Plugin	✓ Dark Theme	SSH Build Agents Matrix Authorization Strategy PAM Authentication LDAP
✓ Dashboard View	↻ Git Parameter	✓ GitHub	↻ GitLab	Email Extension Mailer ** Theme Manager Dark Theme Dashboard View

** - required dependency

Jenkins 2.440.2

Create First Admin User

Username

Password

Confirm password

Full name

E-mail address

Jenkins 2.387.1   Skip and continue as admin   **Save and Continue**

Instance Configuration

Jenkins URL:

[   ]

The Jenkins URL is used to provide the root URL for absolute links to various Jenkins resources. That means this value is required for proper operation of many Jenkins features including email notifications, PR status updates, and the BUILD_URL environment variable provided to build steps.

The proposed default value shown is **not saved yet** and is generated from the current request, if possible. The best practice is to set this value to the URL that users are expected to use. This will avoid confusion when sharing or viewing links.

Jenkins 2.387.1   Not now   Save and Finish

```
ngrok

❤   ngrok? We're hiring https://ngrok.com/careers

Session Status              online
Account                     ivKeeX (Plan: Free)
Update                      update available (version 3.22.0, Ctrl-U to update)
Version                     3.20.0
Region                      Europe (eu)
Latency                     41ms
Web Interface               http://127.0.0.1:4040
Forwarding                  https://9923-89-205-63-99.ngrok-free.app -> http://localhost:8080

Connections                 ttl     opn     rt1     rt5     p50     p90
                            36      0       0.07    0.08    0.09    3.16

HTTP Requests
-------------

03:26:25.325 CEST GET /static/0441f532/jsbundles/vendors.js                                     200 OK
03:26:25.318 CEST GET /static/0441f532/scripts/yui/container/assets/container.css               200 OK
03:26:25.516 CEST GET /adjuncts/0441f532/lib/layout/task/task.js                                200 OK
03:26:25.325 CEST GET /static/0441f532/scripts/yui/container/assets/skins/sam/container.css     200 OK
03:26:25.719 CEST GET /adjuncts/0441f532/jenkins/management/AdministrativeMonitorsDecorator/resources.css 200 OK
03:26:25.317 CEST GET /static/0441f532/scripts/yui/menu/menu-min.js                             200 OK
03:26:25.325 CEST GET /static/0441f532/scripts/hudson-behavior.js                               200 OK
03:26:25.699 CEST GET /adjuncts/0441f532/lib/form/link/link.js                                  200 OK
03:26:25.289 CEST GET /adjuncts/0441f532/org/kohsuke/stapler/bind.js                            200 OK
03:26:25.325 CEST GET /static/0441f532/jsbundles/sortable-drag-drop.js                          200 OK
```

Jenkins URL ?

[https://9923-89-205-63-99.ngrok-free.app|]

Jenkins   Search (CTRL+K)   🔔 3   🛡 2   👤 Ivan Pupinoski ∨   ⤏ log out

Dashboard >

+ New Item

👥 People

🕙 Build History

⚙ Manage Jenkins

🖥 My Views

◯ Open Blue Ocean

Build Queue   ∨
No builds in the queue.

Build Executor Status   ∨
1 Idle
2 Idle

✎ Add description

Welcome to Jenkins!

This page is where your Jenkins jobs will be displayed. To get started, you can set up distributed builds or start building a software project.

Start building your software project

Create a job   +

Set up a distributed build

Set up an agent   🖥

Configure a cloud   ☁

Learn more about distributed builds   ⑦

REST API   Jenkins 2.440.2

Enter an item name

KIII-Exercise-01

» Required field

Freestyle project
Classic, general-purpose job type that checks out from up to one SCM, executes build steps serially, followed by post-build steps like archiving artifacts and sending email notifications.

Pipeline
Orchestrates long-running activities that can span multiple build agents. Suitable for building pipelines (formerly known as workflows) and/or organizing complex activities that do not easily fit in free-style job type.

Multi-configuration project
Suitable for projects that need a large number of different configurations, such as testing on multiple environments, platform-specific builds, etc.

Folder
Creates a container that stores nested items in it. Useful for grouping things together. Unlike view, which is just a filter, a folder creates a separate namespace, so you can have multiple things of the same name as long as they are in different folders.

Multibranch Pipeline
Creates a set of Pipeline projects according to detected branches in one SCM repository.

Organization Folder
Creates a set of multibranch project subfolders by scanning for repositories.

OK

Configure

- General
- Source Code Management
- Build Triggers
- Build Environment
- Build Steps
- Post-build Actions

General

Enabled ●

Description

Plain text Preview

☐ Discard old builds ?

☑ GitHub project
Project url ?
https://github.com/iSqloud7/SI_2024_lab2_223260.git

Advanced ⌄

GitLab Connection

☐ Use alternative credential

☐ This project is parameterized ?

Save   Apply

Configure

- General
- Source Code Management
- Build Triggers
- Build Environment
- Build Steps
- Post-build Actions

Source Code Management

○ None

● Git ?

Repositories ?

Repository URL ?
https://github.com/iSqloud7/SI_2024_lab2_223260

Credentials ?
- none -

Jenkins Credentials Provider
Jenkins

Advanced ⌄

Add Repository

Branches to build ?

Branch Specifier (blank for 'any') ?
*/master

Save   Apply

Jenkins Credentials Provider: Jenkins

Kind

Username with password ▼

Scope ?

Global (Jenkins, nodes, items, all child items, etc) ▼

Username ?

ivKeeX

☐ Treat username as secret ?

Password ?

••••••••••••

ID ?

ivKeeX-github

Description ?

GitHub credentials for ivKeeX!

Credentials ?

- none - ▼

- none -

ivKeeX/****** (GitHub credentials for ivKeeX!)

Branches to build ?

Branch Specifier (blank for 'any') ?   ✕

*/master

Configure

- ⚙ General
- ⑂ Source Code Management
- ⏱ Build Triggers
- 🌐 Build Environment
- ☰ Build Steps
- 📦 Post-build Actions

Build Triggers

☐ Trigger builds remotely (e.g., from scripts) ?

☐ Build after other projects are built ?

☑ Build periodically ?

Schedule ?

```
* * * * *
```

⚠ Do you really mean "every minute" when you say "* * * * *"? Perhaps you meant "H * * * *" to poll once per hour
Would last have run at Friday, April 4, 2025 at 1:47:04 AM Coordinated Universal Time; would next run at Friday, April 4, 2025 at 1:47:04 AM Coordinated Universal Time.

☐ Build when a change is pushed to GitLab. GitLab webhook URL: http://localhost:8080/project/KIII-Exercise-01 ?

☐ GitHub hook trigger for GITScm polling ?

☐ Poll SCM ?

- ☰ Build Steps
- 📦 Post-build Actions

Build Steps

☰ Execute shell ?   ✕

Command

See the list of available environment variables

```
ls -l
```

Global credentials (unrestricted)   [+ Add Credentials]

Credentials that should be available irrespective of domain specification to requirements matching.

ID	Name	Kind	Description	
📱 ivKeeX-github	ivKeeX/****** (GitHub credentials for ivKeeX!)	Username with password	GitHub credentials for ivKeeX!	🔧
📱 ivKeeX-dockerhub	ivKeeX/****** (DockerHub credentials for ivKeeX!)	Username with password	DockerHub credentials for ivKeeX!	🔧

⊘ **KIII-Exercise-01**

Permalinks

- Last build (#12), 32 sec ago
- Last stable build (#12), 32 sec ago
- Last successful build (#12), 32 sec ago
- Last completed build (#12), 32 sec ago

Jenkins   Pipelines   Administration   ⊡   Logout

Create Pipeline   ⊡ Classic Item Creation

✓ Where do you store your code?

🔒 Bitbucket Cloud	🔒 Bitbucket Server
GitHub	⊙ GitHub Enterprise
◈ Git	

✓ Which organization does the repository belong to?

▦ iSqloud7

◯ Choose a repository

Loaded 22 repositories

🔍 KIII

---KIII-Homeworks---

KIII-jenkins

Create Pipeline

Jenkins   Pipelines   Administration   ⊡   Logout

🟡 KIII-jenkins ☆ ⚙   Activity   Branches   Pull Requests

STATUS	RUN	COMMIT	BRANCH ⩦	MESSAGE	DURATION	COMPLETED	
◯	1	—	master	Branch indexing	22s	-	⊙

Configuration

- ⚙ General
- ⚙ **Branch Sources**
- ⚙ Build Configuration
- ⚙ Scan Repository Triggers
- ⚙ Orphaned Item Strategy
- ⚙ Appearance
- ⚺ Health metrics
- 🔧 Properties

General

Enabled ⬤

Display Name ❔

KIII-Exercise-02

Description

Plain text **Preview**

Branch Sources

GitHub
Credentials ❔   ✕

ivKeeX/****** (GitHub credentials for ivKeeX!)   ⌄

[+ Add ⌄]

Build Configuration

Mode

by Jenkinsfile   ⌄

Script Path ❔

Jenkinsfile

📖 Jenkins-Exercise

[**Disable Multibranch Pipeline**]

[Branches (1)] [Pull Requests (0)]

S	W	Name ↓	Last Success	Last Failure	Last Duration	F
✅	🌧	master	1 day 6 hr #3	1 day 6 hr #2	1 min 6 sec	▷ ☆

Icon: S M **L**   Icon legend 📶 Atom feed for all 📶 Atom feed for failures 📶 Atom feed for just latest builds

✎ Add description

[All] [+]

S	W	Name ↓	Last Success	Last Failure	Last Duration	F
📖	☀	Jenkins-Exercise	1 day 6 hr log	N/A	2.3 sec	▷ ☆
🚫	☀	KIII-Exercise-01	7 days 21 hr #26	N/A	1.3 sec	☆

---

kiii-jenkins / **index.html** ⧉   ⋯

⬤ pupinoskii and pupinoskii KIII-Homework04-BlueOceanPipeline!   8df2127 · last week 🕘 History

[**Code**] [Blame] 1 lines (1 loc) · 83 Bytes   🔗 Raw ⧉ ⬇ ✎ ⌄ ◇

    1   Hello world! We are on our DevOps lectures. Today is Friday and it's sunny outside.

kiii-jenkins / index.html in master   [Cancel changes] [**Commit changes...**]

[**Edit**] [Preview]   Spaces ⇅ 2 ⇅ No wrap ⇅

    1   Hello world! We are on our DevOps lectures. Today is Friday and it's sunny outside.
    2   The change is made !!!

Pipeline | Changes | Tests | Artifacts | Logout | X

Branch: master
Commit: d157311
🕐 42s
🕐 a few seconds ago
No changes
Replayed #12

Start — Clone repository — Build image — Push image — End

Push image - 20s

✓	› Checks if running on a Unix-like node	<1s
✓	› docker tag "$JD_ID" "$JD_TAGGED_IMAGE_NAME" — Shell Script	<1s
✓	› Checks if running on a Unix-like node	<1s
✓	› docker push "$JD_TAGGED_IMAGE_NAME" — Shell Script	5s
✓	› Checks if running on a Unix-like node	<1s
✓	› docker tag "$JD_ID" "$JD_TAGGED_IMAGE_NAME" — Shell Script	<1s
✓	› Checks if running on a Unix-like node	<1s
✓	› docker push "$JD_TAGGED_IMAGE_NAME" — Shell Script	4s

Repositories / kiii-jenkins / General

ivkeex/kiii-jenkins ⊘

Last pushed less than a minute ago · Repository size: 69.7 MB

Add a description ✎ ⓘ

Add a category ✎ ⓘ

General | Tags | Image Management BETA | Collaborators | Webhooks | Settings

Tags

◳ DOCKER SCOUT INACTIVE
Activate

This repository contains 3 tag(s).

Tag	OS	Type	Pulled	Pushed
● master-latest	🐧	Image	less than 1 day	less than a minute
● master-13	🐧	Image	less than 1 day	less than a minute

⊞ | ⌥ dev | kiii-jenkins /

🔍 Go to file | Add file ▾ | ···

iSqloud7 Create README.md
303c8a6 · now 🕐 History

This branch is 1 commit ahead of master .

⇋ Contribute ▾

Name	Last commit message	Last commit date
🗎 Dockerfile	KIII-Homework04-BlueOceanPipeline!	last week
🗎 Jenkinsfile	Update Jenkinsfile	yesterday
🗎 README.md	Create README.md	now
🗎 index.html	Update index.html	8 minutes ago

README.md ✎

Added README to the new dev branch.

Pipeline | Changes | Tests | Artifacts | Logout | X

Branch: dev
Commit: 303c8a6
🕐 43s
🕐 a few seconds ago
No changes
Branch indexing

Start — Clone repository — Build image — Push image — End

Push image - 25s

✓	› Checks if running on a Unix-like node	<1s
✓	› docker tag "$JD_ID" "$JD_TAGGED_IMAGE_NAME" — Shell Script	<1s
✓	› Checks if running on a Unix-like node	<1s
✓	› docker push "$JD_TAGGED_IMAGE_NAME" — Shell Script	9s
✓	› Checks if running on a Unix-like node	<1s
✓	› docker tag "$JD_ID" "$JD_TAGGED_IMAGE_NAME" — Shell Script	<1s
✓	› Checks if running on a Unix-like node	<1s
✓	› docker push "$JD_TAGGED_IMAGE_NAME" — Shell Script	5s

ivkeex/kiii-jenkins

Last pushed 3 minutes ago · Repository size: 69.7 MB

Add a description 🖉 ⓘ

Add a category 🖉 ⓘ

General   Tags   Image Management BETA   Collaborators   Webhooks   Settings

Tags

🔲 DOCKER SCOUT INACTIVE
Activate

This repository contains 6 tag(s).

Tag	OS	Type	Pulled	Pushed
● dev-latest	🐧	Image	less than 1 day	3 minutes
● dev-2	🐧	Image	less than 1 day	4 minutes

From dev to master! #1

⑂ Open iSqloud7 wants to merge 1 commit into `master` from `dev` ⧉

💬 Conversation 0   ⦿ Commits 1   ☐ Checks 0   ⊞ Files changed 1

iSqloud7 commented now   Owner   ···

Added a README file into 'dev' branch.

☺

⦿ ▊ Create README.md   Verified   303c8a6

✓ **No conflicts with base branch**
Merging can be performed automatically.

Merge pull request ▾   You can also merge this with the command line. View command line instructions.

🐱 **kiii-jenkins** Public   📌 Pin   👁 Unwatch 1

⑂ master ▾   ⑂ 2 Branches ⬡ 0 Tags   🔍 Go to file t   Add file ▾   ⟨⟩ Code ▾

🐱 iSqloud7 Merge pull request #1 from iSqloud7/dev ···   7d99035 · 1 minute ago   ⟲ 9 Commits

📄 Dockerfile	KIII-Homework04-BlueOceanPipeline!	last week
📄 Jenkinsfile	Update Jenkinsfile	yesterday
📄 README.md	Create README.md	28 minutes ago
📄 index.html	Update index.html	36 minutes ago

📖 README   🖉

Added README to the new dev branch.

Tags

🔲 DOCKER SCOUT INACTIVE
Activate

This repository contains 6 tag(s).

Tag	OS	Type	Pulled	Pushed
● dev-latest	🐧	Image	less than 1 day	1 minute
● dev-3	🐧	Image	less than 1 day	2 minutes