Accessibility conformance report: Mobile Food Vehicle Fire Inspection and Safety Information (City of Boulder Fire-Rescue)

Prepared 2026-11-13. Source file: boulder-mfv-safety-info.pdf (4 pages). Remediated file: boulder-mfv-safety-info.pdf.

Summary

Before and after remediation

Check	Before	After
PDF/UA-1 machine validation (veraPDF, ISO 14289-1)	Fails: 9 rules, 2345 failed checks	Passes
Tagged structure	No	Yes
Document language	Not set	en-US
Document title shown in title bar	Not set	Mobile Food Vehicle Fire Inspection and Safety Information (City of Boulder Fire-Rescue)
Bookmarks	0	0
Images with alternative text		1 of 1 tagged figures
Form fields with labels		No form fields
Text recognised from scanned images (OCR)		Not needed
Visual change (share of pixels that differ, worst page)		0.0000

Visual change is measured by rendering every page before and after and counting pixels that differ. A value near zero means the document looks the same to a sighted reader. Small non-zero values come from embedding the fonts the original only named.

What we promise, and what we do not

- The remediated file passes PDF/UA-1 machine validation in veraPDF, the reference open-source validator, unless this report says otherwise.
- The structure (headings, lists, tables, reading order) was reviewed against the page, and every image and form field was reviewed and described or labelled.
- This is not a certification and not a legal opinion. Machine validation cannot judge whether alternative text or reading order is right; that part rests on the review described below.
- Colour contrast is measured and reported, not changed.

Structure of the remediated document

Tagged elements by type

Element	Count
Figure	1
H1	1
H2	9
H3	9
L	34

LBody	82
LI	82
Link	1
P	5

Headings, in reading order

- Level 1: MOBILE FOOD VEHICLE FIRE INSPECTION & SAFETY INFORMATION
- Level 2: Overview
- Level 2: Inspection Process
- Level 2: Inspection with Violations
- Level 2: FMAC Certificate of Inspection
- Level 2: Liquid Propane Gas (LPG) Cylinders
- Level 3: Usage and Safety Parameters
- Level 2: Type I Commercial Hood System
- Level 3: Cooking Equipment Safety
- Level 2: Portable Fire Extinguishers
- Level 3: Requirements and Placement
- Level 3: Personal Training
- Level 2: Detection Devices
- Level 3: Carbon Monoxide (CO) Detectors
- Level 3: Propane and Natural Gas Detectors
- Level 2: Staff Training
- Level 3: Fire Extinguisher Use
- Level 3: Fire Prevention Practices
- Level 3: Emergency Preparedness

Images and their alternative text

Figures

Page	Alternative text
1	Boulder Fire-Rescue badge

1 images were judged decorative (backgrounds, ornaments, repeated photos in a collage already described) and marked as artifacts, so screen readers skip them.

Machine validation in detail

Failures in the original file

Rule (ISO 14289-1 clause)	What it checks	Failed checks
6.2-1	The document catalog dictionary shall include a MarkInfo dictionary containing an entry, Marked, whose value shall be true	1
7.1-10	The document catalog dictionary shall include a ViewerPreferences dictionary containing a DisplayDocTitle key, whose value shall be true	1
7.1-11	The logical structure of the conforming file shall be described by a structure hierarchy rooted in the StructTreeRoot entry of the document	1
7.1-3	Content shall be marked as Artifact or tagged as real content	2337
7.1-8	The Catalog dictionary of a conforming file shall contain the Metadata key whose value is a metadata stream as defined in ISO 32000-1:2008,	1

7.18.1-2	An annotation (except Widget annotations or hidden annotations, or those having rectangle outside the crop-box) shall have either Contents k	1
7.18.3-1	Every page on which there is an annotation shall contain in its page dictionary the key Tabs, and its value shall be S	1
7.18.5-1	Links shall be tagged according to ISO 32000-1:2008, 14.8.4.4.2, Link Element	1
7.18.5-2	Links shall contain an alternate description via their Contents key as described in ISO 32000-1:2008, 14.9.3	1

No PDF/UA-1 failures remain in the remediated file.

Colour contrast (WCAG 2.1, success criterion 1.4.3)

No text run measured below the required contrast ratio.

Checks that machine validation cannot settle (Matterhorn Protocol)

Review checks

Checkpoint	Status	How
01 Real content tagged, decoration marked as artifact	Not yet reviewed	Tag tree compared with the rendered pages.
06/09 Logical reading order and appropriate tags	Not yet reviewed	Reading order and tag types checked in the tag dump against the page images.
13 Alternative text for figures is meaningful	Not yet reviewed	Every image reviewed; alt text written for meaningful images, decorative images marked as artifacts.
14 Headings: levels reflect the document's outline	Enforced by script	Engine never skips a level; heading text checked in review.
15 Tables: headers and scope	Not yet reviewed	Header cells and scope checked in the tag dump.
16 Lists tagged as lists	Not yet reviewed	List structure checked in the tag dump.
28 Form fields have labels; tab order follows structure	Enforced by script	Every field has a tooltip (TU); page tab order set to structure order.
31 Text maps to correct Unicode (including OCR text)	Enforced by script	Fonts carry ToUnicode maps; OCR text spot-checked against the image.
WCAG 1.4.3 Colour contrast (outside PDF/UA)	Measured by script	Measured by script for every text run; reported below, not changed (changing colours changes how the document looks).
Usability with a screen reader (NVDA, JAWS) in Adobe Acrobat Reader	Not done	Not part of this deliverable unless stated: no screen-reader session was recorded for this file.

Known limitations of this file

- This sample is the safety information section (pages 1 to 4) of the City's 11-page Mobile Food Vehicle packet. The rest of the packet is a paper application form, a checklist published by the Fire Marshals Association of Colorado, and a parking diagram, and those pages were not part of this sample.
- Under Chemical Safety on page 4, the first of the three sub-items ("Use") is read as part of the Chemical Safety item instead of as its own list item; "Mixing" and "Spills" are separate items.

Tools

veraPDF 1.30.4 (PDF/UA-1 validation); qpdf and pikepdf (PDF structure); PyMuPDF (layout and rendering); OCRmyPDF with Tesseract (text recognition, when needed); LibreOffice (this report). All run locally.

The full structure tree in reading order is supplied as a separate text file.