Automatic generated report CNET0023.

Author: Palomo Alonso, Alberto
Date of submission: October 19, 2022.



Fig. 1: Model visualization

1 Model

The model has been compiled successfully with the following parameters:

Layer	Shape	Attributes
Flatten	(None,)	
Dense	(128,)	
Dense	(64,)	
Dense	(32,)	
Dense	(64,)	
Dense	(128,)	

Tab. 1: Model architecture and attributes.

Model summary

```
Model: "model_0"
_________________________________________________________________
 Layer type                Output Shape              Param #
=================================================================
 input_1 InputLayer        [None, 8, 8, 1]          0

 flatten Flatten           None, 64                 0

 dense Dense               None, 128                8320

 dense_1 Dense             None, 64                 8256

 dense_2 Dense             None, 32                 2080

 dense_3 Dense             None, 64                 2112

 dense_4 Dense             None, 128                8320

 output Dense              None, 8                  1032

=================================================================
Total params: 30,120
Trainable params: 30,120
Non-trainable params: 0
_________________________________________________________________
Model: "model_1"
_________________________________________________________________
 Layer type                Output Shape              Param #
=================================================================
 input_2 InputLayer        [None, 8, 8, 1]          0

 flatten_1 Flatten         None, 64                 0

 dense_5 Dense             None, 128                8320

 dense_6 Dense             None, 64                 8256
```

```
 dense_7 Dense             None, 32                2080

 dense_8 Dense             None, 64                2112

 dense_9 Dense             None, 128               8320

 output Dense              None, 8                 1032

=================================================================
Total params: 30,120
Trainable params: 30,120
Non-trainable params: 0
_________________________________________________________________
```

1.1 Compiler

- *Problem specifications.* The input shape mesh is *(8, 8, 1)*, while the output shape is *(8)*.
- *Compiling options.* The model makes use of the *mean squared error* loss function and the *adam* optimizer. The metrics taken into account are accuracy and loss.
- *Devices.* The model was trained with 1GPUs.

2 Database

The database **32k 8t 01w** was generated with *hypertrain*. The training - validation - test distribution is *'train': 70, 'validation': 20, 'test': 10* and the total size of the database is *(22938, 6554, 3276)*.

3 Performance

The obtained learning curve is shown below. With **maxloss**: 0.0111, and **minloss**: 0.0.



Fig. 2: Learning curve with the introduced database.