

# MazerPi


## Raspberry Pi 4 B Screen Case Installation Guide




Any issue?

Please Contact US  
Email: [mazerpi@yeah.net](mailto:mazerpi@yeah.net)

### Choice B: Use the Top Panel without Screen How to connect the fan and heatsink?




Please email us if the fan is noisy, we will resend a brand new one to you.



### Choice A: Use the Screen without top panel How to connect the fan?

Please connect the black cable to "-" pin and red cable to "+" pin on the back of screen as picture show.



## How to Install the Driver:

Please follow the "Quick Start"

## How to Install the Pre-install driver OS:

If you can't make the screen work after you install our driver as the quick start show, please try the pre-install driver OS.

Raspbian for PI4/PI3B+/PI3/PI2/PI1/ZERO/ZERO W:  
<http://bit.ly/raspbian35mhs>

Kali for PI4B,PI3B+,PI3,PI2:  
<http://bit.ly/kali35mhs>

Find more information, please Visit:  
<http://bit.ly/35mhs wiki>

Notice: The pre-install OS download link maybe update in the future, if the link we provided can't be visited, please visit:  
[http://www.lcdwiki.com/MHS-3.5inch\\_RPi\\_Display](http://www.lcdwiki.com/MHS-3.5inch_RPi_Display)  
we will update more information, and this link will never be changed.






**01** Pick up the panel



**A2** Remove the film from the thermal tape and paste them on the chips of your Pi.

**A/B** Notice: If you want to use the case with the screen please refet to next step A2, If only use the case,please B2



**A3** Note: The fan type is 2507  
Install the fan on the metal heatsink with 4 flat head screws, and connect the cable to the interface on the back of screen.



**A4** Put 4 plastic washers on the holes of the Pi and then put the heatsink with the fan on them. Install them with 4 round head screws.



**A5** Remove the film from the gasket and then paste it above of the ethernet port.



**A6** Insert the GPIO header into the Pi to install the screen.



**A7** Install the middle frame.



**A8** Done!



**B2** Remove the film on the heatsink and paste them on the chips on your Pi.



**B3** Note: The fan type is 3010  
Install the middle frame and connect the cable of fan to your Pi.



**B4** Done!