
A
Transcriptome | OS risk
Risk
Event
AGR2
MUC6
MUC5B
EPCAM
G6PD
EIF3B
UBE2C
BIRC5
GDF2
CLEC4M
GCK
ALB
SLC5A10
IFI27
CXCL14
FCRL3
NKG7
CXCL9
Expression z-score
−2
0
2
B
Transcriptome | TTR risk
Risk
Event
AGR2
MUC6
MUC5B
EPCAM
G6PD
EIF3B
UBE2C
BIRC5
GDF2
CLEC4M
GCK
ALB
SLC5A10
IFI27
CXCL14
FCRL3
NKG7
CXCL9
Expression z-score
−2
0
2
C
Broad arm CNAs
Consensus risk
Group
High
Middle
Low
8p 61%
1q 59%
17p 56%
8q 49%
6q 34%
16q 33%
4q 33%
13q 31%
5p 31%
6p 31%
17q 31%
7p 30%
20p 26%
20q 26%
Loss
Neutral
Gain
D
Disease-state modules
Consensus risk
Group
High
Middle
Low
Proliferative /CNA
Stromal /EMT
Immune-inflamed
Vascular /normal-like
Sorafenib sensitive-like
Module z-score
−2
0
2
E
Gain burden
rho=0.35
P=0.006
Gain burden
Consensus risk score
F
Proliferative/CNA
rho=0.39
P=0.002
Module score
Consensus risk score
G
Stromal/EMT
rho=-0.30
P=0.020
Module score
Consensus risk score
H
Immune-inflamed
rho=-0.34
P=0.008
Module score
Consensus risk score
I
Vascular/normal-like
rho=-0.37
P=0.004
Module score
Consensus risk score
J
Sorafenib sensitive-like
rho=0.25
P=0.048
Module score
Consensus risk score
K
Differential expression
HAMP
CLEC1B
SHC4
AGR2
REG1B
PAGE1
BPIFA
-log10(FDR)
DESeq2 log2 fold-change
L
Canonical CNAs
Amplification
Deletion
MYC
MDM4
TERT
VEGFA
EGFR
MET
CCND1
FGF19
TP53
RB1
Gene-level alteration frequency (%)
M
Module associations
Sorafenib sensitive-like
Vascular /normal-like
Immune-inflamed
Stromal /EMT
Proliferative /CNA
Unadjusted Spearman rho
Adjusted partial rho
Association with consensus risk