1 Tokenization

2 Parse trees




Figure 1: John gave a book to Mary.




Figure 2: John gave Mary a book.

3 Remarks on the grammar

Design of the grammar rules

Positive aspects

Negative aspects a. Redundancy of rules in the verbal domain




Figure 3: John gave Mary a nice drawing book.




Figure 4: John ate salad with mushrooms with a fork.

There is a redundancy in the treatment of ditransitive verb phrases. *VPo* an *VPio* are two nodes which expand in the exact same way:

$$VPo \rightarrow Vdt NP \text{ and } VPio \rightarrow Vdt NP.$$

and therefore there is no difference between them within the grammar. From a linguistic point of view this separation might have a motivation. The ditransitive verb and its direct object are represented by Po, while VPio is a unit consisting of a ditransitive verb and its indirect object. As valid linguistic distinction as it might be, it does not need to be included in simple grammar like the one discussed here. In particular, no use is made of the distinction between that would limit overgenration. If that was the case, then having both non-terminals would be a valid design choice. For instance, one




Figure 5: Book a flight to NYC.




Figure 6: Can you book a flight to London?

might consider putting some restrictions on what kinds of NP can be direct or indirect objects. The needless distinction between VPo an VPio propagates up to the topmost VP expansion rules. As a result, there are more VP-related rules than necessary. The grammar contains

$$VP
ightarrow VPi \mid VPt \mid VPdt \mid Mod \ VP \mid VP \ Adv \mid VP \ PP$$

$$VPdt
ightarrow VPo \ PP$$

$$VPdt
ightarrow VPio \ NP$$

$$VPo
ightarrow Vdt \ NP$$

$$VPio
ightarrow Vdt \ NP$$




Figure 7: Why did John book a the flight?




Figure 8: John told Mary that he will book a flight today.

but it could have contained as little as three rules instead:

b. Redundancy of rules in the nominal domain

Similarly, the NP0 non-terminal node seems redundant. It's purpose is to allow for recursive generation of prepositional phrases following

a noun phrase. This can be achieved by accounting for this kind of recursion within one of the existinf NP rules. We could propose:

$$NP \rightarrow PropN \mid Pro \mid NP1 \mid NP PP$$

 $NP1 \rightarrow Det N2sc \mid N2mp \mid Sc \mid NP1 PP$

The first option has the advantage of allowing for proper names and pronouns to be modified by prepositional phrases, which could be desirable in a more comprehensive grammar, however is not necessary for the grammar at hand. The second proposition is more conservative in that it would not lead to generating any string the original grammar doesn't. The

$$NP0 \rightarrow NP1 \mid NP0 PP$$

rule expands to an NP1 followed by an arbitrary number of PPs. The same effect will be achieved by adding the NP1 - $\dot{\delta}$ NP1 PP expansion, with the benefit of reducing the number of non-terminals. One might argue that the NP0 node corresponds approximately to an X' node in X-bar syntax, and hence is theoretically justified. This, however, would need to mean that PPs to the right of the head noun are adjuncts rather than complements of that noun, which is not true. [TODO citation]

c. Dobtfull usefulness of the Sq node

The Sq node serves no purpose other than to reflect the conceptual relation between Sqyn and Swhadv, namely the fact both are non-terminals expanding into questions. This, however, represents only a superficial, if not mistaken, grammatical insight. In fact wh-questions and auxiliary-inversion questions are represented by very different structures (WH-phrases and Aux-phrases respectively[TODO citation]). If the motivation for including the Sq node it linguistic, then the reasons seem insufficient. If, one the other hand, the node was included in the grammar to simplify the expansion of S, then by analogy we should also include

$$Sd \rightarrow Sdec \mid Simp$$

an change the expansion of S to

$$S \rightarrow Sd$$
 '.' | Sq '?'

d. Lower case and capitalized versions of terminals.

It does not seem necessary to include lower case and capitalized versions of the same terminals. In the sample sentences we have seen *Book*, *Can*, and *Why* being capitalized to account for their sentence-initial positions. instead of duplicating lexical items, we could simply capitalize the first word of a generated sentence and ignore sentence-initial capitalization during parsing. There would be no ill effects of such a change, since every generated sentence is, by definition,

grammatical. Every word which happens to be initial in a sentence produced by the grammar is allowed to be there. The additional confirmation of this fact in form of the word's capitalised version being present in the grammar is unnecessary.

Overgeneration a. Lack of subject-verb agreement

There's distinction between single/count and plural/mass nouns, but no corresponding distinction in the verbal domain. The problem is somewhat masked by the fact that most of the included verbs are in past tense, where in English there are no subject-verb agreement phenomena. Nevertheless, we can see that the grammar would accept *the fork book a flight., a sentence which ignores verb conjugation requirements.

b. Treating VP as full sentences

The rules:

$$S \to Simp$$
 '.' $Simp \to VP$

imply that any VP can be a grammatical sentence on its own. This, however, is true only of VP in imperative mood. The grammar, however, allows for treating any VP , e.g. *ate today, as a full sentence. Solving this problem is not possible without substantially expanding the grammar. We would have to distinguish between infinitival and inflected forms of verbs, and extend the set of possible expansions of VP accordingly. We could then state that Simp subcategories for VPs whose head is an infinitival form of a verb. Therefore, we would need the following rules:

$$Vt_i nf \rightarrow \text{`Book'} \mid \text{`Tell'} \mid \dots$$

$$VPi_i nf \rightarrow \text{`Eat'} \mid \dots$$

$$VPt_i nf \rightarrow Vt_i nf \text{ NP} \mid VPt_i nf \text{ Adv} \mid VPt_i nf \text{ PP}$$

$$\text{VP} \rightarrow VPt_i nf$$

$$\text{Simp} \rightarrow VPt_i nf \mid VPi_i nf$$

Even then, additional restrictions would be needed to account for characteristics of the imperative mood, e.g. the fact that the second person pronoun needs to be in its reflexive form when used as a direct object of the matrix verb [TODO citation]. Otherwise the grammar would generate sentences such as *Book you a flight to London. instead of grammatical *Book yourself a flight to London.

c. Case agreement

The grammar does not account for case subcategorisation requirements of verbs. The only corner of the modern English syntax which still exhibits case phenomena is the pronoun system [TODO citation], however the grammar does not include a *ProNom* and a *ProAcc* preterminals. Having no distinction between nominative and accusative

forms leads to admitting non-grammatical sentences, e.g. *Mary gave he a nice salad. instead of Mary gave him a nice salad.

d. Verb and noun subcategorization for pronouns

Verbs an nouns tend to co-occur with particular pronouns more often than with others. However, the grammar does not account for this preference. For instance, one can eat with a fork, eat with Mary, or have a flight to London, but the grammar also allows for having a *salad to fork and booking a *flight with NYC.

e. Multiple modals

The grammar allows for an unlimited number of modals to proceed a VP. This can lead to generating sentences such as ${}^*Can \ will \ can \ can$ $John \ book \ a \ flight?$. However, English limits the acceptable number (up to 4, depending on dialetct), orderings (evidential, epistemic, deontic), and identity (might or may being the most commonly first in the sequence (Di Paolo 1989)) of verbs in multiple modal constructions. In order to capture these restrictions we would need a whole series of serially connected expansion rules, each introducing one modal of a certain type.

4 Comments for CKY.buildIndices

```
def buildIndices(self,productions):
    """ Creates dictionaries for storing the production rules.
        In each dictionary, the rhs of a rule is the key and and
        a list of all lhs which expand as the rhs is the value."""
    # create dictionaries for unary and binary rules
    self.unary=defaultdict(list)
    self.binary=defaultdict(list)
    for production in productions:
        # separate its right hand-side from its left hand-side
        rhs=production.rhs()
        lhs=production.lhs()
        # the assumption about the rules is that rhs is non-empty
        # and rhs has no more than 2 non-terminals
        assert(len(rhs)>0 and len(rhs)<=2)
        # if the rule is unary,
        # add it's lhs to the unary dictionary under rhs key
        if len(rhs) == 1:
            self.unary[rhs[0]].append(lhs)
        # if the rule is binary,
        # add it's lhs to the binary dictionary under rhs key
        # because of the assertion we know that len(rhs)==2
        else:
            self.binary[rhs].append(lhs)
```

5 Comments for CKY.unary_fill & Cell.unary_update

```
def unary_fill(self):
    """Determine the possible non-terminals that
       each terminal can result from.
       Fill the results in the middle diagonal and print"""
    for r in range(self.n-1):
        # the middle diagonal
        cell=self.matrix[r][r+1]
        # initialize the cell
        word=self.words[r]
        cell.addLabel(word)
        # recursively update the cell
        cell.unary_update(word, self.unary)
        # print out the possible non-terminals for each cell (terminal)
        if self.verbose:
            print "Unary branching rules at node (%s, %s): %s" %(r, r+1, cell.labels())
def unary_update(self,symbol,unaries):
    """Update the cell labels by adding non-terminals
       which expand as the given symbol"""
    # if the symbol is a right hand-side of a unary production rule
    if symbol in unaries:
        # add each of possible corresponding left hand-sides
        # to the cell's labels
        for parent in unaries[symbol]:
            # only add labels that is not in the cell already
            # to avoid the exponential cost of the recognition process
            if parent not in self._labels:
                self.addLabel(parent)
                # a recursive call is needed because in the grammar
                # not all unary productions are terminal productions
                self.unary_update(parent,unaries)
```

6 Comments for CKY.parse & CKY.maybe_build

```
def maybe_build(self, start, mid, end):
    """Search for the possible combinitions of
        the symbols in two given cells (one from each)
        to match the rhs of binary branching rules"""
    if self.verbose:
```

```
print "Binary branching rules for %s--%s--%s:"%(start,mid,end),
cell=self.matrix[start][end]
# search from the given cells
for s1 in self.matrix[start][mid].labels():
    for s2 in self.matrix[mid][end].labels():
        # for a binary branching rule match
        if (s1,s2) in self.binary:
            # add all possible non-terminals
            # from the lhs of the rule
            for s in self.binary[(s1,s2)]:
                cell.addLabel(s)
                # add more possible non-terminals
                # because, in the grammar, there are unary rules
                # that can produce non-terminals
                cell.unary_update(s,self.unary)
                if self.verbose:
                    print " %s -> %s %s"%(s, s1,s2),
if self.verbose:
   print
```

7 Ambiguity Analysis

```
7.1 "John gave a book to Mary."
```

Distinct Parse(s): 3

Ambiguity Source:

7.2 "John gave Mary a book."

Distinct Parse(s): 1

Ambiguity Source:

7.3 "John gave Mary a nice drawing book."

Distinct Parse(s): 2

Ambiguity Source:

^{*}All the comments above are included in cky_original.py

7.4 "John ate salad with mushrooms with a fork."
Distinct Parse(s): 5
Ambiguity Source:
7.5 "Book a flight to NYC."
Distinct Parse(s): 2
Ambiguity Source:
7.6 "Can you book a flight to London?"
Distinct Parse(s): 2
Ambiguity Source:
7.7 "Why did John book the flight?"
Distinct Parse(s): 1
Ambiguity Source:
7.8 "John told Mary that he will book a flight today."
Distinct Parse(s): 3

Ambiguity Source: