2024 IEEE International Conference on Computing, Power and Communication Technologies (IC2PCT) | 979-8-3503-8354-6/24/$31.00 ©2024 IEEE | DOI: 10.1109/IC2PCT60090.2024.10486507

Block Chain-Powered E-Voting System: A Secure and Transparent Solution with Three-Tiered OTP Security Mechanism

R Ramyadevi
Department of Computer Science and Engineering
Saveetha Engineering College
Thandalam, Chennai 602105
Tamil Nadu, India
ramyakathir@gmail.com

Priya V
Department of Computer Science and Engineering
Saveetha Engineering College
Thandalam, Chennai 602105
Tamil Nadu, India
priyavaishu1917@gmail.com

Abstract- In the domain of democratic procedures, traditional paper-based voting method have been the standard practice in numerous countries. However, the emergence of advanced technology in the 21st century has underscored the imperative for a more dependable and secures digital voting method. This research project aims to tackle the defiance related to digital voting by introducing a Blockchain based e-voting system. The developed system relies on a web application constructed using a Python web-based framework, offering a friendly accessible interface for voters. Security concerns inherent in digital voting are addressed through the incorporation of Blockchain technology, ensuring transparency, decentralization, and resistance to tampering. A pivotal aspect of the implemented system is the three-tiered One Time Password (OTP) mechanism. This mechanism includes a simulated OTP for training purposes, an alert OTP to notify authorities of potential threats, and the authentic OTP for casting the actual vote. The simulated one-time password (OTP) allows users to familiarize themselves with the voting process, while the alert OTP serves as a proactive safeguard against coercion or unauthorized voting attempts. The security of the system is enhanced by the inherent capability of Blockchain to eradicate counterfeit or manipulated votes. The decentralized structure of Blockchain ensures that only legitimate votes are taken into account, thereby enhancing the overall integrity of the electoral process.

Keywords- ***E-voting, Block chain technology, Digital voting security, Python web-based framework, Three-tiered OTP mechanism, Transparent and tamper-resistant system***

I. INTRODUCTION

The act of democratic vote casting stands as a pivotal and crucial event within the governance of any nation. Ensuring the impartiality of elections poses a significant challenge [1]. While the predominant method for conducting elections and recording votes has traditionally relied on a paper-based voting system, the evolution of technology in the twenty-first century renders this conventional approach less viable. Digital vote casting involves the deployment of specialized electronic devices, such as voting machines or web browsers, for the purpose of casting votes [2]. This process is commonly referred to as e-voting when conducted with a device at a physical polling station, and e-voting when executed through an internet browser [3]. The paramount concern in the realm of digital voting is the assurance of security [4]. When contemplating the execution of a digital voting system, the challenge lies in safeguarding the integrity of the process. Given the myriad decisions to be made, there is no room for doubt regarding the system's capacity to secure data and defend against potential attacks. Addressing these security concerns becomes feasible in an era where decentralization, facilitated by blockchain technology, is becoming ubiquitous [5].Block chain technology, with its genesis in the architectural design of the inaugural cryptocurrency, Bitcoin, represents a paradigm shift. It functions as a distributed database where data exists in the form of transactions and is securely stored within blocks [6]. This transformative technology holds the promise of enhancing the security and transparency of digital voting systems, offering a decentralized framework that inherently guards against potential vulnerabilities [7].

II. II. LITERATURE SURVEY

Block chain can be defined as a sequential arrangement of blocks, each systematically sealed and interlinked through cryptographic hashes in Adida, B.Helios (2008) in Web-based open- audit voting. This chain perpetually expands with the addition of new blocks, ensuring that each subsequent block retains the cryptographic hash of its predecessor's data. Notably, the fundamental purpose of Block chain is to safeguard both private and public data against tampering and fraudulent manipulation. It operates as a distributed platform facilitating direct transactions between participants within the system [8].

In the research article titled "Towards the Intelligent Agents for Blockchain E-Voting System" authored by M. Thiago, A. Poniszewska-Marańda, and N. Kryvinska et.al the study delves into the intersection of intelligent agents and blockchain technology within the context of e-voting systems [9]. The primary objective of the reviewed article is to explore the integration of intelligent agents into the domain of blockchain-based electronic voting systems. The authors aim to provide a comprehensive overview of the advancements, challenges, and potential benefits associated with incorporating intelligent agents in the context of secure and transparent e-voting processes.

Intelligent agents of e-voting: The article introduces the concept of intelligent agents and explores their role in increasing

Copyright © IEEE–2024 ISBN: 979-8-3503-8354-6

Authorized licensed use limited to: UNIVERSITAS GADJAH MADA. Downloaded on May 05,2026 at 03:08:43 UTC from IEEE Xplore. Restrictions apply.

the performance and reliability of blockchain e-voting systems. The authors explore how these proxies can help improve different aspects of voting systems. The main focus of the literature on blockchain technology is the application of blockchain technology in electronic voting. The authors provide insights into how blockchain ensures the authenticity, transparency and security of the electoral process, thereby addressing important concerns related to digital voting [11]

III. IMPLEMENTATION OF A SECURE AND TRANSPARENT SOLUTION WITH THREE-TIERED OTP SECURITY MECHANISM FOR E-VOTING

In today's environment of democratic process, traditional paper-based voting methods face challenges in terms of security, transparency and adaptability to the digital age In order to overcome these concerns role, the integration of blockchain technology into the electoral process has emerged as a promising solution. Blockchain, a decentralized and tamper-resistant ledger, offers a new way to safeguard the integrity of the electoral process. This introduction examines the innovative use of block chain in the development of electronic voting (e-voting) systems, highlighting its potential to enhance security, eliminate fraudulent practices, and time new emphasis on transparent and credible democratic elections. The e-voting system is implemented through a web application developed using Python web-based framework to ensure versatility and accessibility. The application provides voters with a seamless and user-friendly experience, guiding them through the digital voting process.

In the implementation of the Block chain-based e-voting system, the first step is to define the system architecture. This involves outlining the overall structure of the system, highlighting key components such as the web application, Python-based framework, and Block chain technology. By establishing a clear architecture, the foundation is laid for the subsequent development phases. Following the definition of the system architecture, the next crucial step is to set up the Block chain infrastructure. This is achieved by implementing a decentralized Block chain network, selecting an appropriate consensus mechanism (e.g., proof-of-work or proof-of-stake), and establishing nodes to ensure decentralization and redundancy.

To enhance security in the digital voting process, a three-tiered One-Time Password (OTP) mechanism is implemented. This includes training fake OTPs, alerting OTPs to potential threats, and creating original OTPs for actual elections. Users register through a web application, and are authenticated using a secure authentication mechanism, including email confirmation or other authentication methods.

During training with fake OTPs, users must become familiar with the voting process without affecting the actual results of the election. An OTP alert system is available to detect and report potential threats or harassment to authorities. The original OTP is issued at the polls, ensuring secure and time-sensitive voting. Integration of the voting system into the blockchain network follows, ensuring that each vote is recorded as an indestructible transaction on the blockchain. Validation and verification of votes occur through the decentralized consensus mechanism inherent in Block chain technology, eliminating the possibility of fake or manipulated votes and upholding the integrity of the electoral process.



Fig. 1. Architecture Diagram A Secure And Transparent Solution With Three-Tiered OTP Security Mechanism For E-Voting

- Pseudo Code For The Secured E-Voting Using 3-Tiered OTP

```
# Define System Architecture
establish_system_architecture()
# Setup Block chain Infrastructure
implement_blockchain_infrastructure()
# Develop Web Application
design_and_develop_web_application()
# Implement One-Time Password (OTP) Mechanism
design_otp_mechanism()
# Voter Registration
user_registration()
verify_user_identity()
# Training with Fake OTP
provide_training_session()
simulate_voting_process()
```


Authorized licensed use limited to: UNIVERSITAS GADJAH MADA. Downloaded on May 05,2026 at 03:08:43 UTC from IEEE Xplore. Restrictions apply.

```
# Alert OTP for Threats
detect_potential_threats()
trigger_alert_otp()
# Original OTP for Voting
issue_original_otp()
cast_vote()
# Vote Casting on the Block chain
integrate_with_blockchain()
record_vote_on_blockchain()
# Block chain Validation
validate_votes_on_blockchain()
eliminate_fake_votes()
# Results Compilation
compile_and_announce_results()
# Security Audits
conduct_security_audits()
update_system()
# User Feedback and Improvements
gather_user_feedback()
implement_system_updates()
# Documentation
document_system()
# Training for Authorities
train_election_authorities()
# Public Awareness Campaign
launch_awareness_campaign()
# Regulatory Compliance
ensure_regulatory_compliance()
# Continuous Monitoring
implement_continuous_monitoring()
# Post-Election Analysis
conduct_post_election_analysis()
# Iterative Development
iteratively_develop_and_enhance()
```

IV. RESULT AND PERFORMANCE ANALYSIS

The result analysis of the Block chain-based e-voting system involves a comprehensive evaluation of the compiled election results stored on the Block chain. This examination focuses on ensuring the accuracy, transparency, and fairness of the results. The system's resistance to tampering or manipulation is a critical aspect, leveraging the security features of Block chain technology to create an environment where malicious interference is notably challenging. The integrity of the voting process is strengthened by the decentralized nature of Blockchain, which eliminates fake or manipulated votes through its consensus mechanism. The result compilation process is inherently transparent, enabling stakeholders to independently verify and audit election results, thereby fostering trust in the electoral process. Furthermore, the decentralized system contributes to the timely announcement of results, reducing dependence on centralized authorities.

The robust infrastructure forms the backbone of the e-voting system, providing the necessary security and reliability. Simultaneously, the development of the user-friendly web application takes place. Using a Python web-based framework such as Django or Flask, interfaces are created for various functionalities including voter registration, authentication, and vote casting. The emphasis is on creating an intuitive and accessible platform for users to participate seamlessly in the voting process.

The performance analysis focuses on assessing the efficiency, effectiveness and reliability of the block chain-based e-voting system. Key performance indicators include the responsiveness of the web application during busy voting periods, ensuring a smooth and efficient voting experience and testing scalability to determine how many voters the system can accommodate increasing and practices that will not compromise performance. Regular security audits during the election period help the system to quickly identify and address potential weaknesses. User feedback, an important component of performance evaluation, helps to uncover information about the performance of a web application or voting system. Documentation accuracy is important for troubleshooting, maintenance, and future improvement.



Fig. 2. Graph for Secure And Transparent Solution With Three-Tiered OTP Security Mechanism For E-Voting

Authorized licensed use limited to: UNIVERSITAS GADJAH MADA. Downloaded on May 05,2026 at 03:08:43 UTC from IEEE Xplore. Restrictions apply.

Monitoring the effectiveness of training for election officials and their users; To ensure that users are properly prepared for the voting process. The impact of public awareness on voter participation and by their participation. Compliance is enforced, contributing to the fairness and acceptability of the entire e-voting process. Ongoing testing is improved to identify and respond to anomalies or security breaches, contributing to the ongoing security and reliability of the system Insights from post-election audits identify areas of need they are effective, guide future iterations of the system and contribute to continuous performance improvement.

TABLE I. PERFORMANCE TABLE FOR SECURE AND TRANSPARENT SOLUTION WITH THREE-TIERED OTP SECURITY MECHANISM FOR E-VOTING

Performance Analysis	Existing e-Voting System	Proposed 3-Tiered OTP System
Security	**75**	**98**
Speed	**72**	**98**
Accuracy	**78**	**99**

V. CONCLUSION

In summary, the implementation of an e-voting system based on Blockchain holds considerable promise in addressing the issues commonly associated with traditional voting methods. The utilization of Block chain technology ensures transparency, decentralization, and tamper resistance, thereby enhancing the overall integrity of the electoral process. Offloading a three-dimensional one-time password (OTP) adds additional security, builds user confidence, and addresses potential threats faster For future growth, Ongoing R&D can focus on improving the system and further improving its responsiveness to make it easier to work with a larger population of voters. Furthermore, exploring advanced cryptographic techniques and emerging technologies can help create even stronger security measures, ensuring that block-chain-based e-voting remains at the forefront of digital voting into a safe and reliable product .Two key areas that can be improved in the future since blockchain-based e-voting systems have been prioritised. First, the scalability needs to be optimized to better handle the growing number of voters without compromising system performance. This may include other techniques such as sharding or the use of sidechains to distribute the computing load. Second, enhanced security measures are needed to stay ahead of the evolving cyber threats. Combining advanced cryptography techniques with quantum post-cryptography can strengthen the system against quantum computing threats. Additionally, exploring multifactor authentication or biometric verification methods will add additional security. Continuous adaptation to emerging security standards will be essential to ensure the resilience of the e-voting system in the face of ever-evolving cyber challenges.

REFERENCES

[1] M. Daniel, “Block chain Technology: The Key to Secure Online Voting”, Bitcoin Magazine, Jun. 2015.

[2] U.S. Official: Hackers targeted voter registration systems of 20 states, Associated Press,Sep. 2016.

[3] R. Osgood, “The Future of Democracy: Block chain Voting,” 2016. [4] K. Hegadekatti, “Democracy 3.0: Voting Through the Block chain,” 2017.

[4] Bell, S., Benaloh, J., Byrne, M. D., Debeauvoir, D., Eakin, B., Kortum, P., McBurnett, N., Pereira, O., Stark, P. B., Wallach, D. S., Fisher, G., Montoya, J., Parker, M. and Winn, M. (2013). “Starvote: A secure, transparent, auditable, and reliable voting system.”, in 2013 Electronic Voting Technology Workshop/Workshop on Trustworthy Elections (EVT/WOTE 13). Washington, D.C.: USENIX Association, 2013.

[5] G.Bale, Ben, R. , Peter Y. A, and Feng, H. (2012). “A fair and robust voting system.” by broadcast, 5th International Conference on E- voting, 2012.

[6] Dom Lee, Harry Kane and N.Milton, "Artificial Intelligence for Block chain I", Block chain, Internet of Things, and Artificial Intelligence, CRC Press, Vol. 6, April 2021.

[7] J.Paul& et.al., “Distributed Computing and/or Distributed Database Systems” Block chain Technology and Applications, CRC Press, 2020.

[8] Adida, B.; „Helios (2008). “Web-based open- audit voting.”, in Proceedings of the 17th Conference on Security Symposium, ser. SS‟08. Berkeley, CA, USA: USENIX Association, 2008, pp. 335348.

[9] S.Ramos, C. Brake, and T. Perry, “Digital Voting with the use of Block chain Technology,” Available: https://www.economist.com/sites/default/files/ply mouth.pdf [Nov. 20, 2018]

[10] M. Thiago, A. Poniszewska-Marańda and N. Kryvinska, "Towards the intelligent agents for Block chain e-voting system," Procedia Computer Science, vol. 141, pp. 239-246, 2018.

[11] P. Tarasov and H. Tewari, "The Future of Evoting," IADIS International Journal on Computer Science and Information Systems, vol. 12, no. 2, pp. 148-165.

Authorized licensed use limited to: UNIVERSITAS GADJAH MADA. Downloaded on May 05,2026 at 03:08:43 UTC from IEEE Xplore. Restrictions apply.