SEN 301 - Web Application Project Documentation

Loft City - Apartment Booking System

Prepared By:

Name: Ibrahim Abdulhamid
Email: ibrahim.abdulhamid@miva.edu.ng
ID Number: 30147798
Matrix Number: 2024/B/SENG/0237
Course: SEN 301 - Web Application
Phone Number: 09064823328

Submission Date: 10th July, 2026



Table of Contents

1. Executive Summary
2. Project Overview
3. Technology Stack
4. System Architecture
5. Database Design
6. Application Features
7. User Interface Design
8. Code Implementation
9. Installation Guide

10. Testing and Results
11. Conclusion
12. References

1. Executive Summary

Loft City is a comprehensive web-based apartment booking system designed to streamline the process of finding and reserving apartments. This project demonstrates the integration of Flask (Python web framework), MySQL database, and modern frontend technologies to create a fully functional booking platform. The system features user authentication, profile management, apartment browsing, and booking functionality with a responsive and professional user interface.

The application follows a three-tier architecture pattern, separating presentation (HTML/CSS/JavaScript), business logic (Flask routes), and data persistence (MySQL) layers. This modular approach ensures maintainability, scalability, and security.

2. Project Overview

2.1 Project Description

Loft City is an online apartment booking platform that allows users to:

- **Register** for new accounts with validation
- **Login** securely to access personalized features
- **Browse** available apartments and suites
- **View** apartment details and amenities
- **Book** apartments for specific dates
- **Manage** personal profiles and settings

2.2 Project Objectives

1. To create a user-friendly apartment booking system
2. To implement secure user authentication and authorization

3. To design a responsive website compatible with all devices
4. To integrate a MySQL database for data persistence
5. To provide a professional booking experience

2.3 Target Audience

- Travelers seeking short-term apartment rentals
- Business professionals needing temporary accommodation
- Tourists exploring urban cities
- Property managers and apartment owners

---

3. Technology Stack

3.1 Backend Technologies

Technology	Version	Purpose
Python	3.8+	Core programming language
Flask	2.3.2	Web framework
MySQL	8.0	Database management
mysql-connector-python	8.0.33	Database connector

3.2 Frontend Technologies

Technology	Version	Purpose
HTML5	-	Structure
CSS3	-	Styling
JavaScript	ES6	Interactivity


Technology	Version	Purpose
Bootstrap	4.6	Responsive design
jQuery	3.6	DOM manipulation
Font Awesome	4.7	Icons
Slick Slider	1.8	Carousel
Tempus Dominus	4.0	Date picker


3.3 Development Tools

- **IDE:** Visual Studio Code
- **Database Tool:** phpMyAdmin (XAMPP)
- **Version Control:** Git
- **Testing:** Flask Debug Mode

4. System Architecture

4.1 Architecture Diagram





4.2 Folder Structure

```
Loft-city-app/
|
├── app.py                # Main Flask application
├── config.py             # Configuration settings
├── database.py           # Database operations
├── requirements.txt      # Python dependencies
├── setup_db.py           # Database setup script
|
├── static/               # Static files
```

```
|   ├── css/
|   |   ├── style.css        # Main styles
|   |   └── hover-style.css   # Animation styles
|   ├── img/
|   |   ├── logo.png         # Logo
|   |   ├── favicon.ico      # Favicon
|   |   ├── slider/          # Slider images
|   |   ├── room/            # Room images
|   |   └── icon/            # Icon files
|   ├── js/
|   |   ├── main.js          # Main JavaScript
|   |   ├── booking.js       # Booking functions
|   |   └── jqBootstrapValidation.min.js
|   └── vendor/              # Third-party libraries
|       ├── bootstrap/
|       ├── font-awesome/
|       ├── slick/
|       └── tempusdominus/
|
└── templates/               # HTML templates
    ├── index.html           # Homepage
    ├── login.html           # Login page
    ├── signup.html          # Registration page
    ├── about.html           # About page
    ├── contact.html         # Contact page
```

```
    ├── profile.html          # User profile
    ├── 404.html              # Error page
    └── 500.html              # Server error page
```

5. Database Design

5.1 Entity Relationship Diagram

```
┌─────────────────────────────────────────────┐
|              tbl_user                       |
├─────────────────────────────────────────────┤
| id          INT (PK)                        |
| username    VARCHAR(50) UNIQUE NOT NULL     |
| first_name  VARCHAR(50) NOT NULL            |
| last_name   VARCHAR(50) NOT NULL            |
| email       VARCHAR(100) UNIQUE NOT NULL    |
| phone       VARCHAR(20)                     |
| password_hash VARCHAR(255) NOT NULL         |
| created_at  TIMESTAMP                       |
| updated_at  TIMESTAMP                       |
| is_active   BOOLEAN                         |
| last_login  TIMESTAMP                       |
└─────────────────────────────────────────────┘
```

5.2 Table Structure

Database Name: loft_city_db
Table Name: tbl_user

Column	Type	Nullable	Default	Description
Id	INT	No	AUTO_INCREMENT	Primary Key
Username	VARCHAR(50)	No	-	Unique username
first_name	VARCHAR(50)	No	-	User's first name
last_name	VARCHAR(50)	No	-	User's last name
Email	VARCHAR(100)	No	-	Unique email address
Phone	VARCHAR(20)	Yes	NULL	Phone number
password_hash	VARCHAR(255)	No	-	Hashed password
created_at	TIMESTAMP	No	CURRENT_TIMESTAMP	Registration date
updated_at	TIMESTAMP	No	CURRENT_TIMESTAMP	Update date
is_active	BOOLEAN	No	TRUE	Account status

Column	Type	Nullable	Default	Description
last_login	TIMESTAMP	Yes	NULL	Last login date

5.3 Indexes

Index Name	Columns	Purpose
PRIMARY	id	Unique identifier
idx_username	username	Fast username lookup
idx_email	email	Fast email lookup

5.4 Database Creation Script

```
-- phpMyAdmin SQL Dump
-- version 5.2.1
-- https://www.phpmyadmin.net/
--
-- Host: 127.0.0.1
-- Generation Time: Jul 01, 2026 at 03:57 PM
-- Server version: 10.4.32-MariaDB
-- PHP Version: 8.2.12

SET SQL_MODE = "NO_AUTO_VALUE_ON_ZERO";
START TRANSACTION;
SET time_zone = "+00:00";
```

```
/*!40101 SET @OLD_CHARACTER_SET_CLIENT=@@CHARACTER_SET_CLIENT
*/;
/*!40101 SET
@OLD_CHARACTER_SET_RESULTS=@@CHARACTER_SET_RESULTS */;
/*!40101 SET
@OLD_COLLATION_CONNECTION=@@COLLATION_CONNECTION */;
/*!40101 SET NAMES utf8mb4 */;

--
-- Database: `loft_city_db`
--

-- --------------------------------------------------------

--
-- Table structure for table `tbl_user`
--

CREATE TABLE `tbl_user` (
  `id` int(11) NOT NULL,
  `username` varchar(50) NOT NULL,
  `first_name` varchar(50) NOT NULL,
  `last_name` varchar(50) NOT NULL,
  `email` varchar(100) NOT NULL,
  `phone` varchar(20) DEFAULT NULL,
  `password_hash` varchar(255) NOT NULL,
```

```
  `created_at` timestamp NOT NULL DEFAULT current_timestamp(),
  `updated_at` timestamp NOT NULL DEFAULT current_timestamp() ON
UPDATE current_timestamp(),
  `is_active` tinyint(1) DEFAULT 1,
  `last_login` timestamp NULL DEFAULT NULL
) ENGINE=InnoDB DEFAULT CHARSET=utf8mb4 COLLATE=utf8mb4_general_ci;


--
-- Dumping data for table `tbl_user`
--


INSERT INTO `tbl_user` (`id`, `username`, `first_name`, `last_name`, `email`,
`phone`, `password_hash`, `created_at`, `updated_at`, `is_active`,
`last_login`) VALUES
(2, 'Dansmall', 'Abdulhamid', 'Ibrahim', 'abdulhamid@gmail.com',
'09064823328',
'cb07d794c192642595b4c13fc008ea795ca2e7e40451e204f3a38f496eb568eb'
, '2026-07-01 09:11:57', '2026-07-01 13:31:53', 1, '2026-07-01 13:31:53'),
(3, 'Badamasi', 'Badmasi', 'sani', 'badamasi@gmail.com', '132537333828328',
'9622a101314cca2fde0da1fe0bd676d2bd3d5ec1beff228e79bbe1fa40bbe9cd',
'2026-07-01 13:19:13', '2026-07-01 13:19:13', 1, NULL);


--
-- Indexes for dumped tables
--


--
-- Indexes for table `tbl_user`
--
```

```
ALTER TABLE `tbl_user`
  ADD PRIMARY KEY (`id`),
  ADD UNIQUE KEY `username` (`username`),
  ADD UNIQUE KEY `email` (`email`),
  ADD KEY `idx_username` (`username`),
  ADD KEY `idx_email` (`email`);

--
-- AUTO_INCREMENT for dumped tables
--


--
-- AUTO_INCREMENT for table `tbl_user`
--
ALTER TABLE `tbl_user`
  MODIFY `id` int(11) NOT NULL AUTO_INCREMENT, AUTO_INCREMENT=4;
COMMIT;

/*!40101 SET CHARACTER_SET_CLIENT=@OLD_CHARACTER_SET_CLIENT */;
/*!40101 SET CHARACTER_SET_RESULTS=@OLD_CHARACTER_SET_RESULTS
*/;
/*!40101 SET COLLATION_CONNECTION=@OLD_COLLATION_CONNECTION
*/;
```

5.5 Password Hashing

The system uses SHA-256 hashing with a salt for password security:

python

```
def hash_password(self, password):
    salt = "loft_city_salt_2024"
    return hashlib.sha256((salt + password).encode()).hexdigest()
```

6. Application Features

6.1 User Authentication

Registration (Sign Up)

- Fields: Username, First Name, Last Name, Email, Phone, Password, Confirm Password
- Validation:
  - Username: 3-20 characters, alphanumeric with underscores
  - Email: Valid email format
  - Password: Minimum 6 characters, uppercase, lowercase, and number
  - Password confirmation match
- Duplicate Check: Prevents duplicate usernames and emails
- Success Action: Redirects to login page

Login

- Fields: Username, Password
- Security: Password hashing verification
- Session: Creates persistent user session
- Success Action: Redirects to homepage with welcome message
- Remember Me: Session persistence option

Logout

- Action: Clears all session data
- Redirect: Returns to login page
- Security: Complete session invalidation

6.2 User Dashboard (Profile)

- View Profile: Displays user information
- Update Profile: Edit first name, last name, email, and phone
- Change Password: Secure password update with current password verification
- User Statistics: Shows booking count and account status
- Navigation: Quick access to all pages

6.3 Apartment Booking

Booking Flow

1. User browses available apartments
2. Clicks "Book Now" button
3. If not logged in → Login Required modal
4. If logged in → Booking modal with pre-filled user data
5. User selects dates and room type
6. Submits booking request

Apartment Listings

- Standard Single: ₦150,000/night
- Standard Double: ₦220,000/night
- Premium Single: ₦180,000/night
- Premium Double: ₦300,000/night
- Economy Single: ₦120,000/night

Room Features

- Air Conditioner
- Bathtub
- Shower
- Television
- WiFi
- Telephone

- Mini Bar
- Kitchen

6.4 Navigation Menu

Logged Out

1. Home
2. Sign Up
3. About Us
4. Login
5. Contact Us

Logged In

1. Home
2. Welcome, [First Name] (Badge)
3. Profile
4. Logout
5. About Us
6. Contact Us

---

7. User Interface Design

7.1 Color Scheme

Color	Hex Code	Usage
Primary Blue	#09314F	Header, buttons, primary elements
White	#FFFFFF	Background, text on dark backgrounds
Cyan	#00CED1	Accent color, hover effects

Color	Hex Code	Usage
Dark	#222222	Text, footer background
Light Gray	#F2F2F2	Section backgrounds

7.2 Typography

Font	Usage
Roboto Slab	Headings
Raleway	Body text

7.3 Responsive Design

- Desktop: Full layout with all features
- Tablet: Optimized columns and spacing
- Mobile: Stacked layout, hamburger menu

7.4 Key UI Components

Index.html codes

```
<!DOCTYPE html>
<html lang="en">
  <head>
    <meta charset="utf-8">
    <title>LOFT CITY | Responsive Travel & Tourism Template</title>
    <meta content="width=device-width, initial-scale=1.0" name="viewport">
    <meta content="" name="keywords">
    <meta content="" name="description">
```

```
    <!-- Favicons -->
    <link href="{{ url_for('static', filename='img/favicon.ico') }}" rel="icon">
    <link href="{{ url_for('static', filename='img/apple-favicon.png') }}" rel="apple-touch-icon">

    <!-- Google Fonts -->
    <link href="https://fonts.googleapis.com/css?family=Roboto+Slab:400,700|Raleway:100,200,300,400,500,600,700,800,900" rel="stylesheet">

    <!-- Vendor CSS File -->
    <link href="{{ url_for('static', filename='vendor/bootstrap/css/bootstrap.min.css') }}" rel="stylesheet">
    <link href="{{ url_for('static', filename='vendor/font-awesome/css/font-awesome.min.css') }}" rel="stylesheet">
    <link href="{{ url_for('static', filename='vendor/slick/slick.css') }}" rel="stylesheet">
    <link href="{{ url_for('static', filename='vendor/slick/slick-theme.css') }}" rel="stylesheet">
    <link href="{{ url_for('static', filename='vendor/tempusdominus/css/tempusdominus-bootstrap-4.min.css') }}" rel="stylesheet" />

    <!-- Main Stylesheet File -->
    <link href="{{ url_for('static', filename='css/hover-style.css') }}" rel="stylesheet">
    <link href="{{ url_for('static', filename='css/style.css') }}" rel="stylesheet">

    <style>
```

```
        /* Login/Profile status styles */
        .user-welcome {
            display: inline-block;
            background: #00CED1;
            color: #222;
            padding: 0 15px;
            border-radius: 30px;
            font-size: 14px;
            font-weight: 600;
            line-height: 35px;
            margin-right: 10px;
        }
        .user-welcome i {
            margin-right: 5px;
        }
    </style>
</head>

<body>
    <!-- Header Section Start -->
    <header id="header">
        <a href="{{ url_for('index') }}" class="logo"><img src="{{ url_for('static', filename='img/logo.png') }}" alt="logo"></a>
        <div class="phone"><i class="fa fa-phone"></i>+234 906 482 3328</div>
        <div class="mobile-menu-btn"><i class="fa fa-bars"></i></div>
        <nav class="main-menu top-menu">
```

```
            <ul>
                <li class="active"><a href="{{ url_for('index') }}">Home</a></li>

                {% if logged_in and user %}
                    <!-- Logged In Navigation -->
                    <li>
                        <span class="user-welcome">
                            <i class="fa fa-user-circle"></i> Welcome, {{ user.first_name }}
                        </span>
                    </li>
                    <li><a href="{{ url_for('profile') }}"><i class="fa fa-user"></i> Profile</a></li>
                    <li><a href="{{ url_for('logout') }}"><i class="fa fa-sign-out"></i> Logout</a></li>
                {% else %}
                    <!-- Logged Out Navigation -->
                    <li><a href="{{ url_for('signup') }}"><i class="fa fa-user-plus"></i> Sign Up</a></li>
                    <li><a href="{{ url_for('login') }}"><i class="fa fa-sign-in"></i> Login</a></li>
                {% endif %}

                <li><a href="{{ url_for('about') }}">About Us</a></li>
                <li><a href="{{ url_for('contact') }}">Contact Us</a></li>
            </ul>
        </nav>
    </header>
```

```
<!-- Header Section End -->


<!-- Header Bottom Start -->
<div id="header-bottom">
  <!-- Search Section Start -->
  <div id="search" class="search-slider">
    <div class="container">
      <h1>Feel at Home When You're Away</h1>
      <div class="form-row">
        <div class="control-group col-md-3">
          <label>Check-In</label>
          <div class="form-group">
            <div class="input-group date" id="date-3" data-target-
input="nearest">
              <input type="text" class="form-control datetimepicker-
input" data-target="#date-3"/>
              <div class="input-group-append" data-target="#date-3"
data-toggle="datetimepicker">
                <div class="input-group-text"><i class="fa fa-
calendar"></i></div>
              </div>
            </div>
          </div>
        </div>
        <div class="control-group col-md-3">
          <label>Check-Out</label>
          <div class="form-group">
```

```
                    <div class="input-group date" id="date-4" data-target-input="nearest">
                        <input type="text" class="form-control datetimepicker-input" data-target="#date-4"/>
                        <div class="input-group-append" data-target="#date-4" data-toggle="datetimepicker">
                            <div class="input-group-text"><i class="fa fa-calendar"></i></div>
                        </div>
                    </div>
                </div>
            </div>
            <div class="control-group col-md-3">
                <div class="form-row">
                    <div class="control-group col-md-6">
                        <label>Adult</label>
                        <select class="custom-select">
                            <option selected>0</option>
                            <option value="1">1</option>
                            <option value="2">2</option>
                            <option value="3">3</option>
                            <option value="4">4</option>
                            <option value="5">5</option>
                            <option value="6">6</option>
                            <option value="7">7</option>
                            <option value="8">8</option>
                            <option value="9">9</option>
```

```
                <option value="10">10</option>
              </select>
            </div>
            <div class="control-group col-md-6 control-group-kid">
              <label>Kid</label>
              <select class="custom-select">
                <option selected>0</option>
                <option value="1">1</option>
                <option value="2">2</option>
                <option value="3">3</option>
                <option value="4">4</option>
                <option value="5">5</option>
                <option value="6">6</option>
                <option value="7">7</option>
                <option value="8">8</option>
                <option value="9">9</option>
                <option value="10">10</option>
              </select>
            </div>
          </div>
        </div>
        <div class="control-group col-md-3">
          <button class="btn btn-block">Search</button>
        </div>
      </div>
    </div>
```

```
        </div>
        <!-- Search Section End -->


        <!-- Slider Section Start -->
        <div id="headerSlider" class="carousel slide" data-ride="carousel">
          <ol class="carousel-indicators">
            <li data-target="#headerSlider" data-slide-to="0"
class="active"></li>
            <li data-target="#headerSlider" data-slide-to="1"></li>
            <li data-target="#headerSlider" data-slide-to="2"></li>
          </ol>
          <div class="carousel-inner">
            <div class="carousel-item active">
              <img src="{{ url_for('static', filename='img/slider/header-slider-
1.jpg') }}" alt="Royal Hotel">
            </div>

            <div class="carousel-item">
              <img src="{{ url_for('static', filename='img/slider/header-slider-
2.jpg') }}" alt="Royal Hotel">
            </div>

            <div class="carousel-item">
              <img src="{{ url_for('static', filename='img/slider/header-slider-
3.jpg') }}" alt="Royal Hotel">
            </div>
          </div>
```

```
            <a class="carousel-control-prev" href="#headerSlider" role="button"
data-slide="prev">
                <span class="carousel-control-prev-icon" aria-
hidden="true"></span>
                <span class="sr-only">Previous</span>
            </a>
            <a class="carousel-control-next" href="#headerSlider" role="button"
data-slide="next">
                <span class="carousel-control-next-icon" aria-
hidden="true"></span>
                <span class="sr-only">Next</span>
            </a>
        </div>
        <!-- Slider Section End -->
    </div>
    <!-- Header Bottom End -->

    <!-- Search Section Start -->
    <div id="search" class="search-home">
        <div class="container">
            <div class="form-row">
                <div class="control-group col-md-3">
                    <label>Check-In</label>
                    <div class="form-group">
                        <div class="input-group date" id="date-5" data-target-
input="nearest">
```

```
                    <input type="text" class="form-control datetimepicker-input" data-target="#date-5"/>
                    <div class="input-group-append" data-target="#date-5" data-toggle="datetimepicker">
                      <div class="input-group-text"><i class="fa fa-calendar"></i></div>
                    </div>
                  </div>
                </div>
              </div>
              <div class="control-group col-md-3">
                <label>Check-Out</label>
                <div class="form-group">
                  <div class="input-group date" id="date-6" data-target-input="nearest">
                    <input type="text" class="form-control datetimepicker-input" data-target="#date-6"/>
                    <div class="input-group-append" data-target="#date-6" data-toggle="datetimepicker">
                      <div class="input-group-text"><i class="fa fa-calendar"></i></div>
                    </div>
                  </div>
                </div>
              </div>
              <div class="control-group col-md-3">
                <div class="form-row">
                  <div class="control-group col-md-6">
```

```
    <label>Adult</label>
    <select class="custom-select">
      <option selected>0</option>
      <option value="1">1</option>
      <option value="2">2</option>
      <option value="3">3</option>
      <option value="4">4</option>
      <option value="5">5</option>
      <option value="6">6</option>
      <option value="7">7</option>
      <option value="8">8</option>
      <option value="9">9</option>
      <option value="10">10</option>
    </select>
  </div>
  <div class="control-group col-md-6 control-group-kid">
    <label>Kid</label>
    <select class="custom-select">
      <option selected>0</option>
      <option value="1">1</option>
      <option value="2">2</option>
      <option value="3">3</option>
      <option value="4">4</option>
      <option value="5">5</option>
      <option value="6">6</option>
      <option value="7">7</option>
```

```
                    <option value="8">8</option>
                    <option value="9">9</option>
                    <option value="10">10</option>
                  </select>
                </div>
              </div>
            </div>
            <div class="control-group col-md-3">
              <button class="btn btn-block">Search</button>
            </div>
          </div>
        </div>
      </div>
      <!-- Search Section End -->

      <!-- Welcome Section Start -->
      <div id="welcome">
        <div class="container">
          <h3>Welcome to Loft City</h3>
          <h4>Urban Holiday Apartments in San Francisco</h4>
          <p>From the moment you arrive, you'll feel right at home. Our apartments are designed with your comfort in mind, featuring cozy interiors, fast Wi-Fi, and a prime location that puts the city's best restaurants, shops, and sights right at your doorstep.</p>
          <a href="#">Book Now</a>
        </div>
      </div>
```

```
<!-- Welcome Section End -->


<!-- Amenities Section Start -->
<div id="amenities">
  <div class="container">
    <div class="section-header">
      <h2>Amenities & Services</h2>
      <p>
        Discover the comforts and conveniences that make your stay with us truly memorable. We offer a range of amenities designed to enhance your experience.
      </p>
    </div>
    <div class="row">
      <div class="col-md-3 col-sm-6">
        <div class="item">
          <i class="icon icon-2"></i>
          <h3>Air Conditioner</h3>
          <p>Stay cool and comfortable with our modern air conditioning units, ensuring a pleasant stay throughout your visit.</p>
        </div>
      </div>
      <div class="col-md-3 col-sm-6">
        <div class="item">
          <i class="icon icon-3"></i>
          <h3>Bathtub</h3>
```

```
                <p>Relax and unwind in our spacious bathtubs, perfect for a soothing soak after a long day of exploring.</p>
            </div>
        </div>
        <div class="col-md-3 col-sm-6">
            <div class="item">
                <i class="icon icon-4"></i>
                <h3>Shower</h3>
                <p>Enjoy a revitalizing shower experience with excellent water flow and adjustable temperature settings.</p>
            </div>
        </div>
        <div class="col-md-3 col-sm-6">
            <div class="item">
                <i class="icon icon-6"></i>
                <h3>Television</h3>
                <p>Stay entertained with our high-definition televisions, offering a wide range of channels and streaming options.</p>
            </div>
        </div>
        <div class="col-md-3 col-sm-6">
            <div class="item">
                <i class="icon icon-7"></i>
                <h3>WiFi</h3>
                <p>Stay connected with our high-speed WiFi, perfect for work or leisure.</p>
            </div>
```

```
            </div>
            <div class="col-md-3 col-sm-6">
              <div class="item">
                <i class="icon icon-8"></i>
                <h3>Telephone</h3>
                <p>Make reservations, request assistance, or connect with loved ones using our user-friendly room phone system.</p>
              </div>
            </div>
            <div class="col-md-3 col-sm-6">
              <div class="item">
                <i class="icon icon-9"></i>
                <h3>Mini Bar</h3>
                <p>Featuring an array of local and international favorites, our mini bar offers the perfect complement to your in-room experience.</p>
              </div>
            </div>
            <div class="col-md-3 col-sm-6">
              <div class="item">
                <i class="icon icon-10"></i>
                <h3>Kitchen</h3>
                <p>A fully functional kitchen with cookware, utensils, and appliances perfect for short stays or extended visits.</p>
              </div>
            </div>
          </div>
        </div>
```

```
    </div>
    <!-- Amenities Section Start -->


    <!-- Room Section Start -->
    <div id="rooms">
      <div class="container">
        <div class="section-header">
          <h2>Apartments & Suites</h2>
          <p>
            Find the perfect space for your needs. Browse available rooms, check real-time availability, and secure your booking in just a few clicks.
          </p>
        </div>
        <div class="row">
          <div class="col-md-12 room">
            <div class="row">
              <div class="col-md-6">
                <div class="room-img">
                  <img src="{{ url_for('static', filename='img/room/room-1.jpg') }}">
                </div>
              </div>
              <div class="col-md-6">
                <div class="room-des">
                  <h3>Standard Single</h3>
                  <h1>N150,000<span>/ Night</span></h1>
                  <ul class="room-size">
```

```
                        <li><i class="fa fa-arrow-right"></i>Size: 260 sq ft </li>
                        <li><i class="fa fa-arrow-right"></i>Beds: 2 Single(s)
</li>
                    </ul>
                    <ul class="room-icon">
                        <li class="icon-1"></li>
                        <li class="icon-2"></li>
                        <li class="icon-3"></li>
                        <li class="icon-4"></li>
                        <li class="icon-5"></li>
                        <li class="icon-6"></li>
                        <li class="icon-7"></li>
                        <li class="icon-8"></li>
                        <li class="icon-9"></li>
                        <li class="icon-10"></li>
                    </ul>
                    <div class="room-link">
                        <a href="#" data-toggle="modal" data-target="#modal-
id">Read More</a>
                        <a href="#" {% if logged_in %}data-toggle="modal"
data-target="#bookingModal"{% else %}data-toggle="modal" data-
target="#loginRequiredModal"{% endif %}>Book Now</a>
                    </div>
                </div>
            </div>
        </div>
    </div>
```

```
            <div class="col-md-12 room">
              <div class="row">
                <div class="col-md-6 d-block d-md-none">
                  <div class="room-img">
                    <img src="{{ url_for('static', filename='img/room/room-
2.jpg') }}">
                  </div>
                </div>
                <div class="col-md-6">
                  <div class="room-des">
                    <h3>Standard Double</h3>
                    <h1>N220,000<span>/ Night</span></h1>
                    <ul class="room-size">
                      <li><i class="fa fa-arrow-right"></i>Size: 260 sq ft </li>
                      <li><i class="fa fa-arrow-right"></i>Beds: 2 Single(s)
</li>
                    </ul>
                    <ul class="room-icon">
                      <li class="icon-1"></li>
                      <li class="icon-2"></li>
                      <li class="icon-3"></li>
                      <li class="icon-4"></li>
                      <li class="icon-5"></li>
                      <li class="icon-6"></li>
                      <li class="icon-7"></li>
                      <li class="icon-8"></li>
```

```
                        <li class="icon-9"></li>
                        <li class="icon-10"></li>
                    </ul>
                    <div class="room-link">
                        <a href="#" data-toggle="modal" data-target="#modal-id">Read More</a>
                        <a href="#" {% if logged_in %}data-toggle="modal" data-target="#bookingModal"{% else %}data-toggle="modal" data-target="#loginRequiredModal"{% endif %}>Book Now</a>
                    </div>
                </div>
            </div>
            <div class="col-md-6 d-none d-md-block">
                <div class="room-img">
                    <img src="{{ url_for('static', filename='img/room/room-2.jpg') }}">
                </div>
            </div>
        </div>
    </div>

    <div class="col-md-12 room">
        <div class="row">
            <div class="col-md-6">
                <div class="room-img">
                    <img src="{{ url_for('static', filename='img/room/room-3.jpg') }}">
                </div>
```

```
                </div>
                <div class="col-md-6">
                   <div class="room-des">
                      <h3>Premium Single</h3>
                      <h1>N180,000<span>/ Night</span></h1>
                      <ul class="room-size">
                         <li><i class="fa fa-arrow-right"></i>Size: 260 sq ft </li>
                         <li><i class="fa fa-arrow-right"></i>Beds: 2 Single(s)
</li>
                      </ul>
                      <ul class="room-icon">
                         <li class="icon-1"></li>
                         <li class="icon-2"></li>
                         <li class="icon-3"></li>
                         <li class="icon-4"></li>
                         <li class="icon-5"></li>
                         <li class="icon-6"></li>
                         <li class="icon-7"></li>
                         <li class="icon-8"></li>
                         <li class="icon-9"></li>
                         <li class="icon-10"></li>
                      </ul>
                      <div class="room-link">
                         <a href="#" data-toggle="modal" data-target="#modal-
id">Read More</a>
```

```
                        <a href="#" {% if logged_in %}data-toggle="modal"
data-target="#bookingModal"{% else %}data-toggle="modal" data-
target="#loginRequiredModal"{% endif %}>Book Now</a>
                    </div>
                  </div>
                </div>
              </div>

              <div class="col-md-12 room">
                <div class="row">
                  <div class="col-md-6 d-block d-md-none">
                    <div class="room-img">
                      <img src="{{ url_for('static', filename='img/room/room-
4.jpg') }}">
                    </div>
                  </div>
                  <div class="col-md-6">
                    <div class="room-des">
                      <h3>Premium Double</h3>
                      <h1>N300,000<span>/ Night</span></h1>
                      <ul class="room-size">
                        <li><i class="fa fa-arrow-right"></i>Size: 260 sq ft </li>
                        <li><i class="fa fa-arrow-right"></i>Beds: 2 Single(s)
</li>
                      </ul>
                      <ul class="room-icon">
```

```
                        <li class="icon-1"></li>
                        <li class="icon-2"></li>
                        <li class="icon-3"></li>
                        <li class="icon-4"></li>
                        <li class="icon-5"></li>
                        <li class="icon-6"></li>
                        <li class="icon-7"></li>
                        <li class="icon-8"></li>
                        <li class="icon-9"></li>
                        <li class="icon-10"></li>
                    </ul>
                    <div class="room-link">
                        <a href="#" data-toggle="modal" data-target="#modal-id">Read More</a>
                        <a href="#" {% if logged_in %}data-toggle="modal" data-target="#bookingModal"{% else %}data-toggle="modal" data-target="#loginRequiredModal"{% endif %}>Book Now</a>
                    </div>
                </div>
            </div>
            <div class="col-md-6 d-none d-md-block">
                <div class="room-img">
                    <img src="{{ url_for('static', filename='img/room/room-4.jpg') }}">
                </div>
            </div>
        </div>
```

```
            </div>


            <div class="col-md-12 room">
               <div class="row">
                  <div class="col-md-6">
                     <div class="room-img">
                        <img src="{{ url_for('static', filename='img/room/room-
5.jpg') }}">
                     </div>
                  </div>
                  <div class="col-md-6">
                     <div class="room-des">
                        <h3>Economy Single</h3>
                        <h1>N120,000<span>/ Night</span></h1>
                        <ul class="room-size">
                           <li><i class="fa fa-arrow-right"></i>Size: 260 sq ft </li>
                           <li><i class="fa fa-arrow-right"></i>Beds: 2 Single(s)
</li>
                        </ul>
                        <ul class="room-icon">
                           <li class="icon-1"></li>
                           <li class="icon-2"></li>
                           <li class="icon-3"></li>
                           <li class="icon-4"></li>
                           <li class="icon-5"></li>
                           <li class="icon-6"></li>
                           <li class="icon-7"></li>
```

```
                        <li class="icon-8"></li>
                        <li class="icon-9"></li>
                        <li class="icon-10"></li>
                    </ul>
                    <div class="room-link">
                        <a href="#" data-toggle="modal" data-target="#modal-id">Read More</a>
                        <a href="#" {% if logged_in %}data-toggle="modal" data-target="#bookingModal"{% else %}data-toggle="modal" data-target="#loginRequiredModal"{% endif %}>Book Now</a>
                    </div>
                </div>
            </div>
        </div>
    </div>
</div>
<!-- Room Section End -->

<!-- Modal for Room Section Start -->
<div id="modal-id" class="modal fade" tabindex="-1" role="dialog">
    <div class="modal-dialog modal-lg">
        <div class="modal-content">
            <div class="modal-header">
                <button type="button" class="close" data-dismiss="modal">&times;</button>
```

```
            </div>
            <div class="modal-body">
              <div class="row">
                <div class="col-12">
                  <div class="port-slider">
                    <div><img src="{{ url_for('static', filename='img/room-slider/room-1.jpg') }}"></div>
                    <div><img src="{{ url_for('static', filename='img/room-slider/room-2.jpg') }}"></div>
                    <div><img src="{{ url_for('static', filename='img/room-slider/room-3.jpg') }}"></div>
                    <div><img src="{{ url_for('static', filename='img/room-slider/room-4.jpg') }}"></div>
                    <div><img src="{{ url_for('static', filename='img/room-slider/room-5.jpg') }}"></div>
                    <div><img src="{{ url_for('static', filename='img/room-slider/room-6.jpg') }}"></div>
                  </div>
                  <div class="port-slider-nav">
                    <div><img src="{{ url_for('static', filename='img/room-slider/room-1.jpg') }}"></div>
                    <div><img src="{{ url_for('static', filename='img/room-slider/room-2.jpg') }}"></div>
                    <div><img src="{{ url_for('static', filename='img/room-slider/room-3.jpg') }}"></div>
                    <div><img src="{{ url_for('static', filename='img/room-slider/room-4.jpg') }}"></div>
                    <div><img src="{{ url_for('static', filename='img/room-slider/room-5.jpg') }}"></div>
```

```
                        <div><img src="{{ url_for('static', filename='img/room-slider/room-6.jpg') }}"></div>
                    </div>
                </div>
                <div class="col-12">
                    <h2>Book With Ease</h2>
                    <p>
                        Explore our wide selection of rooms designed to suit every need. From intimate spaces to larger venues, each option comes with premium comfort and dedicated support. Don't wait – your ideal room is just a click away.
                    </p>
                    <div class="modal-link">
                        <a href="#" {% if logged_in %}data-toggle="modal" data-target="#bookingModal"{% else %}data-toggle="modal" data-target="#loginRequiredModal"{% endif %}>Book Now</a>
                    </div>
                </div>
            </div>
        </div>
    </div>
</div>
<!-- Modal for Room Section End -->

<!-- Login Required Modal -->
<div id="loginRequiredModal" class="modal fade" tabindex="-1" role="dialog">
```

```
        <div class="modal-dialog">
            <div class="modal-content">
                <div class="modal-header">
                    <h4 class="modal-title"><i class="fa fa-lock" style="color: #00CED1;"></i> Login Required</h4>
                    <button type="button" class="close" data-dismiss="modal">&times;</button>
                </div>
                <div class="modal-body" style="text-align: center; padding: 30px;">
                    <i class="fa fa-user-circle" style="font-size: 60px; color: #00CED1; margin-bottom: 20px;"></i>
                    <h4>Please Login to Book</h4>
                    <p style="color: #666; margin: 15px 0;">You need to be logged in to make a booking. Please login or create an account to continue.</p>
                    <div style="margin-top: 25px;">
                        <a href="{{ url_for('login') }}" class="btn btn-primary" style="border-radius: 30px; padding: 10px 30px; background: #222; color: #00CED1; border: none; margin-right: 10px;">
                            <i class="fa fa-sign-in"></i> Login
                        </a>
                        <a href="{{ url_for('signup') }}" class="btn btn-primary" style="border-radius: 30px; padding: 10px 30px; background: #00CED1; color: #222; border: none;">
                            <i class="fa fa-user-plus"></i> Sign Up
                        </a>
                    </div>
                </div>
            </div>
```

```
        </div>
    </div>

    <!-- Booking Modal (for logged in users) -->
    <div id="bookingModal" class="modal fade" tabindex="-1"
role="dialog">
        <div class="modal-dialog modal-lg">
            <div class="modal-content">
                <div class="modal-header">
                    <h4 class="modal-title"><i class="fa fa-calendar-check-o"
style="color: #00CED1;"></i> Book Your Stay</h4>
                    <button type="button" class="close" data-
dismiss="modal">&times;</button>
                </div>
                <div class="modal-body">
                    <div style="background: #f8f9fa; padding: 20px; border-radius:
15px; margin-bottom: 20px;">
                        <h5><i class="fa fa-user" style="color: #00CED1;"></i>
Welcome, {{ user.first_name if logged_in else 'Guest' }}!</h5>
                        <p style="margin: 0;">You're about to book your stay with us.
Please confirm your details below.</p>
                    </div>
                    <form id="bookingFormModal">
                        <div class="row">
                            <div class="col-md-6">
                                <div class="form-group">
                                    <label><i class="fa fa-user"></i> First Name</label>
```

```
                        <input type="text" class="form-control" value="{{
user.first_name if logged_in else '' }}" readonly style="background: #f8f9fa;">
                    </div>
                </div>
                <div class="col-md-6">
                    <div class="form-group">
                        <label><i class="fa fa-user"></i> Last Name</label>
                        <input type="text" class="form-control" value="{{
user.last_name if logged_in else '' }}" readonly style="background: #f8f9fa;">
                    </div>
                </div>
            </div>
            <div class="row">
                <div class="col-md-6">
                    <div class="form-group">
                        <label><i class="fa fa-envelope"></i> Email</label>
                        <input type="email" class="form-control" value="{{
user.email if logged_in else '' }}" readonly style="background: #f8f9fa;">
                    </div>
                </div>
                <div class="col-md-6">
                    <div class="form-group">
                        <label><i class="fa fa-phone"></i> Phone</label>
                        <input type="text" class="form-control" value="{{
user.phone if logged_in else '' }}" readonly style="background: #f8f9fa;">
                    </div>
                </div>
```

```
</div>
<div class="row">
  <div class="col-md-6">
    <div class="form-group">
      <label><i class="fa fa-calendar"></i> Check-In</label>
      <input type="date" class="form-control" required>
    </div>
  </div>
  <div class="col-md-6">
    <div class="form-group">
      <label><i class="fa fa-calendar"></i> Check-Out</label>
      <input type="date" class="form-control" required>
    </div>
  </div>
</div>
<div class="row">
  <div class="col-md-4">
    <div class="form-group">
      <label><i class="fa fa-users"></i> Adults</label>
      <select class="form-control">
        <option>1</option>
        <option>2</option>
        <option>3</option>
        <option>4</option>
      </select>
    </div>
```

```
    </div>
    <div class="col-md-4">
      <div class="form-group">
        <label><i class="fa fa-child"></i> Children</label>
        <select class="form-control">
          <option>0</option>
          <option>1</option>
          <option>2</option>
          <option>3</option>
        </select>
      </div>
    </div>
    <div class="col-md-4">
      <div class="form-group">
        <label><i class="fa fa-bed"></i> Room</label>
        <select class="form-control">
          <option>Standard Single</option>
          <option>Standard Double</option>
          <option>Premium Single</option>
          <option>Premium Double</option>
          <option>Economy Single</option>
        </select>
      </div>
    </div>
  </div>
  <div class="form-group">
```

```
                    <label><i class="fa fa-comment"></i> Special
Requests</label>
                    <textarea class="form-control" rows="3" placeholder="Any
special requests?"></textarea>
                </div>
                <button type="submit" class="btn btn-primary"
style="border-radius: 30px; padding: 12px 40px; background: #222; color:
#00CED1; border: none; width: 100%; font-size: 16px;">
                    <i class="fa fa-check"></i> Confirm Booking
                </button>
            </form>
        </div>
    </div>
</div>

<!-- Subscribe Section Start -->
<div id="subscribe">
    <div class="container">
        <div class="section-header">
            <h2>Subscribe for Special Offer</h2>
            <p>
                Stay updated with our latest offers and promotions. Subscribe
to our newsletter and never miss out on exclusive deals!
            </p>
        </div>
        <div class="row">
            <div class="col-12">
```

```
                <div class="subscribe-form">
                  <form>
                    <input type="email" required="required"
placeholder="Enter your email here" />
                    <button>submit</button>
                  </form>
                </div>
              </div>
            </div>
          </div>
        </div>
        <!-- Subscribe Section End -->

        <!-- Booking Section Start -->
        <div id="booking">
          <div class="container">
            <div class="section-header">
              <h2>Room Booking</h2>
              <p>
                Find the perfect space for your needs. Browse available rooms,
check real-time availability, and secure your booking in just a few clicks.
              </p>
            </div>
            <div class="row">
              <div class="col-12">
                <div class="booking-form">
                  <div id="success"></div>
```

```
                    <form name="sentMessage" id="bookingForm"
novalidate="novalidate">

                        <div class="form-row">

                            <div class="control-group col-sm-6">

                                <label>First Name</label>

                                <input type="text" class="form-control" id="First
name" placeholder="E.g. Abdulhamid" required="required" data-validation-
required-message="Please enter first name" />

                                <p class="help-block text-danger"></p>

                            </div>

                            <div class="control-group col-sm-6">

                                <label>Last Name</label>

                                <input type="text" class="form-control" id="Last
name" placeholder="E.g. Ibrahim" required="required" data-validation-
required-message="Please enter last name" />

                                <p class="help-block text-danger"></p>

                            </div>

                        </div>

                        <div class="form-row">

                            <div class="control-group col-sm-6">

                                <label>Mobile</label>

                                <input type="text" class="form-control" id="mobile"
placeholder="E.g. +234 906 482 3328" required="required" data-validation-
required-message="Please enter your mobile number" />

                                <p class="help-block text-danger"></p>

                            </div>

                            <div class="control-group col-sm-6">

                                <label>Email</label>
```

```
                        <input type="email" class="form-control" id="email"
placeholder="E.g. email@example.com" required="required" data-
validation-required-message="Please enter your email" />

                        <p class="help-block text-danger"></p>

                    </div>

                </div>

                <div class="form-row">

                    <div class="control-group col-sm-6">

                        <label>Check-In</label>

                        <input type="text" class="form-control datetimepicker-
input" id="date-1" data-toggle="datetimepicker" data-target="#date-1"
placeholder="E.g. MM/DD/YYYY" required="required" data-validation-
required-message="Please enter date"/>

                        <p class="help-block text-danger"></p>

                    </div>

                    <div class="control-group col-sm-6">

                        <label>Check-Out</label>

                        <input type="text" class="form-control datetimepicker-
input" id="date-2" data-toggle="datetimepicker" data-target="#date-2"
placeholder="E.g. MM/DD/YYYY" required="required" data-validation-
required-message="Please enter date"/>

                        <p class="help-block text-danger"></p>

                    </div>

                </div>

                <div class="form-row">

                    <div class="control-group col-sm-6">

                        <label>Adult</label>

                        <select class="custom-select" id="adult"
required="required" data-validation-required-message="Please select one"/>
```

```
                    <option value="0">0</option>
                    <option value="1">1</option>
                    <option value="2">2</option>
                    <option value="3">3</option>
                    <option value="4">4</option>
                    <option value="5">5</option>
                    <option value="6">6</option>
                    <option value="7">7</option>
                    <option value="8">8</option>
                    <option value="9">9</option>
                    <option value="10">10</option>
                  </select>
                  <p class="help-block text-danger"></p>
                </div>
                <div class="control-group col-sm-6">
                  <label>Kid</label>
                  <select class="custom-select" id="kid"
required="required" data-validation-required-message="Please select one"/>
                    <option value="0">0</option>
                    <option value="1">1</option>
                    <option value="2">2</option>
                    <option value="3">3</option>
                    <option value="4">4</option>
                    <option value="5">5</option>
                    <option value="6">6</option>
                    <option value="7">7</option>
                    <option value="8">8</option>
```

```
                        <option value="9">9</option>
                        <option value="10">10</option>
                    </select>
                    <p class="help-block text-danger"></p>
                </div>
            </div>
            <div class="control-group">
                <label>Special Request</label>
                <input type="text" class="form-control" id="request"
placeholder="E.g. Special Request" required="required" data-validation-
required-message="Please enter your special request" />
                <p class="help-block text-danger"></p>
            </div>
            <div class="button">
                <button type="submit" id="bookingButton">
                    <i class="fa fa-check-circle"></i> Book Now
                </button>
            </div>
        </form>
    </div>
</div>
</div>
</div>
<!-- Booking Section End -->

<!-- Call Section Start -->
```

```
<div id="call-us">
    <div class="container">
        <div class="section-header">
            <h2>Click Below to Call Us</h2>
            <p>
                Have a question? Need immediate assistance? Click the button below to speak directly with one of our support specialists today.
            </p>
        </div>
        <div class="row">
            <div class="col-12">
                <a href="tel:+2349064823328">+234 906 482 3328</a>
            </div>
        </div>
    </div>
</div>
<!-- Call Section End -->

<!-- Footer Section Start -->
<div id="footer">
    <div class="container">
        <div class="row">
            <div class="col-12">
                <div class="social">
                    <a href=""><li class="fa fa-instagram"></li></a>
                    <a href=""><li class="fa fa-twitter"></li></a>
                    <a href=""><li class="fa fa-facebook-f"></li></a>
```

```
            </div>
          </div>
          <div class="col-12">
            <ul>
              <li><a href="{{ url_for('index') }}">Home</a></li>
              <li><a href="{{ url_for('about') }}">About</a></li>
              <li><a href="#">Terms</a></li>
              <li><a href="{{ url_for('contact') }}">Contact</a></li>
            </ul>
          </div>
          <div class="col-12">
            <p>Copyright &#169; <a
href="https://abdulhamidibrahim.great-site.net">View My Blog</a> All
Rights Reserved.</p>
            <p>Project Designed By <a
href="https://abdulhamidibrahim.great-site.net">Abdulhamid
Ibrahim</a></p>
          </div>
        </div>
      </div>
    </div>
    <!-- Footer Section End -->

    <a href="#" class="back-to-top"><i class="fa fa-chevron-up"></i></a>

    <!-- Vendor JavaScript File -->
    <script src="{{ url_for('static', filename='vendor/jquery/jquery.min.js')
}}"></script>
```

```
    <script src="{{ url_for('static', filename='vendor/jquery/jquery-migrate.min.js') }}"></script>

    <script src="{{ url_for('static', filename='vendor/bootstrap/js/bootstrap.bundle.min.js') }}"></script>

    <script src="{{ url_for('static', filename='vendor/easing/easing.min.js') }}"></script>

    <script src="{{ url_for('static', filename='vendor/stickyjs/sticky.js') }}"></script>

    <script src="{{ url_for('static', filename='vendor/superfish/hoverIntent.js') }}"></script>

    <script src="{{ url_for('static', filename='vendor/superfish/superfish.min.js') }}"></script>

    <script src="{{ url_for('static', filename='vendor/wow/wow.min.js') }}"></script>

    <script src="{{ url_for('static', filename='vendor/slick/slick.min.js') }}"></script>

    <script src="{{ url_for('static', filename='vendor/tempusdominus/js/moment.min.js') }}"></script>

    <script src="{{ url_for('static', filename='vendor/tempusdominus/js/moment-timezone.min.js') }}"></script>

    <script src="{{ url_for('static', filename='vendor/tempusdominus/js/tempusdominus-bootstrap-4.min.js') }}"></script>


    <!-- Booking Javascript File -->

    <script src="{{ url_for('static', filename='js/booking.js') }}"></script>

    <script src="{{ url_for('static', filename='js/jqBootstrapValidation.min.js') }}"></script>
```

```
    <!-- Main Javascript File -->
    <script src="{{ url_for('static', filename='js/main.js') }}"></script>

    <script>
      $(document).ready(function() {
        // Mobile menu toggle
        $('.mobile-menu-btn').on('click', function() {
          $('.main-menu').slideToggle();
        });

        // Auto dismiss flash messages
        setTimeout(function() {
          $('.alert').fadeOut('slow');
        }, 5000);
      });
    </script>
  </body>
</html>
```

8. Code Implementation

8.1 Main Application - app.py

```
# app.py
from flask import Flask, render_template, request, redirect, url_for, flash, session
from datetime import timedelta
import config
from database import Database
```

```
app = Flask(__name__)
app.secret_key = config.Config.SECRET_KEY
app.permanent_session_lifetime = timedelta(hours=24)

# Initialize database
db = Database()

@app.route('/')
def index():
    # Check if user is logged in
    if 'user_id' in session:
        if db.connect():
            user = db.get_user_by_id(session['user_id'])
            db.disconnect()
            if user:
                return render_template('index.html', user=user, logged_in=True)
    return render_template('index.html', logged_in=False)

@app.route('/about')
def about():
    return render_template('about.html')

@app.route('/contact', methods=['GET', 'POST'])
def contact():
    if request.method == 'POST':
        name = request.form.get('name')
```

```
        email = request.form.get('email')
        message = request.form.get('message')
        flash('Thank you for contacting us! We will respond within 24 hours.', 'success')
        return redirect(url_for('contact'))
    return render_template('contact.html')

@app.route('/login', methods=['GET', 'POST'])
def login():
    # If user is already logged in, redirect to index
    if 'user_id' in session:
        return redirect(url_for('index'))

    if request.method == 'POST':
        username = request.form.get('username', '').strip()
        password = request.form.get('password', '')

        # Validate input
        if not username or not password:
            flash('Please enter both username and password.', 'danger')
            return render_template('login.html')

        # Connect to database
        if not db.connect():
            flash('Database connection error. Please make sure XAMPP MySQL is running.', 'danger')
            return render_template('login.html')
```

```
        try:
            # Authenticate user
            user, error = db.authenticate_user(username, password)

            if user:
                # Set session
                session['user_id'] = user['id']
                session['username'] = user['username']
                session['user_name'] = f"{user['first_name']} {user['last_name']}"
                session['user_email'] = user['email']
                session['user_first_name'] = user['first_name']
                session.permanent = True

                flash(f'Welcome back, {user["first_name"]}!', 'success')

                # Redirect to index page
                return redirect(url_for('index'))
            else:
                flash(error or 'Invalid username or password. Please try again.',
'danger')

        except Exception as e:
            flash(f'An error occurred: {str(e)}', 'danger')
        finally:
            db.disconnect()
```

```
    return render_template('login.html')

@app.route('/signup', methods=['GET', 'POST'])
def signup():
    # If user is already logged in, redirect to index
    if 'user_id' in session:
        return redirect(url_for('index'))

    if request.method == 'POST':
        # Get form data
        username = request.form.get('username', '').strip()
        first_name = request.form.get('fname', '').strip()
        last_name = request.form.get('lname', '').strip()
        email = request.form.get('email', '').strip()
        phone = request.form.get('mobile', '').strip()
        password = request.form.get('password', '')
        confirm_password = request.form.get('confirm_password', '')

        # Connect to database
        if not db.connect():
            flash('Database connection error. Please try again later.', 'danger')
            return render_template('signup.html',
                                   username=username, fname=first_name,
                                   lname=last_name, email=email, mobile=phone)

        try:
```

```
# Validate username
is_valid, message = db.validate_username(username)
if not is_valid:
    flash(message, 'danger')
    db.disconnect()
    return render_template('signup.html',
                           username=username, fname=first_name,
                           lname=last_name, email=email, mobile=phone)

# Validate first name
if not first_name or len(first_name) < 2:
    flash('First name must be at least 2 characters', 'danger')
    db.disconnect()
    return render_template('signup.html',
                           username=username, fname=first_name,
                           lname=last_name, email=email, mobile=phone)

# Validate last name
if not last_name or len(last_name) < 2:
    flash('Last name must be at least 2 characters', 'danger')
    db.disconnect()
    return render_template('signup.html',
                           username=username, fname=first_name,
                           lname=last_name, email=email, mobile=phone)

# Validate email
```

```
is_valid, message = db.validate_email(email)
if not is_valid:
    flash(message, 'danger')
    db.disconnect()
    return render_template('signup.html',
                           username=username, fname=first_name,
                           lname=last_name, email=email, mobile=phone)

# Validate password
is_valid, message = db.validate_password(password)
if not is_valid:
    flash(message, 'danger')
    db.disconnect()
    return render_template('signup.html',
                           username=username, fname=first_name,
                           lname=last_name, email=email, mobile=phone)

# Check if passwords match
if password != confirm_password:
    flash('Passwords do not match', 'danger')
    db.disconnect()
    return render_template('signup.html',
                           username=username, fname=first_name,
                           lname=last_name, email=email, mobile=phone)

# Create user
```

```
        user_data = {
            'username': username,
            'fname': first_name,
            'lname': last_name,
            'email': email,
            'mobile': phone,
            'password': password
        }

        success, message, user_id = db.create_user(user_data)

        if success:
            flash('Registration successful! Please login to continue.', 'success')
            db.disconnect()
            return redirect(url_for('login'))
        else:
            flash(message, 'danger')
            db.disconnect()
            return render_template('signup.html',
                                   username=username, fname=first_name,
                                   lname=last_name, email=email, mobile=phone)

    except Exception as e:
        flash(f'An error occurred: {str(e)}', 'danger')
        db.disconnect()
        return render_template('signup.html',
```

```
                    username=username, fname=first_name,
                    lname=last_name, email=email, mobile=phone)

    return render_template('signup.html')

@app.route('/logout')
def logout():
    # Clear session
    session.clear()
    flash('You have been logged out successfully.', 'info')
    return redirect(url_for('login'))

@app.route('/profile')
def profile():
    # Check if user is logged in
    if 'user_id' not in session:
        flash('Please login to view your profile.', 'warning')
        return redirect(url_for('login'))

    # Get user data
    if not db.connect():
        flash('Database connection error. Please try again.', 'danger')
        return redirect(url_for('index'))

    try:
        user = db.get_user_by_id(session['user_id'])
```

```
        if not user:
            session.clear()
            flash('User not found. Please login again.', 'danger')
            return redirect(url_for('login'))
        return render_template('profile.html', user=user)
    except Exception as e:
        flash(f'An error occurred: {str(e)}', 'danger')
        return redirect(url_for('index'))
    finally:
        db.disconnect()

@app.route('/update_profile', methods=['POST'])
def update_profile():
    # Check if user is logged in
    if 'user_id' not in session:
        return redirect(url_for('login'))

    if request.method == 'POST':
        data = {
            'first_name': request.form.get('fname'),
            'last_name': request.form.get('lname'),
            'email': request.form.get('email'),
            'phone': request.form.get('mobile')
        }

        if not db.connect():
```

```
            flash('Database connection error.', 'danger')
            return redirect(url_for('profile'))

        try:
            success, message = db.update_user(session['user_id'], data)
            if success:
                # Update session name
                user = db.get_user_by_id(session['user_id'])
                if user:
                    session['user_name'] = f"{user['first_name']} {user['last_name']}"
                    session['user_first_name'] = user['first_name']
                flash(message, 'success')
            else:
                flash(message, 'danger')
        except Exception as e:
            flash(f'An error occurred: {str(e)}', 'danger')
        finally:
            db.disconnect()

        return redirect(url_for('profile'))

@app.route('/change_password', methods=['POST'])
def change_password():
    # Check if user is logged in
    if 'user_id' not in session:
        return redirect(url_for('login'))
```

```
    if request.method == 'POST':
        old_password = request.form.get('old_password')
        new_password = request.form.get('new_password')
        confirm_password = request.form.get('confirm_password')

        if new_password != confirm_password:
            flash('New passwords do not match', 'danger')
            return redirect(url_for('profile'))

        if not db.connect():
            flash('Database connection error.', 'danger')
            return redirect(url_for('profile'))

        try:
            success, message = db.change_password(session['user_id'],
old_password, new_password)
            flash(message, 'success' if success else 'danger')
        except Exception as e:
            flash(f'An error occurred: {str(e)}', 'danger')
        finally:
            db.disconnect()

        return redirect(url_for('profile'))

# Error handlers
@app.errorhandler(404)
```

```
def page_not_found(e):
    return render_template('404.html'), 404

@app.errorhandler(500)
def internal_server_error(e):
    return render_template('500.html'), 500

if __name__ == '__main__':
    app.run(debug=config.Config.DEBUG, host='0.0.0.0', port=5000)
```

8.2 Database Configuration - config.py

```
# config.py
class Config:
    # MySQL Configuration for XAMPP
    MYSQL_HOST = 'localhost'
    MYSQL_USER = 'root'
    MYSQL_PASSWORD = ''  # Leave empty for XAMPP default
    MYSQL_DB = 'loft_city_db'
    MYSQL_PORT = 3306

    # Secret key for sessions
    SECRET_KEY = 'your-secret-key-here-change-in-production'

    # Application settings
    DEBUG = True
    TESTING = False
```

8.3 Database Operations - database.py

```
# database.py
import mysql.connector
from mysql.connector import Error
import hashlib
import re
from datetime import datetime
import config

class Database:
    def __init__(self):
        self.connection = None
        self.cursor = None

    def connect(self):
        """Establish database connection to XAMPP MySQL"""
        try:
            self.connection = mysql.connector.connect(
                host=config.Config.MYSQL_HOST,
                user=config.Config.MYSQL_USER,
                password=config.Config.MYSQL_PASSWORD,
                database=config.Config.MYSQL_DB,
                port=config.Config.MYSQL_PORT,
                use_pure=True,
                auth_plugin='mysql_native_password'
            )
```

```
            self.cursor = self.connection.cursor(dictionary=True)
            print(" Connected to XAMPP MySQL database")
            return True
        except Error as e:
            print(" Error connecting to MySQL: {e}")
            print("Make sure XAMPP MySQL is running on port 3306")
            return False

    def disconnect(self):
        """Close database connection"""
        if self.cursor:
            self.cursor.close()
        if self.connection:
            self.connection.close()

    def execute_query(self, query, params=None):
        """Execute a query and return results"""
        try:
            if params:
                self.cursor.execute(query, params)
            else:
                self.cursor.execute(query)

            if query.strip().upper().startswith('SELECT'):
                return self.cursor.fetchall()
            else:
```

```
            self.connection.commit()
            return self.cursor.lastrowid
        except Error as e:
            print(f"❌ Error executing query: {e}")
            return None

    def hash_password(self, password):
        """Hash password using SHA-256 with salt"""
        salt = "loft_city_salt_2024"
        return hashlib.sha256((salt + password).encode()).hexdigest()

    def verify_password(self, password, hashed_password):
        """Verify password against hash"""
        return self.hash_password(password) == hashed_password

    def validate_username(self, username):
        """Validate username format"""
        if not username or len(username) < 3 or len(username) > 20:
            return False, "Username must be 3-20 characters"
        if not re.match(r'^[a-zA-Z0-9_]+$', username):
            return False, "Username can only contain letters, numbers, and
underscores"
        return True, ""

    def validate_email(self, email):
        """Validate email format"""
```

```
        if not email:
            return False, "Email is required"
        if not re.match(r'^[a-zA-Z0-9._%+-]+@[a-zA-Z0-9.-]+\.[a-zA-Z]{2,}$', email):
            return False, "Invalid email format"
        return True, ""

    def validate_password(self, password):
        """Validate password strength"""
        if not password:
            return False, "Password is required"
        if len(password) < 6:
            return False, "Password must be at least 6 characters"
        if len(password) > 30:
            return False, "Password must be less than 30 characters"
        if not re.search(r'[A-Z]', password):
            return False, "Password must contain at least one uppercase letter"
        if not re.search(r'[a-z]', password):
            return False, "Password must contain at least one lowercase letter"
        if not re.search(r'[0-9]', password):
            return False, "Password must contain at least one number"
        return True, ""

    def create_user(self, user_data):
        """Create a new user in the database"""
        try:
            # Validate input data
```

```
username = user_data.get('username', '').strip()
first_name = user_data.get('fname', '').strip()
last_name = user_data.get('lname', '').strip()
email = user_data.get('email', '').strip()
phone = user_data.get('mobile', '').strip() or None
password = user_data.get('password', '')

# Check if username already exists
existing_user = self.get_user_by_username(username)
if existing_user:
    return False, "Username already exists", None

# Check if email already exists
existing_email = self.get_user_by_email(email)
if existing_email:
    return False, "Email already registered", None

# Hash password
hashed_password = self.hash_password(password)

# Insert user
query = """
    INSERT INTO tbl_user
    (username, first_name, last_name, email, phone, password_hash)
    VALUES (%s, %s, %s, %s, %s, %s)
"""
```

```
            params = (username, first_name, last_name, email, phone,
hashed_password)
            user_id = self.execute_query(query, params)

            if user_id:
                return True, "User created successfully", user_id
            else:
                return False, "Failed to create user", None

        except Error as e:
            return False, f"Database error: {str(e)}", None

    def get_user_by_username(self, username):
        """Get user by username"""
        query = "SELECT * FROM tbl_user WHERE username = %s"
        result = self.execute_query(query, (username,))
        return result[0] if result else None

    def get_user_by_email(self, email):
        """Get user by email"""
        query = "SELECT * FROM tbl_user WHERE email = %s"
        result = self.execute_query(query, (email,))
        return result[0] if result else None

    def get_user_by_id(self, user_id):
        """Get user by ID"""
        query = "SELECT * FROM tbl_user WHERE id = %s"
```

```
        result = self.execute_query(query, (user_id,))
        return result[0] if result else None

    def authenticate_user(self, username, password):
        """Authenticate user credentials"""
        user = self.get_user_by_username(username)
        if not user:
            return None, "Invalid username or password"

        # Check if user is active
        if not user.get('is_active', True):
            return None, "Account is deactivated"

        # Verify password
        if self.verify_password(password, user['password_hash']):
            # Update last login
            self.update_last_login(user['id'])
            return user, None
        else:
            return None, "Invalid username or password"

    def update_last_login(self, user_id):
        """Update user's last login timestamp"""
        query = "UPDATE tbl_user SET last_login = CURRENT_TIMESTAMP
WHERE id = %s"
        self.execute_query(query, (user_id,))
```

```
def update_user(self, user_id, data):
    """Update user information"""
    try:
        set_clauses = []
        params = []

        allowed_fields = ['first_name', 'last_name', 'email', 'phone']

        for field in allowed_fields:
            if field in data and data[field]:
                set_clauses.append(f"{field} = %s")
                params.append(data[field].strip())

        if not set_clauses:
            return False, "No fields to update"

        params.append(user_id)
        query = f"UPDATE tbl_user SET {', '.join(set_clauses)} WHERE id = %s"
        result = self.execute_query(query, params)

        if result is not None:
            return True, "User updated successfully"
        else:
            return False, "Failed to update user"

    except Error as e:
```

```
        return False, f"Database error: {str(e)}"

    def change_password(self, user_id, old_password, new_password):
        """Change user password"""
        user = self.get_user_by_id(user_id)
        if not user:
            return False, "User not found"

        # Verify old password
        if not self.verify_password(old_password, user['password_hash']):
            return False, "Current password is incorrect"

        # Validate new password
        is_valid, message = self.validate_password(new_password)
        if not is_valid:
            return False, message

        # Hash and update new password
        hashed_password = self.hash_password(new_password)
        query = "UPDATE tbl_user SET password_hash = %s WHERE id = %s"
        result = self.execute_query(query, (hashed_password, user_id))

        if result is not None:
            return True, "Password changed successfully"
        else:
            return False, "Failed to change password"
```

9. Installation Guide

9.1 System Requirements

- Operating System: Windows 10+, macOS, or Linux
- Python: 3.8 or higher
- XAMPP: 7.4 or higher (for MySQL)
- Web Browser: Chrome, Firefox, Edge, or Safari

9.2 Step-by-Step Installation

Step 1: Install XAMPP

1. Download XAMPP from https://www.apachefriends.org/
2. Install XAMPP on your system
3. Start Apache and MySQL services

Step 2: Create Database

1. Open phpMyAdmin at http://localhost/phpmyadmin
2. Click "New" and create database named loft_city_db
3. Run the SQL script provided in Section 5.4

Step 3: Extract Project Files

1. Extract the loft_city_app.zip file
2. Place the folder in your project directory

Step 4: Install Python Dependencies

```
pip install flask mysql-connector-python
```

Step 5: Configure Database

Edit config.py with your MySQL credentials:

```
MYSQL_HOST = 'localhost'
MYSQL_USER = 'root'
MYSQL_PASSWORD = ''  # Your MySQL password
MYSQL_DB = 'loft_city_db'
```

Step 6: Run the Application

python app.py

Step 7: Access the Application

Open your browser and navigate to: http://localhost:5000

9.3 Test Credentials

Username	Password	Role
Dansmall	Saudat@88	User
Badamasi	badamasi@66D	User

11.1 Project Summary

The Loft City Apartment Booking System successfully demonstrates the implementation of a full-stack web application using Flask and MySQL. The project achieved all its objectives:

1. **User Authentication: Secure registration and login system with password hashing**
2. **User Management: Profile viewing and updating capabilities**
3. **Booking System: Interactive booking interface with date selection**
4. **Responsive Design: Mobile-first approach ensuring compatibility across devices**
5. **Database Integration: Efficient MySQL database with proper indexing**

11.2 Key Achievements

- **Security: Implemented password hashing, session management, and input validation**
- **User Experience: Intuitive navigation and professional design**
- **Code Quality: Modular architecture with separation of concerns**
- **Documentation: Comprehensive comments and documentation**

Lessons Learned

1. Flask provides an excellent framework for building web applications
2. MySQL integration is straightforward with proper connector configuration
3. Session management is crucial for user authentication
4. Password hashing is essential for security
5. Responsive design ensures accessibility across devices

12. References

12.1 Documentation

1. Flask Documentation: https://flask.palletsprojects.com/
2. MySQL Documentation: https://dev.mysql.com/doc/
3. Bootstrap Documentation: https://getbootstrap.com/docs/
4. Python Documentation: https://docs.python.org/

12.2 Resources

1. XAMPP: https://www.apachefriends.org/
2. phpMyAdmin: https://www.phpmyadmin.net/
3. Font Awesome: https://fontawesome.com/
4. jQuery: https://jquery.com/

12.3 Project References

1. Template Design: HTML Codex - Apartment Booking Template
2. Icons: Font Awesome 4.7
3. Slider: Slick Slider
4. Date Picker: Tempus Dominus


Appendix A: Project Files Checklist


- app.py - Main Flask Application
- config.py - Configuration Settings

- database.py - Database Operations
- requirements.txt - Python Dependencies
- templates/index.html - Homepage
- templates/login.html - Login Page
- templates/signup.html - Registration Page
- templates/profile.html - User Profile
- templates/about.html - About Page
- templates/contact.html - Contact Page
- static/css/style.css - Main Styles
- static/css/hover-style.css - Animation Styles
- static/js/main.js - JavaScript Functions
- static/img/ - Images and Icons
- static/vendor/ - Third-party Libraries


Appendix B: Screenshots


Home page






LOFT CITY | Responsive Travel &
Not secure
192.168.18.3:5000
WELCOME TO LOFT CITY
Urban Holiday Apartments in San Francisco
From the moment you arrive, you'll feel right at home. Our apartments are designed with your comfort in mind, featuring cozy interiors, fast Wi-Fi, and a prime location that puts the city's best restaurants, shops, and sights right at your doorstep.
Book Now
Amenities & Services
Discover the comforts and conveniences that make your stay with us truly memorable.
We offer a range of amenities designed to enhance your experience.
ENG
44%
3:15 PM
7/1/2026


LOFT CITY | Responsive Travel &
Not secure
192.168.18.3:5000
Amenities & Services
Discover the comforts and conveniences that make your stay with us truly memorable.
We offer a range of amenities designed to enhance your experience.
Air Conditioner
Stay cool and comfortable with our modern air conditioning units, ensuring a pleasant stay throughout your visit.
Bathtub
Relax and unwind in our spacious bathtubs, perfect for a soothing soak after a long day of exploring.
Shower
Enjoy a revitalizing shower experience with excellent water flow and adjustable temperature settings.
Television
Stay entertained with our high-definition televisions, offering a wide range of channels and streaming options.
ENG
44%
3:15 PM
7/1/2026


LOFT CITY | Responsive Travel &
Not secure
192.168.18.3:5000
WiFi
Stay connected with our high-speed WiFi, perfect for work or leisure.
Telephone
Make reservations, request assistance, or connect with loved ones using our user-friendly room phone system.
Mini Bar
Featuring an array of local and international favorites, our mini bar offers the perfect complement to your in-room experience.
Kitchen
A fully functional kitchen with cookware, utensils, and appliances perfect for short stays or extended visits.
Apartments & Suites
Find the perfect space for your needs. Browse available rooms, check real-time availability, and secure your booking in just a few clicks.
ENG
44%
3:15 PM
7/1/2026



LOFT CITY | Responsive Travel &
Not secure
192.168.18.3:5000
Apartments & Suites
Find the perfect space for your needs. Browse available rooms, check real-time availability, and secure your booking in just a few clicks.
Standard Single
N150,000 / Night
Size: 260 sq ft
Beds: 2 Single(s)
Read More
Book Now
ENG
44%
3:15 PM
7/1/2026


LOFT CITY | Responsive Travel &
Not secure
192.168.18.3:5000
Standard Double
N220,000 / Night
Size: 260 sq ft
Beds: 2 Single(s)
Read More
Book Now
ENG
44%
3:15 PM
7/1/2026



LOFT CITY | Responsive Travel &
Not secure
192.168.18.3:5000
Premium Single
N180,000 / Night
Size: 260 sq ft
Beds: 2 Single(s)
Read More
Book Now
Premium Double
ENG
44%
3:16 PM
7/1/2026


LOFT CITY | Responsive Travel &
Not secure
192.168.18.3:5000
Premium Double
N300,000 / Night
Size: 260 sq ft
Beds: 2 Single(s)
Read More
Book Now
Economy Single
ENG
44%
3:16 PM
7/1/2026


LOFT CITY | Responsive Travel &
Not secure
192.168.18.3:5000
Economy Single
N120,000 / Night
Size: 260 sq ft
Beds: 2 Single(s)
Read More
Book Now
Subscribe for Special Offer
ENG
44%
3:16 PM
7/1/2026



LOFT CITY | Responsive Travel &
Not secure
192.168.18.3:5000
Subscribe for Special Offer
Stay updated with our latest offers and promotions. Subscribe to our newsletter and never miss out on exclusive deals!
Enter your email here
SUBMIT
Room Booking
Find the perfect space for your needs. Browse available rooms, check real-time availability, and secure your booking in just a few clicks.
First Name
Last Name
E.g. Abdulhamid
E.g. Ibrahim
ENG
44%
3:16 PM
7/1/2026

LOFT CITY | Responsive Travel &
Not secure
192.168.18.3:5000
Room Booking
Find the perfect space for your needs. Browse available rooms, check real-time availability, and secure your booking in just a few clicks.
First Name
Last Name
E.g. Abdulhamid
E.g. Ibrahim
Mobile
Email
E.g. +234 906 482 3328
E.g. email@example.com
Check-In
Check-Out
E.g. MM/DD/YYYY
E.g. MM/DD/YYYY
Adult
Kid
0
0
Special Request
E.g. Special Request
ENG
44%
3:16 PM
7/1/2026



LOFT CITY | Responsive Travel &
Not secure
192.168.18.3:5000
Click Below to Call Us
Have a question? Need immediate assistance? Click the button below to speak directly with one of our support specialists today.
+234 906 482 3328
Home | About | Terms | Contact
Copyright © View My Blog All Rights Reserved.
Project Designed By Abdulhamid Ibrahim
ENG
44%
3:16 PM
7/1/2026

Signup page



Sign Up | LOFT CITY
Not secure
192.168.18.3:5000/signup
LOFT CITY
HOME
SIGN UP
ABOUT US
LOGIN
CONTACT US
+234 906 482 3328
Create Account
Join us and start booking your dream apartment
Username *
Choose a username (letters, numbers, underscores)
3-20 characters, letters, numbers, and underscores only
First Name *
Enter first name
Last Name *
Enter last name
Email Address *
Enter email address
Phone Number
Enter phone number (optional)
Password *
Create a strong password
At least 6 characters
At least one uppercase letter
At least one lowercase letter
At least one number
Confirm Password *
Confirm your password
Create Account
Already have an account?
Login Here
ENG
43%
3:17 PM
7/1/2026


Sign Up | LOFT CITY
Not secure
192.168.18.3:5000/signup
At least one lowercase letter
At least one number
Confirm Password *
Confirm your password
Create Account
Already have an account?
Login Here
Home | About | Terms | Contact
Copyright © HTML Codex All Rights Reserved.
Project Designed By Abdulhamid Ibrahim
ENG
43%
3:17 PM
7/1/2026


Login page




Database photo





App.py codes Image



File Edit Selection View Go Run
Flaskproject
EXPLORER
FLASKPROJECT
__pycache__
static
templates
404.html
about.html
contact.html
index.html
login.html
profile.html
signup.html
app.py
config.py
database.py
app.py
config.py
database.py
index.html
loft_city_db.sql
profile.html
signup.html
app.py > about
app.py
from flask import Flask, render_template, request, redirect, url_for, flash, session
from datetime import timedelta
import config
from database import Database
app = Flask(__name__)
app.secret_key = config.Config.SECRET_KEY
app.permanent_session_lifetime = timedelta(hours=24)
Initialize database
db = Database()
@app.route('/')
def index():
Check if user is logged in
if 'user_id' in session:
if db.connect():
user = db.get_user_by_id(session['user_id'])
db.disconnect()
if user:
return render_template('index.html', user=user, logged_in=True)
return render_template('index.html', logged_in=False)
PROBLEMS 58
OUTPUT
TERMINAL 58
PORTS
GITLENS
TERMINAL
PS C:\Users\DELL\OneDrive\Desktop\Flaskproject> python app.py
192.168.18.3 - - [01/Jul/2026 15:14:24] "GET /static/img/icon/call.png HTTP/1.1" 200 -
192.168.18.3 - - [01/Jul/2026 15:14:24] "GET /static/img/icon/minibar.png HTTP/1.1" 200 -
192.168.18.3 - - [01/Jul/2026 15:14:24] "GET /static/img/icon/kitchen.png HTTP/1.1" 200 -
192.168.18.3 - - [01/Jul/2026 15:14:24] "GET /static/vendor/font-awesome/fonts/fontawesome-webfont.woff2?v=4.7.0 HTTP/1.1" 200 -
192.168.18.3 - - [01/Jul/2026 15:14:24] "GET /static/img/favicon.ico HTTP/1.1" 200 -
OUTLINE
TIMELINE
Launchpad
Live Share
Ln 27, Col 41
Spaces: 4
UTF-8
CRLF
Python
Python 3.14 (64-bit)
Go Live
ENG
41%
3:22 PM
7/1/2026


@app.route('/about')
def about():
return render_template('about.html')
@app.route('/contact', methods=['GET', 'POST'])
def contact():
if request.method == 'POST':
name = request.form.get('name')
email = request.form.get('email')
message = request.form.get('message')
flash('Thank you for contacting us! We will respond within 24 hours.', 'success')
return redirect(url_for('contact'))
return render_template('contact.html')
@app.route('/login', methods=['GET', 'POST'])
def login():
If user is already logged in, redirect to index
if 'user_id' in session:
return redirect(url_for('index'))
if request.method == 'POST':
username = request.form.get('username', '').strip()
password = request.form.get('password', '')
PS C:\Users\DELL\OneDrive\Desktop\Flaskproject> python app.py
192.168.18.3 - - [01/Jul/2026 15:14:24] "GET /static/img/icon/call.png HTTP/1.1" 200 -
192.168.18.3 - - [01/Jul/2026 15:14:24] "GET /static/img/icon/minibar.png HTTP/1.1" 200 -
192.168.18.3 - - [01/Jul/2026 15:14:24] "GET /static/img/icon/kitchen.png HTTP/1.1" 200 -
192.168.18.3 - - [01/Jul/2026 15:14:24] "GET /static/vendor/font-awesome/fonts/fontawesome-webfont.woff2?v=4.7.0 HTTP/1.1" 200 -
192.168.18.3 - - [01/Jul/2026 15:14:24] "GET /static/img/favicon.ico HTTP/1.1" 200 -



File Edit Selection View Go Run
Flaskproject
EXPLORER
FLASKPROJECT
__pycache__
static
templates
404.html
about.html
contact.html
index.html
login.html
profile.html
signup.html
app.py
config.py
database.py
app.py
config.py
database.py
index.html
loft_city_db.sql
profile.html
signup.html
app.py > about
40 def login():
48
49 # Validate input
50 if not username or not password:
51 flash('Please enter both username and password.', 'danger')
52 return render_template('login.html')
53
54 # Connect to database
55 if not db.connect():
56 flash('Database connection error. Please make sure XAMPP MySQL is running.', 'danger')
57 return render_template('login.html')
58
59 try:
60 # Authenticate user
61 user, error = db.authenticate_user(username, password)
62
63 if user:
64 # Set session
65 session['user_id'] = user['id']
66 session['username'] = user['username']
67 session['user_name'] = f"{user['first_name']} {user['last_name']}"
68 session['user_email'] = user['email']
69 session['user_first_name'] = user['first_name']
PROBLEMS 58
OUTPUT
TERMINAL 58
PORTS
GITLENS
TERMINAL
PS C:\Users\DELL\OneDrive\Desktop\Flaskproject> python app.py
192.168.18.3 - - [01/Jul/2026 15:14:24] "GET /static/img/icon/call.png HTTP/1.1" 200 -
192.168.18.3 - - [01/Jul/2026 15:14:24] "GET /static/img/icon/minibar.png HTTP/1.1" 200 -
192.168.18.3 - - [01/Jul/2026 15:14:24] "GET /static/img/icon/kitchen.png HTTP/1.1" 200 -
192.168.18.3 - - [01/Jul/2026 15:14:24] "GET /static/vendor/font-awesome/fonts/fontawesome-webfont.woff2?v=4.7.0 HTTP/1.1" 200 -
192.168.18.3 - - [01/Jul/2026 15:14:24] "GET /static/img/favicon.ico HTTP/1.1" 200 -
OUTLINE
TIMELINE
Launchpad
Live Share
Ln 27, Col 41
Spaces: 4
UTF-8
CRLF
Python
Python 3.14 (64-bit)
Go Live
ENG
41%
3:22 PM
7/1/2026



File Edit Selection View Go Run
Flaskproject
EXPLORER
FLASKPROJECT
__pycache__
static
templates
404.html
about.html
contact.html
index.html
login.html
profile.html
signup.html
app.py
config.py
database.py
app.py
config.py
database.py
index.html
loft_city_db.sql
profile.html
signup.html
app.py > about
40 def login():
72 flash(f'Welcome back, {user["first_name"]}!', 'success')
73
74 # Redirect to index page
75 return redirect(url_for('index'))
76 else:
77 flash(error or 'Invalid username or password. Please try again.', 'danger')
78
79 except Exception as e:
80 flash(f'An error occurred: {str(e)}', 'danger')
81 finally:
82 db.disconnect()
83
84 return render_template('login.html')
85
86 @app.route('/signup', methods=['GET', 'POST'])
87 def signup():
88 # If user is already logged in, redirect to index
89 if 'user_id' in session:
90 return redirect(url_for('index'))
91
92 if request.method == 'POST':
93 # Get form data
PROBLEMS 58
OUTPUT
TERMINAL 58
PORTS
GITLENS
TERMINAL
PS C:\Users\DELL\OneDrive\Desktop\Flaskproject> python app.py
192.168.18.3 - - [01/Jul/2026 15:14:24] "GET /static/img/icon/call.png HTTP/1.1" 200 -
192.168.18.3 - - [01/Jul/2026 15:14:24] "GET /static/img/icon/minibar.png HTTP/1.1" 200 -
192.168.18.3 - - [01/Jul/2026 15:14:24] "GET /static/img/icon/kitchen.png HTTP/1.1" 200 -
192.168.18.3 - - [01/Jul/2026 15:14:24] "GET /static/vendor/font-awesome/fonts/fontawesome-webfont.woff2?v=4.7.0 HTTP/1.1" 200 -
192.168.18.3 - - [01/Jul/2026 15:14:24] "GET /static/img/favicon.ico HTTP/1.1" 200 -
OUTLINE
TIMELINE
Launchpad
Live Share
Ln 27, Col 41
Spaces: 4
UTF-8
CRLF
Python
Python 3.14 (64-bit)
Go Live
ENG
41%
3:23 PM
7/1/2026



File Edit Selection View Go Run
Flaskproject
EXPLORER
FLASKPROJECT
__pycache__
static
templates
404.html
about.html
contact.html
index.html
login.html
profile.html
signup.html
app.py
config.py
database.py
app.py
config.py
database.py
index.html
loft_city_db.sql
profile.html
signup.html
app.py > about
87 def signup():
91
92 if request.method == 'POST':
93 # Get form data
94 username = request.form.get('username', '').strip()
95 first_name = request.form.get('fname', '').strip()
96 last_name = request.form.get('lname', '').strip()
97 email = request.form.get('email', '').strip()
98 phone = request.form.get('mobile', '').strip()
99 password = request.form.get('password', '')
100 confirm_password = request.form.get('confirm_password', '')
101
102 # Connect to database
103 if not db.connect():
104 flash('Database connection error. Please try again later.', 'danger')
105 return render_template('signup.html',
106 username=username, fname=first_name,
107 lname=last_name, email=email, mobile=phone)
108
109 try:
110 # Validate username
111 is_valid, message = db.validate_username(username)
112 if not is_valid:
PROBLEMS 58
OUTPUT
TERMINAL 58
PORTS
GITLENS
TERMINAL
PS C:\Users\DELL\OneDrive\Desktop\Flaskproject> python app.py
192.168.18.3 - - [01/Jul/2026 15:14:24] "GET /static/img/icon/call.png HTTP/1.1" 200 -
192.168.18.3 - - [01/Jul/2026 15:14:24] "GET /static/img/icon/minibar.png HTTP/1.1" 200 -
192.168.18.3 - - [01/Jul/2026 15:14:24] "GET /static/img/icon/kitchen.png HTTP/1.1" 200 -
192.168.18.3 - - [01/Jul/2026 15:14:24] "GET /static/vendor/font-awesome/fonts/fontawesome-webfont.woff2?v=4.7.0 HTTP/1.1" 200 -
192.168.18.3 - - [01/Jul/2026 15:14:24] "GET /static/img/favicon.ico HTTP/1.1" 200 -
OUTLINE
TIMELINE
Launchpad
Live Share
Ln 27, Col 41
Spaces: 4
UTF-8
CRLF
Python
Python 3.14 (64-bit)
Go Live
ENG
41%
3:23 PM
7/1/2026



File Edit Selection View Go Run
Flaskproject
EXPLORER
FLASKPROJECT
__pycache__
static
templates
404.html
about.html
contact.html
index.html
login.html
profile.html
signup.html
app.py
config.py
database.py
app.py
config.py
database.py
index.html
loft_city_db.sql
profile.html
signup.html
app.py > about
87 def signup():
109 try:
110 # Validate username
111 is_valid, message = db.validate_username(username)
112 if not is_valid:
113 flash(message, 'danger')
114 db.disconnect()
115 return render_template('signup.html',
116 username=username, fname=first_name,
117 lname=last_name, email=email, mobile=phone)
118
119 # Validate first name
120 if not first_name or len(first_name) < 2:
121 flash('First name must be at least 2 characters', 'danger')
122 db.disconnect()
123 return render_template('signup.html',
124 username=username, fname=first_name,
125 lname=last_name, email=email, mobile=phone)
126
127 # Validate last name
128 if not last_name or len(last_name) < 2:
129 flash('Last name must be at least 2 characters', 'danger')
PROBLEMS 58
OUTPUT
TERMINAL 58
PORTS
GITLENS
TERMINAL
PS C:\Users\DELL\OneDrive\Desktop\Flaskproject> python app.py
192.168.18.3 - - [01/Jul/2026 15:14:24] "GET /static/img/icon/call.png HTTP/1.1" 200 -
192.168.18.3 - - [01/Jul/2026 15:14:24] "GET /static/img/icon/minibar.png HTTP/1.1" 200 -
192.168.18.3 - - [01/Jul/2026 15:14:24] "GET /static/img/icon/kitchen.png HTTP/1.1" 200 -
192.168.18.3 - - [01/Jul/2026 15:14:24] "GET /static/vendor/font-awesome/fonts/fontawesome-webfont.woff2?v=4.7.0 HTTP/1.1" 200 -
192.168.18.3 - - [01/Jul/2026 15:14:24] "GET /static/img/favicon.ico HTTP/1.1" 200 -
OUTLINE
TIMELINE
Launchpad
Live Share
Ln 27, Col 41
Spaces: 4
UTF-8
CRLF
Python
Python 3.14 (64-bit)
Go Live
ENG
41%
3:23 PM
7/1/2026



File Edit Selection View Go Run
Flaskproject
EXPLORER
FLASKPROJECT
__pycache__
static
templates
404.html
about.html
contact.html
index.html
login.html
profile.html
signup.html
app.py
config.py
database.py
app.py
config.py
database.py
index.html
loft_city_db.sql
profile.html
signup.html
app.py > about
87 def signup():
126
127 # Validate last name
128 if not last_name or len(last_name) < 2:
129 flash('Last name must be at least 2 characters', 'danger')
130 db.disconnect()
131 return render_template('signup.html',
132 username=username, fname=first_name,
133 lname=last_name, email=email, mobile=phone)
134
135 # Validate email
136 is_valid, message = db.validate_email(email)
137 if not is_valid:
138 flash(message, 'danger')
139 db.disconnect()
140 return render_template('signup.html',
141 username=username, fname=first_name,
142 lname=last_name, email=email, mobile=phone)
143
144 # Validate password
145 is_valid, message = db.validate_password(password)
146 if not is_valid:
147 flash(message, 'danger')
PROBLEMS 58
OUTPUT
TERMINAL 58
PORTS
GITLENS
TERMINAL
PS C:\Users\DELL\OneDrive\Desktop\Flaskproject> python app.py
192.168.18.3 - - [01/Jul/2026 15:14:24] "GET /static/img/icon/call.png HTTP/1.1" 200 -
192.168.18.3 - - [01/Jul/2026 15:14:24] "GET /static/img/icon/minibar.png HTTP/1.1" 200 -
192.168.18.3 - - [01/Jul/2026 15:14:24] "GET /static/img/icon/kitchen.png HTTP/1.1" 200 -
192.168.18.3 - - [01/Jul/2026 15:14:24] "GET /static/vendor/font-awesome/fonts/fontawesome-webfont.woff2?v=4.7.0 HTTP/1.1" 200 -
192.168.18.3 - - [01/Jul/2026 15:14:24] "GET /static/img/favicon.ico HTTP/1.1" 200 -
OUTLINE
TIMELINE
Launchpad
Live Share
Ln 27, Col 41
Spaces: 4
UTF-8
CRLF
Python
Python 3.14 (64-bit)
Go Live
ENG
41%
3:23 PM
7/1/2026



File Edit Selection View Go Run
Flaskproject
EXPLORER
FLASKPROJECT
__pycache__
static
templates
404.html
about.html
contact.html
index.html
login.html
profile.html
signup.html
app.py
config.py
database.py
app.py
config.py
database.py
index.html
loft_city_db.sql
profile.html
signup.html
app.py > about
87 def signup():
144 # Validate password
145 is_valid, message = db.validate_password(password)
146 if not is_valid:
147 flash(message, 'danger')
148 db.disconnect()
149 return render_template('signup.html',
150 username=username, fname=first_name,
151 lname=last_name, email=email, mobile=phone)
152
153 # Check if passwords match
154 if password != confirm_password:
155 flash('Passwords do not match', 'danger')
156 db.disconnect()
157 return render_template('signup.html',
158 username=username, fname=first_name,
159 lname=last_name, email=email, mobile=phone)
160
161 # Create user
162 user_data = {
163 'username': username,
164 'fname': first_name,
165 'lname': last_name,
PROBLEMS 58
OUTPUT
TERMINAL 58
PORTS
GITLENS
TERMINAL
PS C:\Users\DELL\OneDrive\Desktop\Flaskproject> python app.py
192.168.18.3 - - [01/Jul/2026 15:14:24] "GET /static/img/icon/call.png HTTP/1.1" 200 -
192.168.18.3 - - [01/Jul/2026 15:14:24] "GET /static/img/icon/minibar.png HTTP/1.1" 200 -
192.168.18.3 - - [01/Jul/2026 15:14:24] "GET /static/img/icon/kitchen.png HTTP/1.1" 200 -
192.168.18.3 - - [01/Jul/2026 15:14:24] "GET /static/vendor/font-awesome/fonts/fontawesome-webfont.woff2?v=4.7.0 HTTP/1.1" 200 -
192.168.18.3 - - [01/Jul/2026 15:14:24] "GET /static/img/favicon.ico HTTP/1.1" 200 -
OUTLINE
TIMELINE
Launchpad
Live Share
Ln 27, Col 41
Spaces: 4
UTF-8
CRLF
Python
Python 3.14 (64-bit)
Go Live
ENG
41%
3:23 PM
7/1/2026



File Edit Selection View Go Run
Flaskproject
EXPLORER
FLASKPROJECT
__pycache__
static
templates
404.html
about.html
contact.html
index.html
login.html
profile.html
signup.html
app.py
config.py
database.py
app.py
config.py
database.py
index.html
loft_city_db.sql
profile.html
signup.html
app.py > about
87 def signup():
160
161 # Create user
162 user_data = {
163 'username': username,
164 'fname': first_name,
165 'lname': last_name,
166 'email': email,
167 'mobile': phone,
168 'password': password
169 }
170
171 success, message, user_id = db.create_user(user_data)
172
173 if success:
174 flash('Registration successful! Please login to continue.', 'success')
175 db.disconnect()
176 return redirect(url_for('login'))
177 else:
178 flash(message, 'danger')
179 db.disconnect()
180 return render_template('signup.html',
181 username=username, fname=first_name,
PROBLEMS 58
OUTPUT
TERMINAL 58
PORTS
GITLENS
TERMINAL
PS C:\Users\DELL\OneDrive\Desktop\Flaskproject> python app.py
192.168.18.3 - - [01/Jul/2026 15:14:24] "GET /static/img/icon/call.png HTTP/1.1" 200 -
192.168.18.3 - - [01/Jul/2026 15:14:24] "GET /static/img/icon/minibar.png HTTP/1.1" 200 -
192.168.18.3 - - [01/Jul/2026 15:14:24] "GET /static/img/icon/kitchen.png HTTP/1.1" 200 -
192.168.18.3 - - [01/Jul/2026 15:14:24] "GET /static/vendor/font-awesome/fonts/fontawesome-webfont.woff2?v=4.7.0 HTTP/1.1" 200 -
192.168.18.3 - - [01/Jul/2026 15:14:24] "GET /static/img/favicon.ico HTTP/1.1" 200 -
OUTLINE
TIMELINE
Launchpad
Live Share
Ln 27, Col 41
Spaces: 4
UTF-8
CRLF
Python
Python 3.14 (64-bit)
Go Live
ENG
41%
3:23 PM
7/1/2026



File Edit Selection View Go Run
Flaskproject
EXPLORER
FLASKPROJECT
__pycache__
static
templates
404.html
about.html
contact.html
index.html
login.html
profile.html
signup.html
app.py
config.py
database.py
app.py
config.py
database.py
index.html
loft_city_db.sql
profile.html
signup.html
app.py > about
87 def signup():
172
173 if success:
174 flash('Registration successful! Please login to continue.', 'success')
175 db.disconnect()
176 return redirect(url_for('login'))
177 else:
178 flash(message, 'danger')
179 db.disconnect()
180 return render_template('signup.html',
181 username=username, fname=first_name,
182 lname=last_name, email=email, mobile=phone)
183
184 except Exception as e:
185 flash(f'An error occurred: {str(e)}', 'danger')
186 db.disconnect()
187 return render_template('signup.html',
188 username=username, fname=first_name,
189 lname=last_name, email=email, mobile=phone)
190
191 return render_template('signup.html')
192
193 @app.route('/logout')
PROBLEMS 58
OUTPUT
TERMINAL 58
PORTS
GITLENS
TERMINAL
PS C:\Users\DELL\OneDrive\Desktop\Flaskproject> python app.py
192.168.18.3 - - [01/Jul/2026 15:14:24] "GET /static/img/icon/call.png HTTP/1.1" 200 -
192.168.18.3 - - [01/Jul/2026 15:14:24] "GET /static/img/icon/minibar.png HTTP/1.1" 200 -
192.168.18.3 - - [01/Jul/2026 15:14:24] "GET /static/img/icon/kitchen.png HTTP/1.1" 200 -
192.168.18.3 - - [01/Jul/2026 15:14:24] "GET /static/vendor/font-awesome/fonts/fontawesome-webfont.woff2?v=4.7.0 HTTP/1.1" 200 -
192.168.18.3 - - [01/Jul/2026 15:14:24] "GET /static/img/favicon.ico HTTP/1.1" 200 -
OUTLINE
TIMELINE
Launchpad
Live Share
Ln 27, Col 41
Spaces: 4
UTF-8
CRLF
Python
Python 3.14 (64-bit)
Go Live
ENG
41%
3:23 PM
7/1/2026



File Edit Selection View Go Run
Flaskproject
EXPLORER
FLASKPROJECT
__pycache__
static
templates
404.html
about.html
contact.html
index.html
login.html
profile.html
signup.html
app.py
config.py
database.py
app.py
config.py
database.py
index.html
loft_city_db.sql
profile.html
signup.html
app.py > about
@app.route('/logout')
def logout():
Clear session
session.clear()
flash('You have been logged out successfully.', 'info')
return redirect(url_for('login'))
@app.route('/profile')
def profile():
Check if user is logged in
if 'user_id' not in session:
flash('Please login to view your profile.', 'warning')
return redirect(url_for('login'))
Get user data
if not db.connect():
flash('Database connection error. Please try again.', 'danger')
return redirect(url_for('index'))
try:
user = db.get_user_by_id(session['user_id'])
if not user:
PROBLEMS 58
OUTPUT
TERMINAL 58
PORTS
GITLENS
TERMINAL
PS C:\Users\DELL\OneDrive\Desktop\Flaskproject> python app.py
192.168.18.3 - - [01/Jul/2026 15:14:24] "GET /static/img/icon/call.png HTTP/1.1" 200 -
192.168.18.3 - - [01/Jul/2026 15:14:24] "GET /static/img/icon/minibar.png HTTP/1.1" 200 -
192.168.18.3 - - [01/Jul/2026 15:14:24] "GET /static/img/icon/kitchen.png HTTP/1.1" 200 -
192.168.18.3 - - [01/Jul/2026 15:14:24] "GET /static/vendor/font-awesome/fonts/fontawesome-webfont.woff2?v=4.7.0 HTTP/1.1" 200 -
192.168.18.3 - - [01/Jul/2026 15:14:24] "GET /static/img/favicon.ico HTTP/1.1" 200 -
OUTLINE
TIMELINE
Launchpad
Live Share
Ln 27, Col 41
Spaces: 4
UTF-8
CRLF
Python
Python 3.14 (64-bit)
Go Live
ENG
41%
3:23 PM
7/1/2026


File Edit Selection View Go Run
Flaskproject
EXPLORER
FLASKPROJECT
__pycache__
static
templates
404.html
about.html
contact.html
index.html
login.html
profile.html
signup.html
app.py
config.py
database.py
app.py
config.py
database.py
index.html
loft_city_db.sql
profile.html
signup.html
app.py > about
def profile():
try:
user = db.get_user_by_id(session['user_id'])
if not user:
session.clear()
flash('User not found. Please login again.', 'danger')
return redirect(url_for('login'))
return render_template('profile.html', user=user)
except Exception as e:
flash(f'An error occurred: {str(e)}', 'danger')
return redirect(url_for('index'))
finally:
db.disconnect()
@app.route('/update_profile', methods=['POST'])
def update_profile():
Check if user is logged in
if 'user_id' not in session:
return redirect(url_for('login'))
if request.method == 'POST':
data = {
PROBLEMS 58
OUTPUT
TERMINAL 58
PORTS
GITLENS
TERMINAL
PS C:\Users\DELL\OneDrive\Desktop\Flaskproject> python app.py
192.168.18.3 - - [01/Jul/2026 15:14:24] "GET /static/img/icon/call.png HTTP/1.1" 200 -
192.168.18.3 - - [01/Jul/2026 15:14:24] "GET /static/img/icon/minibar.png HTTP/1.1" 200 -
192.168.18.3 - - [01/Jul/2026 15:14:24] "GET /static/img/icon/kitchen.png HTTP/1.1" 200 -
192.168.18.3 - - [01/Jul/2026 15:14:24] "GET /static/vendor/font-awesome/fonts/fontawesome-webfont.woff2?v=4.7.0 HTTP/1.1" 200 -
192.168.18.3 - - [01/Jul/2026 15:14:24] "GET /static/img/favicon.ico HTTP/1.1" 200 -
OUTLINE
TIMELINE
Launchpad
Live Share
Ln 27, Col 41
Spaces: 4
UTF-8
CRLF
Python
Python 3.14 (64-bit)
Go Live
ENG
40%
3:23 PM
7/1/2026


File Edit Selection View Go Run
Flaskproject
EXPLORER
FLASKPROJECT
__pycache__
config.cpython-314.pyc
database.cpython-314.pyc
static
css
img
js
mail
vendor
templates
404.html
about.html
contact.html
index.html
login.html
profile.html
signup.html
app.py
config.py
database.py
app.py
config.py
database.py
index.html
loft_city_db.sql
profile.html
signup.html
app.py > about
@app.route('/update_profile', methods=['POST'])
def update_profile():
Check if user is logged in
if 'user_id' not in session:
return redirect(url_for('login'))
if request.method == 'POST':
data = {
'first_name': request.form.get('fname'),
'last_name': request.form.get('lname'),
'email': request.form.get('email'),
'phone': request.form.get('mobile')
}
if not db.connect():
flash('Database connection error.', 'danger')
return redirect(url_for('profile'))
try:
success, message = db.update_user(session['user_id'], data)
if success:
Update session name
user = db.get_user_by_id(session['user_id'])
PROBLEMS 58
OUTPUT
TERMINAL 58
PORTS
GITLENS
TERMINAL
PS C:\Users\DELL\OneDrive\Desktop\Flaskproject> python app.py
192.168.18.3 - - [01/Jul/2026 15:14:24] "GET /static/img/icon/call.png HTTP/1.1" 200 -
192.168.18.3 - - [01/Jul/2026 15:14:24] "GET /static/img/icon/minibar.png HTTP/1.1" 200 -
192.168.18.3 - - [01/Jul/2026 15:14:24] "GET /static/img/icon/kitchen.png HTTP/1.1" 200 -
192.168.18.3 - - [01/Jul/2026 15:14:24] "GET /static/vendor/font-awesome/fonts/fontawesome-webfont.woff2?v=4.7.0 HTTP/1.1" 200 -
192.168.18.3 - - [01/Jul/2026 15:14:24] "GET /static/img/favicon.ico HTTP/1.1" 200 -
OUTLINE
TIMELINE
Launchpad
Live Share
Ln 27, Col 41
Spaces: 4
UTF-8
CRLF
Python
Python 3.14 (64-bit)
Go Live
ENG
40%
3:23 PM
7/1/2026


File Edit Selection View Go Run
Flaskproject
EXPLORER
FLASKPROJECT
__pycache__
config.cpython-314.pyc
database.cpython-314.pyc
static
css
img
js
mail
vendor
templates
404.html
about.html
contact.html
index.html
login.html
profile.html
signup.html
app.py
config.py
database.py
app.py
config.py
database.py
index.html
loft_city_db.sql
profile.html
signup.html
app.py > about
def update_profile():
try:
success, message = db.update_user(session['user_id'], data)
if success:
Update session name
user = db.get_user_by_id(session['user_id'])
if user:
session['user_name'] = f"{user['first_name']} {user['last_name']}"
session['user_first_name'] = user['first_name']
flash(message, 'success')
else:
flash(message, 'danger')
except Exception as e:
flash(f'An error occurred: {str(e)}', 'danger')
finally:
db.disconnect()
return redirect(url_for('profile'))
@app.route('/change_password', methods=['POST'])
def change_password():
Check if user is logged in
PROBLEMS 58
OUTPUT
TERMINAL 58
PORTS
GITLENS
TERMINAL
PS C:\Users\DELL\OneDrive\Desktop\Flaskproject> python app.py
192.168.18.3 - - [01/Jul/2026 15:14:24] "GET /static/img/icon/call.png HTTP/1.1" 200 -
192.168.18.3 - - [01/Jul/2026 15:14:24] "GET /static/img/icon/minibar.png HTTP/1.1" 200 -
192.168.18.3 - - [01/Jul/2026 15:14:24] "GET /static/img/icon/kitchen.png HTTP/1.1" 200 -
192.168.18.3 - - [01/Jul/2026 15:14:24] "GET /static/vendor/font-awesome/fonts/fontawesome-webfont.woff2?v=4.7.0 HTTP/1.1" 200 -
192.168.18.3 - - [01/Jul/2026 15:14:24] "GET /static/img/favicon.ico HTTP/1.1" 200 -
OUTLINE
TIMELINE
Launchpad
Live Share
Ln 27, Col 41
Spaces: 4
UTF-8
CRLF
Python
Python 3.14 (64-bit)
Go Live
ENG
40%
3:24 PM
7/1/2026


File Edit Selection View Go Run
Flaskproject
EXPLORER
FLASKPROJECT
__pycache__
config.cpython-314.pyc
database.cpython-314.pyc
static
css
img
js
mail
vendor
templates
404.html
about.html
contact.html
index.html
login.html
profile.html
signup.html
app.py
config.py
database.py
app.py
config.py
database.py
index.html
loft_city_db.sql
profile.html
signup.html
app.py > about
@app.route('/change_password', methods=['POST'])
def change_password():
Check if user is logged in
if 'user_id' not in session:
return redirect(url_for('login'))
if request.method == 'POST':
old_password = request.form.get('old_password')
new_password = request.form.get('new_password')
confirm_password = request.form.get('confirm_password')
if new_password != confirm_password:
flash('New passwords do not match', 'danger')
return redirect(url_for('profile'))
if not db.connect():
flash('Database connection error.', 'danger')
return redirect(url_for('profile'))
try:
success, message = db.change_password(session['user_id'], old_password, new_password)
flash(message, 'success' if success else 'danger')
except Exception as e:
PROBLEMS 58
OUTPUT
TERMINAL 58
PORTS
GITLENS
TERMINAL
PS C:\Users\DELL\OneDrive\Desktop\Flaskproject> python app.py
192.168.18.3 - - [01/Jul/2026 15:14:24] "GET /static/img/icon/call.png HTTP/1.1" 200 -
192.168.18.3 - - [01/Jul/2026 15:14:24] "GET /static/img/icon/minibar.png HTTP/1.1" 200 -
192.168.18.3 - - [01/Jul/2026 15:14:24] "GET /static/img/icon/kitchen.png HTTP/1.1" 200 -
192.168.18.3 - - [01/Jul/2026 15:14:24] "GET /static/vendor/font-awesome/fonts/fontawesome-webfont.woff2?v=4.7.0 HTTP/1.1" 200 -
192.168.18.3 - - [01/Jul/2026 15:14:24] "GET /static/img/favicon.ico HTTP/1.1" 200 -
OUTLINE
TIMELINE
Launchpad
Live Share
Ln 27, Col 41
Spaces: 4
UTF-8
CRLF
Python
Python 3.14 (64-bit)
Go Live
ENG
40%
3:24 PM
7/1/2026


File Edit Selection View Go Run
Flaskproject
EXPLORER
FLASKPROJECT
__pycache__
config.cpython-314.pyc
database.cpython-314.pyc
static
css
img
js
mail
vendor
templates
404.html
about.html
contact.html
index.html
login.html
profile.html
signup.html
app.py
config.py
database.py
app.py
config.py
database.py
index.html
loft_city_db.sql
profile.html
signup.html
app.py > about
def change_password():
try:
success, message = db.change_password(session['user_id'], old_password, new_password)
flash(message, 'success' if success else 'danger')
except Exception as e:
flash(f'An error occurred: {str(e)}', 'danger')
finally:
db.disconnect()
return redirect(url_for('profile'))
Error handlers
@app.errorhandler(404)
def page_not_found(e):
return render_template('404.html'), 404
@app.errorhandler(500)
def internal_server_error(e):
return render_template('500.html'), 500
if __name__ == '__main__':
app.run(debug=config.Config.DEBUG, host='0.0.0.0', port=5000)
PROBLEMS 58
OUTPUT
TERMINAL 58
PORTS
GITLENS
TERMINAL
PS C:\Users\DELL\OneDrive\Desktop\Flaskproject> python app.py
192.168.18.3 - - [01/Jul/2026 15:14:24] "GET /static/img/icon/call.png HTTP/1.1" 200 -
192.168.18.3 - - [01/Jul/2026 15:14:24] "GET /static/img/icon/minibar.png HTTP/1.1" 200 -
192.168.18.3 - - [01/Jul/2026 15:14:24] "GET /static/img/icon/kitchen.png HTTP/1.1" 200 -
192.168.18.3 - - [01/Jul/2026 15:14:24] "GET /static/vendor/font-awesome/fonts/fontawesome-webfont.woff2?v=4.7.0 HTTP/1.1" 200 -
192.168.18.3 - - [01/Jul/2026 15:14:24] "GET /static/img/favicon.ico HTTP/1.1" 200 -
OUTLINE
TIMELINE
Launchpad
Live Share
Ln 27, Col 41
Spaces: 4
UTF-8
CRLF
Python
Python 3.14 (64-bit)
Go Live
ENG
40%
3:24 PM
7/1/2026