

Are you exercising correctly? Qualitative assessment of weight lifting exercises

Using devices such as Jawbone Up, Nike FuelBand, and Fitbit it is now possible to collect a large amount of data about personal activity relatively inexpensively. These type of devices are part of the quantified self movement - a group of enthusiasts who take measurements about themselves regularly to improve their health, to find patterns in their behavior, or because they are tech geeks. One thing that people regularly do is quantify how much of a particular activity they do, but they rarely quantify how well they do it. In this project, we use data from accelerometers on the belt, forearm, arm, and dumbbell of 6 participants (Velloso et al. 2013). They were asked to perform barbell lifts correctly and incorrectly in 5 different ways. Given data from accelerometers, the goal is to predict the class of action which is one of the following.

- exactly according to the specification (A)
- throwing elbows to the front (B)
- lifting the dumbbell only halfway (C)
- lowering the dumbbell only halfway (D)
- throwing the hips to the front (E).

More information is available from the website here: <http://groupware.les.inf.puc-rio.br/har> (see the section on the Weight Lifting Exercise Dataset).

Data

The training data for this project are available here: <https://d396qusza40orc.cloudfront.net/predmachlearn/pml-training.csv>

The test data are available here: <https://d396qusza40orc.cloudfront.net/predmachlearn/pml-testing.csv>

```
library(RCurl)
train_url <- "https://d396qusza40orc.cloudfront.net/predmachlearn/pml-training.csv"
test_url <- "https://d396qusza40orc.cloudfront.net/predmachlearn/pml-testing.csv"
train_data <- read.csv(text=getURL(train_url), na.strings=c("", "NA"))
test_data <- read.csv(text=getURL(test_url), na.strings=c("", "NA"))
```

The first column of the data is just index. We remove it from training data frame.

```
train_data$X <- NULL
```

Similarly the user and time information should not have any effect on whether barbell lifts are performed correctly or not.

```
cols_to_remove <- c("user_name", "raw_timestamp_part_1",
                    "raw_timestamp_part_2", "cvtd_timestamp")
for (col in cols_to_remove) {
  train_data[, col] <- NULL
}
```

Many columns in the dataset have mostly missing values. We remove features from the training and testing data that have too many missing values, where imputing is not an option.

```
NAs <- apply(train_data,2,function(x) {sum(is.na(x))})
train_data <- train_data[,which(NAs == 0)]
```

We also remove features that don't have many missing values but have one unique value (i.e. zero variance predictors) or have few unique values relative to the number of samples and the ratio of frequency of the most common value to the frequency of second most common value is large.

```
library(caret)
nsv <- nearZeroVar(train_data)
train_data <- train_data[-nsv]
test_data <- test_data[-nsv]
```

The final set of predictors used for classification are as follows.

```
names(train_data)
```

## [1] "num_window"	"roll_belt"	"pitch_belt"
## [4] "yaw_belt"	"total_accel_belt"	"gyros_belt_x"
## [7] "gyros_belt_y"	"gyros_belt_z"	"accel_belt_x"
## [10] "accel_belt_y"	"accel_belt_z"	"magnet_belt_x"
## [13] "magnet_belt_y"	"magnet_belt_z"	"roll_arm"
## [16] "pitch_arm"	"yaw_arm"	"total_accel_arm"
## [19] "gyros_arm_x"	"gyros_arm_y"	"gyros_arm_z"
## [22] "accel_arm_x"	"accel_arm_y"	"accel_arm_z"
## [25] "magnet_arm_x"	"magnet_arm_y"	"magnet_arm_z"
## [28] "roll_dumbbell"	"pitch_dumbbell"	"yaw_dumbbell"
## [31] "total_accel_dumbbell"	"gyros_dumbbell_x"	"gyros_dumbbell_y"
## [34] "gyros_dumbbell_z"	"accel_dumbbell_x"	"accel_dumbbell_y"
## [37] "accel_dumbbell_z"	"magnet_dumbbell_x"	"magnet_dumbbell_y"
## [40] "magnet_dumbbell_z"	"roll_forearm"	"pitch_forearm"
## [43] "yaw_forearm"	"total_accel_forearm"	"gyros_forearm_x"
## [46] "gyros_forearm_y"	"gyros_forearm_z"	"accel_forearm_x"
## [49] "accel_forearm_y"	"accel_forearm_z"	"magnet_forearm_x"
## [52] "magnet_forearm_y"	"magnet_forearm_z"	"classe"

The model

We build a random forest classifier to predict the action class. To measure the accuracy of the model, we do 10-fold cross validation with 80:20 split, on each fold, 80% of the data is used for training the random forest and remaining 20% is used for testing.

```
library(randomForest)
set.seed(1)
obs <- c()
preds <- c()
for(i in 1:10) {
  intrain = sample(1:dim(train_data)[1], size=dim(train_data)[1] * 0.8, replace=F)
  train_cross = train_data[intrain,]
  test_cross = train_data[-intrain,]
  rf <- randomForest(classe ~ ., data=train_cross)
```

```

obs <- c(obs, test_cross$classe)
preds <- c(preds, predict(rf, test_cross))
}

```

The confusion matrix for predictions on cross validation folds is given below.

```

conf_mat <- confusionMatrix(table(preds, obs))
conf_mat$table

```

```

##      obs
## preds  1      2      3      4      5
##  1 11099      7      0      0      0
##  2      1 7456     10      0      0
##  3      0      3 6836     32      0
##  4      0      0      3 6470      7
##  5      2      0      0      2 7322

```

The proposed model seems classifying well enough. The accuracy is 99.8293% and it misclassifies only few instances. Finally, we train the random forest with whole dataset so that the classifier can be used to predict the class of an action, given the set of activity measurements.

```

model <- randomForest(classe ~ ., data=train_data)

```

References

Velloso, Eduardo, Andreas Bulling, Hans Gellersen, Wallace Ugulino, and Hugo Fuks. 2013. “Qualitative Activity Recognition of Weight Lifting Exercises.” In *Proceedings of the 4th Augmented Human International Conference*, 116–123. AH '13. New York, NY, USA: ACM. doi:[10.1145/2459236.2459256](https://doi.org/10.1145/2459236.2459256). <http://doi.acm.org/10.1145/2459236.2459256>.