



Continuous positive airway pressure improves sleepiness but not calculated vascular risk in patients with minimally symptomatic obstructive sleep apnoea: the MOSAIC randomised controlled trial

Sonya Elizabeth Craig, Malcolm Kohler, Debby Nicoll, Daniel J Bratton, Andrew Nunn, Robert Davies and John Stradling

Thorax 2012 67: 1090-1096 originally published online October 30, 2012
doi: 10.1136/thoraxjnl-2012-202178

Updated information and services can be found at:
<http://thorax.bmj.com/content/67/12/1090>

These include:

Supplementary Material

Supplementary material can be found at:
<http://thorax.bmj.com/content/suppl/2012/10/30/thoraxjnl-2012-202178.DC1.html>

References

This article cites 35 articles, 8 of which you can access for free at:
<http://thorax.bmj.com/content/67/12/1090#BIBL>

Email alerting service

Receive free email alerts when new articles cite this article. Sign up in the box at the top right corner of the online article.

Errata An erratum has been published regarding this article. Please see [next page](#) or:
<http://thorax.bmj.com/content/68/1/96.full.pdf>

Topic Collections

Articles on similar topics can be found in the following collections

[Clinical trials \(epidemiology\)](#) (479)
[Epidemiologic studies](#) (1580)
[Health education](#) (1078)
[Ischaemic heart disease](#) (108)
[Smoking](#) (919)
[Tobacco use](#) (920)

Notes

To request permissions go to:
<http://group.bmj.com/group/rights-licensing/permissions>

To order reprints go to:
<http://journals.bmj.com/cgi/reprintform>

To subscribe to BMJ go to:
<http://group.bmj.com/subscribe/>

