



[OFP]

AD4233 31AUG2026 SBSP-SBPA A20N DAFBW RELEASE 1609 31AUG26
OFP 1 CONGONHAS - DEPUTADO-SALGADO FILHO INTL
WX PROG 3115 3118 3121 OBS 3112 3112 3112

ATC C/S AZU4233 SBSP/CGH SBPA/POA CRZ SYS CI 10
31AUG2026 DAFBW 1635/1655 1814/1822 GND DIST 477
FBW A32NX / LEAP-1A26 STA 1830 AIR DIST 490
CTOT:.... G/C DIST 452

MAXIMUM TOW 79000 LAW 67400 ZFW 64300 AVG WIND 296/050
ESTIMATED TOW 67099 LAW 64281 ZFW 60492 AVG W/C M009
AVG ISA P010
AVG FF KGS/HR 2120
FUEL BIAS P00.0
TKOF ALTN

ALTN SUDU
FL STEPS SBSP/0340/

DISP RMKS PLANNED OPTIMUM FLIGHT LEVEL

PLANNED FUEL

FUEL	ARPT	FUEL	TIME
TRIP	POA	2818	0119
CONT 15 MIN		530	0015
ALTN	DZO	2360	0111
FINRES		899	0030
MINIMUM T/OFF FUEL		6607	0315
EXTRA		0	0000
T/OFF FUEL		6607	0315
TAXI	CGH	230	0020
BLOCK FUEL	CGH	6837	
PIC EXTRA			
TOTAL FUEL			
REASON FOR PIC EXTRA			

FMC INFO:
FINRES+ALTN 3259
TRIP+TAXI 3048

NO TANKERING RECOMMENDED (P)

I HEREWITH CONFIRM THAT I HAVE PERFORMED A THOROUGH SELF BRIEFING
ABOUT THE DESTINATION AND ALTERNATE AIRPORTS OF THIS FLIGHT
INCLUDING THE APPLICABLE INSTRUMENT APPROACH PROCEDURES, AIRPORT
FACILITIES, NOTAMS AND ALL OTHER RELEVANT PARTICULAR INFORMATION.

DISPATCHER: NICK SHELTON

PIC NAME: HERMIDA PAZ, IAGO

TEL: +1 800 555 0199

PIC SIGNATURE:



ALTERNATE ROUTE TO:								FINRES		899	
APT	TRK	DST	VIA					FL	WC	TIME	FUEL
SUDU/03	232	382	ESNUX3A	DEVOT	UN857	MIMOL	DCT	380	M027	0111	2360
MUMET DCT											

MEL/CDL ITEMS DESCRIPTION

ROUTING:

ROUTE ID: DEF RTE
SBSP/17R UTKOM1A UBSOD UZ38 VUKMO BUXEV3A SBPA/11

DEPARTURE ATC CLEARANCE:

.

.

.

OPERATIONAL IMPACTS

WEIGHT CHANGE	UP	1.0	TRIP	P	0037	KGS	TIME	M	0000
WEIGHT CHANGE	DN	1.0	TRIP	M	0029	KGS	TIME	M	0000
FL CHANGE	UP	FL1	TRIP	P	0013	KGS	TIME	P	0000
FL CHANGE	DN	FL1	TRIP	P	0015	KGS	TIME	P	0000
FL CHANGE	DN	FL2	TRIP	P	0041	KGS	TIME	P	0003
SPD CHANGE	CI	0	TRIP	M	0019	KGS	TIME	P	0001
SPD CHANGE	CI	50	TRIP	P	0076	KGS	TIME	M	0002

-----
ATIS:.
.-----
RVSM: ALT SYS LEFT:

STBY:

RIGHT:

-----TIMES

	ESTIMATED	SKED	ACTUAL
OUT	1635Z/1335L	1635Z/1335L	Z
OFF	1655Z/1355L	1655Z/1355L	Z
ON	1814Z/1514L	1822Z/1522L	Z
IN	1822Z/1522L	1830Z/1530L	Z
BLOCK TIME	0147	0155	

-----WEIGHTS

	EST	MAX	ACTUAL	
PAX	173			
BAG/CARGO	3.5			
PAYLOAD	18.0			
ZFW	60.5	64.3		
FUEL	6.8	10.0		POSS EXTRA 3.1
TOW	67.1	70.2	LDG.....	
STAB TRIM				
LAW	64.3	67.4		

-----TERRAIN CLEARANCE CHECK

DD CHECK - TERRAIN CLEARANCE CHECK DISABLED

DP CHECK - TERRAIN CLEARANCE CHECK DISABLED



FLIGHT LOG

MOST CRITICAL MORA 08100 FEET AT ARSIT///MXSHR 05 AT TOC

AWY POSITION IDENT FREQ	LAT LONG	EET TTLT	ETO ATO	FL MORA DIS	IMT ITT RDIS	MN TAS GS	WIND COMP SHR	OAT TDV TRP	EFOB AFOB	PBRN ABRN
CONGONHAS SBSP	- S2337.6 W04639.4	0000	...	47	198 175 477	307	P019		6.6	0.2
UTKOM1A SP104 SP104	S2344.2 W04638.9	0002	...	075 51 8	259 237 469	.43 307	315/025 P019	16 P16 504	6.3	0.5
UTKOM1A SP106 SP106	S2347.4 W04644.2	0002	...	112 52 6	258 236 463	.55 348	301/036 M017	07 P14 504	6.2	0.6
UTKOM1A UTKOM UTKOM	S2352.6 W04652.7	0001	...	148 53 9	234 212 454	.60 368	301/038 M018	M02 P13 504	6.1	0.8
UTKOM1A UBSOD UBSOD	S2415.7 W04708.7	0005	...	241 63 27	234 212 427	.73 427	272/049 M026	M20 P13 504	5.7	1.1
UZ38 T O C	S2503.8 W04742.3	0008	...	340 20 57	233 212 370	.78 461 440	273/041 M021	M43 P10 533	5.3	1.5
UZ38 EDNEL EDNEL	S2518.4 W04752.6	0002	...	340 20 17	234 212 353	.74 439 418	274/041 M021	M43 P10 534	5.2	1.6
UZ38 ARTUT ARTUT	S2537.7 W04806.3	0004	...	340 26 23	233 212 330	.74 439 409	271/054 M030	M44 P09 543	5.1	1.7
UZ38 DARDI DARDI	S2616.5 W04834.0	0006	...	340 26 46	233 212 284	.74 439 419	282/051 M020	M43 P10 542	4.9	1.9
UZ38 UGINO UGINO	S2628.0 W04842.3	0002	...	340 31 14	234 213 270	.74 439 419	282/051 M020	M43 P10 543	4.9	2.0
UZ38 ABODE ABODE	S2639.9 W04851.1	0002	...	340 52 14	233 213 256	.74 438 420	291/065 M018	M43 P10 524	4.8	2.0
UZ38 UMDEX UMDEX	S2733.3 W04930.4	0009	...	340 61 64	233 213 192	.74 435 434	306/063 M001	M44 P09 547	4.5	2.3



AWY POSITION IDENT FREQ	LAT LONG	EET TTLT	ETO ATO	FL MORA DIS	IMT ITT RDIS	MN TAS GS	WIND COMP SHR	OAT TDV TRP	EFOB AFOB	PBRN ABRN
UZ38				340	232	.74	307/063	M44	4.5	2.4
ARSIT	S2744.6	0002	...	81	212	434	P000	P09		
ARSIT	W04938.8	0045	...	14	178	434	4	547		
UZ38				340	235	.74	309/082	M45	4.1	2.7
VUKMO	S2843.6	0010	...	54	216	433	P002	P08		
VUKMO	W05021.2	0055	...	70	108	435	2	410		
BUXEV3A				340	235	.74	309/081	M44	4.1	2.7
T O D	S2850.0	0001	...	56	216	434	M003	P09		
	W05026.7	0056	...	8	100	431	2	405		
BUXEV3A				264	247	.76	309/074	M26	4.1	2.8
VAGAL	S2907.5	0004	...	54	228		M002	P12		
VAGAL	W05041.7	0100	...	22	78	468		395		
BUXEV3A				184	246	.64	310/037	M10	4.0	2.8
OPSIV	S2922.6	0005	...	47	228		M007	P12		
OPSIV	W05101.4	0105	...	23	55	402		393		
BUXEV3A				108	216	.55	073/006	02	4.0	2.9
BUXEV	S2937.5	0004	...	26	197		P005	P09		
BUXEV	W05120.8	0109	...	22	33	364		515		
BUXEV3A				087	206	.44	021/009	07	3.9	2.9
ANBIV	S2943.0	0002	...	25	188		P009	P09		
ANBIV	W05122.8	0111	...	6	27	299		515		
BUXEV3A				049	133	.41	039/015	12	3.9	2.9
OGVUV	S2953.7	0002	...	26	115		P013	P07		
OGVUV	W05124.7	0113	...	11	16	285		515		
BUXEV3A									3.8	3.0
SALGADO FIL	S2959.7	0006	...							
SBPA	W05110.3	0119	...	16						

-----
WIND INFORMATION

CLIMB

350 267/050 -45
310 277/038 -35
200 289/048 -11
150 301/038 -02
100 301/033 +10

T O C

380 259/077 -50
360 264/058 -47
340 274/041 -43
320 276/039 -38
300 279/037 -33

EDNEL

380 259/077 -50
360 264/058 -47
340 274/040 -43
320 277/039 -38
300 279/037 -33

ARTUT

380 264/074 -52
360 267/064 -48
340 271/054 -44
320 278/049 -38
300 285/045 -33

DARDI

380 269/063 -53
360 275/056 -48
340 282/051 -43
320 282/047 -37
300 281/044 -32

UGINO

380 269/063 -53
360 275/056 -48
340 282/051 -43
320 282/047 -37
300 281/044 -32

ABODE

380 282/066 -54
360 286/065 -48
340 291/065 -43
320 289/066 -38
300 288/068 -33

UMDEX

380 286/089 -52
360 294/075 -48
340 307/063 -44
320 303/061 -39
300 298/060 -34

ARSIT

380 286/089 -52
360 294/075 -48
340 307/063 -44
320 303/061 -39
300 298/060 -34

VUKMO

380 295/096 -51
360 301/088 -48
340 309/081 -44
320 306/082 -40
300 303/083 -35

T O D

380 295/096 -51
360 301/088 -48
340 308/081 -44
320 306/082 -40
300 303/083 -35

DESCENT

350 305/084 -46
310 306/081 -37
200 307/040 -13
150 315/020 -04
100 042/007 +04



[ATC Flight Plan]

ICAO FLIGHT PLAN

FF SBBSZQZX SBCWZQZX
311609 CYULSBFP
(FPL-AZU4233-IS
-A20N/M-SDE2E3FGHIRWXY/LB1
-SBSP1635
-N0439F340 UTKOM1A UBSOD UZ38 VUKMO BUXEV3A
-SBPA0109 SUDU
-PBN/A1B1C1D101S2 DOF/260831 REG/DAFBW EET/SBCW0003 OPR/AD PER/C
RMK/TCAS)



[Additional Info]

D I S P A T C H B R I E F I N G I N F O AD4233 SBSP/SBPA



[Runway Analysis]

TAKEOFF AND LANDING REPORT AD 4233 SBSP-SBPA 31AUG26
TLR-1 SEQ-184707985 31AUG26 1609Z
A/C D-AFBW FBW A32NX LEAP-1A26 BEW/CG 42500/.....

/// TAKEOFF DATA ///

APT	PRWY	POAT	PWIND	PQNH	PMRTW	FLP	MT	V1	VR	V2	PTOW	MFPTW	LIMIT
SBSP	17R	23.0	242M05	1016	6778	3	27	21	25	29	6710	7022	FLD

RMKS TOGA - BLEEDS OFF

RWY	OAT	WIND	QNH	MRTW	FLP	V1	VR	V2	PWR	CONFIG/CONDITION
-----	-----	------	-----	------	-----	----	----	----	-----	------------------

ACARS RUNWAYS				
RWY	ACARS	LENGTH	PMTOW	NOTES
17L		4413	----	
17R		5774	6778	ILS 109.30
35L		5774	7058	ILS 109.70
35R		4413	6006	

DRY RWY - PTOW - CALM WIND									
RWY	MTOW	MT	CONFIG	FLP	V1	VR	V2	LIMIT	
17L	----	--		----	----	----	----	----	
17R	6750	25	TOGA - BLEEDS OFF	3	121	125	129	FLD	
35L	7143	37	TOGA - BLEEDS ON	3	124	125	129	FLD	
35R	6106	--		----	----	----	----	FLD	

DRY RWY - PTOW PLUS 2000 - CALM WIND									
RWY	MTOW	MT	CONFIG	FLP	V1	VR	V2	LIMIT	
17L	----	--		----	----	----	----	----	
17R	6750	--		----	----	----	----	FLD	
35L	7143	23	TOGA - BLEEDS ON	3	123	127	131	FLD	
35R	6106	--		----	----	----	----	FLD	

WET RWY - PTOW - CALM WIND									
RWY	MTOW	MT	CONFIG	FLP	V1	VR	V2	LIMIT	
17L	----	--		----	----	----	----	----	
17R	6607	--		----	----	----	----	FLD	
35L	6917	24	TOGA - BLEEDS ON	3	117	125	129	FLD	
35R	----	--		----	----	----	----	----	

WET RWY - PTOW PLUS 2000 - CALM WIND									
RWY	MTOW	MT	CONFIG	FLP	V1	VR	V2	LIMIT	
17L	----	--		----	----	----	----	----	
17R	6607	--		----	----	----	----	FLD	
35L	6917	23	TOGA - BLEEDS OFF	3	119	127	131	FLD	
35R	----	--		----	----	----	----	----	

/// LANDING DATA ///

APT	PRWY	POAT	PWIND	PQNH	PMRLW	FLP	PLDW	LIMIT
SBPA	11	19.0	108M12	1010	6740	FULL	6428	AFM

RMKS WET RUNWAY



RWY OAT WIND QNH MRLW FLP VREF PWR CONFIG/CONDITION

----- ACARS RUNWAYS -----
RWY ACARS LENGTH PMRLW NOTES
11 10499 6740 ILS 110.30
29 10499 6740

----- FLAPS FULL - PACKS ON - NO ENROUTE ICING -----
DRY RWY / WET RWY
 11 29
 10499 FT 10499 FT
 6740A/6740A 6740A/6740A
 6740A/6740A 6740A/6740A
 6740A/6740A 6740A/6740A
HW/10KT 0/ 0 0/ 0
TW/10KT 0/ 0 0/ 0

----- LANDING DISTANCE - FLAPS FULL - MAX MANUAL BRAKING -----
 ACTUAL FACTORED
LDW VREF DRY WET DRY WET
6300 133 2871 3740 3958 4959
6400 134 2906 3786 4012 5025
/ 6500 135 2941 3832 4066 5091
6600 136 2976 3878 4121 5158
6700 137 3012 3925 4175 5225
HW/KT -17 -23 -20 -26
TW/KT 53 68 81 99

END TAKEOFF AND LANDING REPORT AD 4233 SBSP-SBPA 31AUG26

**[Airport WX List]**

SBSP --> SBPA AD 4233 / 31AUG2026
LIDO/WEATHER SERVICE DATE : 31Aug2026 TIME : 16:09 UTC

AIRMETs:

No Wx data available

SIGMETs:

SBBS BRASILIA FIR/UIR

WS SIGMET 7 VALID 311540/311930 SBBS - SBBS BRASILIA FIR
EMBD TS FCST WI S2307 W04734 - S2307 W04734 - S2338
W04639 - S2314 W04552 - S2249 W04546 - S2239 W04646 -
S2307 W04734 TOP FL450 MOV E 10KT NC=

SBCW CURITIBA FIR/UIR

WS SIGMET 20 VALID 311530/311930 SBCW - SBCW CURITIBA FIR
EMBD TS FCST WI S2757 W04540 - S2645 W04345 - S2350
W03958 - S2234 W04306 - S2248 W04546 - S2314 W04552 -
S2338 W04639 - S2307 W04734 - S2250 W04851 - S2353
W05003 - S2356 W05526 - S2359 W05525 - S2349 W05440 -
S2418 W05416 - S2532 W05438 - S2542 W05426 - S2537
W05405 - S2655 W05343 - S2819 W05552 - S2757 W04540
TOP FL450 MOV E 10KT NC=

WS SIGMET 21 VALID 311530/311930 SBCW - SBCW CURITIBA FIR
SEV ICE FCST WI S2928 W05658 - S3058 W05559 - S3153
W05407 - S3244 W05346 - S3113 W04741 - S2930 W04601 -
S2655 W04353 - S2654 W04400 - S2757 W04540 - S2819
W05552 - S2928 W05658 FL120/200 STNR NC=

WS SIGMET 22 VALID 311530/311930 SBCW - SBCW CURITIBA FIR
SEV TURB FCST WI S3010 W05737 - S3153 W05407 - S3345
W05322 - S3353 W05323 - S3400 W05300 - S3400 W05024 -
S2930 W04601 - S2808 W04453 - S2755 W04537 - S2757
W04540 - S2819 W05552 - S3010 W05737 FL180/380 STNR
NC=

SUEO MONTEVIDEO FIR/UIR

WS SIGMET 4 VALID 311500/311900 SUMU- SUEO MONTEVIDEO FIR
SEV TURB FCST WI S3010W05736 S3326W05827 S3431W05750
S3543W05356 S3241W05304 S3005W05647 S3010W05736
FL100/280 MOV E 05KT NC=

Tropical Cyclone SIGMETs:

No Wx data available

Volcanic Ash SIGMETs:

No Wx data available

Departure:

SBSP/CGH CONGONHAS - DEPUTADO FREITAS N

SA 311600 22005KT 180V260 9999 SCT023 SCT083 23/19 Q1016
FT 310900 3112/3124 07004KT 9999 BKN010 TN21/3113Z TX28/3118Z
BECMG 3112/3114 04008KT FEW030
BECMG 3114/3116 33010KT FEW040 FEW045TCU
PROB30 TEMPO 3116/3119 TS BKN020 FEW040CB
BECMG 3119/3121 05005KT FEW025
RMK PHP



Destination:

SBPA/POA SALGADO FILHO INTL

SA 311600 10018G29KT 9999 BKN011 OVC040 19/17 Q1010

FT 310900 3112/0112 09012G22KT 9999 BKN020 OVC040 TX18/3112Z
TN16/0111Z

BECMG 3115/3116 5000 -RA FEW020

BECMG 0106/0108 21009G37KT 3000 TSRA FEW020 FEW035CB

RMK PAH

Destination Alternates:

SUDU/DZO SANTA BERNARDINA INTL

SA 311600 08015G25KT 9999 SCT020 BKN200 20/13 Q1013

FT 311130 3112/0112 08010KT 9999 BKN015 TX20/3118Z TN09/0110Z

TEMPO 0104/0112 3000 BR BKN010

TEMPO 0106/0112 14003KT 0300 FG OVC002

AIRPORTLIST ENDED



[NOTAM]

LIDO-NOTAM-BULLETIN INCLUDES NOTAM, COMP NOTAM AND AIP-REGULATION
VALID: 2608311635 - 2608312233 STD(EOBT)+TRIP+ALTN+3HRS
AD 4233 /31AUG OFP-NR: 1
ROUTE: SBSP - SBPA ALTN: SUDU
N0439F340 UTKOM1A UBSOD UZ38 VUKMO BUXEV3A

=====

DEPARTURE AIRPORT - DETAILED INFO

=====

SBSP/CGH CONGONHAS - DEPUTADO FREITAS N

+++++ AIRPORT +++++

J0772/26

AD COORDINATED - AS PER ITEM 2.2, FROM ICA 100-41 (SLOT ALLOCATION RULES FOR GENERAL AVIATION AT COORDINATED AD), THE CRITERIA FOR COOR FROM AD THEY HAVE BEEN PUBLISHED ON THE PORTAL OPR AT LINK: [HTTP://PORTAL.CGNA.GOV.BR/](http://portal.cgna.gov.br/). RMK:

1- USERS WITH AN ALLOCATED ATC SLOT MUST SUBMIT THE PLN WITH THE MNM. 04HR AND 30MIN N ADVANCE OF THE SLOT TIME; 2- ATC SLOTS WITHOUT AN ASSOCIATED PLN WILL BE AUTOMATICALLY OFFERED VIA THE ALLOCATION SEQUENCE, WITH A 4HR LEAD TIME RELATIVE TO THE SLOT TIME.; 3- FAILURE TO MEET THE ESTABLISHED DEADLINES FOR THE SUBMISSION AND USE OF ATC SLOTS WILL RESULT IN THE LOSS OF THE ALLOCATION; 4- TEL CTC INTEGRATED SLOT CENTER (CIS): +55 (21) 2174-7500.

RMK: THIS AERONAUTICAL INFORMATION WILL BE EXTENDED BY AN AIP SUP

J0569/26

SUP AIP (E-AIP) 013/26 CNL

=====

DESTINATION AIRPORT - DETAILED INFO

=====

SBPA/POA SALGADO FILHO INTL

+++++ AIRPORT +++++

K1037/26

APP PORTO ALEGRE FREQ OPR CHANGED TO 129.60MHZ 120.75MHZ 123.05MHZ
E 120.00MHZ

K1036/26

ATIS PALEGRE OPR FREQ 132.35MHZ CHANGED TO FREQ 122.05MHZ

K1012/26

AUG 11 1716-2100 AUG 12-NOV 08 0900-2100

FIREFIGHTING AND RESCUE **CAT 9 DOWNGRADED TO CAT 7**

K0733/26

TA SBPA CHANGED FROM 6000 FT AMSL TO 10000 FT AMSL REF: AIP AD
2.17

+++++ RUNWAY +++++

K1008/26

TRANSMISSOMETER **RWY 29 U/S**

**K0756/26**

AUG 08 09 22 SEP 05 12 19 26 0455-0755

RWY 11/29 CLSD DUE TO MAINT SER**K0809/26**MIDPOINT TRANSMISSOMETER ON **RWY 11/29 U/S**

+++++ APPROACH PROCEDURES +++++

K0768/26IAP NAV APV **RWY 11** AND IAP NAV APV **RWY 29** MIL OPS ONLY (F-39 USE ONLY) REF: AIP **AD 2.24**

=====

DESTINATION ALTERNATE AIRPORT(S)

=====

SUDU/DZO SANTA BERNARDINA INTL

+++++ AIRPORT +++++

A1370/26**VOR**DUR FREQ 117.5 MHZ **U/S****A1320/26 VALID: 10-AUG-26 1820 - 31-AUG-26 2200**MSSR LCA AT DURAZNO **U/S****A1303/26**

FIRE AND

RESCUE **DOWNGRADED TO CAT 05****A1302/26****AD,**DOMESTIC NGT OPS **AVBL** PRIOR COOR REQUIRED AT LEAST ONE HR IN ADVANCE VIA PHONE +59892075236**A1300/26**

TWR SGL

PISTOL **U/S****A1301/26****AD** INTL OPS

24HR PPR TEL: +59892075236

A1299/26**FUEL** JET-A1**NOT AVBL****A1191/26**

ARO TWR HR SER FM MON TO FRI BTN

1100/2000

A1088/26TWY EDGE LGT **TWY C U/S****A1089/26**TWY EDGE LGT **TWY D U/S****A0997/26**

ARO HR SER FM MON TO FRI BTN 1100/1700,

OTHER DAYS OR HR FPL MUST BE SENT TO EMAIL:

OPERACIONESSUSO@DINACIA.GUB.UY AND/OR CTC TEL +59847327119 OR

+59826040329 EXTENSION 1/2356. OTHER HR CK AIP URUGUAY ENR 1.10

FLIGHT PLANNING



+++++ APPROACH PROCEDURES +++++

A1371/26**ILS RWY 21**

ID IDUR FREQ 109.9 MHZ U/S

=====
EXTENDED AREA AROUND DEPARTURE
=====**SBBS** **BRASILIA FIR/UIR**

+++++ WAYPOINT +++++

J0729/26**DME CAL CH79X U/S****J0523/26****NDB MCL FREQ 310KHZ U/S**

+++++ RESTRICTED AIRSPACE +++++

J0758/26

AUG 31 1400-2100, SEP 03 1300-2000, SEP 10 0900-28 0259

SBR 622 (FORMOSA ALTA) ACT

F) SFC G) UNL

J0762/26

AUG 27 0244-0400 AUG 27-NOV 22 1000-0400

TEMPORARY RESTRICTED AREA (PJE,ZL SANTA BRANCA) SUBJ COOR APP

ANAPOLIS CENTER COORD 162715S/0490601W RADIUS 10KM ACT F) GND G)

FL250

J0656/26

DAILY 0300-2359

ASCENT OF FREE BALLOON (ATMOSPHERIC SOUNDING) WILL TAKE PLACE SUBJ

AUTH/COOR APP PALMAS CENTER COORD 101037.1S/0483248.5W, RADIUS

67NM DNG. SYSTEM CHARACTERISTICS:

PAYLOAD WEIGHT: 1.2 KG (1200 G) ;

VOLUME: 7.5 CUBIC METERS;

ASCENT RATE: 5.0 M/S;

DESCENT RATE: 5.0 M/S.

F) SFC G) UNL

J0595/26

DAILY 0800-1800

UA (RPA FLT) WILL TAKE PLACE WI COORD 132842.00S/0460710.00W -

132535.00S/0460610.00W - 132501.00S/0460745.00W -

132428.00S/0460834.00W - 132327.00S/0461144.00W -

132359.00S/0461204.00W - 132411.00S/0461246.00W -

132453.00S/0461303.00W - 132642.00S/0461337.00W -

132842.00S/0460710.00W (CORRENTINA, BA SD3Q) RESTRICTED F) GND G)

400FT AGL

+++++ ROUTE +++++

J0759/26

AUG 31 1400-2100, SEP 03 1300-2000, SEP 10 0900-28 0259

RNAV RTE UL776 STAGE REP MOLTI/PULUV **CLSD**. ACFT SHOULD REP MOLTI

DCT MUDBI DCT REP PULUV F) FL245 G) UNL



=====

EXTENDED AREA AROUND DESTINATION

=====

SBCW CURITIBA FIR/UIR

+++++ FIR/UIR +++++

K0968/26

SUP AIP (E-AIP) 068/25 CNL

K0966/26

SUP AIP A068/25 CNL

K0949/26

FIS CURITIBA INFORMATION SECT 1,2,3,4 FREQ 132.4 MHZ SECT 5, 6, 7, 8,18 FREQ 135.7 MHZ SECT 9,10,11,16,17 FREQ 123.400 MHZ SECT 12, 13, 14,15 FREQ 126.7MHZ VER BDRY SFC/FL145 SER HR DAILY 1100-1900 DOES NOT ACCEPT AFIL PLN INSTL. RMK: PROC WHEN WITHOUT BILATERAL CTC WITH THE FREQ FIS: VFR TFC: 1- CTC CURITIBA ACC ONLY IN EMERG CASE; 2- WHEN EQUIPPED WITH RDO, THE PILOT MUST MONITOR THE SECT FREQ OF FIS FROM CURITIBA ACC AND COOR TFC AS NECESSARY TO MAINTAIN FLT SAFETY. IFR TFC: MUST CTC THE CORRESPONDING CURITIBA ACC FREQ

+++++ WAYPOINT +++++

K1005/26

NDB PTP FREQ 340KHZ U/S

K0963/26

VOR/DME CXS FREQ 112.300MHZ/CH 70X U/S

K0953/26

VOR/DME PRR FREQ 113.50MHZ/CH82X U/S.

RMK: THIS AERONAUTICAL INFORMATION WILL BE EXTENDED BY AN AIP SUP

K0867/26

VOR CXI FREQ 112.30MHZ U/S BTN RDL 195 TO 205

K0740/26

VOR/DME MCA FREQ 115.900MHZ/CH106X U/S

K0721/26

VOR/DME FLN FREQ 113.4MHZ/CH 81X U/S BTN RDL 044/054

K0674/26

VOR/DME ADA FREQ 112.10MHZ/CH58X U/S

K0669/26

VOR/DME PCX FREQ 114.600MHZ CH 71X U/S:

- RDL 208
- BTN RDL 35 - 55
- BTN RDL 215 - 235

=====

EXTENDED AREA AROUND DESTINATION ALTERNATE AIRPORT(S)

=====

SUEO MONTEVIDEO FIR/UIR

+++++ FIR/UIR +++++

A1354/26

GNSS SIGNAL LOSS REPORTED WITHIN CARRASCO
TMA, FLIGHT CREWS SHOULD REPORT ANY ANOMALIES TO ATC

A1320/26 VALID: 10-AUG-26 1820 - 31-AUG-26 2200

MSSR LCA AT DURAZNO U/S

**A1221/26**

DLA

ARE EXP DUR OPS WITH LVP ACT, OPS ARE RESTRICTED TO ONE ACFT AT A
TIME, APCH INTERVAL OF 20 MIN

+++++ WAYPOINT +++++

A1372/26**VOR** CRR 116.9 MHZ **U/S**, AS A RESULT

APPLIES AIP URUGUAY PAGE ENR 1.15-8 APPENDIX 1 ITEM 2 "CONTINGENCY
MEASURES FOR NAVIGATION SERVICES"

A1370/26**VOR**DUR FREQ 117.5 MHZ **U/S**

=====
AREA ENROUTE DEPARTURE - DESTINATION
=====

SBCW **CURITIBA FIR/UIR**

Please see section EXTENDED AREA AROUND DESTINATION

**[Company NOTAM]**

=====

CREW ALERT

=====

SB007/14

SUBJECT: AUTO COST INDEXES

WHEN PLANNING A COST INDEX, 2 OPTIONS ARE AVAILABLE. PILOTS MAY EITHER SELECT A SPECIFIC COST INDEX NUMBER FROM THE LIST, OR THEY MAY SELECT "AUTO". WHEN PLANNING AN "AUTO" COST INDEX, THE SYSTEM WILL REFERENCE THE SCHEDULED "TIME ENROUTE" OPTION AND ATTEMPT TO CHOOSE A COST INDEX WHICH CLOSELY MATCHES THIS VALUE. NOTE THAT THE "TIME ENROUTE" OPTION IS MEANT AS A GATE TO GATE TIME (AS INDICATED ON AN AIRLINE'S FLIGHT SCHEDULE, FOR EXAMPLE). IF A "TIME ENROUTE" OF 2:30 IS SELECTED, THE SYSTEM WILL SUBTRACT THE TAXI TIMES FROM THIS VALUE TO DETERMINE THE SCHEDULED AIR TIME. IT WILL THEN DETERMINE AND USE THE COST INDEX WHICH MATCHES THIS AIR TIME.

SB003/13

SUBJECT: FLIGHT RELEASE UNITS

ALL FLIGHT CREW: PLEASE PAY SPECIAL ATTENTION TO THE UNITS SELECTION WHEN GENERATING A FLIGHT PLAN. FAILURE TO IDENTIFY THE CORRECT UNITS WHEN REFUELING PRIOR TO FLIGHT CAN RESULT IN DEPARTING WITH INSUFFICIENT FUEL AND/OR AN ERRONEOUS PAYLOAD.


=====

CREW BULLETIN


=====


NIL


===== END OF LIDO-NOTAM-BULLETIN =====





- Not for real world navigation -











- Not for real world navigation -



End of Document: Total Number of Pages: 25