



[OFF]

QR4233 02SEP2026 OTHH-00MS A20N DAFBW RELEASE 1456 02SEP26
OFF 1 HAMAD INTL-MUSCAT INTL
WX PROG 0215 0218 0221 OBS 0206 0206 0206

ATC C/S QTR4233 OTHH/DOH 00MS/MCT CRZ SYS CI 10
02SEP2026 DAFBW 1530/1550 1654/1702 GND DIST 399
FBW A32NX / LEAP-1A26 STA 1705 AIR DIST 404
CTOT:.... G/C DIST 378

MAXIMUM TOW 79000 LAW 67400 ZFW 64300 AVG WIND 061/006
ESTIMATED TOW 65169 LAW 62748 ZFW 58828 AVG W/C M005
AVG ISA P020
AVG FF KGS/HR 2236
FUEL BIAS P00.0
TKOF ALTN

ALTN OTHH
FL STEPS OTHH/0330/

DISP RMKS NIL

PLANNED FUEL

FUEL ARPT FUEL TIME

TRIP MCT 2421 0104
CONT 15 MIN 559 0015
ALTN DOH 2444 0112
FINRES 917 0030

MINIMUM T/OFF FUEL 6341 0302

EXTRA 0 0000

T/OFF FUEL 6341 0302
TAXI DOH 230 0020

BLOCK FUEL DOH 6571
PIC EXTRA
TOTAL FUEL
REASON FOR PIC EXTRA

FMC INFO:
FINRES+ALTN 3361
TRIP+TAXI 2651

NO TANKERING RECOMMENDED (P)

I HEREWITH CONFIRM THAT I HAVE PERFORMED A THOROUGH SELF BRIEFING
ABOUT THE DESTINATION AND ALTERNATE AIRPORTS OF THIS FLIGHT
INCLUDING THE APPLICABLE INSTRUMENT APPROACH PROCEDURES, AIRPORT
FACILITIES, NOTAMS AND ALL OTHER RELEVANT PARTICULAR INFORMATION.

DISPATCHER: KRISTIE MCCLURE

PIC NAME: HERMIDA PAZ, IAGO

TEL: +1 800 555 0199

PIC SIGNATURE:



ALTERNATE ROUTE TO: FINRES 917
APT TRK DST VIA FL WC TIME FUEL

OTHH/34R 286 453 DCT MCT N718 ITRAX P899 TOVOX 380 P011 0112 2444
TOVOX1R

MEL/CDL ITEMS DESCRIPTION

ROUTING:

ROUTE ID: DEF RTE
OTHH/34R BUNDU2E BUNDU B415 RURAL N685 LAKLU G216 MCT DCT 00MS/08L

DEPARTURE ATC CLEARANCE:
.
.
.

OPERATIONAL IMPACTS

WEIGHT CHANGE UP 1.0	TRIP P 0028 KGS	TIME P 0000
WEIGHT CHANGE DN 1.0	TRIP M 0041 KGS	TIME P 0000
FL CHANGE UP FL1	TRIP M 0015 KGS	TIME M 0000
FL CHANGE DN FL1	TRIP P 0016 KGS	TIME P 0001
FL CHANGE DN FL2	TRIP P 0036 KGS	TIME P 0003
SPD CHANGE CI 0	TRIP M 0033 KGS	TIME P 0001
SPD CHANGE CI 50	TRIP P 0075 KGS	TIME M 0002

-----
ATIS:.
.-----
RVSM: ALT SYS LEFT:

STBY:

RIGHT:

-----TIMES

	ESTIMATED	SKED	ACTUAL
OUT	1530Z/1830L	1530Z/1830L	Z
OFF	1550Z/1850L	1550Z/1850L	Z
ON	1654Z/2054L	1657Z/2057L	Z
IN	1702Z/2102L	1705Z/2105L	Z
BLOCK TIME	0132	0135	

-----WEIGHTS

	EST	MAX	ACTUAL	
PAX	157			
BAG/CARGO	3.1			
PAYLOAD	16.3			
ZFW	58.8	64.3		
FUEL	6.6	11.2		POSS EXTRA 4.7
TOW	65.2	69.8	LDG.....	
STAB TRIM				
LAW	62.7	67.4		

-----TERRAIN CLEARANCE CHECK

DD CHECK - TERRAIN CLEARANCE CHECK DISABLED

DP CHECK - TERRAIN CLEARANCE CHECK DISABLED



FLIGHT LOG

MOST CRITICAL MORA 11600 FEET AT LAKLU///MXSHR 02 AT TOC

AWY POSITION IDENT FREQ	LAT LONG	EET TTLT	ETO ATO	FL MORA DIS	IMT ITT RDIS	MN TAS GS	WIND COMP SHR	OAT TDV TRP	EFOB AFOB	PBRN ABRN
HAMAD INTL OTHH	N2516.5 E05136.5	...	...	21	344 347 399	240	M028		6.3	0.2
BUNDU2E ATBIB ATBIB	N2519.6 E05135.7	0001 0001	...	021 20 3	064 066 396	.39 240	341/028 M028	33 P22 560	6.2	0.4
BUNDU2E OBNOB OBNOB	N2522.1 E05142.1	0001 0002	...	064 20 6	100 102 390	.42 277	345/042 M010	26 P24 560	6.0	0.5
BUNDU2E SERGA SERGA	N2520.3 E05151.3	0002 0004	...	116 20 9	100 102 381	.56 388	344/041 P017	12 P20 560	5.9	0.7
BUNDU2E LOTUM LOTUM	N2517.4 E05205.7	0002 0006	...	168 20 13	126 128 368	.62 411	353/023 P007	01 P20 560	5.7	0.9
BUNDU2E IVOMO IVOMO	N2507.3 E05219.8	0003 0009	...	220 20 16	126 128 352	.69 443	045/015 M002	M05 P24 560	5.5	1.1
BUNDU2E BUNDU BUNDU	N2500.4 E05229.4	0001 0010	...	250 20 11	106 108 341	.74 467	044/011 M001	M13 P22 560	5.4	1.2
DOHA FIR -OTDF	N2501.4 E05225.9	0000 0010	...	3	338					
EMIRATES FIR/UIR -OMAE	N2500.4 E05229.5	0000 0010	...	3	341					
B415 ASNAX ASNAX	N2457.0 E05240.9	0002 0012	...	273 26 11	103 104 330	.78 480	054/008 M005	M19 P21 559	5.3	1.3
B415 T O C	N2447.6 E05319.2	0004 0016	...	330 20 36	103 105 294	.78 471 467	117/004 M004 2	M33 P18 559	5.1	1.5
B415 EGPOG EGPOG	N2447.4 E05319.8	0001 0017	...	330 20 1	103 105 293	.73 439 435	117/004 M004 2	M33 P18 559	5.1	1.5



AWY POSITION IDENT FREQ	LAT LONG	EET TTLT	ETO ATO	FL MORA DIS	IMT ITT RDIS	MN TAS GS	WIND COMP SHR	OAT TDV TRP	EFOB AFOB	PBRN ABRN
B415 UKILI UKILI	N2438.3 E05356.6	0004 0021		330 21 35	101 103 258	.73 438 435	111/003 M003 1	M33 P18 564	4.9	1.7
B415 KUGTO KUGTO	N2432.5 E05422.4	0004 0025		330 21 24	099 101 234	.73 438 435	111/003 M003 1	M33 P18 564	4.8	1.8
B415 RURAL RURAL	N2430.8 E05431.9	0001 0026		330 22 9	119 121 225	.73 438 433	097/005 M005 1	M33 P18 563	4.8	1.8
N685 ODKUN ODKUN	N2426.1 E05440.3	0001 0027		330 25 9	120 122 216	.73 438 431	090/008 M007 1	M33 P18 567	4.7	1.8
N685 NAPMA NAPMA	N2412.8 E05503.2	0004 0031		330 27 25	120 122 191	.73 438 431	090/008 M007 1	M33 P18 567	4.6	2.0
N685 ORNEL ORNEL	N2403.2 E05519.7	0002 0033		330 29 18	109 111 173	.73 438 431	090/008 M007 1	M33 P18 568	4.5	2.0
N685 RETAS RETAS	N2357.9 E05534.4	0002 0035		330 71 14	115 117 159	.73 438 428	097/010 M010 2	M33 P18 561	4.5	2.1
MUSCAT FIR -OOMM	N2357.9 E05534.4	0000 0035		0	159					
N685 T O D	N2333.7 E05625.9	0008 0043		330 70 53	116 117 106	.73 438 429	097/010 M009 2	M33 P18 561	4.2	2.3
N685 KOBIM KOBIM	N2333.2 E05627.0	0000 0043		327 67 1	116 117 105	.78 463	097/010 M009	M32 P18 561	4.2	2.3
N685 PUTSO PUTSO	N2320.6 E05653.4	0005 0048		243 113 27	077 078 78	.73 455	089/009 M008	M11 P23 552	4.2	2.4
N685 LAKLU LAKLU	N2322.6 E05704.0	0001 0049		212 116 10	077 078 68	.68 431	075/008 M008	M04 P23 552	4.2	2.4
G216 IVAKU IVAKU	N2329.3 E05741.1	0007 0056		103 75 35	077 078 33	.54 358	051/006 M005	14 P20 556	4.1	2.5



AWY POSITION IDENT FREQ	LAT LONG	EET TTLT	ETO ATO	FL MORA DIS	IMT ITT RDIS	MN TAS GS	WIND COMP SHR	OAT TDV TRP	EFOB AFOB	PBRN ABRN
G216				025	065	.39	112/004	32	4.0	2.6
MUSCAT	N2335.5	0005	...	31	067		M003	P22		
MCT	E05815.6	0101	...	32	1	266		549		
114.50										
DCT									3.9	2.7
MUSCAT INTL	N2336.0	0003	...							
OOMS	E05817.0	0104	...	1						

-----
WIND INFORMATION

CLIMB

350 136/007 -38
310 074/005 -28
200 033/016 -02
150 341/030 +04
100 345/044 +16

T O C

370 133/012 -43
350 137/007 -38
330 117/004 -33
310 073/005 -28
290 059/007 -23

EGPOG

370 133/012 -43
350 137/007 -38
330 117/004 -33
310 073/005 -28
290 059/007 -23

UKILI

370 128/010 -44
350 128/005 -38
330 111/003 -33
310 077/003 -28
290 059/005 -23

KUGTO

370 128/010 -44
350 128/005 -38
330 111/003 -33
310 077/003 -28
290 059/005 -23

RURAL

370 125/011 -43
350 113/007 -38
330 097/005 -33
310 080/004 -28
290 074/005 -23

ODKUN

370 110/014 -44
350 100/010 -38
330 090/008 -33
310 082/007 -28
290 087/006 -23

NAPMA

370 110/014 -44
350 100/010 -38
330 090/008 -33
310 082/007 -28
290 087/006 -23

ORNEL

370 110/014 -44
350 100/010 -38
330 090/008 -33
310 082/007 -28
290 088/006 -23

RETAS

370 108/016 -43
350 101/014 -38
330 097/010 -33
310 096/006 -28
290 100/004 -23

T O D

370 108/016 -43
350 101/014 -38
330 097/010 -33
310 096/006 -28
290 100/004 -23

DESCENT

350 102/014 -38
310 106/006 -28
200 067/007 -02
150 009/008 +03
100 069/007 +16



[ATC Flight Plan]

ICAO FLIGHT PLAN

FF 0BBBZQZX 0MAEZQZX 00MMZQZX

021456 CYULSBFP

(FPL-QTR4233-IS

-A20N/M-SDE2E3FGHIRWXY/LB1

-OTHH1530

-N0439F330 BUNDU2E BUNDU B415 RURAL N685 LAKLU G216 MCT DCT

-OOMS0054 OTHH

-PBN/A1B1C1D101S2 DOF/260902 REG/DAFBW EET/OMAE0010 00MM0035 OPR/QR
PER/C RMK/TCAS)



[Additional Info]

D I S P A T C H B R I E F I N G I N F O QR4233 OTHH/OOMS

**[Runway Analysis]**

TAKEOFF AND LANDING REPORT QR 4233 OTHH-00MS 02SEP26
TLR-1 SEQ-184911293 02SEP26 1456Z
A/C D-AFBW FBW A32NX LEAP-1A26 BEW/CG 42500/.....

/// TAKEOFF DATA ///

APT	PRWY	POAT	PWIND	PQNH	PMRTW	FLP	MT	V1	VR	V2	PTOW	MFPTW	LIMIT
OTHH	34R	38.0	347M17	1000	7900	1	73	74	74	75	6517	6982	AFM

RMKS FLEX - SEL TEMP 73
BLEEDS ON

RWY	OAT	WIND	QNH	MRTW	FLP	V1	VR	V2	PWR	CONFIG/CONDITION
-----	-----	------	-----	------	-----	----	----	----	-----	------------------

----- ACARS RUNWAYS -----
RWY ACARS LENGTH PMTOW NOTES
16L 15912 7900 ILS 108.70
16R 13944 7900 ILS 108.10
34L 13944 7900 ILS 111.90
34R 15912 7900 ILS 110.10

----- DRY RWY - PTOW - CALM WIND -----
RWY MTOW MT CONFIG FLP V1 VR V2 LIMIT
16L 7900 73 FLEX - BLEEDS ON 1 174 174 175 AFM
16R 7900 71 FLEX - BLEEDS ON 1 162 162 163 AFM
34L 7900 71 FLEX - BLEEDS ON 1 162 162 163 AFM
34R 7900 73 FLEX - BLEEDS ON 1 174 174 175 AFM

----- DRY RWY - PTOW PLUS 2000 - CALM WIND -----
RWY MTOW MT CONFIG FLP V1 VR V2 LIMIT
16L 7900 71 FLEX - BLEEDS ON 1 173 173 174 AFM
16R 7900 69 FLEX - BLEEDS ON 1 163 163 164 AFM
34L 7900 69 FLEX - BLEEDS ON 1 163 163 164 AFM
34R 7900 71 FLEX - BLEEDS ON 1 173 173 174 AFM

----- WET RWY - PTOW - CALM WIND -----
RWY MTOW MT CONFIG FLP V1 VR V2 LIMIT
16L 7900 72 FLEX - BLEEDS ON 1 167 167 168 AFM
16R 7900 70 FLEX - BLEEDS ON 1 158 158 159 AFM
34L 7900 70 FLEX - BLEEDS ON 1 158 158 159 AFM
34R 7900 72 FLEX - BLEEDS ON 1 167 167 168 AFM

----- WET RWY - PTOW PLUS 2000 - CALM WIND -----
RWY MTOW MT CONFIG FLP V1 VR V2 LIMIT
16L 7900 70 FLEX - BLEEDS ON 1 166 167 168 AFM
16R 7900 68 FLEX - BLEEDS ON 1 156 159 160 AFM
34L 7900 68 FLEX - BLEEDS ON 1 156 159 160 AFM
34R 7900 70 FLEX - BLEEDS ON 1 166 167 168 AFM

/// LANDING DATA ///

APT	PRWY	POAT	PWIND	PQNH	PMRLW	FLP	PLDW	LIMIT
00MS	08L	31.0	059M14	1001	6740	FULL	6275	AFM

RMKS NONE



RWY	OAT	WIND	QNH	MRLW	FLP	VREF	PWR	CONFIG/CONDITION
----- ACARS RUNWAYS -----								
RWY	ACARS	LENGTH	PMRLW	NOTES				
08L		13123	6740	ILS 108.90				
08R		11811	6740	ILS 108.30				
26L		13386	6740	ILS 110.30				
26R		12598	6740	ILS 110.70				
----- FLAPS FULL - PACKS ON - NO ENROUTE ICING -----								
DRY RWY / WET RWY								
	08L		08R		26L		26R	
OAT	13123 FT		11811 FT		13386 FT		12598 FT	
26	6740A/6740A		6740A/6740A		6740A/6740A		6740A/6740A	
/ 31	6740A/6740A		6740A/6740A		6740A/6740A		6740A/6740A	
36	6740A/6740A		6740A/6740A		6740A/6740A		6740A/6740A	
HW/10KT	0/ 0		0/ 0		0/ 0		0/ 0	
TW/10KT	0/ 0		0/ 0		0/ 0		0/ 0	
----- LANDING DISTANCE - FLAPS FULL - MAX MANUAL BRAKING -----								
		ACTUAL		FACTORED				
LDW	VREF	DRY	WET	DRY	WET			
6100	131	2945	3838	4015	5041			
6200	132	2986	3891	4077	5118			
/ 6300	133	3022	3938	4133	5186			
6400	134	3059	3986	4189	5255			
6500	135	3096	4035	4245	5324			
HW/KT		-18	-23	-21	-27			
TW/KT		54	71	83	102			

END TAKEOFF AND LANDING REPORT QR 4233 OTHH-0OMS 02SEP26

**[Airport WX List]**

OTHH --> OOMS QR 4233 / 02SEP2026
LIDO/WEATHER SERVICE DATE : 02Sep2026 TIME : 14:56 UTC

AIRMETs:
No Wx data available

SIGMETs:
No Wx data available

Tropical Cyclone SIGMETs:
No Wx data available

Volcanic Ash SIGMETs:
No Wx data available

Departure / Destination Alternate:
OTHH/DOH HAMAD INTL
SA 021400 35017KT CAVOK 38/16 Q1000 NOSIG
FT 021109 0212/0318 35012KT 8000 NSC
TEMPO 0212/0215 35018G28KT

Destination:
OOMS/MCT MUSCAT INTL
SA 021350 06011KT 9000 SCT040 31/28 Q1001 NOSIG
FT 021100 0212/0318 06014KT 8000 FEW025
BECMG 0215/0217 VRB02KT
PROB30 TEMPO 0222/0304 4000 BR BKN010
BECMG 0306/0308 05013KT
BECMG 0315/0317 VRB02KT

AIRPORTLIST ENDED



[NOTAM]

LIDO-NOTAM-BULLETIN INCLUDES NOTAM, COMP NOTAM AND AIP-REGULATION
VALID: 2609021530 - 2609022115 STD(EOBT)+TRIP+ALTN+3HRS
QR 4233 /02SEP OFP-NR: 1
ROUTE: OTHH - OOMS ALTN: OTHH
N0439F330 BUNDU2E BUNDU B415 RURAL N685 LAKLU G216 MCT DCT

=====

DEPARTURE / ALTERNATE AIRPORT - DETAILED INFO

=====

OTHH/DOH HAMAD INTL

+++++ AIRPORT +++++

A0947/26

DLY 0700-1300

NAVAIDS FLIGHT CALIBRATION WILL TAKE PLACE AT OTHH. ACTIVITIES
WILL INVOLVE ILS/AGL/PAPI FACILITIES ASSOCIATED
WITH RWY16L, RWY34R, RWY16R, RWY34L AND 'DOH' **DVOR/DME**,
IN ANY SEQUENCE, DURING THE NOTIFIED PERIODS, SUBJECT TO
OPERATIONAL REQUIREMENTS.

EXPECT NO IMPACT ON FLIGHT OPERATIONS.

THE NAVAID UNDER CALIBRATION WILL BROADCAST 'TST' IDENT.

A0952/26PORTION OF **TWY P6** BTN **TWY P** AND **TWY S4** **DOWNGRADED** TO CODE E ACFT
OPS.**A0951/26**PORTION OF **TWY S4** BTN STAND 608 AND STAND 612 **DOWNGRADED**
TO CODE E ACFT OPS.**A0945/26**PORTION OF **TWY P3** **CLSD** BTN **TWY M** AND **TWY P** DUE TO **WIP**.**A0942/26**ACFT STAND 605 **NOT AVBL**.**A0941/26**PORTION OF **TWY S4** BTN STAND 606 AND STAND 605 **CLSD** DUE **WIP**.**A0937/26**ACFT STAND 602, 602L AND 602R **CLOSED**.**A0922/26**INCREASED LOW LEVEL BIRD ACTIVITY ACROSS **RWY 16R/34L**AND **RWY 16L/34R** DUE TO SEASONAL MIGRATION.**A0817/26**

POTENTIAL GPS SIGNAL INTERFERENCE WITHIN THE VICINITY OF THE
AERODROME. ARR/DEP PILOTS ARE REQUIRED TO NOTIFY THE RELEVANT ATS
UNIT IF GPS SIGNAL INTERFERENCE OCCURS IN THE AREA.

**A0778/26**

REF QATAR AIP, OTHH **AD 2.24** CHARTS RELATED TO AN AERODROME, AMEND THE FOLLOWING CHARTS:

1. AERODROME OBSTACLE CHART ICAO - TYPE A **RWY 16L/34R:**

OBSTACLE NUMBER 2 UPDATED WITH A VARIABLE HEIGHT OF MAX 203FT AMSL DURING THE MONTHS OF OCTOBER TO APRIL. ACTUAL HEIGHTS ABOVE 121FT AMSL TO BE

NOTIFIED VIA D-ATIS.

2. AERODROME OBSTACLE CHART ICAO - TYPE A **RWY 16R/34L:**

OBSTACLE NUMBER 3 UPDATED WITH A VARIABLE HEIGHT OF MAX 203FT AMSL DURING THE MONTHS OF OCTOBER TO APRIL. ACTUAL HEIGHTS ABOVE 121FT AMSL TO BE NOTIFIED VIA D-ATIS.

THIS OBSTACLE IS CONSIDERED AS THE HIGHEST POINT OF THE CRUISE SHIP CHANNEL.

A0424/26

MINIMA FOR OTHH **ILS RWY 16R** CHANGED AS FOLLOWS:

ILS CAT 1 OCA (OCH) - **CAT A** 188 (175) FT

ILS CAT 1 OCA (OCH) - **CAT B** 200 (187) FT

ILS CAT 1 OCA (OCH) - **CAT C** 220 (207) FT

ILS CAT 1 OCA (OCH) - **CAT D** 262 (249) FT)

A0423/26

MINIMA FOR OTHH RNP **RWY 16R** CHANGED AS FOLLOWS:

LNAV/VNAV OCA(OCH) - **CAT A** 367(354)FT

LNAV/VNAV OCA(OCH) - **CAT B** 380(367)FT

LNAV/VNAV OCA(OCH) - **CAT C** 388(375)FT

LNAV/VNAV OCA(OCH) - **CAT D** 398(385)FT

LNAV OCA(OCH) - 490(477)FT

A0422/26

MINIMA FOR OTHH **ILS RWY 16R** CHANGED AS FOLLOWS:

LOC ONLY OCA(OCH) - 490(477)FT.

+++++ RUNWAY +++++

A0739/26

PAPI MEHT **RWY 16L** CHANGED TO 19.899M. REF QATAR AIP OTHH **AD 2.14.)**

A0324/26

PAPI MEHT RWY16R CHANGED TO 19.903M

PAPI MEHT RWY34L CHANGED TO 19.899M

REF QATAR AIP **AD 2.14.)**

+++++ SID +++++

A0876/26

IN THE EVENT OF GNSS INTERFERENCE AND AIRCRAFT UNABLE TO FLY RNP SID FROM OTHH, ATC MAY ISSUE FOLLOWING ALTERNATE DEPARTURE INSTRUCTIONS:

RWY 34L - MAINTAIN **RUNWAY** TRACK, CLIMB TO ALTITUDE 3000FT.

EXPECT TO REJOIN ASSIGNED SID OR FPL ROUTE VIA EXIT POINT.

RWY 16R - MAINTAIN **RUNWAY** TRACK, CLIMB TO ALTITUDE 3000FT.

EXPECT TO REJOIN ASSIGNED SID OR FPL ROUTE VIA EXIT POINT.

PILOTS SHALL ADVISE ATC WHEN ABLE TO RESUME NAVIGATION USING

RNAV/RNP.

**A0875/26**

TEMPORARY DEPARTURE INSTRUCTION 'TARVEX 2' (TA2) ESTABLISHED FOR **RWY 16L**.

COMMON PROCEDURE:

AFTER PASSING 500FT, TURN LEFT HDG 120 DEG, CLIMB TO AND MAINTAIN ALT 4000FT.

FURTHER CLIMB AND VECTORING AS INSTRUCTED BY DOHA RADAR.

REJOINING SID WITHOUT ATC CLEARANCE NOT PERMITTED.

ROUTING BY EXIT POINT:

TFC FILED VIA TULUB: EXPECT DCL TA2TU. EXPECT RADAR VECTORS TO REJOIN TULUB1M SID.

TFC FILED VIA LUBET: EXPECT DCL TA2LU. EXPECT RADAR VECTORS TO REJOIN LUBET1M SID.

TFC FILED VIA ALVEN: EXPECT DCL TA2AV. EXPECT RADAR VECTORS TO REJOIN ALVEN2M SID.

TFC FILED VIA VAXIN: EXPECT DCL TA2VA. EXPECT RADAR VECTORS TO REJOIN VAXIN2M SID.

TFC FILED VIA ALSEM: EXPECT DCL TA2AS. EXPECT RADAR VECTORS TO REJOIN ALSEM2M SID.

TFC FILED VIA KUPRO: EXPECT DCL TA2KU. EXPECT RADAR VECTORS TO REJOIN KUPRO1M SID.

TFC FILED VIA BUNDU: EXPECT DCL TA2BU. EXPECT RADAR VECTORS TO REJOIN KASIS 2 RADAR DEPARTURE.

TFC FILED VIA DATRI: EXPECT DCL TA2DA. EXPECT RADAR VECTORS TO REJOIN KASIS 2 RADAR DEPARTURE.

TFC FILED VIA ULIKA: EXPECT DCL TA2UL. EXPECT RADAR VECTORS TO REJOIN KASIS 2 RADAR DEPARTURE.

RMK: DO NOT REJOIN OR NAVIGATE DIRECT TO SID WAYPOINTS UNTIL EXPLICITLY CLEARED BY ATC.

A0874/26

TEMPORARY DEPARTURE INSTRUCTION 'ALVEMI 2' (AL2) ESTABLISHED FOR **RWY 34R**.

COMMON PROCEDURE:

AFTER PASSING 500FT, TURN RIGHT HDG 020 DEG, CLIMB TO AND MAINTAIN ALT 4000FT.

FURTHER CLIMB AND VECTORING AS INSTRUCTED BY DOHA RADAR.

REJOINING SID WITHOUT ATC CLEARANCE NOT PERMITTED.

ROUTING BY EXIT POINT:

TFC FILED VIA TULUB: EXPECT DCL AL2TU. EXPECT RADAR VECTORS TO REJOIN TULUB3E SID.

TFC FILED VIA LUBET: EXPECT DCL AL2LU. EXPECT RADAR VECTORS TO REJOIN LUBET3E SID.

TFC FILED VIA ALVEN: EXPECT DCL AL2AV. EXPECT RADAR VECTORS TO REJOIN ALVEN4E SID.

TFC FILED VIA VAXIN: EXPECT DCL AL2VA. EXPECT RADAR VECTORS TO REJOIN VAXIN3E SID.

TFC FILED VIA ALSEM: EXPECT DCL AL2AS. EXPECT RADAR VECTORS TO REJOIN ALSEM3E SID.

TFC FILED VIA KUPRO: EXPECT DCL AL2KU. EXPECT RADAR VECTORS TO REJOIN KUPRO2E SID.

TFC FILED VIA BUNDU: EXPECT DCL AL2BU. EXPECT RADAR VECTORS TO REJOIN BUNDU3E SID.

TFC FILED VIA DATRI: EXPECT DCL AL2DA. EXPECT RADAR VECTORS TO REJOIN DEMBO 4 RADAR DEPARTURE.

TFC FILED VIA ULIKA: EXPECT DCL AL2UL. EXPECT RADAR VECTORS TO REJOIN DEMBO 4 RADAR DEPARTURE.

RMK: DO NOT REJOIN OR NAVIGATE DIRECT TO SID WAYPOINTS UNTIL EXPLICITLY CLEARED BY ATC.

A0847/26

OTHH RNP **RWY 16L** KASIS TWO RADAR DEPARTURE, 'EXPECTED ATC ROUTEING' FROM KUTER TO KOBEN IS **SUSPENDED**.

**A0846/26**

FOLLOWING DEPARTURE PROCEDURES ARE **AVBL** FOR FLIGHT PLANNING PURPOSES:

1. OTHH RNP **RWY 16R** LUBET 1C
2. OTHH RNP **RWY 16R** TULUB 1C

CREW TO EXPECT HEADING INSTRUCTIONS FOR DEPARTURES TO REJOIN THE SID AFTER CLEAR OF OTP48.

+++++ APPROACH PROCEDURES +++++

A0935/26

ILS RWY 34R LIMITED TO **CAT I** ONLY, BASED ON GROUND CHECK.

A0934/26

ILS RWY 16L LIMITED TO **CAT I** ONLY, BASED ON GROUND CHECK.

A0927/26

PUBLISHED MISSED APPROACH PROCEDURE FOR

ILS AND RNP RWY 16L/34R SUSPENDED.

REVISED MISSED APPROACH PROCEDURE FOR:

RWY 16L - AFTER PASSING 1000FT, TURN LEFT HDG 120 DEG, CLIMB AND MAINTAIN ALTITUDE 3000FT AND EXPECT RADAR VECTORS BY ATC.

RWY 34R - AFTER PASSING 1000FT, TURN RIGHT HDG 020 DEG, CLIMB AND MAINTAIN ALTITUDE 3000FT AND EXPECT RADAR VECTORS BY ATC.

IN THE EVENT OF COMM FAILURE, AFTER 3000FT,

- FOR **RWY 16L**, LEFT TURN TO IVANI TOVAN AND EXECUTE INSTRUMENT APP PROCEDURE AGAIN.

- FOR **RWY 34R**, RIGHT TURN TO MUXED LAGMA AND EXECUTE INSTRUMENT APP PROCEDURE AGAIN.

A0926/26

PUBLISHED MISSED APPROACH PROCEDURE FOR

ILS AND RNP RWY 16R/34L SUSPENDED.

REVISED MISSED APPROACH PROCEDURE FOR **RWY 16R/34L**:

MAINTAIN **RWY** TRACK AND CLIMB AND MAINTAIN ALTITUDE 3000FT AND EXPECT RADAR VECTORS BY ATC.

IN THE EVENT OF COMM FAILURE, AFTER 3000FT,

- FOR **RWY 16R**, RIGHT TURN TO KATED GOLSI AND EXECUTE INSTRUMENT APP PROCEDURE AGAIN.

- FOR **RWY 34L**, LEFT TURN TO DASIK IMKAT AND EXECUTE INSTRUMENT APP PROCEDURE AGAIN.

A0748/26

ILS RWY 16L DOWNGRADED TO **CAT 1/T/2**. AUTOLAND NOT AUTHORIZED.

A0749/26

ILS RWY 16L OPR BUT GROUND CK ONLY, AWAITING FLTCK.

A0750/26

ILS RWY 34R DOWNGRADED TO **CAT 1/T/2**. AUTOLAND NOT AUTHORIZED.

A0751/26

ILS RWY 34R OPR BUT GROUND CK ONLY, AWAITING FLTCK.

=====

DESTINATION AIRPORT - DETAILED INFO

=====

OOMS/MCT MUSCAT INTL

+++++ AIRPORT +++++

A0488/26

REF MUSCAT ATC SURVEILLANCE MINIMUM ALTITUDE CHART, THE MNM VECTORED ALT WITHIN THE SECTOR BOUNDED BY POINT ID 17, 18, 19, 32 AND 31 IS INCREASED TO 4000FT AMSL.



+++++ RUNWAY +++++

A0417/26

LANDING AND TAKEOFF LIMITED TO FLW **RUNWAY** ONLY:

RWY 08R/26L: FROM 0400 TO 1600 UTC

RWY 08L/26R: FROM 1600 TO 0400 UTC

LAST PUSHBACK 20 MIN PRIOR **RWY** SWITCHOVER

+++++ APPROACH PROCEDURES +++++

A0424/26

OOMS **RWY 08L/26R ILS CAT II** OPERATIONS **SUSPENDED** UNTIL FURTHER NOTICE.

+++++ STAR +++++

A0513/26

REF AIRAC AIP 03/25, USE OF PUBLISHED STARS **RWY 08L/26R** AND **RWY 08R/26L** TEMPORARILY **SUSPENDED**. ALL ARRIVING TRAFFIC CAN EXPECT RADAR VECTORS TO THE APPROPRIATE IAP

FOR FLIGHT PLANNING PURPOSES, ALL ARRIVING TRAFFIC TO OOMS SHALL FILE FLIGHT PLAN ROUTE TO MCT **DVOR**

=====
EXTENDED AREA AROUND DEPARTURE
=====

OB BB **BAHRAIN FIR/UIR**

+++++ FIR/UIR +++++

A0257/26

POSITION KUVIR IS **NOT AVAILABLE** FOR ENTRY INTO THE OB BB FIR.

A0245/26

POTENTIAL GPS SIGNAL INTERFERENCE WITHIN BAHRAIN FIR AND AT OB BI DURING START-UP, TAXI AND TAKEOFF. PILOTS ARE REQUIRED TO NOTIFY THE RELEVANT ATS UNIT IF GPS SIGNAL LOSS OR INTERFERENCE OCCURS.

A0244/26

ALL OPERATORS OF AIRBUS A319/A320/A321 AIRPLANES INTENDING FLYING INTO/FROM OR OVERFLYING BAHRAIN FIR MUST COMPLY WITH EASA EMERGENCY AIRWORTHINESS DIRECTIVE 2025-0268-E ISSUED 28 NOV 2025. OPERATORS MUST ENSURE FULL COMPLIANCE PRIOR TO ENTRY INTO BAHRAIN FIR. FOR MORE INFO CONTACT AIRWORTHINESS DEPARTMENT, AEROLICENSING (A) MTT.GOV.BH

+++++ RESTRICTED AIRSPACE +++++

A0262/26

DAILY BTN 0630-0845

GUN FIRING WILL TAKE PLACE WI THE FLW COORDINATES:

275000N 0493600E

272600N 0495100E

272700N 0502700E

273700N 0502200E

275100N 0495200E

THE ABOVE RECEIVED FROM JEDDAH

F) SFC G) 5000FT AMSL

**A0261/26**

DLY BTN 0900-1100
MIL EXERCISE WILL TAKE PLACE WI THE FLW COORDS:
270000N 0502500E
281700N 0491000E
282300N 0492400E
272500N 0503300E
THE ABOVE RECEIVED FROM JEDDAH.
F) 5000FT AMSL G) 10000FT AMSL

+++++ ROUTE +++++

A0258/26

BAHRAIN FIR OPERATIONAL
ALL ROUTINGS WITHIN OBBB SHALL FOLLOW STANDARD PUBLISHED ROUTES
OPERATORS SHALL REFER TO ADJACENT FIR PUBLICATIONS FOR ONWARD
ROUTING REQUIREMENTS AND RESTRICTIONS

=====
EXTENDED AREA AROUND DESTINATION
=====

OOMM MUSCAT FIR

+++++ FIR/UIR +++++

A0509/26

SURVEILLANCE BASED 30 NM LONGITUDINAL SEPARATION MINIMA FOR ALL
TRAFFIC ROUTING VIA PARAR WILL BE APPLIED ON TRIAL BASIS BETWEEN
RNP2/RNP4 COMPLIANT ACFT HAVING FUNCTIONAL ADS B OUT AND RCP240.
AIRCRAFT SHALL INDICATE RNP2/RNP4, CPDLC RCP240, ADS B CAPABILITY
IN FPL.
AIRCRAFT SHOULD INITIATE EARLY LOGON WITH MUMBAI CPDLC ON THE
ADDRESS (VABF) .
F) SFC G) UNL

A0477/26

DLY BTN 1700/0300
DUE TO HIGH DENSITY TRAFFIC IN MUSCAT FIR CONCENTRATED OVER POINTS
RASKI AND PARAR:
1- TRAFFIC DESTINED FOR VABB, RPLL AND VGHS ARE NOT PERMITTED
TO ROUTE VIA POINT RASKI.
2- TRAFFIC DESTINED FOR WSSS, VTSP AND VTBS ARE NOT PERMITTED TO
ROUTE VIA POINTS RASKI AND PARAR.
OPERATORS ARE REQUESTED TO PLAN ALTERNATIVE ROUTES ACCORDINGLY.
F) SFC G) UNL

A0470/26

DUE TO HIGH DENSITY TRAFFIC IN MCT FIR,
1- MIDGU **NOT AVBL** FOR DOHA DEPARTURES.
2- TRAFFIC INTENDING TO OVERFLY MUSCAT FIR ENTERING VIA DAPOL
SHALL EXIT VIA REXOD, LOTAV AND KITAL.
F) SFC G) UNL

A0456/26

PILOTS ARE ADVISED TO EXERCISE **CAUTION** AND USE
ALTERNATIVE MEANS OF NAVIGATION WHEN NECESSARY DUE TO REPORTED
GNSS INTERFERENCE (SPOOFING AND JAMMING) WITHIN MUSCAT FIR.
ATC SHOULD BE INFORMED OF ANY OBSERVED ANOMALIES.
F) SFC G) UNL

**A0451/26**

DLY BTN 1700/0300

DUE TO AIR TRAFFIC CONGESTION IN MUSCAT FIR, THE FOLLOWING FLOW CONTROL MEASURES HAVE BEEN IMPLEMENTED FOR ALL FLIGHTS:

1) TRAFFIC ENTERING MUSCAT FIR VIA TAPDO, RASKI OR PARAR THAT ARE PLANNING TO OVERFLY UAE AIRSPACE SHALL EXIT MUSCAT FIR VIA MENSA. TRAFFIC DESTINED OEJN AND OEMA ARE EXEMPTED FROM THIS RESTRICTION AND SHALL EXIT VIA TOKRA.

2) TRAFFIC ENTERING MUSCAT FIR VIA REXOD, LOTAV AND KITAL DESTINED OERK, OEJN AND OEMA SHALL EXIT MUSCAT FIR VIA SITOL.

ALL FLIGHTS SHALL FOLLOW THE RAD ROUTE STRUCTURE.

F) SFC G) UNL

A0355/26

REF AIP GEN3.1 PARAGRAPH 4.2, SERIES B-NOTAM CONTAINING INFORMATION OF CONCERN TO AIRCRAFT OTHER THAN THOSE ENGAGED IN INTERNATIONAL CIVIL AVIATION, PROMULGATED BOTH INTERNATIONALLY AND NATIONALLY.

+++++ RESTRICTED AIRSPACE +++++

B0080/26

DLY BTN 0300/1500

DRONE ACTIVITY WILL TAKE PLACE AT THE FLW COORDS:

(NOT FORMING LINE, POLYGON OR CIRCLE)

170316N 0542250E TAQAH

165935N 0544210E MARBAT

170321N 0554212E SADAH

164455N 0532603E RAIKHOUT

175947N 0535116E THAMRAIT

191116N 0542951E MAQSHEN

180824N 0553913E SHALIM

175033N 0523839E MAZUONA

175022N 0524119E THALQUT

170433N 0534830E

165606N 0535855E

170445N 0540333E SALALAH

F) SFC G) 400FT AGL

B0078/26

DLY BTN 0300/1300

DRONE ACTIVITY WILL TAKE PLACE AT THE FLW COORDS :

(NOT FORMING LINE, POLYGON OR CIRCLE)

230429N 0581636E

231023N 0581846E

230101N 0582140E

230920N 0582332E

230744N 0582357E

230853N 0582359E

230832N 0582443E

230820N 0582521E

230629N 0583116E

230814N 0583211E

230055N 0583440E

230033N 0584458E (AL JARDA - AL-MUDHAIBI)

230814N 0583211E

230055N 0583440E

230033N 0584458E (DIMA TAEEN)

F) SFC G) 265FT AGL

**A0495/26**

DLY 24 HRS

TEMPO RESTRICTED AREA **ACTIVATED** AT THE FLW COORDS:

244559N 0562120E

242624N 0563120E

241321N 0564342E

241947N 0565359E

243208N 0564342E

244953N 0563316E

244559N 0562120E (SOHAR AREA)

ALL FLIGHT WILL BE SUBJECT TO PRIOR COORDINATION WITH ATC

F) SFC G) FL160

A0494/26

DLY 24 HRS

TEMPO RESTRICTED AREA **ACTIVATED** AT THE FLW COORDS:

202713N 0581358E

200712N 0585021E

180637N 0571844E

183339N 0564813E

202713N 0581358E (MASIRAH AND DOQUM AREA)

ALL FLIGHT WILL BE SUBJECT TO PRIOR COORDINATION WITH ATC

F) SFC G) FL200

B0071/26

DLY BTN 0300/1400

DRONE ACTIVITY WILL TAKE PLACE AT THE FLW COORDS :

(NOT FORMING POLYGON, LINE OR CIRCLE)

171217N 0543725E (MIRBAT)

165435N 0544002E (TAQAH)

170405N 0533719E (SALALAH)

164643N 0533941E (RAIKHUT)

F) SFC G) 400 FT AGL

A0486/26RESTRICTED AREA 00R10 (MAMURAH) **ACTIVATED**

F) SFC G) FL150

A0481/26

DLY BTN 1400-0100

TRA ESTABLISHED IN AREA BOUNDED BY LINES JOINING:

240436.73N 0554308.31E

240349.81N 0554347.68E

240352.43N 0554515.11E

235650.44N 0553402.68E

235931.40N 0553452.65E

240036.20N 0553549.77E

240436.73N 0554308.31E

PILOTS TO AVOID THE AREA.

F) SFC G) 5000FT AMSL

A0482/26

DLY BTN 1400-0100

TRA ESTABLISHED IN AREA BOUNDED BY LINES JOINING:

234657.08N 0553058.07E

234451.69N 0553132.61E

234218.52N 0553329.81E

233714.99N 0553318.85E

232610.66N 0552502.55E

233112.76N 0552629.40E

233735.71N 0553053.15E

234414.71N 0553005.99E

234657.08N 0553058.07E

PILOTS TO AVOID THE AREA.

F) SFC G) 5000FT AMSL

**B0069/26**

DLY BTN 0400/1300

DRONE ACTIVITY WILL TAKE PLACE AT THE FLW COORDS :

224655N 0575846E

224649N 0580028E

224447N 0580049E

224447N 0575846E

224655N 0575846E (AL KHARIS)

F) SFC G) 400FT AGL

B0068/26

DLY BTN 0300/1300

DRONE ACTIVITY WILL TAKE PLACE AT THE FLW COORDS :

173829N 0540143E

173837N 0540228E

173936N 0540224E

173934N 0540153E

173917N 0540156E

173915N 0540148E

173829N 0540143E (THUMRAIT)

F) SFC G) 360FT AGL

B0067/26

DRONE ACTIVITY WILL TAKE PLACE AT THE FLW AREA:

244759N 0554854E

245438N 0554846E

245755N 0555105E

245939N 0560025E

245824N 0560148E

245805N 0560245E

245710N 0560232E

245652N 0560348E

245431N 0560226E

245319N 0560304E

245235N 0560304E

245342N 0555847E

244839N 0560210E

244417N 0560643E

244611N 0561124E

244409N 0561205E

244126N 0561213E

243907N 0561223E

243638N 0561044E

243534N 0561034E

243224N 0560402E

243021N 0555824E

243654N 0554900E

244118N 0555005E

244348N 0554940E

244503N 0554954E

244549N 0554956E

244658N 0554943E

244759N 0554912E

F) SFC G) 400FT AGL

B0058/26

DLY BTN 0500/1200

DRONE ACTIVITY WILL TAKE PLACE AT THE FLW COORDS :

(NOT FORMING LINE, POLYGON OR CIRCLE)

234218N 0580259E (SEEB MABAILLAH)

234101N 0580722E

234019N 0580446E

233858N 0580424E (BARKA SHAKAKITT)

F) SFC G) 330FT AGL

**B0057/26**

DLY BTN 0300/1300

DRONE ACTIVITY WILL TAKE PLACE AT THE FLW COORDS :
(NOT FORMING LINE, POLYGON OR CIRCLE)

220539N 0571914E

220257N 0572131E

215353N 0572529E (MARDI ADAM)

214847N 0573110E

213910N 0573330E

212622N 0574054E

213609N 0572643E

214119N 0572104E

214321N 0571907E (AL GABAH ADAM)

F) SFC G) 360FT AGL

B0054/26

DLY BTN 0200/1400

DRONE ACTIVITY WILL TAKE PLACE AT THE FLW COORDS :
(NOT FORMING LINE, POLYGON OR CIRCLE)

233300N 0583937E AL JISSAH

234440N 0574759E AL SAWADI AREA

232402N 0584759E JEBEL SIFAH

234008N 0580458E HALBAN AREA

233818N 0575137E HAI AL NASEEM

233158N 0584026E YITI

233247N 0583802E QANTAB AREA

170159N 0541748E MIRBAT TAQAH

F) SFC G) 390FT AGL

A0455/26

SUN TO THU BTN 0300-0700

DEMOLITION ACTIVITY WILL TAKE PLACE WI CIRCLE RADIUS 01NM CENTERED
ON:

232826N 0581715E (AL MISFAH)

F) SFC G) 1000FT MSL

B0052/26

DLY BTN 0300/1300

DRONE ACTIVITY WILL TAKE PLACE AT THE FLW COORDS

230147N 0574208E

230158N 0574154E

230211N 0574151E (AL JABAL AL AKHDAR)

F) SFC G) 360FT AGL

B0048/26

DLY BTN 0400/1200

DRONE ACTIVITY WILL TAKE PLACE PLACE AT THE FLW COORDS :

195620N 0574229E

195551N 0574218E

195542N 0574247E (DUQM)

242615N 0562615E

242549N 0562615E

242549N 0562726E (LIWA)

F) SFC G) 260FT AGL

**B0049/26**

DRONE ACTIVITEIS WILL TAKE PLACE AT THE FLW COORDS:

170503N 0525738E
173045N 0525115E
173815N 0524412E
175142N 0523749E
181858N 0523156E
183419N 0522951E
181844N 0523105E
175122N 0523659E
173015N 0525018E
170450N 0525643E (AL MAZYONA)
170301N 0534604E
170302N 0534703E
170227N 0534704E
170227N 0534604E (SALALAH)
175614N 0544601E
175428N 0544520E
175518N 0544442E (HARWEEL THUMRAIT)
181007N 0551422E
180953N 0551423E (MARMUL/HAIMA)
183209N 0555242E
183149N 0555256E (NIMR /HAIMA)
195418N 0560233E
195345N 0560241E
195402N 0560219E (BAHJA/HAIMA)
F) SFC G) 260FT AGL

B0050/26

DLY BTN 0400/1200

DRONE ACTIVITY WILL TAKE PLACE AT THE FLW COORDS:

211912N 0564228E
212215N 0565317E
211925N 0570458E
212047N 0564736E
212009N 0564518E
211922N 0564223E (QARN-ALAM -SAHI ALRAWI ADAM)
220917N 0560154E
221123N 0560806E
221510N 0561057E
222248N 0562230E
221517N 0561049E
220921N 0560151E (FAHUD TO YIBAL -IBRI)
225014N 0551908E
224948N 0551908E (LEKHWAIR/IBRI)
224627N 0575915E
224521N 0575915E (SINAW)
220925N 0591434E
220811N 0591527E
220923N 0591429E (ALWAFI)
222711N 0591608E
222656N 0591554E (SUR)
231533N 0585152E
231510N 0585217E (QURIYAT)
255509N 0562100E
255449N 0562143E
255439N 0562137E
255457N 0562055E (LIMAH MUSANDAM)
F) SFC G) 260FT AGL

**B0047/26**

DLY BTN 0200/0600

DRONE ACTIVITI WILL TAKE PLACE AT THE FLW COORDS :

233312N 0581149E (RUSAYL INDUSTRIAL)
233544N 0581051E (SQU ALSEEB)
233423N 0574944E (KHAZAEN BARKA)
234228N 0571825E (SUWAIQ INDUSTRIAL)
242824N 0563728E (SOHAR PORTS LIWA)
242915N 0563104E (SOHAR INDUSTRIAL)
241711N 0555018E (ALBURAIMI INDUSTARIAL)
230624N 0562131E (IBRI INDUSTARIAL)
231555N 0580751E (SAMAIL INDUSTRIAL)
225032N 0572913E (NIZWA INDUSTRIAL)
223226N 0571642E (ADAM INDUSTRIAL)
222012N 0591946E (AL-KAMIL)
224010N 0581119E (ALMUDHAIBI INDUSTRIAL)
223819N 0592442E (SUR)
194417N 0573834E (DUQM INDUSTRIAL)
191931N 0574158E (DUQM)
165545N 0535721E (SALALAH FREEZONE)
165612N 0535855E (RAYSUT INDUSTRIAL)
170141N 0544434E (MIRBAT INDUSTRIAL)
174001N 0540834E (THAMRIAT INDUSTRIAL)
260513N 0561336E (KHASB INDYSTRIAL)
F) SFC G) 300FT AGL

B0045/26

DLY BTN 0400/1200

DRONE ACTIVITY WILL TAKE PLACE AT THE FLW COORDS

234126N 0572206E
234127N 0572230E (ALSUWAIQ)
232840N 0573352E
232827N 0573353E
232827N 0573417E (ALRUSTAQ)
233355N 0574641E
233358N 0574650E
233217N 0574708E
233158N 0574733E (WADI ALMAWIL)
232447N 0575957E
232414N 0575957E
232414N 0580032E (SAMAIL)
261422N 0561953E
261531N 0561953E
261449N 0561850E
261530N 0561850E (KHASAB)
F) SFC G) 260FT AGL

**B0046/26**

DLY BTN 0400/1600

DRONE ACTIVITI WILL TAKE PLACE AT THE FLW COORDS :

235857N 0570622E

235654N 0570921E

235255N 0572002E

235118N 0572511E

235317N 0571807E

235621N 0571006E

235852N 0570617E (ALKHABURAH)

235312N 0565555E

234954N 0565243E

234633N 0565216E

234325N 0564920E

234221N 0564513E

234036N 0564600E

233139N 0564526E (WADI BANI OMAR)

F) SFC G) 260FT AGL

B0044/26

DLY BTN 0300/1300

DRONE ACTIVITY WILL TAKE PLACE AT THE FLW COORDS:

213902N 0562427E

213641N 0562340E

213052N 0561938E

213207N 0563113E

212439N 0562407E (KHAZAN IBRI)

212413N 0563043E

212015N 0563439E

211240N 0563421E

211036N 0563921E (AL GHUBAR HAIMA)

210038N 0563537E (BARIK)

F) SFC G) 360FT AGL

A0420/26

DLY BTN 0300/1300

DRONE ACTIVITY (AERIAL CLEANING) WILL TAKE PLACE AT THE FLW
COORDS: 233449N 0581930E (GHALA - BAWSHER)

F) SFC G) 400FT AGL

B0043/26

DLY BTN 0200/1330

DRONE ACTIVITY WILL TAKE PLACE AT THE FLW COORDS:

170748N 0541416E

170242N 0542823E

170217N 0540903E

172136N 0543900E

170300N 0543100E

170025N 0540538E

171444N 0542306E

170706N 0542159E

170602N 0541936E (SALALAH)

F) SFC G) 400FT AGL

A0416/26

DLY BTN 0600/1000

DEMOLITION ACTIVETIES WILL TAKE PLACE AT THE FOLLOWING COORDS :

203218N 0585110E

203153N 0585135E

203142N 0585057E

203209N 0585039E (MASERAH)

F) SFC G) 1000FT AGL

**B0041/26**

DLY BTN 0200/1400

DRONE ACTIVITY WILL TAKE PLACE AT THE FLW COORDS:

233444N 0582606E

233507N 0582758E

233543N 0582909E

233610N 0582824E

233625N 0582739E

233622N 0582723E

233537N 0582705E

233539N 0582544E

233532N 0582509E

233444N 0582606E (MUSCAT 6)

233632N 0582441E

233655N 0582713E

233623N 0582731E

233622N 0582723E

233537N 0582705E

233539N 0582544E

233632N 0582441E (MUSCAT 7)

233626N 0582747E

233623N 0582731E

233655N 0582713E

233716N 0582805E

233709N 0582819E

233736N 0582849E

233751N 0582849E

233759N 0582903E

233705N 0583013E

233626N 0582747E (MUSCAT 8)

232426N 0582852E

232950N 0583218E

233247N 0582939E

232426N 0582852E (MUSCAT 9)

233427N 0583800E

233917N 0583317E

233536N 0583113E

233427N 0583800E (MUSCAT 10)

234117N 0580223E

234127N 0580312E

234202N 0580303E

234117N 0580223E (MUSCAT 12)

234158N 0580344E

234057N 0580859E

234005N 0580847E

234158N 0580344E (MUSCAT 13)

233936N 0580821E

234003N 0580549E

233318N 0580506E

233936N 0580821E (MUSCAT 14)

234018N 0581159E

234137N 0581012E

233931N 0580823E

234018N 0581159E (MUSCAT 15)

231242N 0585137E

231109N 0585226E

230209N 0590424E

231527N 0585617E

231242N 0585137E (MUSCAT 17)

F) SFC G) 330FT AGL

**B0042/26**

DLY BTN 0200/1400

DRONE ACTIVITY WILL TAKE PLACE AT THE FLW COORDS:

233637N 0582839E (MADINA ARFAN)

233701N 0583352E (MUTTRAH)

233626N 0583036E (AL WATAIYAH)

233549N 0583230E (RUWI)

233551N 0583228E (WADI AUDI)

233708N 0583220E (DARSEIT)

235117N 0563311E (SUHAR)

193838N 0574026E (DOQUM)

234051N 0575416E

234210N 0575548E

234126N 0575314E

234014N 0580303E (BARKA)

170042N 0540523E

170104N 0540640E (SALALAH)

F) SFC G) 400FT AGL

B0040/26

DLY BTN 0300/1100

DRONE ACTIVITY WILL TAKE PLACE AT THE FLW COORDS:

225005N 0553513E

225018N 0561138E

223617N 0561154E

223517N 0553548E

225005N 0553513E (IBRI)

F) SFC G) 400FT AGL

B0038/26

DLY BTN 0200/1400

DRONE ACTIVITY WILL TAKE PLACE AT THE FLW COORDS:

233637N 0582839E (MADINA ARFAN)

233701N 0583352E (MUTTRAH)

233626N 0583036E (AL WATAIYAH)

233549N 0583230E (RUWI)

233551N 0583228E (WADI AUDI)

233708N 0583220E (DARSEIT)

F) SFC G) 400FT AGL

B0039/26

DLY BTN 0200/1400

DRONE ACTIVITY WILL TAKE PLACE AT THE FLW COORDS:

235117N 0563311E (SUHAR)

193838N 0574026E (DOQUM)

170042N 0540523E

170104N 0540640E (SALALAH)

F) SFC G) 400FT AGL

A0402/26

DLY BTN 0200/1100

DRONE ACTIVITY WILL TAKE PLACE WI CIRCLE RADIUS 01NM CENTRED ON:

243048N 0563602 (LIWA)

F) SFC G) 330FT AGL

A0404/26

DLY BTN 0200/1400

DRONE ACTIVITY WILL TAKE PLACE AT THE FLW COORDS:

242049N 0564303E

242709N 0563918E (SUHAR)

F) SFC G) 400FT AGL

**B0036/26**

DLY BTN 0300/1300

DRONE ACTIVITY WILL TAKE PLACE AT THE FLW COORDS:

235034N 0572205E

235200N 0572245E

235037N 0572738E

235010N 0572926E

234818N 0572854E

234658N 0572717E

234622N 0572604E

234647N 0572514E

234724N 0572348E

234747N 0572303E

234906N 0572253E

234925N 0572146E

235034N 0572205E (AL SUWAYQ)

F) SFC G) 265FT AGL

B0034/26

DLY BTN 0200/1400

DRONE ACTIVITY WILL TAKE PLACE AT THE FLW COORDS :

(NOT FORMING LINE, POLYGON OR CIRCLE)

223351N 0593221E

222524N 0584615E (AL SHARQIYA)

242911N 0563700E (AL BATNAH)

231343N 0562920E (AL DHAHIRA)

261250N 0561403E (MUSANDAM)

225600N 0573153E

230421N 0573944E (AL DAKHILIYA)

194420N 0573332E (AL WUSTA)

F) SFC G) 400FT AGL

B0035/26

DLY BTN 0200/1400

DRONE ACTIVITY WILL TAKE PLACE AT THE FLW COORDS :

170851N 0541037E

164551N 0533606E (DHUFAR)

F) SFC G) 400FT AGL

B0033/26

DLY BTN 0400/1300

DRONE ACTIVITIES WILL TAKE PLACE AT THE FLW COORDS :

254710N 0561910E

254640N 0561705E

255736N 0562230E

255622N 0562336E

254710N 0561910E (LIMA - KHASAB)

253958N 0561434E

254015N 0561403E

254615N 0561703E

254552N 0561805E

253958N 0561434E (DABAAL BIYA - KHASAB)

255837N 0562250E

255935N 0562343E

255913N 0562412E

255815N 0562319E

255837N 0562250E (KHASAB)

F) SFC G) 330FT AGL

**B0032/26**

DLY BTN 0300/1300

DRONE ACTIVITIES WILL TAKE PLACE AT THE FLW COORDS :

255604N 0562555E (HARA AL-GADAYEF)

232557N 0571913E (HARA AL-HASSHA)

232331N 0572534E (AL-RUSTAQ FORT)

232341N 0574943E (NAKHAL FORT)

224805N 0573631E (AL-FAYAQIN FORT)

232230N 0565311E (AL ASWAD FORT)

220041N 0591911E (MASJID AL HAMOUDA)

225454N 0571457E (JABREEN CASTLE)

222936N 0580122E (HARAT SUQ SINAW)

F) SFC G) 170FT AGL

B0029/26

DLY BTN 0300/1400

DRONE ACTIVITY WILL TAKE PLACE AT THE FLW COORDS:

212932N0570036E (QARN ALALM-ADAM)

F) SFC G) 400FT AGL

B0030/26

DLY BTN 0300/1200

DRONE ACTIVITY WILL TAKE PLACE AT THE FLW COORDS:

233433N 0583411E (ALWADI ALKABIR MUSCAT)

170135N 0540726E (DAHARIZ SALALH)

240639N 0565246E (AL HUMBAR SOHAR)

232327N 0572553E (RUSTAQ)

225712N 0573225E (NIZWA)

223216N 0592301E (IBRA)

222948N 0584443E (SUR)

242403N 0555837E (AL BURAIMI)

261134N 0561313E (AL SEEBANI KHASAB)

194425N 0573334E (HAIMA)

F) SFC G) 115FT AGL

B0028/26

DLY BTN 0300/1400

DRONE ACTIVITY WILL TAKE PLACE AT THE FLW COORDS:

234010N 0580422E

233927N 0580436E

234053N 0580348E

233836N 0580451E

233909N 0580431E

234018N 0580402E

234027N 0580447E

233945N 0580542E

233904N 0580518E (SULTAN HAITHAM CITY)

F) SFC G) 330FT AGL

B0027/26

DLY BTN 0400/1200

DRONE ACTIVITY WILL TAKE PLACE AT THE FLW COORDS:

233312N 0581845E

233224N 0581855E

233259N 0582004E

233332N 0581946E (A THURAYA CITY - BAUSHAR)

F) SFC G) 260FT AGL

**B0026/26**

DLY BTN 0100/1500

DRONE ACTIVITY WILL TAKE PLACE AT THE FLW COORDS:
(NOT FORMING LINE, POLYGON OR CIRCLE)

233724N 0582913E

233641N 0582933E

233603N 0582230E

233556N 0582439E

234122N 0580440E

233739N 0580502E

233300N 0580351E

233454N 0582050E

233759N 0580151E (MUSCAT)

F) SFC G) 330FT AGL

A0391/26TEMPO RESTRICTED AREA **ACTIVATED** WI THE FLW COORDS:

180349N 0523059E

181056N 0525459E

164621N 0533158E

163859N 0530859E

180349N 0523059E (AIDAM AREA)

F) SFC G) 10000FT MSL

B0022/26

DLY BTN 0400/1200

DRONE ACTIVITY WILL TAKE PLACE AT THE FLW COORDS:

241816N 0564338E

241721N 0564451E

241812N 0564538E

241925N 0564424E (ASUWAYHRAH - SOHAR - NORTH AL BATINAH)

F) SFC G) 260FT AGL

B0023/26

DLY BTN 0400/1200

DRONE ACTIVITY WILL TAKE PLACE AT THE FLW COORDS:

230925N 0573537E

230936N 0573715E

230921N 0573827E

230811N 0573805E

230817N 0573610E (AL JABAL AL AKHDAR)

F) SFC G) 260FT AGL

B0024/26

DLY BTN 0400/1200

DRONE ACTIVITY WILL TAKE PLACE AT THE FLW COORDS:

165622N 0535501E

165402N 0535543E

165459N 0535829E

165650N 0535742E (RAYSUT - SALALAH)

F) SFC G) 260FT AGL

B0025/26

DLY BTN 0400/1200

DRONE ACTIVITY WILL TAKE PLACE AT THE FLW COORDS:

224714N 0582823E

224623N 0582936E

224520N 0583009E

224325N 0583128E

224242N 0583221E

224144N 0583320E

224146N 0583454E

224320N 0583425E (IBRA - NORTH ASHARQIYAH)

F) SFC G) 260FT AGL

**B0021/26**

DLY BTN 0300/1400

DRONE ACTIVITY WILL TAKE PLACE AT THE FLW COORDS:

241828N 0562302E

241902N 0562324E

241838N 0562407E

241804N 0562326E (SOHAR -WADI ALJAZI)

F) SFC G) 400FT AGL

B0008/26

DLY BTN 0200/1400

DRONE ACTIVITY WILL TAKE PLACE AT THE FLW COORDS:

243107N 0563623E

243057N 0563606E

243032N 0563627E

243055N 0563634E (SOHAR)

F) SFC G) 400FT AGL

B0009/26

DLY BTN 0200/1400

DRONE ACTIVITY WILL TAKE PLACE AT THE FLW COORDS:

261229N 0561520E

261215N 0561522E

261155N 0561522E

261202N 0561454E

261236N 0561435E (PORT OF KHASAB)

F) SFC G) 400FT AGL

B0010/26

DLY BTN 0200/1400

DRONE ACTIVITY WILL TAKE PLACE AT THE FLW COORDS:

223551N 0574010E (MANAH)

F) SFC G) 400FT AGL

B0011/26

DLY BTN 0200/1400

DRONE ACTIVITY WILL TAKE PLACE AT THE FLW COORDS:

232020N 0561249E (IBRI ALMA, MUR)

F) SFC G) 400FT AGL

B0012/26

DLY BTN 0200/1400

DRONE ACTIVITY WILL TAKE PLACE AT THE FLW COORDS:

174928N 0543601E (SARFITH DHOFAR)

F) SFC G) 400FT AGL

B0015/26

DLY BTN 0100/1500

DRONE ACTIVITY WILL TAKE PLACE AT THE FLW COORDS:

231337N 0562923E

215813N 0560654E

221607N 0563303E (IBRI)

232743N 0563435E

233010N 0561338E (YANQUL)

F) SFC G) 330FT AGL

B0016/26

DLY BTN 0100/1500

DRONE ACTIVITY WILL TAKE PLACE AT THE FLW COORDS:

230743N 0573735E

230849N 0573732E

230735N 0573710E (JABAL AL AKHDAR)

231558N 0571439E (JABAL SHAMS)

225820N 0570315E (ADAM)

F) SFC G) 330FT AGL

**B0017/26**

DLY BTN 0100/1500

DRONE ACTIVITY WILL TAKE PLACE AT THE FLW COORDS:

224211N 0580939E

224057N 0581214E

223922N 0581120E

224037N 0580846E (AL MUDHAIBI)

230219N 0583614E

230231N 0583907E

224247N 0583231E (DIMA AND TAYEEN)

225620N 0584042E (AL QABIL)

225116N 0584037E (IBRA)

F) SFC G) 330FT AGL

B0018/26

DLY BTN 0100/1500

DRONE ACTIVITY WILL TAKE PLACE AT THE FLW COORDS:

165912N 0535833E

170627N 0535346E (SALALAH)

172824N 0540257E (THUMRAIT)

170346N 0542610E

172008N 0543027E (TAQAH)

170202N 0544808E (MARBAT)

174343N 0540221E (THAMRIAT)

183518N 0522840E (AL MAZYUN)

F) SFC G) 330FT AGL

B0019/26

DLY BTN 0100/1500

DRONE ACTIVITY WILL TAKE PLACE AT THE FLW COORDS:

260309N 0562047E (KHASAB)

254111N 0561312E (DABA)

F) SFC G) 330FT AGL

B0014/26

DLY BTN 0100/1500

DRONE ACTIVITY WILL TAKE PLACE AT THE FLW COORDS:

194157N 0550124E

200508N 0562020E (HIAYMA)

F) SFC G) 330FT AGL

+++++ ROUTE +++++

A0510/26

DLY BTN 2100/0300

EXTENSION TO NOTAM A0429/26

DUE TO HIGH DENSITY TRAFFIC IN MCT FIR,

MIDGU M717 **NOT AVBL** FOR LANDING TRAFFIC TO MCT INTL.ALL TRAFFIC FROM JED FIR DEST MCT (OOMS) SHALL ENTER MCT FIR VIA
POINT DAPOL L692 EMAVA ITSAG GSKA Y414 RADAX Y414 MCT.

F) SFC G) UNL

**A0504/26**

DLY BTN 1700/0230

DUE TO AIR TRAFFIC CONGESTION IN MUSCAT FIR FLOW CONTROL MEASURES HAVE BEEN IMPLEMENTED FOR UAE DEPARTURES

1) 5 MINUTES LONGITUDINAL SEPARATION BETWEEN ANY TWO SUCCESSIVE DEPARTURES ENTERING OOMM FIR VIA POSITIONS LABRI OR TARDI (LABRI AND TARDI SHALL BE CONSIDERED AS TWO POINTS).

2) 5 MINUTES LONGITUDINAL SEPARATION BETWEEN ANY TWO SUCCESSIVE DEPARTURES ENTERING OOMM FIR VIA POSITIONS LALDO OR GOMTA (LALDO AND GOMTA SHALL BE CONSIDERED AS ONE POINT).

NOTES:

1- ALL UAE DEPARTURES VIA LALDO A791 IMLOT ARE EXEMPTED FROM THE FLOW CONTROL MEASURES.

2- ALL UAE DEPARTURES LANDING AT OOMS/OOSH/OOSA ARE EXEMPTED FROM THESE FLOW MEASURES.

3- ALL UAE DEPARTURE VIA MEMTU ARE EXEMPTED FROM THESE FLOW MEASURES. F) SFC G) UNL

A0505/26

DLY BTN 1600/1900 AND BTN 2300/0200

DUE TO AIR TRAFFIC CONGESTION IN MUSCAT FIR FLOW CONTROL MEASURES HAVE BEEN IMPLEMENTED FOR ALL DOHA DEPARTURES:

5 MINUTES LONGITUDINAL SEPARATION IS REQUIRED BETWEEN ANY TWO SUCCESSIVE TRAFFIC ENTERING MUSCAT FIR VIA POSITIONS LABRI OR TONVO

ALL FLIGHTS SHALL FOLLOW THE RAD ROUTE STRUCTURE

F) SFC G) UNL

A0429/26

DLY BTN 1600/2100

DUE TO HIGH DENSITY TRAFFIC IN MCT FIR, MIDGU M717 **NOT AVBL** FOR LANDING TRAFFIC TO MCT INTL

ALL TRAFFIC FROM JED FIR DEST MCT (OOMS) SHALL ENTER MCT FIR VIA POINT DAPOL L692 EMAVA ITSAG GSKA Y414 RADAX Y414 MCT.

F) SFC G) UNL

=====

EXTENDED AREA AROUND DESTINATION ALTERNATE AIRPORT(S)

=====

OBBB BAHRAIN FIR/UIR

Please see section EXTENDED AREA AROUND DEPARTURE



=====

AREA ENROUTE DEPARTURE - DESTINATION

=====

OMAE EMIRATES FIR/UIR

+++++ FIR/UIR +++++

A2721/26

FLOW CTL IN PLACE FOR ALL UAE DEP REQ FL300, FL320 AND FL340
EXITING EMIRATES FIR VIA ALPOB WITH ONWARD ROUTING ENTERING AMMAN
FIR VIA L768 OTILA.

FLOW CTL IN PLACE FOR ALL UAE DEP VIA LALDO, GOMTA, TARDI, LABRI
AS PER MUSCAT NOTAM A0504/26

AFFECTED DEP ACFT SHALL REQ DEP SLOT TIME NOT EARLIER THAN 2 HR
PRIOR TO THE REALISTIC AIRBORNE TIME FROM THE FLW:

OMAA : DELIVERY FREQ 125.100 MHZ OR +971(0)2 805 0744

OMAD : TWR FREQ 119.900 MHZ OR +971(0)2 444 7546

OMAL : GND FREQ 129.150 MHZ OR +971(0)3 709 2047

OMDB : DELIVERY FREQ 120.350 MHZ OR +971(0)4 505 6459

OMDW : GND FREQ 118.375 MHZ OR +971(0)4 813 3501

OMRK : TWR FREQ 118.250 MHZ OR +971(0)7 244 9016

OMSJ : GND FREQ 121.875 MHZ OR +971(0)6 508 4615

A2710/26

PILOTS ARE ADVISED THAT GNSS SIGNAL INTERFERENCE (INCLUDING
POSSIBLE SPOOFING AND JAMMING) HAS BEEN REPORTED WITHIN EMIRATES
FIR. UNRELIABLE GNSS SIGNALS MAY BE EXPERIENCED.

AIRCRAFT OPERATORS ARE ADVISED TO EXERCISE **CAUTION** AND USE
ALTERNATIVE MEANS OF NAVIGATION WHEN NECESSARY. ATC SHOULD BE
INFORMED OF ANY OBSERVED ANOMALIES.

F) SFC G) UNL

A2157/26

FLOW CTL IN PLACE FOR ALL UAE DEP REQ FL300, FL320 AND FL340
EXITING EMIRATES FIR VIA ALPOB WITH ONWARD ROUTING ENTERING AMMAN
FIR VIA L768 OTILA.

FLOW CTL IN PLACE FOR ALL UAE DEP VIA LALDO, GOMTA, TARDI, LABRI
AS PER MUSCAT NOTAM A0356/26

AFFECTED DEP ACFT SHALL REQ DEP SLOT TIME NOT EARLIER THAN 2 HR
PRIOR TO THE REALISTIC AIRBORNE TIME FROM THE FLW:

OMAA : DELIVERY FREQ 125.100 MHZ OR +971(0)2 805 0744

OMAD : TWR FREQ 119.900 MHZ OR +971(0)2 444 7546

OMAL : GND FREQ 129.150 MHZ OR +971(0)3 709 2047

OMDB : DELIVERY FREQ 120.350 MHZ OR +971(0)4 505 6459

OMDW : GND FREQ 118.375 MHZ OR +971(0)4 813 3501

OMRK : TWR FREQ 118.250 MHZ OR +971(0)7 244 9016

OMSJ : GND FREQ 121.875 MHZ OR +971(0)6 508 4615



+++++ RESTRICTED AIRSPACE +++++

A2727/26

0400-1200

UAS ACT WILL TAKE PLACE IN AREA BOUNDED BY LINES JOINING::

245225.29N 0561637.41E
245231.97N 0561646.31E
245238.43N 0561648.63E
245247.30N 0561649.43E
245301.13N 0561649.06E
245303.92N 0561649.10E
245303.83N 0561654.30E
245303.90N 0561708.54E
245303.95N 0561720.61E
245306.45N 0561724.09E
245308.00N 0561723.66E
245309.91N 0561721.70E
245314.13N 0561717.61E
245316.29N 0561714.70E
245314.04N 0561710.23E
245312.62N 0561700.21E
245312.53N 0561655.39E
245311.81N 0561648.38E
245308.89N 0561641.61E
245310.27N 0561639.75E
245311.34N 0561638.02E
245313.97N 0561634.10E
245316.86N 0561628.61E
245320.94N 0561620.90E
245321.83N 0561618.89E
245323.35N 0561615.71E
245326.17N 0561611.89E
245328.31N 0561609.06E
245334.77N 0561601.62E
245340.22N 0561555.25E
245345.20N 0561549.09E
245348.00N 0561546.04E
245353.16N 0561540.10E
245408.91N 0561526.59E
245417.81N 0561518.85E
245425.28N 0561512.77E
245445.98N 0561513.29E
245458.07N 0561519.06E
245506.92N 0561522.30E
245524.55N 0561520.89E
245527.42N 0561521.54E
245530.36N 0561522.56E
245533.92N 0561523.65E
245539.80N 0561526.12E
245543.05N 0561527.54E
245547.44N 0561529.60E
245549.56N 0561524.59E
245549.76N 0561524.25E
245555.65N 0561511.37E
245546.21N 0561502.03E
245544.60N 0561459.99E
245542.52N 0561446.00E
245542.98N 0561434.78E
245556.61N 0561417.67E
245540.31N 0561356.69E
245507.09N 0561403.59E
245442.58N 0561408.21E



245418.19N 0561413.25E
245322.57N 0561507.94E
245302.91N 0561527.34E
245227.06N 0561602.21E
245211.08N 0561621.74E
245225.29N 0561637.41E
F) SFC G) 400FT AGL

**C0182/26**

0400-1200

UAS ACT WILL TAKE PLACE IN AREA BOUNDED BY LINES JOINING:

255320.54N 0560831.49E

255659.36N 0560908.11E

255709.96N 0560802.61E

255352.61N 0560702.44E

255320.54N 0560831.49E

F) SFC G) 400FT AGL

C0175/26

UAS ACT WILL TAKE PLACE WI AREA BOUNDED BY LINES JOINING:

240041.43N 0550303.46E

240958.82N 0550246.16E

241326.26N 0550521.89E

241328.52N 0551348.64E

240032.40N 0551333.80E

240041.43N 0550303.46E

F) SFC G) 400FT AGL

A2706/26

1800-2200

UA ACT WILL TAKE PLACE IN AREA BOUNDED BY LINES JOINING:

244105N 0535804E

243246N 0540956E

242453N 0540638E

242758N 0535501E

243253N 0535501E

243945N 0535723E

244105N 0535804E

F) 6000FT AMSL G) 6000FT AMSL

A2681/26

1400-1800

UA ACT WILL TAKE PLACE IN AREA BOUNDED BY LINES JOINING:

253400.32N 0540700.40E

252800.82N 0541300.09E

251337.00N 0541309.00E

251900.06N 0535600.71E

253100.02N 0534900.76E

253400.32N 0540700.40E

F) SFC G) 6000FT AMSL

A2663/26

UA ACT WILL TAKE PLACE WI AREA 200 M EITHER SIDE OF A LINE:

255005.00N 0560725.00E

260247.45N 0560844.50E

260239.24N 0560713.60E

255338.12N 0561012.63E

255320.21N 0560809.45E

255247.98N 0560754.55E

255247.84N 0560938.48E

254839.20N 0560811.26E

254850.94N 0560638.96E

254817.80N 0560625.28E

254809.21N 0560835.67E

253835.21N 0560643.88E

253853.50N 0560855.41E

F) SFC G) 9000FT AMSL

**A2682/26**

UA ACT WILL TAKE PLACE IN AREA BOUNDED BY LINES JOINING:

245435.44N 0561839.27E
245401.59N 0561913.01E
245402.40N 0561751.72E
245323.05N 0561807.69E
245352.50N 0561552.83E
245315.75N 0561633.95E
245235.94N 0561632.86E
245252.24N 0561554.90E
245221.33N 0561510.91E
245149.79N 0561524.51E
245141.75N 0561116.00E
245110.76N 0561202.55E
244714.36N 0561146.26E
244747.39N 0561101.80E
244714.83N 0561145.64E
244437.51N 0560636.96E
244533.81N 0560640.17E
244548.17N 0560529.58E
244456.71N 0560458.03E
244852.13N 0560223.94E
244850.06N 0560329.36E
245255.81N 0560520.17E
245326.13N 0560403.17E
245306.70N 0560304.67E
245654.33N 0560345.90E
245707.71N 0560449.36E
245435.44N 0561839.27E
F) SFC G) 5000FT AMSL

A2707/26

2200-0300

UA ACT WILL TAKE PLACE IN AREA BOUNDED BY LINES JOINING:

245129N 0544902E
245029N 0544859E
245114N 0543324E
245307N 0543433E
245129N 0544902E
F) SFC G) 3000FT AMSL

A2708/26

2200-0300

UA ACT WILL TAKE PLACE IN AREA BOUNDED BY LINES JOINING:

245307N 0543433E
244700N 0542729E
250256N 0540701E
250954N 0542810E
245307N 0543433E
F) 3000FT AMSL G) 6000FT AMSL

**C0181/26**

AUG 31 0446-1400 , SEP 01-07 0200-1400

UAS ACT WILL TAKE PLACE WI AREA 200M EITHER SIDE OF A LINE:

254719.84N 0560308.26E
254743.64N 0560310.24E
254749.42N 0560317.49E
254807.23N 0560313.02E
254815.18N 0560312.61E
254832.41N 0560317.97E
254838.46N 0560321.89E
254856.63N 0560326.39E
254902.94N 0560330.15E
254930.13N 0560335.33E
255020.10N 0560351.52E
255111.01N 0560358.62E
255125.18N 0560354.02E
255135.91N 0560355.66E
255153.51N 0560417.14E
255203.25N 0560421.83E
255238.45N 0560431.90E
255310.37N 0560446.37E
255348.67N 0560448.49E
255405.72N 0560449.84E
255416.14N 0560448.95E
255433.99N 0560441.42E
255441.20N 0560428.91E
255455.51N 0560418.18E
255512.74N 0560408.91E
255513.57N 0560347.38E
255601.14N 0560350.29E
255605.29N 0560354.85E
F) SFC G) 400FT AGL

C0178/26

0200-1400

UAS ACT WILL TAKE PLACE IN AREA BOUNDED BY LINES JOINING:

253917.36N 0555756.86E
254501.27N 0555843.38E
254435.85N 0555848.77E
254426.40N 0555857.68E
254414.35N 0555904.28E
254329.23N 0555913.87E
254221.66N 0555840.35E
254042.07N 0555904.73E
254025.70N 0555846.60E
253914.83N 0555808.18E
253917.36N 0555756.86E
F) SFC G) 400FT AGL

**C0180/26**

0200-1400

UAS ACT WILL TAKE PLACE WI AREA 200M EITHER SIDE OF A LINE:

254500.01N 0555849.89E

254458.34N 0555855.14E

254455.12N 0555935.60E

254503.89N 0560050.28E

254552.67N 0560114.58E

254558.37N 0560133.26E

254608.07N 0560143.75E

254618.02N 0560200.94E

254617.29N 0560214.13E

254621.39N 0560232.68E

254637.76N 0560234.88E

254651.67N 0560241.06E

254701.82N 0560249.87E

254718.02N 0560303.62E

F) SFC G) 400FT AGL

A2660/26

0100-2000

DNG AREA OMD 24 ACT.

F) SFC G) 12000FT AMSL

A2679/26

AUG 31 0100-1800, SEP 01-03 0100-1800, SEP 04 0200-0900, SEP 05-06, 0230-1100

TRA ESTABLISHED IN AREA BOUNDED BY LINES JOINING:

241852N 0544743E

241729N 0544812E

241653N 0544813E

241640N 0544729E

241615N 0544727E

241617N 0544624E

241633N 0544624E

241752N 0544556E

241835N 0544648E

241852N 0544743E

F) SFC G) 675FT AMSL

A2604/26

0200-1500

UAS ACT WILL TAKE PLACE WI AREA BOUNDED BY LINES JOINING:

254150.37N 0554542.06E

254120.13N 0554603.08E

254038.58N 0554517.81E

254145.37N 0554459.23E

254150.37N 0554542.06E

F) SFC G) 1400FT AGL

A2567/26

1400-0100

TRA ESTABLISHED IN AREA BOUNDED BY LINES JOINING:

240036.20N 0553549.77E

235931.40N 0553452.65E

235650.44N 0553402.68E

235350.04N 0552942.26E

234657.08N 0553058.07E

234414.71N 0553005.99E

235637.52N 0552824.38E

235724.13N 0552648.00E

240036.20N 0553549.77E

PILOTS TO AVOID THE AREA.

F) SFC G) 5000FT AMSL

**A2568/26**

1400-0100

TRA ESTABLISHED IN AREA BOUNDED BY LINES JOINING:

233112.76N 0552629.40E

232610.66N 0552502.55E

232652.38N 0552319.88E

233112.76N 0552629.40E

PILOTS TO AVOID THE AREA.

F) SFC G) 5000FT AMSL

+++++ ROUTE +++++

A2719/26

TEMPO RNAV 1 ATS RTE Q624 WB ESTABLISHED AS CDR 3 AS FLW:

KULMI (234245N 0551846E) MAG BRG 260 DEG 37.7 NM FL195/FL460

ALMUM (233741N 0543807E) MAG BRG 260 DEG 93.4 NM FL255/FL460

ESROM

TACTICAL RTE FOR DEPARTURES FROM UAE AERODROMES INTENDING TO EXIT

EMIRATES FIR TO JEDDAH FIR AT WAYPOINT RIBOT BY JOINING ATS ROUTE

M318/M550 AT WAYPOINT ESROM.

F) FL195 G) FL460

A2718/26

TEMPO RNAV 1 ATS RTE Q725 EB ESTABLISHED AS CDR 3 AS FLW:

GOLGU MAG BRG 080 DEG 119.3 NM FL260/FL460

MUSKA (232610N 0543938E) MAG BRG 081 DEG 40.2 NM FL195/FL460

UKRAG

TACTICAL RTE FOR ARRIVALS TO UAE AERODROMES ENTERING FROM JEDDAH

FIR AT WAYPOINT RIBOT AND THEN JOINING ATS ROUTE G783 AT WAYPOINT

UKRAG F) FL195 G) FL460

A2717/26

TEMPO RNAV 1 ATS RTE Z864 ESTABLISHED AS CDR 3 AS FLW:

RIGIL MAG BRG 272/092 DEG 150.8 NM

GOLGU MAG BRG 328 DEG 41.1 NM

RIGIL TO GOLGU IS BIDIRECTIONAL

TACTICAL RTE FOR:

OVERFLIGHTS ENTERING EMIRATES FIR FROM MUSCAT FIR AT WAYPOINT

LUDID AND INTENDING TO EXIT TO JEDDAH FIR AT WAYPOINT RIBOT BY

JOINING ATS RTE M550 AT WAYPOINT GOLGU.

F) FL265 G) FL460

A2716/26

RNAV 1 ATS RTE T636 WB ESTABLISHED AS FLW:

VAVIM MAG BRG 231 DEG 11.6 NM 9500 FT/FL355

GESAX (240831N 0552620E) MAG BRG 193 DEG 15 NM 9500 FT/FL355

IMLON (235402N 0552202E) MAG BRG 193 DEG 11.6 NM FL165/FL355

KULMI (234245N 0551846E) MAG BRG 193 DEG 42 NM FL265/FL460

BUBUB (230146N 0550638E) MAG BRG 255 DEG 64 NM FL265/FL600

PEKEM FIR BOUNDARY

THIS APPLIES TO DEPARTURES FROM UAE AERODROMES INTENDING TO EXIT

EMIRATES FIR AT WAYPOINT PEKEM TO JEDDAH FIR.

TFC EXITING VIA MEMTU SHALL FPL VIA T636 KULMI DCT MEMTU

F) 9500FT AMSL G) FL600

A2715/26

ATS ROUTE L710 BTN UKRAG AND MEMTU **SUSPENDED** WITH IMMEDIATE EFFECT
DUE TO OPERATIONAL REASONS. USERS ARE ADVISED TO PLAN ALTERNATE
ROUTES.

A2714/26ATS ROUTE G783 BTN RIGIL AND VAVIM IS **AVBL** EB ONLY.

**A2713/26**

RNAV 1 ATS RTE Q601 WB ESTABLISHED AS FLW:
BUBUB (230146N 0550638E) MAG BRG 239 DEG 41 NM FL265/FL330
TANSU FIR BOUNDARY
THIS APPLIES TO ALL DEPARTURES FROM UAE AERODROMES INTENDING TO
EXIT EMIRATES FIR AT WAYPOINT TANSU TO JEDDAH FIR
F) FL265 G) FL330

A2712/26

RNAV 1 ATS RTE Y725 EB ESTABLISHED AS FLW:
ORNEL MAG BRG 164 DEG 9.4 NM 9500FT/FL355
IMLON (235402N 0552202E)
THIS APPLIES TO ALL DEPARTURES FROM OMAA, OMAD AND OMAL INTENDING
TO EXIT EMIRATES FIR AT WAYPOINT PEKEM BY JOINING ATS ROUTE T636
OR
TANSU BY JOINING ATS ROUTE T636 BUBUB Q601 TO JEDDAH FIR
F) 9500FT AMSL G) FL355

A2711/26

ATS RTE M318 BTN ATUDO AND GOLGU IS **AVBL** WB ONLY.
SPECIAL AUTHORIZATION REQUIREMENT **SUSPENDED** FOR USAGE OF ATS ROUTE
M318 (ATUDO-GOLGU SEGMENT) AND ATS ROUTE M550.
ALL UAE DEP INTENDING TO ENTER JEDDAH FIR SHOULD FPL M318 M550
RIBOT. REFER ENR 1.10.1.4, ENR 3.2 M318 AND ENR 3.2 M550.

00MM MUSCAT FIR

Please see section EXTENDED AREA AROUND DESTINATION



[Company NOTAM]

=====

CREW ALERT

SB007/14

SUBJECT: AUTO COST INDEXES

WHEN PLANNING A COST INDEX, 2 OPTIONS ARE AVAILABLE. PILOTS MAY EITHER SELECT A SPECIFIC COST INDEX NUMBER FROM THE LIST, OR THEY MAY SELECT "AUTO". WHEN PLANNING AN "AUTO" COST INDEX, THE SYSTEM WILL REFERENCE THE SCHEDULED "TIME ENROUTE" OPTION AND ATTEMPT TO CHOOSE A COST INDEX WHICH CLOSELY MATCHES THIS VALUE. NOTE THAT THE "TIME ENROUTE" OPTION IS MEANT AS A GATE TO GATE TIME (AS INDICATED ON AN AIRLINE'S FLIGHT SCHEDULE, FOR EXAMPLE). IF A "TIME ENROUTE" OF 2:30 IS SELECTED, THE SYSTEM WILL SUBTRACT THE TAXI TIMES FROM THIS VALUE TO DETERMINE THE SCHEDULED AIR TIME. IT WILL THEN DETERMINE AND USE THE COST INDEX WHICH MATCHES THIS AIR TIME.

SB003/13

SUBJECT: FLIGHT RELEASE UNITS

ALL FLIGHT CREW: PLEASE PAY SPECIAL ATTENTION TO THE UNITS SELECTION WHEN GENERATING A FLIGHT PLAN. FAILURE TO IDENTIFY THE CORRECT UNITS WHEN REFUELING PRIOR TO FLIGHT CAN RESULT IN DEPARTING WITH INSUFFICIENT FUEL AND/OR AN ERRONEOUS PAYLOAD.

=====

CREW BULLETIN


NIL

===== END OF LIDO-NOTAM-BULLETIN =====







- Not for real world navigation -




- Not for real world navigation -



- Not for real world navigation -



- Not for real world navigation -





End of Document: Total Number of Pages: 50