



[OFP]

KL4233 27AUG2026 EGBB-EHAM A20N DAFBW RELEASE 1049 27AUG26
OFP 1 BIRMINGHAM-SCHIPHOL
WX PROG 2709 2712 2715 OBS 2706 2706 2706

ATC C/S KLM4233 EGBB/BHX EHAM/AMS CRZ SYS CI 10
27AUG2026 DAFBW 1115/1135 1224/1232 GND DIST 269
FBW A32NX / LEAP-1A26 STA 1230 AIR DIST 269
CTOT:.... G/C DIST 239

MAXIMUM TOW 79000 LAW 67400 ZFW 64300 AVG WIND 180/024
ESTIMATED TOW 60609 LAW 58890 ZFW 56748 AVG W/C P001
AVG ISA P005
AVG FF KGS/HR 2098
FUEL BIAS P00.0
TKOF ALTN EGFF

ALTN EHEH
FL STEPS EGBB/0330/

DISP RMKS PLANNED OPTIMUM FLIGHT LEVEL

PLANNED FUEL

FUEL	ARPT	FUEL	TIME
TRIP	AMS	1719	0049
CONT 15 MIN		524	0015
ALTN	EIN	745	0025
FINRES		873	0030
MINIMUM T/OFF FUEL		3861	0159
EXTRA		0	0000
T/OFF FUEL		3861	0159
TAXI	BHX	230	0020
BLOCK FUEL	BHX	4091	
PIC EXTRA			
TOTAL FUEL			
REASON FOR PIC EXTRA			

FMC INFO:
FINRES+ALTN 1618
TRIP+TAXI 1949

NO TANKERING RECOMMENDED (P)

I HEREWITH CONFIRM THAT I HAVE PERFORMED A THOROUGH SELF BRIEFING
ABOUT THE DESTINATION AND ALTERNATE AIRPORTS OF THIS FLIGHT
INCLUDING THE APPLICABLE INSTRUMENT APPROACH PROCEDURES, AIRPORT
FACILITIES, NOTAMS AND ALL OTHER RELEVANT PARTICULAR INFORMATION.

DISPATCHER: ANGEL NEAL

PIC NAME: HERMIDA PAZ, IAGO

TEL: +1 800 555 0199

PIC SIGNATURE:



ALTERNATE ROUTE TO:					FINRES			873	
APT	TRK	DST	VIA		FL	WC	TIME	FUEL	
EHEH/21	156	78	LOPIK2R	LOPIK	LOPIK2E	070	M021	0025	745

MEL/CDL ITEMS DESCRIPTION

ROUTING:

ROUTE ID: DEF RTE

EGBB/33 UNGAP1M UNGAP P155 SIVDA P137 REDFA REDFA1A EHAM/06

DEPARTURE ATC CLEARANCE:

.
.
.

OPERATIONAL IMPACTS

WEIGHT CHANGE	UP	1.0	TRIP	P	0023	KGS	TIME	M	0000
WEIGHT CHANGE	DN	1.0	TRIP	M	0014	KGS	TIME	P	0000
FL CHANGE	UP	FL1	TRIP	M	0014	KGS	TIME	P	0000
FL CHANGE	DN	FL1	TRIP	P	0023	KGS	TIME	P	0000
FL CHANGE	DN	FL2	TRIP	P	0027	KGS	TIME	P	0002
SPD CHANGE	CI	0	TRIP	M	0018	KGS	TIME	P	0000
SPD CHANGE	CI	50	TRIP	P	0041	KGS	TIME	M	0001

-----
ATIS:.
.-----
RVSM: ALT SYS LEFT:

STBY:

RIGHT:

-----TIMES

	ESTIMATED	SKED	ACTUAL
OUT	1115Z/1215L	1115Z/1215L	Z
OFF	1135Z/1235L	1135Z/1235L	Z
ON	1224Z/1424L	1222Z/1422L	Z
IN	1232Z/1432L	1230Z/1430L	Z
BLOCK TIME	0117	0115	

-----WEIGHTS

	EST	MAX	ACTUAL	
PAX	137			
BAG/CARGO	2.7			
PAYLOAD	14.2			
ZFW	56.7	64.3		
FUEL	4.1	12.6		POSS EXTRA 8.5
TOW	60.6	69.1	LDG.....	
STAB TRIM				
LAW	58.9	67.4		

-----TERRAIN CLEARANCE CHECK

DD CHECK - TERRAIN CLEARANCE CHECK DISABLED

DP CHECK - TERRAIN CLEARANCE CHECK DISABLED



FLIGHT LOG

MOST CRITICAL MORA 02600 FEET AT BBN31///MXSHR 04 AT TOC

AWY POSITION IDENT FREQ	LAT LONG	EET TTLT	ETO ATO	FL MORA DIS	IMT ITT RDIS	MN TAS GS	WIND COMP SHR	OAT TDV TRP	EFOB AFOB	PBRN ABRN
BIRMINGHAM EGBB	N5227.2 W00144.9	...	...	25	326 325 269	282	P012		3.9	0.2
UNGAP1M BBN31 BBN31	N5229.5 W00147.4	0001 0001	...	044 26 5	061 061 264	.40 282	177/014 P012	13 P07 363	3.7	0.4
UNGAP1M BBE21 BBE21	N5231.8 W00140.3	0001 0002	...	084 26 5	135 135 259	.44 298	182/022 P011	04 P06 371	3.6	0.5
UNGAP1M BBE20 BBE20	N5227.7 W00133.7	0002 0004	...	123 25 6	135 135 253	.57 351	173/019 M015	M03 P07 363	3.5	0.6
UNGAP1M UNGAP UNGAP	N5221.5 W00123.6	0001 0005	...	168 26 9	089 089 244	.62 382	175/018 M014	M10 P09 366	3.3	0.8
P155 EBOTO EBOTO	N5221.6 W00041.7	0005 0010	...	264 23 26	089 090 218	.76 449	126/020 M016	M32 P06 366	3.0	1.1
P155 BANTO BANTO	N5221.5 W00014.0	0002 0012	...	302 21 17	090 090 201	.78 445	085/017 M017	M42 P03 364	2.9	1.2
P155 SIVDA SIVDA	N5221.4 E00001.8	0001 0013	...	321 22 10	097 098 191	.78 435	100/022 M022	M47 P02 364	2.8	1.3
P137 T O C	N5220.6 E00009.9	0001 0014	...	330 23 5	099 098 186	.78 454 430	104/024 M024	M50 P01 364	2.8	1.3
P137 T O D	N5208.0 E00218.8	0011 0025	...	330 20 80	100 099 106	.71 417 419	193/036 P002	M48 P03 367	2.5	1.6
P137 REDFA REDFA	N5206.9 E00229.3	0002 0027	...	307 20 7	058 059 99	.78 454	181/036 M006	M44 P02 367	2.4	1.6
AMSTERDAM FIR -EHAA	N5206.8 E00229.2	0000 0027	...	0	99					



AWY POSITION IDENT FREQ	LAT LONG	EET TTLT	ETO ATO	FL MORA DIS	IMT ITT RDIS	MN TAS GS	WIND COMP SHR	OAT TDV TRP	EFOB AFOB	PBRN ABRN
REDFA1A				175	075	.63	204/032	M10	2.4	1.7
SULUT	N5226.9	0007	...	20	076		P026	P10		
SULUT	E00325.3	0034	...	40	59	428		373		
REDFA1A				106	112	.55	179/024	02	2.3	1.8
SUGOL	N5231.5	0004	...	21	113		P005	P08		
SUGOL	E00358.0	0038	...	21	38	363		373		
REDFA1A									2.1	1.9
SCHIPHOL	N5218.5	0011	...							
EHAM	E00445.9	0049	...	38						

-----
WIND INFORMATION

CLIMB			T O C			T O D			DESCENT
350	131/024	-52	370	168/027	-52	370	201/041	-51	350 200/038 -50
310	094/019	-44	350	128/024	-52	350	199/038	-50	310 182/036 -44
200	162/021	-17	330	104/024	-50	330	193/036	-48	200 204/033 -16
150	178/018	-07	310	091/019	-44	310	182/036	-44	150 210/030 -05
100	193/023	+01	290	101/017	-39	290	180/036	-40	100 192/024 +04



[ATC Flight Plan]

ICAO FLIGHT PLAN

FF EGTTZQZX EHAAZQZX
271049 CYULSBFP
(FPL-KLM4233-IS
-A20N/M-SDE2E3FGHIRWXY/LB1
-EGBB1115
-N0417F330 UNGAP1M UNGAP P155 SIVDA P137 REDFA REDFA1A
-EHAM0039 EHEH
-PBN/A1B1C1D101S2 DOF/260827 REG/DAFBW EET/EHAA0027 OPR/KL PER/C
TALT/EGFF RMK/TCAS)



[Additional Info]

D I S P A T C H B R I E F I N G I N F O KL4233 EGBB/EHAM

**[Runway Analysis]**

TAKEOFF AND LANDING REPORT KL 4233 EGBB-EHAM 27AUG26
TLR-1 SEQ-184163829 27AUG26 1049Z
A/C D-AFBW FBW A32NX LEAP-1A26 BEW/CG 42500/.....

/// TAKEOFF DATA ///

APT	PRWY	POAT	PWIND	PQNH	PMRTW	FLP	MT	V1	VR	V2	PTOW	MFPTW	LIMIT
EGBB	33	18.0	060M05	1009	7900	1	72	37	42	43	6061	6912	AFM

RMKS FLEX - SEL TEMP 72
BLEEDS ON
WET RUNWAY

RWY	OAT	WIND	QNH	MRTW	FLP	V1	VR	V2	PWR	CONFIG/CONDITION
-----	-----	------	-----	------	-----	----	----	----	-----	------------------

----- ACARS RUNWAYS -----										
RWY	ACARS	LENGTH	PMTOW	NOTES						
15		9856	7900	ILS 110.10						
33		9856	7900	ILS 110.10						

----- WET RWY - PTOW - CALM WIND -----										
RWY	MTOW	MT	CONFIG	FLP	V1	VR	V2	LIMIT		
15	7900	71	FLEX - BLEEDS ON	1	136	139	140	AFM		
33	7900	72	FLEX - BLEEDS ON	1	137	142	143	AFM		

----- WET RWY - PTOW PLUS 2000 - CALM WIND -----										
RWY	MTOW	MT	CONFIG	FLP	V1	VR	V2	LIMIT		
15	7900	68	FLEX - BLEEDS ON	1	137	140	141	AFM		
33	7900	68	FLEX - BLEEDS ON	1	139	141	142	AFM		

----- DRY RWY - PTOW - CALM WIND -----										
RWY	MTOW	MT	CONFIG	FLP	V1	VR	V2	LIMIT		
15	7900	72	FLEX - BLEEDS ON	1	142	142	143	AFM		
33	7900	72	FLEX - BLEEDS ON	1	142	142	143	AFM		

----- DRY RWY - PTOW PLUS 2000 - CALM WIND -----										
RWY	MTOW	MT	CONFIG	FLP	V1	VR	V2	LIMIT		
15	7900	69	FLEX - BLEEDS ON	1	143	143	144	AFM		
33	7900	69	FLEX - BLEEDS ON	1	143	143	144	AFM		

/// LANDING DATA ///

APT	PRWY	POAT	PWIND	PQNH	PMRLW	FLP	PLDW	LIMIT
EHAM	06	22.0	088M08	1009	6740	FULL	5889	AFM

RMKS NONE

RWY	OAT	WIND	QNH	MRLW	FLP	VREF	PWR	CONFIG/CONDITION
-----	-----	------	-----	------	-----	------	-----	------------------



----- ACARS RUNWAYS -----				
RWY	ACARS	LENGTH	PMRLW	NOTES
04		6627	6740	
06		10482	6740	ILS 110.55
09		11034	6740	
18C		10827	6740	ILS 109.50
18L		9268	6740	
18R		11581	6740	ILS 110.10
22		6627	6740	ILS 109.15
24		11283	6740	
27		11329	6740	ILS 111.55
36C		9350	6740	ILS 108.75
36L		12467	6740	
36R		9268	6740	ILS 111.95

----- FLAPS FULL - PACKS ON - NO ENROUTE ICING -----									
DRY RWY / WET RWY									
	04		06		09		18C		
OAT	6627 FT		10482 FT		11034 FT		10827 FT		
17	6740A/6740A		6740A/6740A		6740A/6740A		6740A/6740A		
/ 22	6740A/6740A		6740A/6740A		6740A/6740A		6740A/6740A		
27	6740A/6740A		6740A/6740A		6740A/6740A		6740A/6740A		
HW/10KT	0/ 0		0/ 0		0/ 0		0/ 0		
TW/10KT	0/ 0		0/ 0		0/ 0		0/ 0		
	18L		18R		22		24		
OAT	9268 FT		11581 FT		6627 FT		11283 FT		
17	6740A/6740A		6740A/6740A		6740A/6740A		6740A/6740A		
/ 22	6740A/6740A		6740A/6740A		6740A/6740A		6740A/6740A		
27	6740A/6740A		6740A/6740A		6740A/6740A		6740A/6740A		
HW/10KT	0/ 0		0/ 0		0/ 0		0/ 0		
TW/10KT	0/ 0		0/ 0		0/ 0		0/ 0		
	27		36C		36L		36R		
OAT	11329 FT		9350 FT		12467 FT		9268 FT		
17	6740A/6740A		6740A/6740A		6740A/6740A		6740A/6740A		
/ 22	6740A/6740A		6740A/6740A		6740A/6740A		6740A/6740A		
27	6740A/6740A		6740A/6740A		6740A/6740A		6740A/6740A		
HW/10KT	0/ 0		0/ 0		0/ 0		0/ 0		
TW/10KT	0/ 0		0/ 0		0/ 0		0/ 0		

----- LANDING DISTANCE - FLAPS FULL - MAX MANUAL BRAKING -----					
		ACTUAL		FACTORED	
LDW	VREF	DRY	WET	DRY	WET
5700	126	2693	3509	3664	4603
5800	128	2724	3549	3715	4664
/ 5900	129	2755	3590	3766	4726
6000	130	2786	3631	3817	4788
6100	131	2825	3681	3877	4862
HW/KT		-17	-21	-19	-25
TW/KT		49	65	78	95

END TAKEOFF AND LANDING REPORT KL 4233 EGBB-EHAM 27AUG26

**[Airport WX List]**

EGBB --> EHAM KL 4233 / 27AUG2026
LIDO/WEATHER SERVICE DATE : 27Aug2026 TIME : 10:49 UTC

AIRMETs:

No Wx data available

SIGMETs:

EGTT LONDON FIR/UIR
WS SIGMET 04 VALID 270900/271100 EGRR- EGTT LONDON FIR
EMBD TS FCST WI N5220 W00530 - N5325 W00530 - N5326
W00001 - N5226 E00248 - N5130 E00200 - N5107 E00200 -
N5100 E00128 - N5040 E00128 - N5025 E00048 - N5106
W00155 - N5144 W00207 - N5125 W00712 - N5220 W00530
TOP FL350 MOV N 10KT NC=

Tropical Cyclone SIGMETs:

No Wx data available

Volcanic Ash SIGMETs:

No Wx data available

Departure:

EGBB/BHX BIRMINGHAM

SA 271020 06005KT 2600 RA BKN005 OVC018 18/17 Q1009
FT 270651 2706/2806 06005KT 9999 FEW045
TEMPO 2706/2713 BKN008
TEMPO 2706/2721 6000 SHRA RA
PROB40 TEMPO 2706/2711 2500 +RA +TSRAGR BKN004
BKN030CB
PROB30 TEMPO 2713/2720 2500 +SHRA +TSRAGR
BECMG 2721/2724 25010KT
PROB30 TEMPO 2721/2801 6000 SHRA RA
PROB30 TEMPO 2801/2806 8000 BKN014

Destination:

EHAM/AMS SCHIPHOL

SA 271025 09008KT 060V120 9999 FEW029 22/16 Q1009 TEMPO FM1100
6000 SHRA SCT070CB
FT 270430 2706/2812 09010KT CAVOK
PROB30 TEMPO 2710/2713 16013KT 6000 SHRA TSRA SCT070CB
BECMG 2712/2715 23010KT
BECMG 2715/2718 VRB02KT
TEMPO 2720/2724 5000 SHRA TSRA FEW012 SCT060CB
PROB30 TEMPO 2721/2723 22015G25KT 2500 +TSRAGR FEW008
SCT012
BKN045CB
BECMG 2800/2803 21008KT
PROB30 2802/2807 6000 BKN006
PROB30 TEMPO 2811/2812 22015G25KT 5000 SHRA TSRA
FEW020CB BKN022



Departure Alternate:

EGFF/CWL CARDIFF

SA 271020 AUTO 11008KT 070V140 9999 SCT008 BKN016 21/19 Q1007
FT 270620 2706/2806 07010KT 9999 SCT025
TEMPO 2706/2712 6000 SHRA RA BKN012
PROB40 TEMPO 2706/2710 4000 BR BKN005
PROB30 TEMPO 2706/2710 1400 +SHRA +TSGS
BECMG 2707/2710 13007KT
PROB30 TEMPO 2710/2718 3000 +SHRA
BECMG 2712/2715 28010KT
PROB30 TEMPO 2718/2806 6000 SHRA BKN014

Destination Alternates:

EHEH/EIN EINDHOVEN

SA 271025 AUTO 10007KT 030V140 9999 SCT085 OVC320 24/17 Q1009
BLU NOSIG RMK TREND REMOTE BY EHWX
FT 270532 2706/2812 08005KT CAVOK
BECMG 2708/2710 12006KT
BECMG 2712/2714 22007KT
TEMPO 2720/2724 21015G25KT 4000 TSRA FEW008 SCT012
SCT050CB
PROB30 TEMPO 2720/2723 21015G35KT 2000 +TSRAGR FEW005
SCT008
BKN040CB
TEMPO 2800/2802 SCT008 SCT050CB
PROB40 TEMPO 2802/2806 SCT006 BKN010
BECMG 2810/2812 22010KT

AIRPORTLIST ENDED



[NOTAM]

LIDO-NOTAM-BULLETIN INCLUDES NOTAM, COMP NOTAM AND AIP-REGULATION
VALID: 2608271115 - 2608271557 STD(EOBT)+TRIP+ALTN+3HRS
KL 4233 /27AUG OFP-NR: 1
ROUTE: EGBB - EHAM ALTN: EHEH
N0417F330 UNGAP1M UNGAP P155 SIVDA P137 REDFA REDFA1A

=====

DEPARTURE AIRPORT - DETAILED INFO

=====

EGBB/BHX BIRMINGHAM

+++++ AIRPORT +++++

J2447/26

0400-2100

RESTRICTED AREA (TEMPORARY) INSTALLED FOR UAS ONLY (SUTTON
COLDFIELD, BIRMINGHAM). WI AREA BOUNDED BY 523407N 0014354W -
523407N 0014326W - 523352N 0014326W - 523327N 0014341W -
523313N 0014417W - 523322N 0014444W - 523407N 0014354W.

DOES NOT APPLY TO ANY UAS FLYING IN ACCORDANCE WITH EXCEPTIONS
STATED IN THE BRIEFING SHEET. BFS 096/2026, WITH CHART REFERS.

FURTHER DETAILS WWW.NATS.AERO/AIS. RESTRICTION OF FLYING
REGULATIONS MADE UNDER ARTICLE 239 OF AIR NAV ORDER 2016.

AR-2026-4323/01.

F) SFC G) 1300FT AMSL

C5467/26

METAL PLATE ON TWY E, SOUTH OF E7

C5212/26

LIT CRANE OPR 522755N 0014237W (61 DEG MAG 2861M FM BIRMINGHAM
ARP) MAX HGT 180FT AGL/511FT AMSL

C4997/26

FIXED WING AIRCARFT GROUPS 1 - 3 (MTOW 2000KG AND UNDER) NOT
ACCCEPTED. HEL REMAIN PERMISSABLE. EMERGENCY ACFT EXEMPT

J2265/26

0600-2200

TEMPO **DANGER** AREA (TDA) EGD289A INSTALLED WI 1.65NM RADIUS OF
523022N 0015244W (ASTON, BIRMINGHAM). BEYOND VISUAL LINE OF SIGHT
(BVLOS) UAS OPS CONTAINED WHOLLY WI THE TDA. MAX HGT 400FT AGL.
EMERG SERVICES ACFT MAY ENTER THE AIRSPACE IN ACCORDANCE WITH
LOCAL DECONFLICTION AGREEMENTS. OPEN AND SPECIFIC **CAT** VLOS UAS
OPS ARE PERMITTED WI THE TDA WITHOUT PRIOR APPROVAL OR
DECONFLICTION. OTHER NON-STANDARD FLIGHT, FLIGHT RESTRICTION ZONE
OR CONTROLLED AIRSPACE APPROVALS MUST BE OBTAINED. OPERATORS ARE
REMINDED OF THEIR RESPONSIBILITY UNDER CAP722 5.2.2.3 REGARDING
OPR IN CLOSE PROXIMITY TO AN EMERG RESPONSE EFFORT. FOR INFO
AROPS(AT)CAA.CO.UK. AR-2026-2313/04.

F) SFC G) 900FT AMSL

C4583/26

METAL PLATE ON TWY V, WEST OF V2 ABEAM STAND 56

C4432/26

METAL PLATE ON TWY V, WEST OF V2 ABEAM STAND 57C

C4154/26

METAL PLATE ON TWY D AND TWY E ON TWY TURN BTN D3 AND E6 SOUTH OF
CENTERLINE

C4153/26

METAL PLATE ON TWY W, SOUTH OF CENTERLINE ABEAM STAND 41C

**C3772/26**

LIT CRANE OPR PSN 522749N 0014236W (65 DEG MAG 2801M FM BIRMINGHAM ARP) MAX HGT 164FT AGL / 495FT AMSL

C3775/26

LIT CRANE OPR 522806N 0014237W (56 DEG MAG 3018M FM BIRMINGHAM ARP)
MAX HGT 164FT AGL / 495FT AMSL

C3771/26

LIT CRANE OPR PSN 522754N 0014234W (62 DEG MAG 2910M FM BIRMINGHAM ARP) MAX HGT 182FT AGL / 505FT AMSL.

C3808/26

LIT CRANE OPR 522848N 0014259W (81 DEG MAG 3624 FM BIRMINGHAM ARP)
MAX HGT 147FT AGL / 479FT AMSL

+++++ RUNWAY +++++

C5092/26

INSTR RVR **RWY 33** TOUCHDOWN / STOPEND **RWY 15** U/S

+++++ APPROACH PROCEDURES +++++

C3735/26

INSTRUMENT APPROACH CHART - ILS/DME/NDB(L) **RWY 33** AMEND OUTBOUND
HOLD HEADING AT MAPLE TO READ 145 DEG. UK AIP **AD 2.EGGB-8-5**
REFERS.

=====

DESTINATION AIRPORT - DETAILED INFO

=====

EHAM/AMS SCHIPHOL

+++++ AIRPORT +++++

A2015/26

1600-0400

CHANGE OF OPERATING MINIMA OCA(OCH) **RWY 27** DUE TO CRANE. **ILS CAT I**
CAT A-DL INCREASED TO: **CAT A** 150 (163), **CAT B** 162 (175), **CAT C** 170
(183), **CAT D** 181 (194), **CAT DL** 181 (194). **ILS CAT II CAT C-DL**
INCREASED TO: **CAT C** (104), **CAT D** (118), **CAT DL** (118).
REF AIP NETHERLANDS AD.2 EHAM 13 IAC **ILS CAT II** AND **III** OR
LOC RWY 27.

A2018/26

MON-FRI 0500-1500

REF AIP NETHERLANDS **AD 2.EHAM-AOC-TYPE A RWY 18C-36C.**

CRANE ERECTED AT PSN 521700.1N 0044411.0E, 2000M BEYOND TORA **RWY**
18C ON EXT D RCL, 138FT AMSL, MARKED AND LGTD.

A2016/26

MON-FRI 0500-1500

CHANGE OF OPERATING MINIMA OCA(OCH) **RWY 06** DUE TO CRANE.
LPV ACFT **CAT A** INCREASED TO 270(281), **CAT B** INCREASED TO 279(290),
CAT C INCREASED TO 289(300), **CAT D-DL** INCREASED 299(310).
REF AIP **AD 2.EHAM** IAC RNP **RWY 06.**

A2017/26

MON-FRI 0500-1500

CHANGE OF OPERATING MINIMA OCA(OCH) **RWY 36C** DUE TO CRANE.
LOC ACFT **CAT A-DL** INCREASED TO 384(396).

REF AIP **AD 2 EHAM** IAC **ILS CAT II** AND **III** OR **LOC RWY 36C.**

A1876/26

TWY A19 BTN STAND G9 AND STAND G7 **CLSD.**

**A1878/26**

AD NOT AVBL AS COMMERCIAL ALTERNATE.

A1881/26

TWY A19, ONLY ACFT WITH A MAX WINGSPAN OF 36M ALLOWED.
ALL INBOUND AND OUTBOUND ACFT SHALL FOLLOW MARSHALLER
INSTRUCTIONS.

A1938/26

TWY A19 CENTRE LINE LIGHTS **U/S**. IF RVR 350M OR LESS, ACFT SHALL
BE GUIDED BY A MARSHALLER.

A1974/26

CHANGE OF CIRCLING MINIMA OCA(OCH) DUE TO CRANE. **CAT A** AND **B**
INCREASED TO 916(927), **CAT C** AND **D** AND **DL** INCREASED TO 1014(1025).

A1975/26

CHANGE OF OPERATING MINIMA OCA(OCH) **RWY 18C** DUE TO CRANE.

LOC ACFT **CAT A-DL** INCREASED TO 867(877).

LNAV ACFT **CAT A-DL** INCREASED TO 823(834).

REF AIP **AD IAC ILS CAT II** AND **III** OR **LOC RWY 18C** AND **IAC RNP RWY 18C**.

A1976/26

CRANE ERECTED AT PSN 522518.7N 0044602.7E, TRUE BEARING FROM
ARP 002DEG AND DISTANCE 12550M. 621FT AMSL, MARKED AND LGTD.

A1991/26

TWY A AND **TWY B** BTN **TWY A24** AND **TWY A25** ACFT WITH WINGSPAN MORE
THAN 69M MUST BE GUIDED BY MARSHALLER.

A1985/26

MON-FRI 0500-1500

CRANE ERECTED AT PSN 521804.8N 0044737.4E. 541M BEYOND THR 04 AND
270M RIGHT OF RCL, 138FT AMSL, MARKED AND LGTD.

A1973/26

MON-FRI 0500-1600

CHANGE OF OPERATING MINIMA OCA(OCH) **RWY 27** DUE TO CRANE. **ILS CAT I**
CAT A-DL INCREASED TO: **CAT A** 150 (163), **CAT B** 162 (175), **CAT C** 170
(183), **CAT D** 181 (194), **CAT DL** 181 (194). REF AIP **EHAM AD 2.24 IAC**
ILS CAT II AND **III** OR **LOC RWY 27**.

A1971/26

MON-FRI 0500-1600

MOBILE CRANE BTN PSN 521904.8N 0044811.6E AND 521903.1N
0044809.2E, BTN 428M AND 380M BEFORE THR **RWY 27** AND BTN 66M AND
114M LEFT OF EXTD RCL, 320M BEYOND TODA **RWY 09**, 20FT AMSL. REF AIP
EHAM AD 2.24 AOC TYPE A RWY 09-27.

A1955/26

MON-FRI 0500-1500

CHANGE OF OPERATING MINIMA OCA(OCH) **RWY 22** DUE TO CRANE.

ILS CAT I ACFT **CAT A-D** INCREASED TO:

CAT A 184 (198), **CAT B** 196 (210),

CAT C 205 (218), **CAT D** 215 (228).

REF AIP **AD 2** **EHAM IAC ILS** OR **LOC RWY 22**.

A1954/26

MON-FRI 0500-1500

CHANGE OF OPERATING MINIMA OCA(OCH) **RWY 04** DUE TO CRANE.

RNP LPV CAT A-D INCREASED TO:

CAT A 254 (267), **CAT B** 267 (280),

CAT C 275 (288), **CAT D** 285 (298).

REF AIP **AD2**. **EHAM IAC RNP RWY 04**.

A1899/26

CHANGE OF OPERATING MINIMA OCA(OCH) **RWY 27** DUE TO CRANE. **ILS CAT I**
CAT A-DL INCREASED TO: **CAT A** 150 (163), **CAT B** 162 (175), **CAT C** 170
(183), **CAT D** 181 (194), **CAT DL** 181 (194). **ILS CAT II CAT C-DL**
INCREASED TO: **CAT C** (104), **CAT D** (118), **CAT DL** (118). REF AIP
EHAM AD 2.13 IAC ILS CAT II AND **III** OR **LOC RWY 27**.

**A1898/26**

MOBILE CRANE ERECTED BTN PSN 521848.3N 0044753.6E, 521901.4N 0044812.4E, 521904.1N 0044807.5E AND 521857.0N 0044757.3E.
BTN 268M BEFORE AND 273M BEYOND END **RWY 04** AND 200M LEFT OF RCL.
BTN 144M AND 349M BEYOND END **RWY 09** AND BTN 291M AND 83M RIGHT OF
EXTD RCL, 251M BEYOND TODA **RWY 09**, 20FT AMSL.
CLOSE-IN OBST FOR IFR DEP **RWY 04** AND **RWY 09**.
REF AIP **AD 2** EHAM 5 AOC, AOC TYPE A **RWY 09-27**.
REF AIP **AD 2** EHAM 9 SID, SID **RWY 04** AND SID **RWY 09**.

A1897/26

CHANGE OF OPERATING MINIMA OCA(OCH) **RWY 22** DUE TO CRANE. **ILS CAT**
A-D INCREASED TO: **CAT A** 157 (171), **CAT B** 169 (183), **CAT C** 177
(191), **CAT D** 188 (202). **ILS CAT H** INCREASED TO: **CAT H** 142 (156).
REF AIP EHAM **AD 2.13** IAC **ILS** OR **LOC RWY 22** AND IAC **ILS** OR **LOC RWY**
22 CAT H.

A1707/26

MON-FRI 0400-1600
CRANE ERECTED BTN PSN 521914.3N 0044618.0E AND 521911.9N
0044607.5E, BTN 1703M AND 1907M BEYOND THR **RWY 27** AND BTN 345M AND
282M RIGHT OF RCL. 91FT AMSL, MARKED AND LGTD.

A1708/26

MON-FRI 0400-1600
CHANGE OF OPERATING MINIMA OCA(OCH) **RWY 27** DUE TO CRANE. **ILS CAT I**
CAT A-DL INCREASED TO: **CAT A** 144 (156), **CAT B** 156 (168), **CAT C** 164
(176), **CAT D** 175 (187), **CAT DL** 175 (187). REF AIP EHAM **AD 2** IAC
ILS II AND **III** OR **LOC RWY 27**.

A1822/26

CHANGE OF OPERATING MINIMA OCA (OCH) **RWY 24** LPV ACFT
CAT A INCREASED TO 363 (374)
CAT B INCREASED TO 375 (386)
CAT C INCREASED TO 394 (405)
CAT D-DL INCREASED TO 421 (432)
REF AIP NETHERLANDS **AD 2** EHAM IAC RNP **RWY 24**.

A1821/26

CHANGE OF OPERATING MINIMA OCA (OCH) **RWY 09** LPV ACFT
CAT A INCREASED TO 345 (357)
CAT B INCREASED TO 357 (369)
CAT C INCREASED TO 376 (388)
CAT D-DL INCREASED TO 403 (415)
REF AIP NETHERLANDS **AD 2** EHAM IAC RNP **RWY 09**.

A1820/26

CHANGE OF OPERATING MINIMA OCA (OCH) **RWY 04** LPV ACFT
CAT A INCREASED TO 364 (377)
CAT B INCREASED TO 376 (389)
CAT C INCREASED TO 395 (409)
CAT D INCREASED TO 423 (436)
REF AIP NETHERLANDS **AD 2** EHAM IAC RNP **RWY 04**.

A1628/26

CL LGHTS **TWY Z** BTN STOPBAR Z1 AND **TWY B U/S**. MARSHALLER GUIDANCE
REQUIRED IF RVR 350M OR LESS.

A1543/26

MON-FRI 0500-1500
REF AIP NETHERLANDS **AD 2**.EHAM-AOC-TYPE A **RWY 18C-36C**.
CRANE ERECTED AT PSN 521700.1N 0044411.0E, 2000M BEYOND TORA **RWY**
18C ON EXTD RCL, 138FT AMSL, MARKED AND LGTD.

A1542/26

MON-FRI 0500-1500
CHANGE OF OPERATING MINIMA OCA(OCH) **RWY 06** DUE TO CRANE.
LPV ACFT **CAT A** INCREASED TO 270(281), **CAT B** INCREASED TO 279(290),
CAT C INCREASED TO 289(300), **CAT D-DL** INCREASED 299(310).
REF AIP **AD 2**.EHAM IAC RNP **RWY 06**.

**A1541/26**

MON-FRI 0500-1500

CHANGE OF OPERATING MINIMA OCA(OCH) **RWY 36C** DUE TO CRANE.**LOC** ACFT **CAT A-DL** INCREASED TO 384(396).REF AIP **AD 2** EHAM IAC **ILS CAT II** AND **III** OR **LOC RWY 36C**.**A1500/26**

ACFT TOWED BY A YELLOW-COLOURED TOW TRUCK EQUIPPED WITH ANTI-COLLISION LIGHTS IS UNDER THE PILOTS COMMAND AND REFERRED TO BY ATC AS TAXITOW. RIGHT-OF-WAY IN ACCORDANCE WITH TAXIING ACFT IS APPLICABLE.

A1427/26

START OF CONSTRUCTION PHASE 26.1. SEVERAL **TWYS**, ACFT STANDS AND HOLDING POSITIONS **CLSD**. FOR DETAILS SEE AIP SUP 30/2025.

A1263/26**TWY A4W** BTN STAND B15 AND STAND B23 **CLSD**.**A1379/26****TWY** CENTRE LINE LIGHTS **TWY A4W** BTN ACFT STAND B15 AND B27 **U/S**,**TWY** CENTRE LINE LIGHTS **TWY A4E** BTN ACFT STAND C6 AND C10 **U/S**,

MARSHALLER GUIDANCE REQUIRED IF RVR 350M OR LESS.

A1404/26

TURN FROM **TWY A** TO **TWY A15** AND TURN FROM **TWY A15** TO **TWY A** PROHIBITED IF DISTANCE BTN OUTSIDE EDGES OF THE ACFT MAIN GEAR WHEELS IS 9M OR MORE.

A3004/25

TWY A BTN **TWY A28** AND **TWY A29** ACFT WITH WINGSPAN MORE THAN 69M MUST BE GUIDED BY MARSHALLER.

+++++ SID ++++++

A1330/26

CORRECT WPT AM096 COORDINATE ON CHART TO READ 521626.65N

0044022.06E

REF AIP AIRAC AMDT 06/2026 WEF 11 JUN 2026, EHAM **AD 2** SID 24 WEST RF.

+++++ APPROACH PROCEDURES ++++++

A1972/26

MON-FRI 0500-1600

ILS CAT II/III OPS **RWY 27** **NOT AVBL** DUE TO CRANE PENETRATINGOBSTACLE FREE ZONE. REF AIP **AD 2** EHAM 13 IAC **ILS CAT II** AND **III** OR**LOC RWY 27**.**A1731/26****ILS RWY 36C** DOWNGRADED TO I/C1/1 (SUPPORTS **CAT I** OPERATIONS).

=====

DEPARTURE ALTERNATE AIRPORT - DETAILED INFO

=====

EGFF/CWL **CARDIFF**

+++++ AIRPORT ++++++

A3182/26

ATC UNABLE TO RECEIVE NOTAM DUE COPPERCHASE ISSUE. IF REQUIRED CTC ATC ON 01446 712562



=====

DESTINATION ALTERNATE AIRPORT(S)

=====

EHEH/EIN EINDHOVEN

+++++ AIRPORT +++++

A1442/26

CHANGE OF OPERATING MINIMA OCA(OCH) RNP Y **RWY 21** DUE TO CRANE.

LNAV ACFT **CAT A-D** INCREASED TO 520(453).

LNAV/VNAV **CAT A-D** INCREASED TO:

CAT A 401(334), **CAT B** 413(346),

CAT C 421(354), **CAT D** 432(365)

REF AIP **AD 2.EHEH 2.24 IAC CDO APPROACHES RNP Y RWY 21.**

A1279/26

ADS-B DATA FOR ECRA (EUROPEAN CONNECTED REGIONAL AIRPORTS
PROGRAMME) OPERATIONS. 1.1.IN ORDER TO COOPERATE WITH ADS-B
RECEIVER USED BY AIRPORT OPERATOR AND EUROCONTROL FOR USE OF THE
ECRA

PROGRAMME AT EINDHOVEN AIRPORT,PILOTS OF MODE S EQUIPPED ACFT WITH
ADS-B FUNCTIONALITIES WHEN OPERATING ON THE GROUND SHALL: A)SELECT
AUTO MODE AND THE ASSIGNED MODE A CODE OR B)IF AUTOMODE IS NOT
AVAILABLE, SELECT ON (E.G.XPDR) AND THE ASSIGNED MODE A CODE.

-FROM THE REQUEST FOR TOWER PUSH-BACK OR TAXI,WHICHEVER IS EARLIER

-AFTER LANDING,CONTINUOUSLY UNTIL THE ACFT IS FULLY PARKED IN ITS
STAND. -WHEN THE ACFT IS FULLY PARKED, FLT CREW SHALL SELECT STBY.

1.1.2.WHENEVER THE ACFT IS CAPABLE OF REPORTING ACFT

IDENTIFICATION (I.E.CALLSIGN USED IN FLT), THIS SHOULD BE ENTERED
(THROUGH THE FMS OR THE TRANSPONDER CONTROL PANEL) AT THE TIME OF
THE REQUEST FOR

TOWED PUSH-BACK OR TAXI, WHICHEVER IS EARLIER. 1.1.3.AIR CREW MUST
USE THE ICAO DEFINED FORMAT TO ENTER THE ACFT IDENTIFICATION.

1.1.4.TO ENSURE THAT THE PERFORMANCE OF SYSTEMS BASED ON SSR FREQ
(INCLUDING AIRBORNE TCAS AND SSR RADARS) IS NOT COMPROMISED, TCAS
SHOULD NOT BE SELECTED BEFORE RECEIVING CLEARANCE TO LINE UP, AND
SHOULD BE DESELECTED AFTER VACATING THE **RWY**.

M2650/26

CRANE ERECTED AT EHEH PSN 512726N 0052326E (EHEH ARP RDL055
0.74NM) ELEVATION 238FT AMSL (HEIGHT 164FT AGL). ICAO MARKED AND
LIGHTED.)

=====

EXTENDED AREA AROUND DEPARTURE

=====

EGTT LONDON FIR/UIR

+++++ FIR/UIR +++++

H5294/26

SEARCHLIGHT DISPLAY WI 0.15NM RADIUS OF 535129N 0025235W (GREAT
ECCLESTON). FOR INFO 07487 892336 / 07929 455574. AR-2026-7560/01.
F) SFC G) UNL

**H5326/26**

1330-0230

TACTICAL LANDINGS. MIL ACFT WILL CONDUCT TACTICAL LANDINGS WI 5NM RADIUS OF 510514N 0040901W (CHIVENOR). FOR INFO 07812 705717.

AR-2026-7577/01.

F) SFC G) 5900FT AMSL

B1331/26 VALID: 26-AUG-26 0800 - 27-AUG-26 1500

0800-1500

GNSS (GPS) SIGNAL AND RADIO FREQUENCY JAMMING. JAMMERS LOCATED WI 1NM RADIUS PSN 520204N 0033644W (BLAENDYRYN). ACTIVITY MAY AFFECT ACFT WI 6NM SFC TO 41700FT AMSL OR ABOVE (ALL DIRECTIONS). MAY ALSO AFFECT AIRBORNE ELECTRONIC SITUATIONAL AWARENESS DEVICES AND UAS CONTROL. GNSS (GPS) RECEIVERS MAY SUFFER INTERMITTENT / TOTAL FAILURE OR GIVE INCORRECT POSITION INFO. SOME ELECTRONIC SITUATIONAL AWARENESS DEVICES AND UAS SYSTEMS MAY SUFFER INTERMITTENT / TOTAL FAILURE OR GIVE INCORRECT NOTIFICATION. FOR INFO / CEASE JAMMING 07980 151154 / 07807 748680 AR-2026-6876/01.

B1407/26

MARHAM AMENDED LOWER AIRSPACE RADAR SERVICE HOURS

25 0745-1630

26 0745-1600

27 0745-1700

28 0800-1500

B1397/26

MARHAM LOWER AIRSPACE RADAR SERVICE HOURS

24 1420-1515

25 0745-1630

26 0830-1600

27 0745-1700

28 0800-1500

B1385/26

YEOVILTON LOWER AIRSPACE RADAR SERVICE AMENDED HR OF OPR

MON-THU 0900-1600

FRI 0830-1300

H5242/26

MULTIPLE FAST JET ACFT WILL OPR FIGHTER CTL TRAINING

NON-SEGREGATED WI 4 AREAS BOUNDED BY:

AREA 1: 510118N 0043133W - 510100N 0055000W - 512100N 0054100W - 514000N 0051900W - 514700N 0045800W - 514600N 0043200W - 510118N 0043133W.

AREA 2: 510118N 0043133W - 502300N 0043200W - 502000N 0051100W - 504400N 0054100W - 510000N 0054800W - 510100N 0055000W - 510118N 0043133W.

AREA 3: 510118N 0043133W - 514600N 0043200W - 513600N 0034300W - 510100N 0033700W - 510118N 0043133W.

AREA 4: 510118N 0043133W - 510100N 0033700W - 502700N 0034300W - 502300N 0043200W - 510118N 0043133W.

FOR INFO 01935 452335. AR-2026-7522/01.

F) FL100 G) FL240

H5406/26

0730-1700

CIVIL AIRCRAFT NOTIFICATION PROCEDURE - UNDERSLUNG LOADS OPR WI 2NM EITHER SIDE OF TRACK AND 2NM RADIUS OF PSN 503437N 0035914W - 503706N 0035913W (PRINCETOWN, DEVON) LOW FLYING AREA 2. MAX HGT 500FT AGL. ACFT MAY BE RESTRICTED IN ABILITY TO MANOEUVRE AND UNABLE TO COMPLY WITH RAC. OPS CTC 07775 533504. 26/08/237/LFC
F) SFC G) 2500FT AMSL

**B1269/26**

0800-1600

GNSS (GPS) SIGNAL AND RADIO FREQUENCY JAMMING (L1, L2, L5 AND COMMON ISM FREQUENCIES). JAMMING LOCATED WI AREA BOUNDED BY 500711N 0050525W - 500521N 0045820W - 493321N 0053256W - 492438N 0060723W - 493957N 0063122W - 500352N 0054225W - 500711N 0050525W (PREDANNACK AD). ACTIVITY MAY AFFECT ACFT SFC-40,000FT AMSL OR ABOVE (ALL DIRECTIONS). MAY ALSO AFFECT AIRBORNE ELECTRONIC SITUATIONAL AWARENESS DEVICES AND UAS CONTROL. MULTIPLE DAILY TESTS NOT TO EXCEED 5 MINUTE DURATION EACH. GNSS (GPS) RECEIVERS MAY SUFFER INTERMITTENT / TOTAL FAILURE OR GIVE INCORRECT POSITION INFO. SOME ELECTRONIC SITUATIONAL AWARENESS DEVICES AND UAS SYSTEMS MAY SUFFER INTERMITTENT / TOTAL FAILURE OR GIVE INCORRECT NOTIFICATION. FOR INFO / CEASE JAMMING 07792 170394 / 07541 606962. FOR MORE INFO SEE AIC P046/2023. AR-2026-4814/01.

B1291/26

GNSS (GPS) SIGNAL JAMMING / SPOOFNIG WI AREA BOUNDED BY 531933N 0041511W - 524557N 0014249W - 502148N 0030954W - 504718N 0063454W - 531933N 0041511W (SENNYBRIDGE). THIS REPRESENTS THE MAXIMUM JAMMING EXTENT, REFER TO BRIEFING SHEET 091/2026 FOR FULL DETAILS. ACTIVITY MAY AFFECT ACFT SFC TO 40000FT AMSL OR ABOVE (ALL DIRECTIONS). GNSS (GPS) RECEIVERS MAY SUFFER INTERMITTENT / TOTAL FAILURE OR GIVE INCORRECT POSITION INFO. MAY ALSO AFFECT AIRBORNE ELECTRONIC SITUATIONAL AWARENESS DEVICES AND UAS CONTROL. FOR INFO / CEASE JAMMING 01874 635599 / 01980 955882. AR-2026-4831/03.

H5071/26

0600-1900

GROUND TRANSPONDER TESTING. TRANSPONDER LOCATED AT: 505622N 0023858W (YEOVIL/WESTLAND). FALSE ACFT INDICATIONS MAY OCCUR WI 5NM RADIUS. FALSE ACFT WILL DISPLAY BAROMETRIC ALT OF 1500FT AGL AND IAS OF 65KTS. DIRECT OVERFLIGHT BELOW 100FT SHOULD BE AVOIDED. FOR INFO 01935 705518 / 07714 140775. AR-2026-7332/01. F) SFC G) 2100FT AMSL

B1360/26

EAST MIDLANDS LOWER AIRSPACE RADAR SERVICE MAY BE REDUCED OR NOT AVBL DUE STAFFING

B1324/26

11 13 18 20 25 27 0700-2359

SWANWICK (MIL) EAST WILL OPR A REDUCED ATS DUE TO EXERCISE STORM WARRIOR. CTC MIL EAST SUPERVISOR IN ADVANCE OF YOUR SORTIE.

B1118/26

DUBLIN CONTROL FREQUENCY 124.650MHZ CHANGED TO 8.33KHZ CHANNEL 124.655.

UK AIP ENR 2.1 AND DIGITAL DATASET REFERS.

B1237/26

CULDROSE LOWER AREA RADAR SERVICE AVAILABILTY

03-06 1100-1600

07 0730-1100

10-21 NOT AVBL

24-27 1100-1600

28 0730-1100

31 NOT AVBL

B1257/26

NORWICH LOWER AIRSPACE RADAR SERVICE, INCLUDING CLASS D AIRSPACE TRANSITS, MAY NOT BE AVBL DUE CONTROLLER SHORTAGE. PILOTS ARE ENCOURAGED TO MAKE USE OF FREQUENCY MONITORING CODE IF REMAINING OUTSIDE CONTROLLED AIRSPACE.

**H4358/26**

JUL 20 0830-1800, JUL 21-OCT 14 0700-1800
AREA OF INTENSE AERIAL ACTIVITY WI 1NM RADIUS OF 514343N 0002251W
(PLAISTOWS). INCREASED MICROLIGHT TRAINING, AIRCRAFT JOINING
CIRCUIT FROM MULTIPLE DIRECTIONS. AIR GROUND CH 129.830. FOR INFO
07855 424049 / 07786 034439. AR-2026-6468/01.
F) SFC G) 2400FT AMSL

B1103/26

SAT-SUN 0800-1600
BRIZE NORTON LOWER AIRSPACE RADAR SERVICE **NOT AVBL**

B1121/26

NEART NA GAOITHE TMZ - AMEND REMARKS AS FOLLOWS:
THE CONTROLLING AUTHORITY IS LEUCHARS. THE TMZ IS **ACTIVE** ONLY BY
NOTAM. FOR AIRCRAFT EQUIPPED WITH AND OPERATING SECONDARY
SURVEILLANCE RADAR EQUIPMENT, AS DEFINED IN GEN 1.5 PARAGRAPH 5.3,
ACCESS TO THE NEART NA GAOITHE TMZ IS NOT SUBJECT TO ATC APPROVAL.
ACCESS TO THE NEART NA GAOITHE TMZ WITHOUT SERVICEABLE TRANSPONDER
EQUIPMENT, AS DEFINED IN GEN 1.5 PARAGRAPH 5.3, IS SUBJECT
TO SPECIFIC APPROVAL OF THE CONTROLLING AUTHORITY WHEN NOTIFIED AS
ACTIVE.
UK AIP ENR 2.2 REFERS.

+++++ RESTRICTED AIRSPACE +++++

H5437/26 VALID: 27-AUG-26 1500 - 31-AUG-26 0500

1500-0500
LASER DISPLAY WI 3NM RADIUS OF 545814N 0024341W (BRAMPTON). FOR
INFO 07708706442. AR-2026-7823/01.
F) SFC G) UNL

H5489/26 VALID: 27-AUG-26 1500 - 31-AUG-26 0500

1500-0500
LASER DISPLAY WI 3NM RADIUS OF 545814N 0024341W (BRAMPTON). FOR
INFO 07708 706442. AR-2026-7823/01.
F) SFC G) UNL

H5584/26 VALID: 27-AUG-26 1500 - 27-AUG-26 1900

CIVIL AIRCRAFT NOTIFICATION PROCEDURE - MULTIPLE PARAGLIDERS OPR
WI 2NM RADIUS OF PSN 510943N 0041224W (WOOLACOMBE, DEVON). LOW
FLYING AREA 2. 2000FT AGL. CTC 07875 247389 . 26/08/294/LFC
F) SFC G) 2800FT AMSL

M5841/26 VALID: 27-AUG-26 1445 - 27-AUG-26 1700

THE FOLLOWING NORTH WALES MILITARY TRAINING AREAS **ACTIVATED**:
NORTH LOW 1445-1700 FL195-FL260
SOUTH LOW 1445-1700 FL195-FL260
F) FL195 G) FL260

H3575/26 VALID: 27-AUG-26 1400 - 01-SEP-26 0200

1400-0200
LASERS, FIREWORKS WI 1NM RADIUS OF 542300N 0015556W (GRINTON).
FIREWORKS UP TO 1300FT AGL. FOR INFO 07776 364006.
AR-2026-5517/01. F) SFC G) UNL

M5821/26 VALID: 27-AUG-26 1300 - 27-AUG-26 1500

THE FOLLOWING SOUTHERN COMPLEX **DANGER AREAS ARE ACTIVATED**:
EGD323A 1300-1400 FL050-FL660
EGD323A 1400-1500 FL050-FL660
EGD323G 1300-1400 FL150-FL660
EGD323G 1400-1500 FL150-FL660
EGD323L 1300-1400 FL100-FL300
EGD323L 1400-1500 FL100-FL660
EGD323Q 1300-1400 FL100-FL300
EGD323Q 1400-1500 FL100-FL660
F) FL050 G) FL660

**M5823/26 VALID: 27-AUG-26 1300 - 27-AUG-26 1500**

THE FOLLOWING SOUTHERN COMPLEX DANGER AREAS ACTIVATED:

EGD323C 1300-1400 FL050-FL660

EGD323C 1400-1500 FL050-FL660

EGD323J 1300-1400 FL150-FL660

EGD323J 1400-1500 FL150-FL660

EGD323N 1300-1400 FL100-FL300

EGD323N 1400-1500 FL100-FL660

F) FL050 G) FL660

M5822/26 VALID: 27-AUG-26 1300 - 27-AUG-26 1500

THE FOLLOWING SOUTHERN COMPLEX DANGER AREAS ARE ACTIVATED:

EGD323B 1300-1400 FL050-FL660

EGD323B 1400-1500 FL050-FL660

EGD323H 1300-1400 FL150-FL660

EGD323H 1400-1500 FL150-FL660

EGD323M 1300-1400 FL100-FL300

EGD323M 1400-1500 FL100-FL660

EGD323R 1300-1400 FL100-FL300

EGD323R 1400-1500 FL100-FL660

F) FL050 G) FL660

M5824/26 VALID: 27-AUG-26 1300 - 27-AUG-26 1600

THE FOLLOWING SOUTHERN COMPLEX DANGER AREAS ARE ACTIVATED:

EGD323E 1300-1400 FL050-FL660

EGD323E 1400-1500 FL050-FL660

EGD323E 1500-1600 FL050-FL660

F) FL050 G) FL660

M5825/26 VALID: 27-AUG-26 1300 - 27-AUG-26 1600

THE FOLLOWING SOUTHERN COMPLEX DANGER AREAS ARE ACTIVATED:

EGD323D 1300-1400 FL050-FL660

EGD323D 1400-1500 FL050-FL660

EGD323D 1500-1600 FL050-FL660

EGD323K 1300-1400 FL150-FL660

EGD323K 1400-1500 FL150-FL660

EGD323K 1500-1600 FL150-FL660

EGD323P 1300-1400 FL100-FL300

EGD323P 1400-1500 FL100-FL660

EGD323P 1500-1600 FL100-FL660

F) FL050 G) FL660

J2522/26 VALID: 27-AUG-26 1125 - 27-AUG-26 1150

RESTRICTED AREA (TEMPORARY) AT (WYTON). FOR A RED ARROWS DISPLAY
WI 6NM RADIUS OF 522131N 0000620W. AREA ESTABLISHED UNDER ARTICLE
239 OF THE AIR NAVIGATION ORDER 2016. AIC M 058/2026 REFERS.

AR-2026-6083/01.

F) SFC G) FL075

H5550/26 VALID: 27-AUG-26 1110 - 27-AUG-26 1200

FORMATION TRANSIT BY RED ARROWS ACFT ROUTING:

530958N 0003126W RAF WADDINGTON 1110

530811N 0002339W METHRINGHAM 1112

524808N 0000752W VCY OF SPALDING 1116

524117N 0005000W E OF SOMERBY 1120

520957N 0003343W W OF OAKLEY 1125

521327N 0000626W S OF PAPWORTH EVERARD 1128

521526N 0000547W NE OF PAPWORTH EVERARD 1129

522124N 0000657W RAF WYTON DISPLAY 1130

522721N 0000808W NW OF RAMSEY 1151

522034N 0003850E NE OF ICKLINGHAM 1156

522143N 0002911E RAF MILDENHALL 1157

FORMATION PLANS TO TRANSIT AT 250-2000FT AGL. TIMINGS, HGT AND
ROUTE ARE APRX AND MAY CHANGE DUE TO WX OR OTHER REQUIREMENTS.
FOR INFO 01522 726707. AR-2026-7943/01.

F) 500FT AMSL G) 3000FT AMSL

**H5539/26**

CIVIL AIRCRAFT NOTIFICATION PROCEDURE - MULTIPLE PARAGLIDERS
OPR WI 2NM RADIUS OF PSN 501802N 0033814W (SOUTH HAMS, DEVON).
LOW FLYING AREA 2 2000FT AGL. CTC 07984 662648. 26/08/290/LFC
F) SFC G) 2500FT AMSL

D3310/26

DANGER AREA EGD005A PREDANNACK **ACTIVATED**
F) SFC G) 3500FT AMSL

H5575/26

GLIDING COMPETITION ACFT ROUTING:
511109N 0010200W (LASHAM)
512926N 0015343W (LYNEHAM EAST)
513704N 0011812W (DIDCOT WEST)
511109N 0010200W (LASHAM)
100 GLIDERS TRANSITING AT 0-5000FT AGL WI 5NM OF ROUTE. TIMINGS,
HGT AND ROUTE ARE APRX AND MAY CHANGE DUE TO WX OR OTHER
REQUIREMENTS. GLIDERS MAY MONITOR COMPETITION FREQ 130.405. FOR
LATEST INFO
WWW.GLIDINGTASKS.CO.UK OR 07721 397211. AR-2026-8000/01.
F) SFC G) 6000FT AMSL

H5565/26 VALID: 27-AUG-26 1030 - 27-AUG-26 1330

DEMOLITION OF EXPLOSIVES WILL TAKE PLACE WI 1NM RADIUS OF PSN
532833N 0000951E (DONNA NOOK, LINCOLNSHIRE) LOW FLYING AREA 11.
MAX HGT 2000FT AGL. ON SITE CTC 03033 817573. 26/08/293/LFC
F) SFC G) 2100FT AMSL

D3313/26 VALID: 27-AUG-26 1030 - 27-AUG-26 1230

DANGER AREA EGD324A WADDINGTON LOW **ACTIVATED**
F) SFC G) FL105

M5837/26

THE FOLLOWING NORTH WALES MILITARY TRAINING AREAS **ACTIVATED**:
NORTH LOW 1000-1700 FL195-FL260
SOUTH LOW 1000-1700 FL195-FL260
F) FL195 G) FL260

H5477/26

0900-2259
UAS OPR BEYOND VISUAL LINE OF SIGHT (BVLOS) UTILISING VISUAL
OBSERVERS (EXTENDED LINE OF SIGHT) WI 0.3NM RADIUS OF
512749N 0005930W (READING) . MAX HGT 1000FT AGL. FOR INFO
07786 512512/07552 558185. AR-2026-7866/01.
F) SFC G) 1200FT AMSL

H5483/26

0900-2259
UAS SWARM OPR WI 0.1NM RADIUS OF 505111N 0003922W (FONTWELL).
SWARM MADE UP OF 54 UAS. MAX HGT 600FT AGL. FOR INFO 07725 633178.
AR-2026-7877/01.
F) SFC G) 700FT AMSL

H5541/26

27 0900-1930, 28 0900-1600
AIR DISPLAYS INCLUDING PYROTECHNICS WI 3NM RADIUS OF
514646N 0010837E (CLACTON-ON-SEA). FOR INFO 01285 659590 / 0771
1437499. AR-2026-7926/01.
F) SFC G) 3500FT AMSL

M5820/26

DANGER AREA EGD202D WEST WALES **ACTIVATED**
F) SFC G) FL070

**J2323/26**

0900-1600

RESTRICTED AREA (TEMPORARY) **ACTIVE** (CLACTON-ON-SEA, ESSEX).
WI 3NM RADIUS OF PSN 514646N 0010837E. APPLIES TO ALL ACFT
INCLUDING ANY SMALL BALLOON, ANY KITE, ANY UAS AND ANY PARACHUTE
INCLUDING A PARASCENDING PARACHUTE OR PARAMOTOR. DOES NOT APPLY TO
ANY ACFT

FLYING IN ACCORDANCE WITH EXCEPTIONS STATED IN THE AIC.

AIC M 077/2026 WITH CHART, REFERS. A FURTHER J SERIES NOTAM WILL
BE ISSUED FOR 27 AUG APPLICABLE TO UAS ONLY. FURTHER DETAILS
WWW.NATS.AERO/AIS. RESTRICTION OF FLYING REGULATIONS MADE UNDER
ARTICLE 239 OF THE AIR NAV ORDER 2016. AR-2026-2448/01.

F) SFC G) 3500FT AMSL

H4831/26

0900-1600

AIR DISPLAYS INCLUDING PYROTECHNICS WI 3NM RADIUS OF
514646N 0010837E (CLACTON-ON-SEA). FOR INFO 01285 659590/
07711 437499. AR-2026-6970/01.

F) SFC G) 3600FT AMSL

J2927/26

RESTRICTED AREA (TEMPORARY) INSTALLED FOR UAS ONLY (FERNDAL, SOUTH WALES) WI 0.6NM RADIUS OF PSN 514001N 0032832W. PILOTS ARE FORBIDDEN TO FLY UAS WITHIN THE DESIGNATED AREA WITHOUT THE PERMISSION OF EMERGENCY CONTROLLING AUTHORITY SOUTH WALES FIRE AND RESCUE SERVICE, CTC TEL 07770 342147. RESTRICTION OF FLYING REGULATIONS MADE UNDER ARTICLE 239 OF AIR NAV ORDER 2016.

AR-2026-7999/01

F) SFC G) 2000FT AMSL

D3219/26 VALID: 27-AUG-26 0800 - 27-AUG-26 1200**DANGER** AREA EGD307 DONNA NOOK DEACTIVATED

F) SFC G) 20000FT AMSL

D3281/26 VALID: 27-AUG-26 0800 - 27-AUG-26 1300**DANGER** AREA EGD307 DONNA NOOK DEACTIVATED

F) SFC G) 20000FT AMSL

D3286/26THE FOLLOWING LLANBEDR **DANGER** AREAS ARE **ACTIVATED**:

EGD217A 0800-1600 SFC-2000FT AMSL

EGD217C 0800-1600 SFC-2000FT AMSL

EGD217D 0800-1600 2000FT-6000FT AMSL

EGD217I 0800-1600 2000FT-6000FT AMSL

EGD217G 0800-1600 2000FT-6000FT AMSL

F) SFC G) 6000FT AMSL

M5811/26 VALID: 27-AUG-26 0800 - 27-AUG-26 1200**DANGER** AREA EGD514 COMBAT AIRSPACE **ACTIVATED**

F) FL085 G) FL660

D3305/26**DANGER** AREA EGD118 PEMBREY DEACTIVATED

F) SFC G) 12000FT AMSL

M5809/26**DANGER** AREA EGD406A **ACTIVATED**

F) SFC G) 15000FT AMSL

M5810/26**DANGER** AREA EGD509 CAMPBELTOWN **ACTIVATED**

F) SFC G) 22000FT AMSL

**M5826/26**THE FOLLOWING NORTH WALES MILITARY TRAINING AREAS **ACTIVATED**:

NORTH LOW 0700-1700 FL195-FL260
NORTH LOW 0700-0800 FL195-FL285
NORTH LOW 0800-0900 FL195-FL285
NORTH LOW 1100-1200 FL195-FL285
NORTH HIGH 0700-0800 FL285-FL660
NORTH HIGH 0800-0900 FL285-FL660
NORTH HIGH 1100-1200 FL285-FL660
SOUTH LOW 0700-1700 FL195-FL260
SOUTH LOW 0700-0800 FL195-FL285
SOUTH LOW 0800-0900 FL195-FL285
SOUTH LOW 1100-1200 FL195-FL285
SOUTH HIGH 0700-0800 FL285-FL660
SOUTH HIGH 0800-0900 FL285-FL660
SOUTH HIGH 1100-1200 FL285-FL660
F) FL195 G) FL660

M5834/26THE FOLLOWING NORTH WALES MILITARY TRAINING AREAS **ACTIVATED**:

NORTH LOW 0700-1700 FL195-FL260
NORTH LOW 1100-1200 FL195-FL285
NORTH HIGH 1100-1200 FL285-FL660
SOUTH LOW 0700-1700 FL195-FL260
SOUTH LOW 1100-1200 FL195-FL285
SOUTH HIGH 1100-1200 FL285-FL660
F) FL195 G) FL660

J2412/26

RESTRICTED AREA (TEMPORARY) INSTALLED FOR UAS ONLY (SWINDERBY, LINCOLNSHIRE). WI AREA BOUNDED BY 530815N 0004248W -
530849N 0004130W - 530826N 0004107W - 530828N 0004048W -
530819N 0004047W - 530817N 0004059W - 530809N 0004050W -
530812N 0004115W - 530816N 0004141W - 530816N 0004204W -
530812N 0004245W - 530815N 0004248W. DOES NOT APPLY TO ANY UAS
FLYING IN ACCORDANCE WITH EXCEPTIONS STATED IN THE BRIEFING SHEET.
BFS 100/2026, WITH CHART REFERS. FURTHER DETAILS
WWW.NATS.AERO/AIS. RESTRICTION OF FLYING REGULATIONS MADE UNDER
ARTICLE 239 OF AIR NAV ORDER 2016. AR-2026-1038/01.
F) SFC G) 1200FT AMSL

D3249/26**DANGER** AREA EGD324B WADDINGTON MEDIUM **ACTIVATED**

F) FL105 G) FL195

D3252/26**DANGER** AREA EGD324A WADDINGTON LOW **ACTIVATED**

F) SFC G) FL105

M5819/26**DANGER** AREA EGD117 PENDINE **ACTIVATED**

F) SFC G) 12000FT AMSL

M5817/26**DANGER** AREA EGD123 IMBER **ACTIVATED**

EGD123 0600-0700 SFC-15000FT AMSL

EGD123 2300-0600 SFC-15000FT AMSL

F) SFC G) 15000FT AMSL

M5818/26**DANGER** AREA EGD125 LARKHILL **ACTIVATED**

EGD125 0600-0700 SFC-15000FT AMSL

EGD125 2300-0600 SFC-15000FT AMSL

F) SFC G) 15000FT AMSL

**H5564/26**

PIPELINE INSPECTION NOTIFICATION PROCEDURE SYSTEM (PINS) WILL TAKE PLACE IN THE FOLLOWING LOW FLYING AREAS - 4, 5, 6, 8, 9, 10, 11N, 11S, 12, 13, 14E, 16, 17 AND THAMES VALLEY AVOIDANCE AREA. MAX HEIGHT 2000FT AGL. 26/08/292/LFC
F) SFC G) 6500FT AMSL

H5512/26

SR-SS
CIVIL AIRCRAFT NOTIFICATION PROCEDURE - MULTIPLE PARAGLIDERS OPR WI 2NM RADIUS OF PSN 524849N 0000652E (LUTTON, LINCOLNSHIRE). LOW FLYING AREA 5. 2000FT AGL. CTC 07785 544378. 26/08/277/LFC
F) SFC G) 2100FT AMSL

H5239/26

2000-0400
LASER DISPLAY WI 1NM RADIUS OF 535247N 0012210W (BRAMHAM). FOR INFO 07307 485454. AR-2026-7481/01.
F) SFC G) UNL

H3733/26

1900-0100
LASER DISPLAY WI 1NM RADIUS OF 520410N 0021323W (HANLEY CASTLE). FOR INFO 07446 244884. AR-2026-5652/01.
F) SFC G) UNL

H4873/26

1900-2330
LASER DISPLAY WI 1NM RADIUS OF 542106N 0032310W (RAVENGLASS). FOR INFO 07900 2315399 / 07574 490556. AR-2026-7101/01.
F) SFC G) UNL

J2410/26

RESTRICTED AREA (TEMPORARY) INSTALLED FOR UAS ONLY (READING) .
WI AREA BOUNDED BY 512758N 0005842W - 512753N 0005840W -
512749N 0005915W - 512742N 0005922W - 512747N 0010015W -
512752N 0010045W - 512759N 0010108W - 512812N 0010125W -
512817N 0010118W - 512832N 0010112W - 512822N 0010030W -
512806N 0010031W - 512812N 0010012W - 512814N 0005956W -
512809N 0005935W - 512806N 0005918W - 512803N 0005850W -
512758N 0005842W. DOES NOT APPLY TO ANY UAS FLYING IN ACCORDANCE WITH EXCEPTIONS STATED IN THE BRIEFING SHEET. BFS 097/2026, WITH CHART REFERS. FURTHER DETAILS WWW.NATS.AERO/AIS. RESTRICTION OF FLYING REGULATIONS MADE UNDER ARTICLE 239 OF AIR NAV ORDER 2016. AR-2026-4502/01.
F) SFC G) 1200FT AMSL

H5507/26

26-27 1500-1600, 2200-2259
DROPPING OF ARTICLES WI 16NM RADIUS OF 525101N 0004611E (SCULTHORPE). DROP CONTAINED WI FLW CONE (ALL HGT AMSL):
SFC-5000FT 4NM RADIUS
5001-10000FT 8NM RADIUS
10001-15000FT 12NM RADIUS
15001-18000FT 16NM RADIUS.
FOR INFO 01993 897204 / 07970 363249 / 07974 112143.
AR-2026-7826/01. F) SFC G) 18000FT AMSL

H5549/26

26 1430-1800, 27 0600-0700 1600-1800, 28 0600-0700 1030-1630
UAS OPR WI AREA BOUNDED BY:
524158N 0003435E - 524208N 0003458E - 524213N 0003515E -
524216N 0003602E - 524304N 0003621E - 524325N 0003733E -
524321N 0003823E - 524216N 0003847E - 524136N 0003724E -
524120N 0003544E - 524130N 0003504E - 524143N 0003449E -
524148N 0003442E - 524154N 0003445E - 524158N 0003435E (WEST ACRE). MAX HGT 400FT AGL. FOR INFO 07834 700714. AR-2026-7934/02.
F) SFC G) 700FT AMSL

**J2411/26**

RESTRICTED AREA (TEMPORARY) INSTALLED FOR UAS ONLY (BRAMHAM, WEST YORKSHIRE). WI AREA BOUNDED BY 535120N 0012109W - 535109N 0012316W - 535142N 0012353W - 535146N 0012348W - 535149N 0012402W - 535145N 0012421W - 535151N 0012425W - 535201N 0012349W - 535218N 0012342W - 535247N 0012249W - 535248N 0012156W - 535227N 0012155W - 535219N 0012127W - 535120N 0012109W. DOES NOT APPLY TO ANY UAS FLYING IN ACCORDANCE WITH EXCEPTIONS STATED IN THE BRIEFING SHEET. BFS 098/2026, WITH CHART REFERS. FURTHER DETAILS WWW.NATS.AERO/AIS. RESTRICTION OF FLYING REGULATIONS MADE UNDER ARTICLE 239 OF AIR NAV ORDER 2016. AR-2026-4503/01.

F) SFC G) 1400FT AMSL

H5369/26

0800-2359

UAS OPR WI 1NM RADIUS OF 535202N 0012253W (BRAMHAM). MAX HGT 400FT AGL. FOR INFO 07920 786990. AR-2026-7697/01.

F) SFC G) 800FT AMSL

H5368/26

0800-2359

UAS OPR WI 0.8NM RADIUS OF 512800N 0005941W (READING) . MAX HGT 400FT AGL. FOR INFO 07920 786990. AR-2026-7696/01.

F) SFC G) 700FT AMSL

H5493/26

0600-1900

MIL ACFT SHALL AVOID AN EQUESTRIAN EVENT

WI 2NM RADIUS OF PSN 505227N 0024952W (CHILLINGTON, SOMERSET)

LOW FLYING AREA 2. SURFACE TO 2000FT AGL. 26/08/272/LFC

F) SFC G) 2800FT AMSL

H5527/26

0600-1900

MIL ACFT SHALL AVOID AN EQUESTRIAN EVENT WI 2NM RADIUS OF PSN

505227N 0024952W (CHILLINGTON, SOMERSET) LOW FLYING AREA 2. SFC TO 2000FT AGL. 26/08/272/LFC

F) SFC G) 2800FT AMSL

H5533/26

0600-1900

MIL ACFT SHALL AVOID AN EQUESTRIAN EVENT WI 2NM RADIUS OF PSN

505227N 0024952W (CHILLINGTON, SOMERSET) LOW FLYING AREA 2. SFC TO 2000FT AGL. 26/08/272/LFC

F) SFC G) 2800FT AMSL

H5459/26

SR-SS

FLYING OF LARGE MODEL ACFT WI 0.3NM RADIUS OF 514901N 0015625W (CHEDWORTH). FOR INFO 07816 506828. AR-2026-7850/01.

F) SFC G) 2400FT AMSL

H4152/26

0500-2259

LIVE FIRING WI 0.7NM RADIUS OF 514910N 0011008W (OTMOOR SMALL ARMS RANGE). INCREASE TO AIR **DANGER** HEIGHT. FOR INFO 07901 116931 / 07717 542388. AR-2026-6193/01.

F) SFC G) 1000FT AMSL

H5393/26

25 27 1800-2259

DROPPING OF ARTICLES WI 3NM RADIUS OF 525050N 0004552E (SCULTHORPE). FOR INFO 01638 545013. AR-2026-7710/01.

F) SFC G) 2500FT AMSL

**H5484/26**

25 1600-1700 2100-2200, 26 0100-0200 1600-1700, 2100-2200, 27 ,
1600-1700 2100-2200

PJE WI 16NM RADIUS OF 541736N 0013120W (LEEMING) . DROP CONTAINED
WI FLW CONE (ALL HGT AMSL): SFC-5000FT 4NM RADIUS, 5000FT-10000FT
8NM RADIUS, 10000FT-15000FT 12NM RADIUS, 15000FT-18000FT 16NM
RADIUS. DROP HGT SUBJ ATC CLR. FOR INFO 01993 895052 / 07970
363249 / 07974 112143 OR PRI 279.575 MHZ SRY 149.800 MHZ.

AR-2026-7859/03.

F) SFC G) 18000FT AMSL

V0028/26

SECURITY - HAZARDOUS SITUATION IN AFGHANISTAN. UK REGISTERED AIR
OPERATORS ARE ADVISED TO TAKE POTENTIAL RISK INTO ACCOUNT WITHIN
FIR KABUL (OAKX). POTENTIAL RISK FROM HEIGHTENED MILITARY
ACTIVITY. ON EXPIRY OF THIS NOTAM DETAILS WILL BE INCLUDED IN THE
UK AIP ENR 1.1. AR-2026-1616/03.

F) SFC G) UNL

R2484/26

TRIGGER NOTAM - AIP SUP 101/26 MODIFIED. CREATION OF 16 TEMPORARY
RESTRICTED AREAS ('ZRT') AND OF 4 TEMPORARY DANGEROUS AREAS
('ZDT') FOR UNMANNED ACFT OUT-OF-SIGHT FLIGHTS IN THE EASTERN
CHANNEL AND THE ENGLISH CHANNEL. THE ZRT 'LF-R400G GRAVELINE
TEMPO' AND 'LF-R402D MANCHE NORD EXTENDED TEMPO' ARE ACTIVABLE BY
NOTAM ON D-1.

--- ---- 1)MODIFICATION ONLY IN FORCE FROM 2026 SEP 24 TO 27 :
PARAGRAPH TEMPORARY RESTRICTED AREAS - LATERAL AND VERTICAL LIMITS
ZRT LF-R401C 'COTIER SUD' TEMPO AND ZRT LF-R397 'BAIE DE SOMME
NORD' TEMPO LATERAL LIMITS ADD : 'EXC ZRT 'LE TOUQUET AIR SHOW'
PUBLISHED BY NOTAM WHEN IT IS ACTIVE' 2)MODIFICATION ONLY IN FORCE
ON 2026 SEP 25 AND 26 : PARAGRAPH TEMPORARY RESTRICTED AREAS -
LATERAL AND VERTICAL LIMITS ZRT LF-R402A 'MANCHE NORD' LOW TEMPO,
ZRT LF-R402B 'MANCHE NORD' HIGH TEMPO AND ZRT LF-R402C 'COTIER
NORD' TEMPO LATERAL LIMITS ADD : 'EXC ZRT 'LES AILES DE GRAND
CALAIS' PUBLISHED BY NOTAM WHEN IT IS ACTIVE'

--- - THIS AIP SUP IS **AVBL** AT WWW.SIA.AVIATION-CIVILE.GOUV.FR F)
SFC G) 2500FT AMSL

J2721/26

0700-1700

TEMPO **DANGER** AREA (TDA) EGD397B **ACTIVATED**. AIP SUP 077/2026
REFERS. BEYOND VISUAL LINE OF SIGHT UAS OPERATIONS CONTAINED
WHOLLY WITHIN THE TDA. A SPECIAL USE AIRSPACE CROSSING SERVICE
(SUACS) WILL BE **AVBL** FM CRANWELL APP ON CH 124.455. FOR INFO CTC
RAF CRANWELL

RADAR SUPERVISOR TEL 01526 347508 OR RAF CRANWELL ATC TEL 01400
267281.FURTHER DETAILS VIA: WWW.NATS-UK.EAD-IT.COM/.
AR-2026-4754/AU2.

F) FL050 G) FL105

J2722/26

0700-1700

TEMPO **DANGER** AREA (TDA) EGD397A **ACTIVATED**. AIP SUP 077/2026
REFERS. BEYOND VISUAL LINE OF SIGHT UAS OPERATIONS CONTAINED
WHOLLY WI THE TDA. A SPECIAL USE AIRSPACE CROSSING SERVICE (SUACS)
WILL BE **AVBL** FM CRANWELL APP ON CH 124.455. FOR INFO CTC RAF
CRANWELL RADAR SUPERVISOR TEL 01526 347508 OR RAF CRANWELL ATC TEL
01400 267281. FURTHER DETAILS VIA: WWW.NATS-UK.EAD-IT.COM/.

AR-2026-4754/AU2.

F) SFC G) FL050

**J2897/26 VALID: 24-AUG-26 2119 - 27-AUG-26 1200**

RESTRICTED AREA (TEMPORARY) INSTALLED FOR UAS ONLY (FERNDALÉ)
WI 0.6NM RADIUS OF PSN 514001N 0032832W. PILOTS ARE FORBIDDEN TO
FLY UAS WITHIN THE DESIGNATED AREA WITHOUT THE PERMISSION OF
EMERGENCY CONTROLLING AUTHORITY SOUTH WALES FIRE AND RESCUE, CTC
TEL 07770

342147. RESTRICTION OF FLYING REGULATIONS MADE UNDER ARTICLE 239
OF AIR NAV ORDER 2016.

F) SFC G) 2000FT AMSL

H5473/26

1800-1900, 2200-2259

PJE WI 16NM RADIUS OF 525101N 0004610E (SCULTHORPE AIRFIELD).

DROP CONTAINED WI FLW CONE (ALL HGT AMSL):

SFC-5000FT 4NM RADIUS

5000FT-10000FT 8NM RADIUS

10000FT-15000FT 12NM RADIUS

15000FT-18000FT 16NM RADIUS.

DROP HGT SUBJ ATC CLR. FOR INFO 01993 895052 / 07970 363249 /

07974 112143 OR PRI 279.575 MHZ SRY 149.800 MHZ. AR-2026-7832/03.

F) SFC G) 18000FT AMSL

H3010/26

1500-2215

LASER DISPLAY WI 1NM RADIUS OF 510852N 0005346E (HINXHILL). FOR
INFO 07481 069888 / 07484 141303. AR-2026-4789/01.

F) SFC G) UNL

H5343/26

UAS SWARM OPR WI 0.2NM RADIUS OF 522126N 0010424W (WINWICK).

SWARM MADE UP OF 500 UAS. MAX HGT 600FT AGL. FOR INFO 07970

017256. AR-2026-7661/01.

F) SFC G) 1200FT AMSL

D3228/26

24 26 0830-2000, 25 27 0830-2359

DANGER AREA EGD410 STRENSALL **ACTIVATED**

F) SFC G) 1000FT AMSL

H5212/26

0800-1300

MET BALLOON RELEASE/S WI 1NM RADIUS OF 530058N 0014431W

(ASHBOURNE). THIS ACTIVITY WILL NOT BE WHOLLY CONTAINED WI LATERAL
DIMENSION AS NOTIFIED. ASSOCIATED EQUIPMENT WILL SUBSEQUENTLY
DESCEND BY PARACHUTE. FOR INFO 0114 213 1050. AR-2025-6626/54.

F) SFC G) UNL

H5213/26

0800-1300

MET BALLOON RELEASE/S WI 1NM RADIUS OF 525611N 0030519W

(WREXHAM). THIS ACTIVITY WILL NOT BE WHOLLY CONTAINED WI LATERAL
DIMENSION AS NOTIFIED. ASSOCIATED EQUIPMENT WILL SUBSEQUENTLY
DESCEND BY PARACHUTE. FOR INFO 01142 131050. AR-2025-6624/50.

F) SFC G) UNL

H5215/26

0800-1300

MET BALLOON RELEASE/S WI 1NM RADIUS OF 532322N 0012610W

(SHEFFIELD). THIS ACTIVITY WILL NOT BE WHOLLY CONTAINED WI LATERAL
DIMENSION AS NOTIFIED. ASSOCIATED EQUIPMENT WILL SUBSEQUENTLY
DESCEND BY PARACHUTE. FOR INFO 0114 213 1050. AR-2025-5247/57.

F) SFC G) UNL

**H5216/26**

0800-1300

MET BALLOON RELEASE/S WI 1NM RADIUS OF 532327N 0013910W (SHEFFIELD). THIS ACTIVITY WILL NOT BE WHOLLY CONTAINED WI LATERAL DIMENSION AS NOTIFIED. ASSOCIATED EQUIPMENT WILL SUBSEQUENTLY DESCEND BY PARACHUTE. FOR INFO 0114 213 1050. AR-2025-5249/56.
F) SFC G) UNL

H5217/26

0800-1300

MET BALLOON RELEASE WI 1NM RADIUS OF 524838N 0040730W (LLANBEDR). THIS ACTIVITY WILL NOT BE WHOLLY CONTAINED WI LATERAL DIMENSION AS NOTIFIED. FOR INFO 0114 213 1050 / 07753 650414.
AR-2026-2732/04. F) SFC G) UNL

D3116/26 VALID: 24-AUG-26 0730 - 27-AUG-26 1500

0730-1500

DANGER AREA EGD132 ASH RANGES ACTIVATED

F) SFC G) 850FT AMSL

H5285/26

0900-1800

GLIDING COMPETITION. INTENSE ACT WI 5NM RADIUS 535532N 0004739W (POCKLINGTON). UP TO 40 GLIDERS PLUS TUG ACFT OPR. SEE GLIDINGTASKS.CO.UK FOR GLIDER ROUTES OUTSIDE THIS AREA. FOR INFO CONTACT 07341 448075 OR POCKLINGTON BASE CH 122.915.
AR-2026-7553/01. F) SFC G) FL095

H5056/26

0900-1730

GLIDING COMPETITION. INTENSE ACTIVITY WI 5NM RADIUS OF 511230N 0004943E (CHALLOCK GLIDER SITE). UP TO 25 GLIDERS MAY PARTICIPATE. FOR INFO 07802 366766 / 01233 740274 / 07941 105208.
AR-2026-7287/01.
F) SFC G) 3500FT AMSL

H5214/26

0600-1800

UAS OPR WI 4NM RADIUS OF 501647N 0033408W (OFFSHORE, 4NM EAST OF STOKENHAM). UAS OPR DARTMOUTH REGATTA. MAX HGT 400FT AGL. FOR INFO 07921 850626. AR-2026-7461/01.
F) SFC G) 1000FT AMSL

H5124/26

1500-2259

UAS SWARM OPR WI 1NM RADIUS OF 511902N 0001557E (HEAVERHAM). SWARM MADE UP OF 250 UAS. MAX HGT 400FT AGL. FOR INFO 07481557474. AR-2026-7373/01.
F) SFC G) 1200FT AMSL

H4847/26

0700-1800

FLYING OF LARGE MODEL ACFT WI 0.5NM RADIUS OF 511714N 0024308W (CHEDDAR). FOR INFO 07769 695157. AR-2026-7055/01.
F) SFC G) 2400FT AMSL

H5247/26

SR-SS

UAS OPR WI 1NM RADIUS OF 510636N 0020223W (CHILMARK). MAX HGT 1000FT AGL. FOR INFO 07826 918598. AR-2026-7527/01.
F) SFC G) 1700FT AMSL

H3495/26

0800-2200

UAS SWARM OPR WI 0.2NM RADIUS OF 505118N 0003920W (FONTWELL). SWARM MADE UP OF 500 UAS. MAX HGT 400FT AGL. FOR INFO 07738 612566. AR-2026-5201/01.
F) SFC G) 600FT AMSL

**H4792/26**

SR-SS

FLYING OF LARGE MODEL ACFT WI 1NM RADIUS OF 510652N 0021702W (NORTON FERRIS). FOR INFO 07812 707597. AR-2026-6967/01.

F) SFC G) 2900FT AMSL

J2806/26

TRIGGER NOTAM - AIP SUP 090/2026 WEF 20 AUG 2026 UNTIL 06 FEB 2027 TEMPORARY RESERVED AREA EGTR185 (LONDON HEALTH BRIDGE SOUTH WEST HUB), BVLOS OPERATIONS

F) SFC G) 650FT AMSL

J2807/26TRIGGER NOTAM - AIP SUP 091/2026 WEF 20 AUG 2026 UNTIL 18 NOV 2026 TEMPORARY **DANGER** AREA EGD191 (COBHAM), BVLOS RPAS OPERATIONS

F) SFC G) 700FT AMSL

J2808/26TRIGGER NOTAM - AIP SUP 093/2026 WEF 20 AUG 2026 UNTIL 23 JAN 2027 TEMPORARY **DANGER** AREA EGD174: LONDON HEALTH BRIDGE NORTH CENTRAL HUB F) SFC G) 700FT AMSL**J2809/26**TRIGGER NOTAM - AIP SUP 094/2026 WEF 20 AUG 2026 UNTIL 25 OCT 2026 TEMPORARY **DANGER** AREA (RAF CRANWELL), PROTECTOR DIVERSION

F) SFC G) FL105

H4114/26

0800-2200

UAS SWARM OPR WI 0.2NM RADIUS OF 523608N 0014421E (GREAT YARMOUTH). SWARM MADE UP OF 400 UAS. MAX HGT 400FT AGL. FOR INFO 07738 612566. AR-2026-6100/01.

F) SFC G) 500FT AMSL

J2766/26

0600-2200

TEMPO **DANGER** AREA (TDA) EGD294E INSTALLED WI 1.6NM RADIUS OF 522501N 0004501E (THETFORD). BEYOND VISUAL LINE OF SIGHT (BVLOS) UAS OPS CONTAINED WHOLLY WI THE TDA. MAX HGT 400FT AGL. EMERG SERVICES ACFT MAY ENTER THE AIRSPACE IN ACCORDANCE WITH LOCAL DECONFLICTION AGREEMENTS. OPEN AND SPECIFIC **CAT** VLOS UAS OPS ARE PERMITTED WI THE TDA WITHOUT PRIOR APPROVAL OR DECONFLICTION. OTHER NON-STANDARD FLIGHT, FLIGHT RESTRICTION ZONE OR CONTROLLED AIRSPACE APPROVALS MUST BE OBTAINED. OPERATORS ARE REMINDED OF THEIR RESPONSIBILITY UNDER CAP722 5.2.2.3 REGARDING OPR IN CLOSE PROXIMITY TO AN EMERG RESPONSE EFFORT. FOR INFO AROPS(AT)CAA.CO.UK. AR-2026-7514/01.

F) SFC G) 600FT AMSL

H5092/26

SR-SS

FLYING OF LARGE MODEL ACFT WI 0.8NM RADIUS OF 503439N 0033202W (LUTON, DEVON). FOR INFO 07474 424630. AR-2026-7350/01.

F) SFC G) 2900FT AMSL

H5160/26

AUG 18 - OCT 24 1100-2259, OCT 25 - NOV 15 1200-2359

UAS SWARM OPR WI 0.2NM RADIUS OF 511817N 0021844W (NORTON ST PHILLIP). SWARM MADE UP OF 1000 UAS. MAX HGT 400FT AGL. FOR INFO 07915 311799. AR-2026-7398/01.

F) SFC G) 800FT AMSL

H5266/26

AUG 18 - OCT 25 0900-1900, OCT 26 - NOV 03 1000-2000

FLYING OF LARGE MODEL ACFT WI 1NM RADIUS OF 514105N 0000741W (BOTANY BAY). FOR INFO 07886 138027. AR-2026-7139/01.

F) SFC G) 1400FT AMSL

**H4683/26**

SR-SS

FLYING OF LARGE MODEL ACFT WI 1NM RADIUS OF 514301N 0001544W (LONDON COLNEY). FOR INFO 07710 924721. AR-2026-6744/01.

F) SFC G) 2000FT AMSL

H4685/26

SR-SS

FLYING OF LARGE MODEL ACFT WI 1NM RADIUS OF 515904N 0000953W (BALDOCK). FOR INFO 07710 924721. AR-2026-6745/03.

F) SFC G) 2000FT AMSL

H4684/26

SR-SS

FLYING OF LARGE MODEL ACFT WI 1NM RADIUS OF 525528N 0005747E (LANGHAM, NORFOLK). FOR INFO 07710 924721. AR-2026-6746/01.

F) SFC G) 1700FT AMSL

J2769/26

2300-1800

TEMPO **DANGER** AREA (TDA) EGD098L **ACTIVATED** WI AN AREA BOUNDED BY 510845N 0012007E - 510831N 0012227E THEN THE CLOCKWISE ARC OF A CIRCLE OF RADIUS 2.25NM CENTRED ON 510800N 0011900E TO 510629N 0012136E - 510751N 0012036E - 510757N 0012004E - 510845N 0012007E (PORT OF DOVER, ENGLISH CHANNEL). BEYOND VISUAL LINE OF SIGHT UAS OPS CONTAINED WHOLLY WI THE TDA. A SPECIAL USE AIRSPACE ACTIVITY INFORMATION SERVICE (SUAAIS) WILL BE **AVBL** FM EITHER LONDON INFO ON FREQ 124.600MHZ (OPR H24) OR FM LYDD ATC ON CH 120.705 LYDD APPROACH DURING THE HR OF WATCH. OPR IN CONJUNCTION WITH AIC Y 148/2025. AR-2023-11556/70.

F) SFC G) 900FT AMSL

H5203/26

MON-FRI 0700-1700

UAS OPR BEYOND VISUAL LINE OF SIGHT (BVLOS) UTILISING VISUAL OBSERVERS (EXTENDED LINE OF SIGHT) WI 0.2NM RADIUS OF 522008N 0013027E (HALESWORTH, SUFFOLK). MAX HGT 657FT AGL. FOR INFO 07818 502243. AR-2026-7458/01.

F) SFC G) 800FT AMSL

H5225/26

1030-1730

UAS OPR BEYOND VISUAL LINE OF SIGHT (BVLOS) UTILISING VISUAL OBSERVERS (EXTENDED LINE OF SIGHT) WI 1NM RADIUS OF 515516N 0020324W (CHELTENHAM). MAX HGT 600FT AGL. FOR INFO 079103 77952. AR-2026-5998/01.

F) SFC G) 1300FT AMSL

H5022/26

AUG 14-OCT 24 0700-1700, OCT 25-NOV 01 0800-1800

FLYING OF LARGE MODEL ACFT WI 0.5NM RADIUS OF 522358N 0000614W (WISTOW). FOR INFO 07586 292737. AR-2026-7230/01.

F) SFC G) 1700FT AMSL

**H2513/26 VALID: 11-AUG-26 1930 - 27-AUG-26 1200**

11-14 1930-2330, 18-27 0800-1200

EX STORM WARRIOR 26. MIL ACFT WILL CONDUCT HIGH ENERGY MANOEUVRES
WI AREA BOUNDED BY

574800N 0002400E - 544500N 0025700E - 542300N 0024500E -

533000N 0030000E - 531600N 0030000E - 532000N 0023000E -

531200N 0023000E - 530900N 0020600E - 532200N 0000400E -

534300N 0000800W - 544200N 0011400W - 550100N 0013000W -

550300N 0014100W - 550600N 0013800W - 552600N 0023700W -

553800N 0025100W - 560000N 0024900W - 560700N 0025600W -

560700N 0033000W - 561400N 0033200W - 562400N 0031500W -

571600N 0021000W - 574800N 0002400E (NORTH SEA IN VCY OF EGD513
AND EGD514). ACFT MAY BE UNABLE TO COMPLY WITH RAC. FOR INFO 01526
346340 / 01526 346023. AR-2026-4032/01.

F) SFC G) UNL

H4969/26

0700-1700 EXC SAT SUN

UAS OPR BEYOND VISUAL LINE OF SIGHT (BVLOS) UTILISING VISUAL
OBSERVERS (EXTENDED LINE OF SIGHT) WI 0.8NM RADIUS OF
521117N 0012724E (FARNHAM). MAX HGT 657FT AGL. FOR INFO 07818
502243. AR-2026-7200/01.

F) SFC G) 800FT AMSL

H4973/26

MON-FRI 0700-1700

UAS OPR BEYOND VISUAL LINE OF SIGHT (BVLOS) UTILISING VISUAL
OBSERVERS (EXTENDED LINE OF SIGHT) WI AREA BOUNDED BY:

521741N 0013228E - 521730N 0013256E - 521531N 0013101E -

521519N 0013125E - 521538N 0013158E - 521528N 0013213E -

521507N 0013226E - 521502N 0013256E - 521451N 0013316E -

521446N 0013344E - 521442N 0013404E - 521341N 0013500E -

521328N 0013442E - 521349N 0013411E - 521345N 0013327E -

521408N 0013304E - 521430N 0013257E - 521457N 0013156E -

521453N 0013140E - 521455N 0013051E - 521447N 0012955E -

521524N 0012944E - 521703N 0013118E - 521741N 0013228E

(MIDDLETON). MAX HGT 657FT AGL. FOR INFO 07818 502243.

AR-2026-7198/02.

F) SFC G) 800FT AMSL

H4951/26

SR-SS

FLYING OF LARGE MODEL ACFT WI 0.5NM RADIUS OF 543320N 0010409W
(GUISBOROUGH). FOR INFO 07528 971745. AR-2026-7180/01.

F) SFC G) 1500FT AMSL

H4972/26

MON-FRI SR-SS

UAS OPR BEYOND VISUAL LINE OF SIGHT (BVLOS) UTILISING VISUAL
OBSERVERS (EXTENDED LINE OF SIGHT) WI 0.5NM RADIUS OF

520950N 0012303E (MARLESFORD). MAX HGT 657FT AGL.

FOR INFO 07818 502243. AR-2026-7202/02.

F) SFC G) 800FT AMSL

H4823/26

SR-SS

FLYING OF LARGE MODEL ACFT WI 0.5NM RADIUS OF 532534N 0002805W
(BISHOP NORTON). FOR INFO 07851 515104 / 07769 786270.

AR-2026-7013/01.

F) SFC G) 1600FT AMSL

H4903/26

AUG 07 - OCT 24 0500-2200, OCT 25 - NOV 04 0600-2300

UAS OPR WI 0.6NM RADIUS OF 512802N 0011757W (CHIEVELEY).

MAX HGT 390FT AGL. FOR INFO 07525 453751 / 01635 261616.

AR-2026-7157/01.

F) SFC G) 1000FT AMSL

**J2582/26**

AIP SUP 008/2026 - TEMPORARY **DANGER** AREA EGD395A/B (LIVERPOOL BAY)
BVLOS RPAS TRIALS - SUPPLEMENT EXTENDED UNTIL 29 AUGUST 2026.
F) SFC G) 1000FT AMSL

H4862/26

SS-SR
FLARE FIRING WI 2.5NM RADIUS OF 542211N 0014603W (CATTERICK
GARRISON). FLARES WILL DESCEND BY PARACHUTE. FOR INFO
01748 8785503. AR-2026-6899/04.
F) SFC G) 1500FT AMSL

H4736/26

0900-2000
FLYING OF LARGE MODEL ACFT WI 1NM RADIUS OF 514105N 0000741W
(CUFFLEY, HERTFORDSHIRE). FOR INFO 07886 138027. AR-2026-6926/01.
F) SFC G) 1400FT AMSL

H4673/26

UAS OPR WI AREA BOUNDED BY
533158N 0004247E - 533237N 0005157E - 532404N 0010039E -
532407N 0005540E - 532721N 0004548E - 532719N 0004436E -
532726N 0004409E - 532759N 0004403E - 532906N 0004051E -
533158N 0004247E (TRITON KNOLL OFFSHORE WINDFARM). MAX HGT
500FT AGL. DAY AND NIGHT OPR.
FOR INFO 0031 639 373 582 / 0031 689 911 159. AR-2026-6822/01.
F) SFC G) 500FT AMSL

H4849/26

UAS OPR BEYOND VISUAL LINE OF SIGHT (BVLOS) UTILISING VISUAL
OBSERVERS (EXTENDED LINE OF SIGHT) WI 0.5NM RADIUS OF
545600N 0013706W (GATESHEAD). MAX HGT 329FT AGL. FOR INFO
07762568181 / 07710700830. AR-2026-7052/01.
F) SFC G) 600FT AMSL

V0026/26

SECURITY - HAZARDOUS SITUATION IN MALI. UK CIVIL AIR OPERATORS
ARE RECOMMENDED NOT TO ENTER FIR NIAMEY (DRRR) AND FIR DAKAR
(G000) WI THE TERRITORY AND AIRSPACE OF MALI BELOW 25000FT ABOVE
GROUND
LEVEL (AGL). POTENTIAL RISK FROM ANTI-AIRCRAFT WEAPONRY AND
HEIGHTENED MILITARY ACTIVITY. THIS SUPERSEDES THE ADVICE IN THE
CURRENT UK AIP ENR 1.1. AR-2026-3729/04.
F) SFC G) UNL

H4732/26

MON-FRI 0700-1500
UAS OPR WI AREA BOUNDED BY 513419N 0001012E - 513428N 0001050E -
513426N 0001052E - 513423N 0001037E - 513421N 0001036E -
513420N 0001032E - 513421N 0001030E - 513418N 0001013E -
513419N 0001012E (ROMFORD). ATYPICAL BEYOND VISUAL LINE OF SIGHT
OPR. MAX HGT 100FT AGL. FOR INFO 01912961024. AR-2026-6907/02.
F) SFC G) 200FT AMSL

H4744/26

MON-FRI 0700-1700
UAS OPR BEYOND VISUAL LINE OF SIGHT (BVLOS) UTILISING VISUAL
OBSERVERS (EXTENDED LINE OF SIGHT) WI AREA BOUNDED BY
521401N 0013730E - 521245N 0013744E - 521244N 0013653E -
521228N 0013658E - 521219N 0013640E - 521211N 0013609E -
521205N 0013607E - 521205N 0013554E - 521234N 0013500E -
521253N 0013447E - 521252N 0013359E - 521238N 0013357E -
521242N 0013317E - 521250N 0013319E - 521312N 0013348E -
521321N 0013345E - 521327N 0013422E - 521332N 0013459E -
521359N 0013533E - 521419N 0013620E - 521401N 0013730E (LEISTON).
MAX HGT 657FT AGL. FOR INFO 07818 502243. AR-2026-6927/01.
F) SFC G) 800FT AMSL

**J2160/26**

0600-2359

TEMPO **DANGER** AREA (TDA) EGD494F INSTALLED WI 1.61NM RADIUS OF 544111N 0011254W (HARTLEPOOL). BEYOND VISUAL LINE OF SIGHT (BVLOS) UAS OPS CONTAINED WHOLLY WI THE TDA. MAX HGT 400FT AGL. EMERG SERVICES ACFT MAY ENTER THE AIRSPACE IN ACCORDANCE WITH LOCAL DECONFLICTION AGREEMENTS. OPEN AND SPECIFIC **CAT** VLOS UAS OPS ARE PERMITTED WI THE TDA WITHOUT PRIOR APPROVAL OR DECONFLICTION. OTHER NON-STANDARD FLIGHT, FLIGHT RESTRICTION ZONE OR CONTROLLED AIRSPACE APPROVALS MUST BE OBTAINED. OPERATORS ARE REMINDED OF THEIR

RESPONSIBILITY UNDER CAP722 5.2.2.3 REGARDING OPR IN CLOSE PROXIMITY TO AN EMERG RESPONSE EFFORT. FOR INFO

AROPS(AT)CAA.CO.UK.

AR-2026-5534/01.

F) SFC G) 700FT AMSL

J2328/26

0700-0300

TEMPO **DANGER** AREA (TDA) EGD287A INSTALLED WI 1.61NM RADIUS OF 520232N 0004556W (BRADWELL COMMON, MILTON KEYNES). BEYOND VISUAL LINE OF SIGHT (BVLOS) UAS OPS CONTAINED WHOLLY WI THE TDA. MAX HGT 400FT AGL. EMERG SERVICES ACFT MAY ENTER THE AIRSPACE IN ACCORDANCE WITH LOCAL DECONFLICTION AGREEMENTS. OPEN AND SPECIFIC **CAT** VLOS UAS OPS ARE PERMITTED WI THE TDA WITHOUT PRIOR APPROVAL OR DECONFLICTION. OTHER NON-STANDARD FLIGHT, FLIGHT RESTRICTION ZONE OR CONTROLLED AIRSPACE APPROVALS MUST BE OBTAINED. OPERATORS ARE REMINDED OF THEIR RESPONSIBILITY UNDER CAP722 5.2.2.3

REGARDING OPR IN CLOSE PROXIMITY TO AN EMERG RESPONSE EFFORT. FOR INFO AROPS(AT)CAA.CO.UK. AR-2026-6559/01.

F) SFC G) 800FT AMSL

H4682/26

SR-SS

FLYING OF LARGE MODEL ACFT WI 1NM RADIUS OF 504836N 0040004W (EXBOURNE). FOR INFO 07966 292903 / 07474 552246.

AR-2026-6750/02. F) SFC G) 3500FT AMSL

H4688/26

01-02 04-09 15-16 22-23 29-30 SR-SS

UAS OPR BEYOND VISUAL LINE OF SIGHT (BVLOS) UTILISING VISUAL OBSERVERS (EXTENDED LINE OF SIGHT) WI AREA BOUNDED BY

513240N 0001705E - 513219N 0001805E - 513223N 0001924E -

513157N 0002039E - 513125N 0002049E - 513050N 0002050E -

513027N 0002105E - 513004N 0002210E - 513002N 0002226E -

513002N 0002247E - 513000N 0002327E - 512938N 0002349E -

512929N 0002402E - 512911N 0002434E - 512906N 0002429E -

512847N 0002429E - 512834N 0002442E - 512816N 0002444E -

512812N 0002407E - 512825N 0002355E - 512840N 0002347E -

512854N 0002357E - 512912N 0002353E - 512927N 0002251E -

512934N 0002238E - 512939N 0002222E - 512942N 0002157E -

512941N 0002132E - 513003N 0002120E - 512956N 0002044E -

513011N 0002039E - 513033N 0001956E - 513103N 0001956E -

513132N 0001950E - 513151N 0001930E - 513148N 0001824E -

513138N 0001755E - 513155N 0001649E - 513240N 0001705E (NORTH OCKENDEN TO EAST TILBURY). MAX HGT 500FT AGL. FOR INFO 07464

713829. AR-2026-6831/01.

F) SFC G) 700FT AMSL

**J2227/26**

TEMPO **DANGER** AREA (TDA) EGD288 INSTALLED WI 1.88NM RADIUS OF 522410N 0001404W (MONKS WOOD, SAWTRY). BEYOND VISUAL LINE OF SIGHT (BVLOS) UAS OPS CONTAINED WHOLLY WI THE TDA. MAX HGT 400FT AGL. EMERG SERVICES ACFT MAY ENTER THE AIRSPACE IN ACCORDANCE WITH LOCAL DECONFLICTION AGREEMENTS. OPEN AND SPECIFIC **CAT** VLOS UAS OPS ARE PERMITTED WI THE TDA WITHOUT PRIOR APPROVAL OR DECONFLICTION. OTHER NON-STANDARD FLIGHT, FLIGHT RESTRICTION ZONE OR CONTROLLED AIRSPACE APPROVALS MUST BE OBTAINED. OPERATORS ARE REMINDED OF THEIR RESPONSIBILITY UNDER CAP722 5.2.2.3 REGARDING OPR IN CLOSE PROXIMITY TO AN EMERG RESPONSE EFFORT. FOR CREWED ACCESS 01223 823551. FOR INFO AROPS(AT)CAA.CO.UK. AR-2026-6226/01.
F) SFC G) 600FT AMSL

J2310/26

2300-1800

TEMPO **DANGER** AREA (TDA) EGD098A **ACTIVATED** WI AN AREA BOUNDED BY 504815N 0004937E - 505359N 0005825E - 505315N 0010128E - 504703N 0005208E - 504815N 0004937E (ENGLISH CHANNEL). BEYOND VISUAL LINE OF SIGHT UAS OPS CONTAINED WHOLLY WI THE TDA. A SPECIAL USE AIRSPACE ACTIVITY INFORMATION SERVICE (SUA AIS) WILL BE **AVBL** FM EITHER LONDON INFO ON FREQ 124.600MHZ (OPR H24) OR FM LYDD ATC ON CH 120.705 LYDD APPROACH DURING THE HR OF WATCH. AIC Y 019/2026 REFERS. AR-2023-11556/62.
F) SFC G) 1500FT AMSL

J2311/26

2300-1800

TEMPO **DANGER** AREA (TDA) EGD098B **ACTIVATED** WI AN AREA BOUNDED BY 504703N 0005208E - 505315N 0010128E - 504948N 0011548E - 504139N 0011414E - 503926N 0010808E - 504703N 0005208E (ENGLISH CHANNEL). BEYOND VISUAL LINE OF SIGHT UAS OPS CONTAINED WHOLLY WI THE TDA. A SPECIAL USE AIRSPACE ACTIVITY INFORMATION SERVICE (SUA AIS) WILL BE **AVBL** FM EITHER LONDON INFO ON FREQ 124.600MHZ (OPR H24) OR FM LYDD ATC ON CH 120.705 LYDD APPROACH DURING THE HR OF WATCH. AIC Y 019/2026 REFERS. AR-2023-11556/63.
F) SFC G) 1500FT AMSL

J2312/26

2300-1800

TEMPO **DANGER** AREA (TDA) EGD098C **ACTIVATED** WI AN AREA BOUNDED BY 505359N 0005825E - 510326N 0011118E - 510756N 0012635E - 510635N 0012927E - 510149N 0011316E - 505315N 0010128E - 505359N 0005825E (ENGLISH CHANNEL). BEYOND VISUAL LINE OF SIGHT UAS OPS CONTAINED WHOLLY WI THE TDA. A SPECIAL USE AIRSPACE ACTIVITY INFORMATION SERVICE (SUA AIS) WILL BE **AVBL** FM EITHER LONDON INFO ON FREQ 124.600MHZ (OPR H24) OR FM LYDD ATC ON CH 120.705 LYDD APPROACH DURING THE HR OF WATCH. AIC Y 019/2026 REFERS. AR-2023-11556/64.
F) SFC G) 1500FT AMSL

**J2313/26**

2300-1800

TEMPO **DANGER** AREA (TDA) EGD098D **ACTIVATED** WI AN AREA BOUNDED BY
505315N 0010128E - 510149N 0011316E - 510635N 0012927E -
510336N 0013547E - 510227N 0013230E - 505659N 0012114E -
505345N 0011650E - 504948N 0011548E - 505315N 0010128E (ENGLISH
CHANNEL). BEYOND VISUAL LINE OF SIGHT UAS OPS CONTAINED WHOLLY WI
THE TDA. A SPECIAL USE AIRSPACE ACTIVITY INFORMATION SERVICE
(SUA AIS) WILL BE **AVBL** FM EITHER LONDON INFO ON FREQ 124.600MHZ
(OPR H24) OR FM LYDD ATC ON CH 120.705 LYDD APPROACH DURING THE HR
OF
WATCH. AIC Y 019/2026 REFERS. AR-2023-11556/65.
F) SFC G) 1500FT AMSL

J2314/26

2300-1800

TEMPO **DANGER** AREA (TDA) EGD098E **ACTIVATED** WI AN AREA BOUNDED BY
510756N 0012635E - 511454N 0013137E - 512251N 0013322E -
511740N 0015439E - 511447N 0020000E - 511153N 0015200E -
510607N 0014309E - 510336N 0013547E - 510756N 0012635E (ENGLISH
CHANNEL). BEYOND VISUAL LINE OF SIGHT UAS OPS CONTAINED WHOLLY WI
THE TDA. A SPECIAL USE AIRSPACE ACTIVITY INFORMATION SERVICE
(SUA AIS) WILL BE **AVBL** FM EITHER LONDON INFO ON FREQ 124.600MHZ
(OPR H24) OR FM LYDD ATC ON CH 120.705 LYDD APPROACH DURING THE HR
OF WATCH. AIC
Y 019/2026 REFERS. AR-2023-11556/66.
F) SFC G) 2500FT AMSL

J2315/26

2300-1800

TEMPO **DANGER** AREA (TDA) EGD098F **ACTIVATED** WI AN AREA BOUNDED BY
510341N 0010445E - 510359N 0010700E - 510414N 0011100E -
510537N 0011311E - 510612N 0011652E THENCE THE ANTICLOCKWISE ARC
OF A CIRCLE OF RADIUS OF 2.25NM CENTRED ON 510800N 0011900E
BETWEEN
510612N 0011652E - 510546N 0011912E - 510326N 0011118E -
505829N 0010432E - 510120N 0010148E - 510212N 0010531E -
510341N 0010445E (ENGLISH CHANNEL). BEYOND VISUAL LINE OF SIGHT UAS
OPS CONTAINED WHOLLY WI THE TDA. A SPECIAL USE AIRSPACE ACTIVITY
INFORMATION SERVICE (SUA AIS) WILL BE **AVBL** FM EITHER LONDON INFO
ON FREQ 124.600MHZ (OPR H24) OR FM LYDD ATC ON CH 120.705 LYDD
APPROACH DURING THE HR OF WATCH. AIC Y 019/2026 REFERS.
AR-2023-11556/67.
F) SFC G) 800FT AMSL

J2316/26

2300-1800

TEMPO **DANGER** AREA (TDA) EGD098G **ACTIVATED** WI AN AREA BOUNDED BY
504118N 0002647E - 504815N 0004937E - 503926N 0010808E -
503300N 0005110E - 504118N 0002647E (ENGLISH CHANNEL). BEYOND
VISUAL LINE OF SIGHT UAS OPS CONTAINED WHOLLY WI THE TDA. A
SPECIAL USE
AIRSPACE ACTIVITY INFORMATION SERVICE (SUA AIS) WILL BE **AVBL** FM
EITHER LONDON INFO ON FREQ 124.600MHZ (OPR H24) OR FM LYDD ATC ON
CH 120.705 LYDD APPROACH DURING THE HR OF WATCH. AIC Y 019/2026
REFERS. AR-2023-11556/68.
F) SFC G) 2000FT AMSL

**J2317/26**

2300-1800

TEMPO **DANGER** AREA (TDA) EGD098H **ACTIVATED** WI AN AREA BOUNDED BY STRAIGHT LINES JOINING 510831N 0012227E - 510756N 0012635E - 510629N 0012136E THENCE THE ANTICLOCKWISE ARC OF A CIRCLE RADIUS OF 2.25NM CENTRED ON 510800N 0011900E BTN 510629N 0012136E - 510831N 0012227E (PORT OF DOVER). BEYOND VISUAL LINE OF SIGHT UAS OPS CONTAINED WHOLLY WI THE TDA. A SPECIAL USE AIRSPACE ACTIVITY INFORMATION SERVICE (SUAAIS) WILL BE **AVBL** FM EITHER LONDON INFO ON FREQ 124.600MHZ (OPR H24) OR FM LYDD ATC ON CH 120.705 LYDD APPROACH DURING THE HR OF WATCH. AIC Y 019/2026 REFERS.

AR-2023-11556/69.

F) SFC G) 800FT AMSL

H4624/26

JUL 31-OCT 24 0800-2000, OCT 25-27 0900-2100

FLYING OF LARGE MODEL ACFT WI 0.3NM RADIUS OF 532853N 0022839W (GLAZEBURY). FOR INFO 07969 460032. AR-2026-6753/01.

F) SFC G) 1600FT AMSL

H4643/26

0300-2259

UAS SWARM OPR WI 0.2NM RADIUS OF 504455N 0004609W (CHURCH NORTON). SWARM MADE UP OF 54 UAS. MAX HGT 600FT AGL.

FOR INFO 07725 633178. AR-2026-6780/01.

F) SFC G) 700FT AMSL

H4504/26

0830-0100

UAS SWARM OPR WI 1NM RADIUS OF 530714N 0010120W (SOUTH OF BILSTHORPE). SWARM MADE UP OF 500 UAS. OCCASIONAL USE OF PYROTECHNICS. MAX HGT 600FT AGL. FOR INFO 07547 155440.

AR-2026-6018/01.

F) SFC G) 1000FT AMSL

H4389/26

0700-2000

FLYING OF LARGE MODEL ACFT WI 0.5NM RADIUS OF 514219N 0000746W (CUFFLEY). FOR INFO 07496 769327. AR-2026-6465/01.

F) SFC G) 1600FT AMSL

H4484/26

0800-1900

FLYING OF LARGE MODEL ACFT WI 0.13NM RADIUS OF 524451N 0025107W (VCY MONTFORD BRIDGE ABANDONED AD). FOR INFO 07909511031.

AR-2026-6576/01.

F) SFC G) 1800FT AMSL

V0024/26

SECURITY - HAZARDOUS SITUATION IN LEBANON. UK REGISTERED AIR OPERATORS ARE RECOMMENDED NOT TO ENTER FIR BEIRUT (OLBB).

POTENTIAL RISK FROM HEIGHTENED MILITARY ACTIVITY. FOR MORE INFO CONTACT UK DEPARTMENT FOR TRANSPORT 02070 826639 OR 02079 443111 OUT OF HOURS. AR-2026-3194/02.

F) SFC G) UNL

**J2268/26**

0700-2200

TEMPO **DANGER** AREA (TDA) EGD390A INSTALLED WI 1.61NM RADIUS OF 535647N 0010421W (CLEMENTHORPE, YORK). BEYOND VISUAL LINE OF SIGHT (BVLOS) UAS OPS CONTAINED WHOLLY WI THE TDA. MAX HGT 400FT AGL. EMERG SERVICES ACFT MAY ENTER THE AIRSPACE IN ACCORDANCE WITH LOCAL DECONFLICTION AGREEMENTS. OPEN AND SPECIFIC **CAT** VLOS UAS OPS ARE

PERMITTED WI THE TDA WITHOUT PRIOR APPROVAL OR DECONFLICTION. OTHER NON-STANDARD FLIGHT, FLIGHT RESTRICTION ZONE OR CONTROLLED AIRSPACE APPROVALS MUST BE OBTAINED. OPERATORS ARE REMINDED OF THEIR

RESPONSIBILITY UNDER CAP722 5.2.2.3 REGARDING OPR IN CLOSE PROXIMITY TO AN EMERG RESPONSE EFFORT. FOR INFO

AROPS(AT)CAA.CO.UK.

AR-2026-1395/10.

F) SFC G) 600FT AMSL

J2267/26

0700-2200

TEMPO **DANGER** AREA (TDA) EGD390B INSTALLED WI 1.61NM RADIUS OF 535905N 0010306W (HUNTINGTON, YORK). BEYOND VISUAL LINE OF SIGHT (BVLOS) UAS OPS CONTAINED WHOLLY WI THE TDA. MAX HGT 400FT AGL. EMERG SERVICES ACFT MAY ENTER THE AIRSPACE IN ACCORDANCE WITH LOCAL DECONFLICTION AGREEMENTS. OPEN AND SPECIFIC **CAT** VLOS UAS OPS ARE PERMITTED WI THE TDA WITHOUT PRIOR APPROVAL OR DECONFLICTION. OTHER NON-STANDARD FLIGHT, FLIGHT RESTRICTION ZONE OR CONTROLLED AIRSPACE APPROVALS MUST BE OBTAINED. OPERATORS ARE REMINDED OF THEIR RESPONSIBILITY UNDER CAP722 5.2.2.3 REGARDING OPR IN CLOSE PROXIMITY TO AN EMERG RESPONSE EFFORT. FOR INFO

AROPS(AT)CAA.CO.UK. AR-2026-5408/03.

F) SFC G) 500FT AMSL

J2266/26

0600-2200

TEMPO **DANGER** AREA (TDA) EGD298C INSTALLED WI 1.8NM RADIUS OF 522429N 0013037W (COVENTRY). BEYOND VISUAL LINE OF SIGHT (BVLOS) UAS OPS CONTAINED WHOLLY WI THE TDA. MAX HGT 400FT AGL. EMERG SERVICES ACFT MAY ENTER THE AIRSPACE IN ACCORDANCE WITH LOCAL DECONFLICTION AGREEMENTS. OPEN AND SPECIFIC **CAT** VISUAL LINE OF SIGHT (VLOS) UAS OPS ARE PERMITTED WI THE TDA WITHOUT PRIOR APPROVAL OR DECONFLICTION. OTHER NON-STANDARD FLIGHT, FLIGHT RESTRICTION ZONE OR CONTROLLED AIRSPACE APPROVALS MUST BE OBTAINED. OPERATORS ARE REMINDED OF THEIR RESPONSIBILITY UNDER CAP722 5.2.2.3 REGARDING OPR IN CLOSE PROXIMITY TO AN EMERG RESPONSE EFFORT. FOR INFO AROPS(AT)CAA.CO.UK. AR-2026-2281/05.

F) SFC G) 900FT AMSL

H4480/26

SR-SS

FLYING OF LARGE MODEL ACFT WI 0.5NM RADIUS OF 531732N 0024517W (FRODSHAM, CHESHIRE). FOR INFO 07745707697. AR-2026-6572/01.

F) SFC G) 1100FT AMSL

H4441/26

UAS OPR BEYOND VISUAL LINE OF SIGHT (BVLOS) UTILISING VISUAL OBSERVERS (EXTENDED LINE OF SIGHT) WI 0.1NM RADIUS OF 520247N 0004936W (FAIRFIELDS, MILTON KEYNES). MAX HGT 330FT AGL. FOR INFO 07762 568181. AR-2026-6250/01.

F) SFC G) 700FT AMSL

H4142/26

SR-SS

FLYING OF LARGE MODEL ACFT WI 0.5NM RADIUS OF 534202N 0011955W (PONTEFRAC). FOR INFO 07802725231. AR-2026-6183/01.

F) SFC G) 1800FT AMSL

**H4203/26**

SR-SS

FLYING OF LARGE MODEL ACFT WI AREA BOUNDED BY

505527N 0020138W - 505544N 0020054W - 505518N 0020026W -

505507N 0020051W - 505458N 0020112W - 505527N 0020138W (CASHMOOR).

FOR INFO 07909 022800. AR-2026-6281/01.

F) SFC G) 1900FT AMSL

J2184/26AIC Y 044/2026 TEMPORARY **DANGER** AREA (IN THE VICINITY OF Y70)

BVLOS RPAS OPERATIONS - AIC EXTENDED UNTIL 17 SEPTEMBER 2026.

F) FL200 G) FL230

J2174/26

TUE-FRI 0600-2300, SAT 1200-2300

TEMPO **DANGER** AREA (TDA) EGD187B INSTALLED WI AREA BOUNDED BY

512400N 0000346E - 512358N 0000343E - 512400N 0000339E -

512402N 0000331E - 512401N 0000306E - 512400N 0000245E -

512401N 0000245E - 512404N 0000327E - 512403N 0000341E -

512409N 0000337E - 512436N 0000306E - 512506N 0000231E -

512507N 0000233E - 512501N 0000242E - 512455N 0000249E -

512418N 0000330E - 512409N 0000341E - 512403N 0000353E -

512400N 0000346E (CHISLEHURST NORTH). BEYOND VISUAL LINE OF SIGHT

(BVLOS) UAS OPS WITHOUT VISUAL OBSERVERS CONTAINED WHOLLY WI THE

TDA. MAX HGT 200FT AGL. FOR INFO 07484 424457. AR-2026-4724/04.

F) SFC G) 500FT AMSL

J2173/26

TUE-FRI 0600-2300, SAT 1200-2300

TEMPO **DANGER** AREA (TDA) EGD187D INSTALLED WI AREA BOUNDED BY

512400N 0000346E - 512403N 0000353E - 512346N 0000439E -

512342N 0000511E - 512343N 0000539E - 512343N 0000545E -

512342N 0000555E - 512342N 0000614E - 512340N 0000614E -

512340N 0000509E - 512341N 0000458E - 512344N 0000436E -

512351N 0000404E - 512350N 0000403E - 512232N 0000515E -

512231N 0000513E - 512332N 0000414E - 512358N 0000343E -

512400N 0000346E (CHISLEHURST SOUTH). BEYOND VISUAL LINE OF

SIGHT (BVLOS) UAS OPS WITHOUT VISUAL OBSERVERS CONTAINED WHOLLY WI

THE TDA. MAX HGT 200FT AGL. FOR INFO 07484 424457.

AR-2026-4723/06. F) SFC G) 500FT AMSL

J2172/26

TUE-FRI 0600-2300, SAT 1200-2300

TEMPO **DANGER** AREA (TDA) EGD179B INSTALLED WI AREA BOUNDED BY

512329N 0000459W - 512330N 0000453W - 512336N 0000439W -

512417N 0000415W - 512423N 0000416W - 512423N 0000410W -

512414N 0000407W - 512327N 0000443W - 512312N 0000504W -

512251N 0000523W - 512239N 0000531W - 512229N 0000532W -

512229N 0000535W - 512240N 0000534W - 512311N 0000514W -

512258N 0000554W - 512259N 0000555W - 512314N 0000514W -

512333N 0000521W - 512348N 0000551W - 512353N 0000558W -

512353N 0000557W - 512342N 0000534W - 512329N 0000459W (THORNTON

HEATH, SOUTH NORWOOD). BEYOND VISUAL LINE OF SIGHT (BVLOS) UAS

OPS WITHOUT VISUAL OBSERVERS CONTAINED WHOLLY WI THE TDA. MAX HGT

200FT AGL. EMERG SERVICES ACFT MAY ENTER THE AIRSPACE IN

ACCORDANCE WITH LOCAL DECONFLICTION AGREEMENTS. FOR INFO 07484

424457. AR-2026-4756/04.

F) SFC G) 500FT AMSL

**J2167/26**

TUE-FRI 0600-2300, SAT 1200-2300

TEMPO **DANGER** AREA (TDA) EGD291A INSTALLED WI AREA BOUNDED BY STRAIGHT LINES JOINING:

523704N 0010751W - 523704N 0010749W - 523647N 0010749W -

523550N 0010736W - 523550N 0010741W - 523645N 0010752W -

523649N 0010755W - 523702N 0010826W - 523710N 0010846W -

523712N 0010844W - 523653N 0010758W - 523649N 0010752W -

523704N 0010751W (KNIGHTON FIELDS, LEICESTER). BEYOND VISUAL LINE OF SIGHT (BVLOS) UAS OPS WITHOUT VISUAL OBSERVERS CONTAINED WHOLLY WI THE TDA. MAX HGT 200FT AGL. EMERG SERVICES ACFT MAY ENTER THE AIRSPACE IN ACCORDANCE WITH LOCAL DECONFLICTION AGREEMENTS. FOR INFO 07484 424457. AR-2025-9316/32.

F) SFC G) 500FT AMSL

H3404/26

0900-2259

UAS SWARM OPR WI 0.5NM RADIUS OF 531152N 0021041W (NORTH RODE).

SWARM MADE UP OF 1000 UAS. MAX HGT 400FT AGL. FOR INFO

0203 1516891. AR-2026-5212/01.

F) SFC G) 900FT AMSL

H3896/26

0700-2130

FLYING OF LARGE MODEL ACFT WI 1NM RADIUS OF 521435N 0012040W

(SOUTHAM, WARWICKSHIRE). FOR INFO 07801 281492. AR-2026-5923/01.

F) SFC G) 2100FT AMSL

H3702/26

0500-2000

UAS OPR BEYOND VISUAL LINE OF SIGHT (BVLOS) WI 1NM RADIUS OF

515056N 0005818W (WESTCOTT). MAX HGT 50FT AGL. FOR INFO

07852 318946 / 07954 823065. AR-2026-5640/01.

F) SFC G) 500FT AMSL

H4003/26

SR-SS

UAS OPR BEYOND VISUAL LINE OF SIGHT (BVLOS) UTILISING VISUAL

OBSERVERS (EXTENDED LINE OF SIGHT) WI 0.3NM RADIUS OF

513112N 0023620W (BRISTOL). MAX HGT 400FT AGL.

FOR INFO 07852318946 / 07954823065. AR-2026-6101/01.

F) SFC G) 700FT AMSL

H3485/26

SR-SS

FLYING OF LARGE MODEL ACFT WI 1NM RADIUS OF 515909N 0020453W

(OXENTON). FOR INFO 07970 919930 / 01905 350393. AR-2026-5387/01.

F) SFC G) 1700FT AMSL

**H3958/26**

0800-2259

UAS SWARM OPR WI AREA BOUNDED BY:

514123N 0002607W - 514120N 0002606W - 514118N 0002604W -
514117N 0002602W - 514116N 0002601W - 514114N 0002602W -
514113N 0002601W - 514111N 0002601W - 514110N 0002601W -
514108N 0002602W - 514107N 0002602W - 514106N 0002602W -
514103N 0002600W - 514101N 0002558W - 514101N 0002608W -
514100N 0002619W - 514059N 0002625W - 514058N 0002631W -
514101N 0002633W - 514103N 0002634W - 514104N 0002635W -
514108N 0002639W - 514112N 0002642W - 514115N 0002644W -
514118N 0002645W - 514120N 0002645W - 514123N 0002645W -
514125N 0002644W - 514126N 0002643W - 514127N 0002641W -
514130N 0002639W - 514131N 0002637W - 514132N 0002635W -
514132N 0002634W - 514133N 0002633W - 514132N 0002626W -
514126N 0002629W - 514122N 0002624W - 514123N 0002620W -
514124N 0002616W - 514123N 0002612W - 514123N 0002607W (ABBOTS
LANGLEY). SWARM MADE UP OF 1000 UAS. MAX HGT 400FT AGL. FOR INFO
07738612566. AR-2026-6026/01.

F) SFC G) 800FT AMSL

H3972/26

0900-1900

FLYING OF LARGE MODEL ACFT WI 1NM RADIUS OF 543651N 0013655W
(NEWTON AYCLIFFE). FOR INFO 07580 093449. AR-2026-6001/01.

F) SFC G) 1600FT AMSL

H3440/26

0500-1700

UAS OPR BEYOND VISUAL LINE OF SIGHT (BVLOS) UTILISING VISUAL
OBSERVERS (EXTENDED LINE OF SIGHT) WI AREA BOUNDED BY:

521240N 0013246E - 521257N 0013319E - 521252N 0013344E -
521321N 0013445E - 521348N 0013518E - 521402N 0013530E -
521402N 0013623E - 521349N 0013642E - 521337N 0013707E -
521336N 0013732E - 521305N 0013726E - 521304N 0013649E -
521254N 0013645E - 521235N 0013644E - 521233N 0013724E -
521216N 0013721E - 521213N 0013658E - 521202N 0013702E -
521153N 0013704E - 521146N 0013658E - 521144N 0013647E -
521203N 0013635E - 521206N 0013556E - 521222N 0013533E -
521229N 0013522E - 521234N 0013503E - 521237N 0013425E -
521240N 0013355E - 521244N 0013327E - 521235N 0013321E -
521235N 0013302E - 521240N 0013246E (SIZEWELL). MAX HGT 500FT AGL.
FOR INFO 07464713829. AR-2026-5328/01.

F) SFC G) 600FT AMSL

H3803/26

0700-2230

UAS SWARM OPR WI AREA BOUNDED BY

513012N 0023205W - 513016N 0023203W - 513012N 0023146W -
513009N 0023149W - 513010N 0023158W - 513012N 0023205W (HAMBROOK).
SWARM MADE UP OF 50 UAS. MAX HGT 390FT AGL. FOR INFO 07752 050515
/ 07400 661129. AR-2026-5835/01.

F) SFC G) 600FT AMSL

**H3691/26**

0500-1700

UAS OPR BEYOND VISUAL LINE OF SIGHT (BVLOS) UTILISING VISUAL OBSERVERS (EXTENDED LINE OF SIGHT) WI AREA BOUNDED BY:

521314N 0012942E - 521322N 0013002E - 521321N 0013043E -
521321N 0013123E - 521319N 0013140E - 521311N 0013205E -
521304N 0013223E - 521258N 0013238E - 521253N 0013255E -
521249N 0013309E - 521247N 0013334E - 521244N 0013359E -
521236N 0013510E - 521230N 0013527E - 521210N 0013555E -
521208N 0013547E - 521223N 0013525E - 521228N 0013518E -
521232N 0013446E - 521235N 0013412E - 521242N 0013321E -
521247N 0013247E - 521259N 0013214E - 521307N 0013154E -
521312N 0013134E - 521313N 0013117E - 521313N 0013041E -
521314N 0013003E - 521309N 0012949E - 521314N 0012942E

(SAXMUNDHAM TO LEISTON). MAX HGT 500FT AGL. FOR INFO 07464 713829.

AR-2026-5604/01.

F) SFC G) 700FT AMSL

H3289/26

0900-2000

FLYING OF LARGE MODEL ACFT WI 1NM RADIUS OF 531943N 0004728W (LITTLEBOROUGH). FOR INFO 07717 863042 / 07865 936556.

AR-2026-5094/02

F) SFC G) 1100FT AMSL

H3552/26

0800-1900

FLYING OF LARGE MODEL ACFT WI 1NM RADIUS OF 522236N 0005301E (KNETTISHALL). FOR INFO 07914 094525. AR-2026-5444/01.

F) SFC G) 1200FT AMSL

H3698/26

0800-1500

LIVE FIRING WI 1NM RADIUS OF 513429N 0024608W (ROGIET MOOR SMALL ARMS RANGE). INCREASE TO AIR **DANGER** HEIGHT. FOR INFO 01874 635599.

AR-2026-5618/01.

F) SFC G) 900FT AMSL

H3721/26

0800-2000

FLYING OF LARGE MODEL ACFT WI 0.3NM RADIUS OF 540616N 0011524W (THOLTHORPE). FOR INFO 07778 030714 / 07749 736802.

AR-2026-5658/01. F) SFC G) 1600FT AMSL

H3239/26

0700-1900

FLYING OF LARGE MODEL ACFT WI 1NM RADIUS OF 513348N 0013008W (LETCOMBE BASSET). FOR INFO 07454 733211. AR-2026-5052/01.

F) SFC G) 2200FT AMSL

H3701/26

FLARE FIRING WI 1NM RADIUS OF 513708N 0024553W (CAERWENT). FLARES WILL DESCEND BY PARACHUTE. FOR INFO 01874 635599. AR-2026-5625/01.

F) SFC G) 1500FT AMSL

H3484/26

SR-SS

FLYING OF LARGE MODEL ACFT WI 1NM RADIUS OF 505833N 0010222W (RAMSDEAN). FOR INFO 07739 347722. AR-2026-5394/01.

F) SFC G) 2300FT AMSL

H2868/26

0830-1900

FLYING OF LARGE MODEL ACFT WI 1NM RADIUS OF 521200N 0002130W (COLMWORTH). FOR INFO 07876 200320. AR-2026-4565/01.

F) SFC G) 1300FT AMSL

**H2869/26**

0830-1900

FLYING OF LARGE MODEL ACFT WI 1NM RADIUS OF 521126N 0002448W (RAVENS DEN). FOR INFO 07876200320. AR-2026-4563/01.

F) SFC G) 1300FT AMSL

H3401/26

0900-2259

UAS SWARM OPR WI 1NM RADIUS OF 502322N 0050310W (NEWQUAY). SWARM MADE UP OF 100 UAS. MAX HGT 600FT AGL. FOR INFO 07502 333038. AR-2026-5260/01.

F) SFC G) 900FT AMSL

H3115/26

0700-1900

FLYING OF LARGE MODEL ACFT WI 0.5NM RADIUS OF 533943N 0003340W (WINTERTON). FOR INFO 07508 525011. AR-2026-4960/01.

F) SFC G) 1600FT AMSL

H3075/26

0800-2000

FLYING OF LARGE MODEL ACFT WI 0.3NM RADIUS OF 511327N 0000111W (OXTED). FOR INFO 07966 439835 AR-2026-4874/03.

F) SFC G) 1800FT AMSL

H3418/26

JUN 22-JUL 12 1900-2200, JUL 16-SEP 18 1900-2200

UAS SWARM OPR WI 1NM RADIUS OF 504109N 0011423W (DOWNEND). SWARM MADE UP OF 160 UAS. MAX HGT 600FT AGL. FOR INFO 07919 578177. AR-2026-5288/01.

F) SFC G) 1100FT AMSL

H3342/26

0800-1900

FLYING OF LARGE MODEL ACFT WI 1NM RADIUS OF 540815N 0002238W (WOLD NEWTON). FOR INFO 07483 223878. AR-2026-5215/01.

F) SFC G) 1600FT AMSL

H3421/26

VENTING OF HIGH PRESSURE GAS WI 0.5NM RADIUS OF 530822N 0022720W (HOLE HOUSE GAS VENTING SITE, WARMINGHAM). REINSTATEMENT OF PREVIOUSLY DECOMMISSIONED SITE AWAITING PERM AIP ENTRY. FOR INFO 01270 411342. AR-2026-5292/04.

F) SFC G) 2100FT AMSL

H2849/26

0700-1900

FLYING OF LARGE MODEL ACFT WI 0.55NM RADIUS OF 522203N 0012346W (WOLSTON). FOR INFO 07519 665738. AR-2026-4546/01.

F) SFC G) 1900FT AMSL

H2999/26

SAT-SUN 0900-1700

FLYING OF LARGE MODEL ACFT WI 0.3NM RADIUS OF 504838N 0005525W (THORNEY ISLAND). FOR INFO 07906 078495 / 07808 926007. AR-2026-4778/01.

F) SFC G) 1300FT AMSL

H3145/26

0700-1800

FLYING OF LARGE MODEL ACFT WI 0.3NM RADIUS OF 520800N 0010843W (MORETON PINKNEY). FOR INFO 07973 134141. AR-2026-4970/01.

F) SFC G) 2100FT AMSL

H2816/26

0900-1900

FLYING OF LARGE MODEL ACFT WI 0.5NM RADIUS OF 531727N 0033008W (RHUDDLAN, DENBIGHSHIRE). FOR INFO 07876 597863. AR-2026-4484/01.

F) SFC G) 1600FT AMSL

**H2544/26**

SR-SS

UAS OPR BEYOND VISUAL LINE OF SIGHT (BVLOS) UTILISING VISUAL
OBSERVERS (EXTENDED LINE OF SIGHT) WI 2NM RADIUS OF
515053N 0005735W (WESTCOTT). MAX HGT 400FT AGL. FOR INFO 07852
318946. AR-2026-4150/01.

F) SFC G) 1000FT AMSL

H2897/26

UAS OPR BEYOND VISUAL LINE OF SIGHT (BVLOS) UTILISING VISUAL
OBSERVERS (EXTD LINE OF SIGHT) WI 0.51NM RADIUS OF 530717N
0010307W (BILSTHORPE, NOTTINGHAMSHIRE). MAX HGT 329FT AGL. FOR
INFO

00447762 568181 / 00447538 597873. AR-2026-4700/01.

F) SFC G) 700FT AMSL

H2898/26

UAS OPR BEYOND VISUAL LINE OF SIGHT (BVLOS) UTILISING VISUAL
OBSERVERS (EXTENDED LINE OF SIGHT) WI 0.5NM RADIUS OF
545858N 0012727W (PORT OF TYNE, SOUTH SHIELDS). MAX HGT 330FT AGL.
FOR INFO 00447762568181 / 00447545965255. AR-2026-4698/01.

F) SFC G) 400FT AMSL

H2774/26

0730-1930

FLYING OF LARGE MODEL ACFT WI 0.25NM RADIUS OF 523621N 0012750W
(SIBSON). FOR INFO 07916 536553. AR-2026-4463/01.

F) SFC G) 1600FT AMSL

H2693/26

UAS SWARM OPR WI 0.8NM RADIUS OF 512237N 0005608W (FARLEY HILL).
SWARM MADE UP OF 500 UAS. MAX HGT 400FT AGL. FOR INFO 07405
188200. AR-2026-4343/01.

F) SFC G) 700FT AMSL)

H2498/26

0700-2000

FLYING OF LARGE MODEL ACFT WI 1NM RADIUS OF 510718N 0021047W
(LOWER PERTWOOD). FOR INFO 07962 013388. AR-2026-4068/01.

F) SFC G) 2300FT AMSL

H2736/26

0700-1700

UAS OPR WI 0.34NM RADIUS OF 512938N 0011253W (HAMPSTEAD NORRIS).
MAX HGT 400FT AGL. FOR INFO 07309 919170 / 07309 919318 / 07309
919218. AR-2026-4266/05.

F) SFC G) 1000FT AMSL

=====
EXTENDED AREA AROUND DESTINATION
=====

EHAA **AMSTERDAM FIR**

+++++ FIR/UIR ++++++

B0896/26

LIMITED SURVEILLANCE COVERAGE OVER THE NORTH SEA BELOW FL055.

A1595/26

AMSTERDAM INFORMATION 124.300MHZ, EXPECT LIMITED RADIO COVERAGE
BELOW 1500FT BETWEEN EHRD CTR AND EHSE.

B0818/26

AMSTERDAM INFORMATION 119.175MHZ EXPECT LIMITED RADIO COVERAGE
BELOW 1500FT AROUND 541257N 0044938E (OIL RIG F15-A) RADIUS 30NM.



+++++ RESTRICTED AIRSPACE +++++

B0971/26 VALID: 27-AUG-26 1500 - 27-AUG-26 1600UAS ACT WI 287M RADIUS CENTRED ON 514321N 0043656E (MARIAPOLDER).
F) GND G) 400FT AGL**B0972/26 VALID: 27-AUG-26 1500 - 27-SEP-26 1530**UAS ACT WI 217M RADIUS CENTRED ON 514524N 0043638E (MOOKHOEK).
F) GND G) 400FT AGL**B0969/26 VALID: 27-AUG-26 1400 - 27-AUG-26 1500**UAS ACT WI 587M RADIUS CENTRED ON 514652N 0043713E
('S-GRAVENDEEL).
F) GND G) 400FT AGL**B0968/26 VALID: 27-AUG-26 1300 - 27-AUG-26 1400**UAS ACT WI 1900M RADIUS CENTRED ON 514820N 0043302E (PUTTERSHOEK).
F) GND G) 400FT AGL**B0976/26**FLARING OPERATIONS AT TRITON-10 (L09-FA-103), PSN 5333N 00444E.
F) SFC G) 1000FT AMSL**B0954/26**FLARING OPERATIONS AT TRITON-10 (L09-FA-103), PSN 5333N 00444E.
F) SFC G) 1000FT AMSL=====
EXTENDED AREA AROUND DESTINATION ALTERNATE AIRPORT(S)
=====**EHAA AMSTERDAM FIR**

Please see section EXTENDED AREA AROUND DESTINATION

=====
AREA ENROUTE DEPARTURE - DESTINATION
=====**EHAA AMSTERDAM FIR**

Please see section EXTENDED AREA AROUND DESTINATION

**[Company NOTAM]**

=====

CREW ALERT

=====

SB007/14

SUBJECT: AUTO COST INDEXES

WHEN PLANNING A COST INDEX, 2 OPTIONS ARE AVAILABLE. PILOTS MAY EITHER SELECT A SPECIFIC COST INDEX NUMBER FROM THE LIST, OR THEY MAY SELECT "AUTO". WHEN PLANNING AN "AUTO" COST INDEX, THE SYSTEM WILL REFERENCE THE SCHEDULED "TIME ENROUTE" OPTION AND ATTEMPT TO CHOOSE A COST INDEX WHICH CLOSELY MATCHES THIS VALUE. NOTE THAT THE "TIME ENROUTE" OPTION IS MEANT AS A GATE TO GATE TIME (AS INDICATED ON AN AIRLINE'S FLIGHT SCHEDULE, FOR EXAMPLE). IF A "TIME ENROUTE" OF 2:30 IS SELECTED, THE SYSTEM WILL SUBTRACT THE TAXI TIMES FROM THIS VALUE TO DETERMINE THE SCHEDULED AIR TIME. IT WILL THEN DETERMINE AND USE THE COST INDEX WHICH MATCHES THIS AIR TIME.

SB003/13

SUBJECT: FLIGHT RELEASE UNITS

ALL FLIGHT CREW: PLEASE PAY SPECIAL ATTENTION TO THE UNITS SELECTION WHEN GENERATING A FLIGHT PLAN. FAILURE TO IDENTIFY THE CORRECT UNITS WHEN REFUELING PRIOR TO FLIGHT CAN RESULT IN DEPARTING WITH INSUFFICIENT FUEL AND/OR AN ERRONEOUS PAYLOAD.


=====

CREW BULLETIN


=====


NIL


===== END OF LIDO-NOTAM-BULLETIN =====





- Not for real world navigation -
















End of Document: Total Number of Pages: 55