



[OFF]

LA0109 01SEP2026 SPJC-SEGU A20N DAFBW RELEASE 1448 01SEP26
OFF 1 JORGE CHAVEZ INTL-JOSE JOAQUIN DE OLMEDO INTL
WX PROG 0115 0118 0121 OBS 0106 0106 0106

ATC C/S LAN0109 SPJC/LIM SEGU/GYE CRZ SYS CI 10
01SEP2026 DAFBW 1515/1535 1715/1723 GND DIST 672
FBW A32NX / LEAP-1A26 STA 1730 AIR DIST 667
CTOT:.... G/C DIST 615

MAXIMUM TOW 79000 LAW 67400 ZFW 64300 AVG WIND 090/009
ESTIMATED TOW 61139 LAW 57816 ZFW 55188 AVG W/C P003
AVG ISA P010
AVG FF KGS/HR 1976
FUEL BIAS P00.0
TKOF ALTN

ALTN SELT
FL STEPS SPJC/0380/

DISP RMKS NIL

PLANNED FUEL

FUEL	ARPT	FUEL	TIME
TRIP	GYE	3323	0140
CONT 15 MIN		494	0015
ALTN	LTX	1311	0036
FINRES		823	0030

MINIMUM T/OFF FUEL 5951 0302

EXTRA 0 0000

T/OFF FUEL 5951 0302
TAXI LIM 230 0020

BLOCK FUEL LIM 6181
PIC EXTRA
TOTAL FUEL
REASON FOR PIC EXTRA

FMC INFO:
FINRES+ALTN 2134
TRIP+TAXI 3553

NO TANKERING RECOMMENDED (P)

I HEREWITH CONFIRM THAT I HAVE PERFORMED A THOROUGH SELF BRIEFING
ABOUT THE DESTINATION AND ALTERNATE AIRPORTS OF THIS FLIGHT
INCLUDING THE APPLICABLE INSTRUMENT APPROACH PROCEDURES, AIRPORT
FACILITIES, NOTAMS AND ALL OTHER RELEVANT PARTICULAR INFORMATION.

DISPATCHER: TAMARA FUENTES

PIC NAME: HERMIDA PAZ, IAGO

TEL: +1 800 555 0199

PIC SIGNATURE:



ALTERNATE ROUTE TO: FINRES 823
APT TRK DST VIA FL WC TIME FUEL

SELT/19 045 156 DCT BIVAN G675 MANBU W10 LTV 230 M013 0036 1311
DCT

MEL/CDL ITEMS DESCRIPTION

ROUTING:

ROUTE ID: DEF RTE
SPJC/16L TELEB2F ISREN UL780 EVRED EVRED2 SEGU/21

DEPARTURE ATC CLEARANCE:
.
.
.

OPERATIONAL IMPACTS

WEIGHT CHANGE UP 1.0	TRIP P 0033 KGS	TIME P 0000
WEIGHT CHANGE DN 1.0	TRIP M 0036 KGS	TIME P 0000
FL CHANGE UP FL1	NOT AVAILABLE	
FL CHANGE DN FL1	TRIP P 0042 KGS	TIME P 0001
FL CHANGE DN FL2	TRIP P 0010 KGS	TIME P 0002
SPD CHANGE CI 0	TRIP M 0005 KGS	TIME P 0001
SPD CHANGE CI 50	TRIP P 0057 KGS	TIME M 0002

-----
ATIS:.
.-----
RVSM: ALT SYS LEFT:

STBY:

RIGHT:

-----TIMES

	ESTIMATED	SKED	ACTUAL
OUT	1515Z/1015L	1515Z/1015L	Z
OFF	1535Z/1035L	1535Z/1035L	Z
ON	1715Z/1215L	1722Z/1222L	Z
IN	1723Z/1223L	1730Z/1230L	Z
BLOCK TIME	0208	0215	

-----WEIGHTS

	EST	MAX	ACTUAL	
PAX	122			
BAG/CARGO	2.4			
PAYLOAD	12.7			
ZFW	55.2	64.3		
FUEL	6.2	15.8		POSS EXTRA 9.6
TOW	61.1	70.7	LDG.....	
STAB TRIM				
LAW	57.8	67.4		

-----TERRAIN CLEARANCE CHECK

DD CHECK - TERRAIN CLEARANCE CHECK DISABLED

DP CHECK - TERRAIN CLEARANCE CHECK DISABLED



FLIGHT LOG

MOST CRITICAL MORA 16100 FEET AT TRU///MXSHR 01 AT ISREN

AWY POSITION IDENT FREQ	LAT LONG	EET TTLT	ETO ATO	FL MORA DIS	IMT ITT RDIS	MN TAS GS	WIND COMP SHR	OAT TDV TRP	EFOB AFOB	PBRN ABRN
JORGE CHAVE SPJC	S1201.3 W07707.2	...	...	39	155 151 672	280	P003		6.0	0.2
TELEB2F JC832 JC832	S1207.4 W07703.8	0002 0002	...	053 27 7	265 262 665	.41 280	330/003 P003	18 P14 539	5.7	0.5
TELEB2F GELIM GELIM	S1209.1 W07716.0	0002 0004	...	124 27 12	329 325 653	.57 377	136/004 P002	09 P19 539	5.5	0.7
TELEB2F GAVOX GAVOX	S1146.7 W07731.7	0004 0008	...	229 20 27	332 328 626	.71 457	078/025 P009	M12 P19 541	5.2	1.0
TELEB2F TELEB TELEB	S1103.7 W07758.0	0007 0015	...	328 20 50	336 332 576	.78 479	100/019 P012	M37 P14 538	4.8	1.4
TELEB2F T O C	S1028.1 W07816.6	0004 0019	...	380 20 40	334 332 536	.78 459	087/013 P005 0	M50 P07 539	4.6	1.6
TELEB2F ISREN ISREN	S0942.2 W07840.6	0007 0026	...	380 42 52	348 345 484	.75 438 446	099/014 P008 1	M50 P07 541	4.4	1.8
UL780 TRUJILLO TRU 116.30	S0805.3 W07906.7	0014 0040	...	380 161 100	356 352 384	.75 439 439	072/007 P000 0	M50 P07 545	4.0	2.2
UL780 VAKUD VAKUD	S0430.5 W07933.7	0030 0110	...	380 105 217	356 352 167	.75 439 439	084/001 P000 1	M50 P07 540	3.1	3.0
GUAYAQUIL -SEFG	S0430.4 W07933.7	0000 0110	...	0	167					
UL780 T O D	S0341.9 W07939.9	0006 0116	...	380 133 49	354 352 118	.75 436 443	183/007 P007 1	M50 P07 534	3.0	3.2
UL780 EVRED EVRED	S0247.9 W07946.9	0010 0126	...	197 28 55	359 355 63	.66 426	090/033 P003	M06 P18 536	2.8	3.3



AWY POSITION IDENT FREQ	LAT LONG	EET TTLT	ETO ATO	FL MORA DIS	IMT ITT RDIS	MN TAS GS	WIND COMP SHR	OAT TDV TRP	EFOB AFOB	PBRN ABRN
EVRED2				080	033	.43	031/006	14	2.8	3.4
MIMIT	S0213.3	0006	...	23	029		M005	P15		
MIMIT	W07949.4	0132	...	35	28	285		534		
EVRED2				040	239	.40	356/003	18	2.8	3.4
REGAP	S0202.7	0002	...	25	235		M003	P11		
REGAP	W07943.4	0134	...	12	16	267		534		
EVRED2									2.6	3.6
JOSE JOAQUI	S0209.5	0006	...							
SEGU	W07953.0	0140	...	16						

-----
WIND INFORMATION

CLIMB

350 103/017 -42
310 097/022 -32
200 068/016 -07
150 093/005 +05
100 160/003 +13

T O C

420 096/018 -60
400 090/015 -55
380 087/013 -50
360 096/015 -45
340 103/017 -39

ISREN

420 096/019 -60
400 098/016 -55
380 100/014 -50
360 097/014 -45
340 095/015 -39

TRU

420 107/011 -60
400 088/007 -55
380 070/007 -50
360 084/008 -45
340 094/009 -39

VAKUD

420 168/007 -61
400 194/005 -55
380 228/004 -50
360 254/003 -45
340 296/003 -39

T O D

420 168/009 -61
400 180/008 -55
380 183/007 -50
360 146/005 -45
340 101/006 -39

DESCENT

350 122/005 -42
310 020/002 -31
200 091/033 -06
150 087/017 +03
100 095/006 +11



[ATC Flight Plan]

ICAO FLIGHT PLAN

FF SPIMZQZX SEFGZQZX
011448 CYULSBFP
(FPL-LAN0109-IS
-A20N/M-SDE2E3FGHIRWXY/LB1
-SPJC1515
-N0438F380 TELEB2F ISREN UL780 EVRED EVRED2
-SEGU0130 SELT
-PBN/A1B1C1D101S2 DOF/260901 REG/DAFBW EET/SEFG0110 OPR/LA PER/C
RMK/TCAS)



[Additional Info]

D I S P A T C H B R I E F I N G I N F O LA0109 SPJC/SEGU



[Runway Analysis]

TAKEOFF AND LANDING REPORT LA 0109 SPJC-SEGU 01SEP26
TLR-1 SEQ-184808305 01SEP26 1448Z
A/C D-AFBW FBW A32NX LEAP-1A26 BEW/CG 42500/.....

/// TAKEOFF DATA ///

APT	PRWY	POAT	PWIND	PQNH	PMRTW	FLP	MT	V1	VR	V2	PTOW	MFPTW	LIMIT
SPJC	16L	22.0	193M05	1016	7900	1	74	47	47	48	6114	7072	AFM

RMKS FLEX - SEL TEMP 74
BLEEDS ON

RWY	OAT	WIND	QNH	MRTW	FLP	V1	VR	V2	PWR	CONFIG/CONDITION
-----	-----	------	-----	------	-----	----	----	----	-----	------------------

----- ACARS RUNWAYS -----

RWY	ACARS	LENGTH	PMTOW	NOTES
16L		11509	7900	ILS 109.70
16R		11417	7900	ILS 108.90
34L		11417	7900	
34R		11509	7900	

----- DRY RWY - PTOW - CALM WIND -----

RWY	MTOW	MT	CONFIG	FLP	V1	VR	V2	LIMIT
16L	7900	74	FLEX - BLEEDS ON	1	147	147	148	AFM
16R	7900	74	FLEX - BLEEDS ON	1	146	146	147	AFM
34L	7900	74	FLEX - BLEEDS ON	1	147	147	148	AFM
34R	7900	73	FLEX - BLEEDS ON	1	143	143	144	AFM

----- DRY RWY - PTOW PLUS 2000 - CALM WIND -----

RWY	MTOW	MT	CONFIG	FLP	V1	VR	V2	LIMIT
16L	7900	72	FLEX - BLEEDS ON	1	150	150	151	AFM
16R	7900	72	FLEX - BLEEDS ON	1	150	150	151	AFM
34L	7900	72	FLEX - BLEEDS ON	1	150	150	151	AFM
34R	7900	72	FLEX - BLEEDS ON	1	151	151	152	AFM

----- WET RWY - PTOW - CALM WIND -----

RWY	MTOW	MT	CONFIG	FLP	V1	VR	V2	LIMIT
16L	7900	74	FLEX - BLEEDS ON	1	145	147	148	AFM
16R	7900	74	FLEX - BLEEDS ON	1	144	146	147	AFM
34L	7900	74	FLEX - BLEEDS ON	1	147	147	148	AFM
34R	7900	73	FLEX - BLEEDS ON	1	143	143	144	AFM

----- WET RWY - PTOW PLUS 2000 - CALM WIND -----

RWY	MTOW	MT	CONFIG	FLP	V1	VR	V2	LIMIT
16L	7900	71	FLEX - BLEEDS ON	1	145	147	148	AFM
16R	7900	71	FLEX - BLEEDS ON	1	144	146	147	AFM
34L	7900	72	FLEX - BLEEDS ON	1	146	150	151	AFM
34R	7900	72	FLEX - BLEEDS ON	1	148	151	152	AFM

/// LANDING DATA ///

APT	PRWY	POAT	PWIND	PQNH	PMRLW	FLP	PLDW	LIMIT
SEGU	21	24.0	153M06	1013	6740	FULL	5782	AFM

RMKS WET RUNWAY



RWY OAT WIND QNH MRLW FLP VREF PWR CONFIG/CONDITION

----- ACARS RUNWAYS -----
RWY ACARS LENGTH PMRLW NOTES
03 8465 6740
21 8356 6740 ILS 110.30

----- FLAPS FULL - PACKS ON - NO ENROUTE ICING -----
DRY RWY / WET RWY
 03 21
 8465 FT 8356 FT
 6740A/6740A 6740A/6740A
/ 24 6740A/6740A 6740A/6740A
 6740A/6740A 6740A/6740A
HW/10KT 0/ 0 0/ 0
TW/10KT 0/ 0 0/ 0

----- LANDING DISTANCE - FLAPS FULL - MAX MANUAL BRAKING -----
 ACTUAL FACTORED
LDW VREF DRY WET DRY WET
5600 125 2671 3481 3624 4554
5700 126 2702 3520 3674 4615
/ 5800 128 2732 3560 3725 4677
5900 129 2764 3601 3776 4739
6000 130 2795 3642 3827 4801
HW/KT -17 -21 -19 -25
TW/KT 49 64 77 93

END TAKEOFF AND LANDING REPORT LA 0109 SPJC-SEGU 01SEP26

**[Airport WX List]**

SPJC --> SEGU LA 0109 / 01SEP2026
LIDO/WEATHER SERVICE DATE : 01Sep2026 TIME : 14:48 UTC

AIRMETs:

No Wx data available

SIGMETs:

SPIM LIMA FIR/UIR

WS SIGMET 5 VALID 011410/011720 SPJC- SPIM LIMA FIR
EMBD TS OBS AT 1350Z WI S1244 W07230 - S1224 W07131 -
S1301 W07002 - S1412 W07048 - S1244 W07230 TOP FL410
STNR INTSF=

WS SIGMET A3 VALID 011415/011630 SPJC- SPIM LIMA FIR
EMBD TS OBS AT 1400Z WI S1105 W07544 - S1000 W07542 -
S1005 W07445 - S1110 W07445 - S1105 W07544 TOP FL390
STNR INTSF=

Tropical Cyclone SIGMETs:

No Wx data available

Volcanic Ash SIGMETs:

SEFG GUAYAQUIL FIR/UIR

WV SIGMET 2 VALID 011125/011725 SEGU- SEFG GUAYAQUIL FIR
VA ERUPTION MT REVENTADOR PSN S0004 W07739 VA CLD OBS
AT 1040Z WI N0002 W07804 - S0004 W07739 - S0005 W07740
- S0002 W07805 - N0002 W07804 SFC/FL150 MOV W 15KT
FCST AT 1630Z WI N0002 W07804 - S0004 W07740 - S0005
W07740 - S0002 W07805 - N0002 W07804=

Departure:

SPJC/LIM JORGE CHAVEZ INTL

SA 011400 19005KT 140V210 9999 SCT017 OVC025 22/18 Q1016 NOSIG
RMK BIRD HAZARD RWY 16L/16R PP000
FT 011115 0112/0212 18010KT 9999 BKN025 TX24/0119Z TN20/0210Z
FM020530 14008KT 9999 SCT010 BKN025

Destination:

SEGU/GYE JOSE JOAQUIN DE OLMEDO INTL

SA 011442 21005KT 9999 -RA FEW008 BKN020 OVC100 24/23 Q1013
NOSIG RMK A2993
FT 011100 0112/0212 24006KT 9999 SCT023 BKN100
BECMG 0116/0118 15006KT
BECMG 0122/0124 21012KT FEW026 SCT100
BECMG 0204/0206 BKN023 BKN100 TX32/0120Z TN25/0210Z

Destination Alternates:

SELT/LTX COTOPAXI INTL ALTERNATIVE

SA 011400 09002KT 9999 FEW023 11/06 Q1033 RMK A3053
FT 011100 0112/0212 18004KT 9999 FEW030
BECMG 0116/0118 17016KT
TEMPO 0119/0122 BKN030
BECMG 0200/0202 14004KT
BECMG 0203/0205 FEW010 BKN030 TX19/0119Z TN07/0211Z

AIRPORTLIST ENDED



[NOTAM]

LIDO-NOTAM-BULLETIN INCLUDES NOTAM, COMP NOTAM AND AIP-REGULATION
VALID: 2609011515 - 2609012100 STD(EOBT)+TRIP+ALTN+3HRS
LA 0109 /01SEP OFP-NR: 1
ROUTE: SPJC - SEGU ALTN: SELT
N0438F380 TELEB2F ISREN UL780 EVRED EVRED2

=====

DEPARTURE AIRPORT - DETAILED INFO

=====

SPJC/LIM JORGE CHAVEZ INTL

+++++ AIRPORT +++++

A2863/26

TWY L BTN TWY L5 AND TWY L7 NOT AVBL FOR TAX CAT D AND CAT E ACFT.
RWY 34R AVBL FOR CAT D AND CAT E ACFT VIA TWY F

A2720/26

0630-0930

TWY U2 CLSD DUE WIP

A2813/26

0400-1000

WIP NEAR TWY M, M1, M2, M3, M4, Q, R, L4 AND L5. CTN, MARKED ZONE

A2714/26

1700-2200

TWY L7 CLSD DUE WIP

A2715/26

1700-2200

TWY L BTN TWY M4 TO TWY L7 CLSD DUE WIP

A2438/26

1130-1400

ASCENT OF PROBE BALLOON OVER LIMA AD. PREVIOUS COOR WITH LIMA ACC
IS REQUIRED. COORD: 120446S0770234W RDO: 041 NM
F) GND G) UNL)

C2214/26

1130-2300

SOBREVUELO DE RPAS PARA VIGILANCIA AEREA DISUASIVA Y ATENCION A
EMERGENCIAS DENTRO DEL DISTRITO DE SAN BORJA. COORD:

120442S0765913W 120530S0765847W 120532S0765950W 120640S0765943W

120646S0770046W 120506S0770036W F) GND G) 500FT AGL

A2179/26

CTN DUE TO OBST DRILL RIGS AND CONST CRANES OF 28M HGT DIST 600M
FM END RWY 16R. DEP ACFT REQ MIN CLIMB GRADIENT OF 4.7 PCT DUE TO

OBST. COORD: 120222.38S0770655.93W 120222.10S0770657.19W

120222.63S0770655.41W 120224.05S077065584W 120224.35S0770656.26W

120224.00S0770657.83W 120223.43S0770658.15W

120222.01S0770657.73W F) GND G) 160FT AMSL

A0237/26

NEW INFO OF JORGE CHAVEZ INTERNATIONAL AIRPORT SEE THE LINK:

[HTTPS://WWW.GOB.PE/INSTITUCION/CORPAC/INFORMES-PUBLICACIONES/765728](https://www.gob.pe/institucion/corpac/informes-publicaciones/765728)

3-RESOLUCION-DIRECTORAL-N-0848-2025-MTC-12-AEROPUERTO-INTERNACIONA
L - JORGE-CHAVEZ)



+++++ RUNWAY +++++

A2830/26

2301-1059

WHEN **RWY 16L/34R** IN USE UNIDIRECTIONAL (WEST TO EAST) **TWY L5** AND **TWY D** - TAX ACFT SHALL HOLD SHORT OF **CAT I** MARKING AND WAIT FOR ATC INSTRUCTIONS, TAX ACFT MUST ENSURE TO CROSS **CAT I** MARKINGS/SIGNS BFR REP **RWY** VACATED.

A2828/26

1100-2300

WHEN **RWY 16L/34R** IN USE BIDIRECTIONAL **TWY L5** AND **TWY D** - TAX ACFT SHALL HOLD SHORT OF **CAT I** MARKING AND WAIT FOR ATC INSTRUCTIONS, TAX ACFT MUST ENSURE TO CROSS **CAT I** MARKINGS/SIGNS BFR REP **RWY** VACATED

A2827/26

REF SUP 12/24 TEMPORARY BIDIRECTIONAL **RWY** CROSSING PROC. FOR TOWING ACFT IS **SUSPENDED**, ACCEPTABLE **RWY 16L/34R** CROSSING PROC FOR TOWING ACFT AS FOLLOWS: - WHEN **RWY 16L/34R** IN USE BIDIRECTIONAL: **TWY A** AND **TWY L** - ACFT AND VEHICLES SHALL HOLD SHORT OF **CAT I** MARKINGS/SIGNS AND WAIT FOR ATC INSTRUCTIONS, ACFT AND VEHICLES MUST ENSURE TO CROSS **CAT I** MARKING BFR REP **RWY** VACATED.- WHEN **RWY 16L/34R** BIDIRECTIONAL: **TWY F** AND **L7** - ACFT AND VEHICLES SHALL HOLD SHORT OF **CAT I** MARKINGS/SIGNS AND WAIT FOR ATC INSTRUCTIONS, ACFT AND VEHICLES MUST ENSURE TO CROSS **CAT I** MARKING BFR REP **RWY** VACATED.

A2723/26

0630-0930

WIP ALONG STRIP **RWY 16R/34L**.

A2738/26

ALL ACFT VACATING **RWY 16L** VIA **TWY L4** OR **TWY L5** MUST ENTER **TWY L** ACCORDING TO ATC INSTRUCTIONS IN ORDER TO COMPLETELY VACATE **RWY** DUE TO SPACE RESTRICTIONS

A2745/26

0630-0930

RWY 16R/34L NOT AVBL

A2736/26

AUG 20-22 1000-1059, AUG 23-SEP 07 0500-0629 0931-1059, SEP 08-NOV 20 0500-1059

RWY 16L/34R NOT AVBL

A2468/26

1101-0459

RWY 16R AVBL LDG ONLY AND **RWY 16L AVBL** FOR TKOF ONLY, EXC EMERG, MEDEVAC AND MEDICAL TRANSPORTATION FLT)

A2453/26

RWY 16R AVBL FM V2 INT 2773M TORA, ALL DEPARTURES LEAVING APN1 MUST REPORT ON GND FREQ IF UNABLE TO TKOF FM V2 INT

=====

DESTINATION AIRPORT - DETAILED INFO

=====

SEGU/GYE **JOSE JOAQUIN DE OLMEDO INTL**

+++++ AIRPORT +++++

A1734/26

WIP IN GREEN AREAS SUBJ TFC. CTN

**A1733/26**

WIP IN MOV AREA SUBJ TFC. CTN

A1713/26

RESTRICTED AREA WITH NEXT COORD:

021057S 0795238W - 021106S 0795222W - 021137S 0795236W - 021128S
0795253W. CTN

F) SFC G) 500FT AGL

A0836/26

IN RADIOAYUDAS PARA LA NAVEGACION Y EL ATERRIZAJE ELIMINATE:

GPA 3 DEG NO UTILIZABLE BAJO 300FT

REF AIP PAGE AD 2 SEGU 10 PART AD 2.19

A0070/26

EN EL AREA DE CIRCUITO Y EN EL AD OBST:

ANTENNA 48M IN COORD 020905.70S 0795258.61W **WITHDRAWN**.

REF AIP PAGE AD 2 SEGU 4 PART AD 2.10

+++++ SID ++++++

A0834/26IN (SID 3I) - SOL 3A **RWY 03**REPLACE...POR ENCIMA DE 2000FT HACIA NDB... WITH ...POR ENCIMA DE
2000FT CON RUMBO 226 DEG HACIA NDB...

REF AIRAC SUP 01/26 PAGE 3

+++++ APPROACH PROCEDURES ++++++

A0835/26IN (IAC 3H) - **ILS 0 LOC Y RWY 21**

IN PLAN VIEW, OUTBOUND LEG REPLACE 8 DME/GP WITH 8 DME/GYV

REF AIRAC SUP 01/26 PAGE 8

=====

DESTINATION ALTERNATE AIRPORT(S)

=====

SELT/LTX COTOPAXI INTL ALTERNATIVE

+++++ AIRPORT ++++++

A1898/26

SAT-SUN BTN 1100-0300

AIS **NOT AVBL****A1824/26****FUEL NOT AVBL****A1823/26**

DLY 1100-0300

AP NEW SKED SER

REF AIP PAGE AD 2 SELT 2.3

A1782/26RFFS **DOWNGRADED TO CAT 5****A0723/26**

QUITO APP MAIN FREQ 121.2 MHZ AND APP ALTERNATIVE FREQ 119.7 MHZ.

REF AIP AD 2 SELT 7 PARTE 2.18, AD 2 SELT 27.1, AD 2 SELT 35.1,

AD 2 SELT 35.2

+++++ RUNWAY ++++++

A1887/26**RWY 19** BIRD CONCENTRATION FM 2000M TO 2700M CTN



+++++ APPROACH PROCEDURES +++++

A1785/26

IAC 2 - ILS 0 LOC Y - RWY 19 NOT AVBL
REF AIP AD 2 SELT 35.2

A1750/26

RWY 19 ILS CAT I FREQ 108.7 MHZ OPR BUT GND CK ONLY, AWAITING
FLTCK

=====
EXTENDED AREA AROUND DEPARTURE
=====

SPIM LIMA FIR/UIR

+++++ FIR/UIR +++++

A2873/26 VALID: 01-SEP-26 1500 - 01-SEP-26 1630

MSSR MODE S CAJAMARCA, MSSR MODE S TALARA NOT AVBL DUE TO ADS-B
INTEGRATION TESTING. ADS-B PROC AVBL

A2864/26

0100-0500 1430-1630 2100-2300
LIMA TMA:ENTRY OF SINGLE-ENGINE CAT A ACFT RESTRICTED WITHIN 30NM
RADIUS CENTERED ON JCL VOR. ONLY MULTI-ENGINE ACFT CAT A,B,C AND
D AUTH. EXC VFR FLT AT OR BLW 2000FT OUTSIDE INSTRUMENT FLT PROC
OR ATS RTE AND ACFT OPR WITHIN SPR68 AND SPR68A
F) SFC G) FL245

A2849/26

0700-0900
PSR AND MSSR MODE S LIMA U/S DUE TO MAINT

A2856/26

0600-0900
FLOW CTL PROC ACT DUE TO OPERATIONAL REASONS AS FOLLOWS:
05 MIN SEPARATION WILL BE APPLIED BTN ALL ACFT INBOUND LIMA FIR BY
ARNEL, MOXOM, VAKUD, TOSES, LOBOT, SORTA, IREMI, REGARDLESS FL.
SAR, HUM, EMER, MEDEVAC, STATE ARE EXC.
CONSIDER AS SAME TRANSFER POINT:
MOXOM (UM659) AND ARNEL (UM542)
TOSES (UM674) AND LOBOT (UM795)
SORTA (UL780) AND IREMI (UL302)
VAKUD (UL780)

A2666/26

LIMA EMERGENCY FREQ 121.500 MHZ COV LTD. AVBL ONLY IN EACH TMA

+++++ RESTRICTED AIRSPACE +++++

A2437/26

1130-1400
ASCENT OF PROBE BALLOON OVER JULIACA ZONE. PREVIOUS COOR WITH
JULIACA TWR AND LIMA ACC IS REQUIRED. COORD: 154935S0700044W RDO:
38NM F) GND G) UNL

A2440/26

1130-1400
ASCENT OF PROBE BALLOON OVER LIMA AD. PREVIOUS COOR WITH LIMA ACC
IS REQUIRED. COORD: 120446S0770234W RDO: 041 NM F) GND G) UNL

**A1997/26**

ALL FANS-1/A CAPABLE ACFT ENTERING THE LIMA FIR SHALL LOG ON TO ADDRESS SPIM NOT LESS THAN 5 MIN PRIOR TO CROSSING THE LIMA FIR BOUNDARY, BUT NOT EARLIER THAN 20 MIN BEFORE CROSSING THE LIMA FIR BOUNDARY. ALL FANS-1/A CAPABLE ACFT ENTERING THE LIMA FIR SHALL REPORT TO ACC LIMA THE ENTRY WAYPOINT/REPORTING POINT ON THE APPROPRIATE VHF FREQ, AND IF UNABLE TO ESTABLISH CONTACT, SHALL DO SO VIA CPDLC

A4005/25

1130-1330

ASCENT OF PROBE BALLOON OVER AREQUIPA **AD**. PREVIOUS COOR WITH AREQUIPA TWR AND LIMA ACC IS REQUIRED. COORD: 162415S0713306W RDO: 35NM

F) GND G) UNL

A4006/25

1130-1330

ASCENT OF PROBE BALLOON OVER JAUJA **AD**. PREVIOUS COOR WITH JAUJA INFO DE **AD** AND LIMA ACC IS REQUIRED. COORD: 115458S0751918W RDO: 33NM

F) GND G) UNL

A4009/25

1130-1330

ASCENT OF PROBE BALLOON OVER TRUJILLO **AD**. PREVIOUS COOR WITH TRUJILLO TWR AND LIMA ACC IS REQUIRED. COORD: 080238S0790334W RDO: 19NM

F) GND G) UNL

A4011/25

1130-1330

ASCENT OF PROBE BALLOON OVER IQUITOS **AD**. PREVIOUS COOR WITH IQUITOS TWR AND LIMA ACC IS REQUIRED. COORD: 034550S0731518W RDO: 18NM

F) GND G) UNL

=====
EXTENDED AREA AROUND DESTINATION
=====

SEFG ECUADOR

+++++ FIR/UIR ++++++

A1909/26

ACC1 FREQ 128.3 MHZ SECT SAN CRISTOBAL **U/S**

+++++ WAYPOINT ++++++

A2882/25

WPT VUGUM INSTALLED NEXT COORD 010345.19N 0781636.15W

+++++ RESTRICTED AIRSPACE ++++++

A2064/26 VALID: 01-SEP-26 1126 - 01-SEP-26 1726

VA CLD VOLCANO REVENTADOR 1502-01 PSN S0004 W07739

N0002 W07804 - S0004 W07739 - S0005 W07740 - S0002 W07805

N0002 W07804 MOV W 15KT.

AWY RESTRICTION AND ALTERNATE RTE WILL BE NOTIFIED BY ATC

F) FL115 G) FL150



=====

EXTENDED AREA AROUND DESTINATION ALTERNATE AIRPORT(S)

=====

SEFG ECUADOR

Please see section EXTENDED AREA AROUND DESTINATION

=====

AREA ENROUTE DEPARTURE - DESTINATION

=====

SEFG ECUADOR

Please see section EXTENDED AREA AROUND DESTINATION



[Company NOTAM]

=====

CREW ALERT

SB007/14

SUBJECT: AUTO COST INDEXES

WHEN PLANNING A COST INDEX, 2 OPTIONS ARE AVAILABLE. PILOTS MAY EITHER SELECT A SPECIFIC COST INDEX NUMBER FROM THE LIST, OR THEY MAY SELECT "AUTO". WHEN PLANNING AN "AUTO" COST INDEX, THE SYSTEM WILL REFERENCE THE SCHEDULED "TIME ENROUTE" OPTION AND ATTEMPT TO CHOOSE A COST INDEX WHICH CLOSELY MATCHES THIS VALUE. NOTE THAT THE "TIME ENROUTE" OPTION IS MEANT AS A GATE TO GATE TIME (AS INDICATED ON AN AIRLINE'S FLIGHT SCHEDULE, FOR EXAMPLE). IF A "TIME ENROUTE" OF 2:30 IS SELECTED, THE SYSTEM WILL SUBTRACT THE TAXI TIMES FROM THIS VALUE TO DETERMINE THE SCHEDULED AIR TIME. IT WILL THEN DETERMINE AND USE THE COST INDEX WHICH MATCHES THIS AIR TIME.

SB003/13

SUBJECT: FLIGHT RELEASE UNITS


ALL FLIGHT CREW: PLEASE PAY SPECIAL ATTENTION TO THE UNITS SELECTION WHEN GENERATING A FLIGHT PLAN. FAILURE TO IDENTIFY THE CORRECT UNITS WHEN REFUELING PRIOR TO FLIGHT CAN RESULT IN DEPARTING WITH INSUFFICIENT FUEL AND/OR AN ERRONEOUS PAYLOAD.

=====


CREW BULLETIN


NIL


===== END OF LIDO-NOTAM-BULLETIN =====




- Not for real world navigation -








- Not for real world navigation -



- Not for real world navigation -



- Not for real world navigation -



End of Document: Total Number of Pages: 25