



[OFF]

CM4233 01SEP2026 MPTO-SKRG B38M N808SB RELEASE 2142 01SEP26
OFF 1 TOCUMEN INTL-JOSE MARIA CORDOVA
WX PROG 0121 0200 0203 OBS 0112 0112 0112

ATC C/S CMP4233 MPTO/PTY SKRG/MDE CRZ SYS CI 12
01SEP2026 N808SB 2210/2230 2328/2336 GND DIST 348
B737 MAX 8 / LEAP-1B28 STA 2340 AIR DIST 352
CTOT:.... G/C DIST 293

MAXIMUM TOW 82645 LAW 69309 ZFW 65952 AVG WIND 059/008
ESTIMATED TOW 62781 LAW 60397 ZFW 57674 AVG W/C M004
AVG ISA P013
AVG FF KGS/HR 2439
FUEL BIAS P00.0
TKOF ALTN

ALTN SKBG
FL STEPS MPTO/0370/LCE/0230

DISP RMKS PLANNED OPTIMUM FLIGHT LEVEL

PLANNED FUEL

FUEL	ARPT	FUEL	TIME
TRIP	MDE	2384	0058
CONT 15 MIN		610	0015
ALTN	BGA	1231	0034
FINRES		882	0030
MINIMUM T/OFF FUEL		5107	0218
EXTRA		0	0000
T/OFF FUEL		5107	0218
TAXI	PTY	191	0020
BLOCK FUEL	PTY	5298	
PIC EXTRA			
TOTAL FUEL			
REASON FOR PIC EXTRA			

FMC INFO:
FINRES+ALTN 2113
TRIP+TAXI 2575

NO TANKERING RECOMMENDED (P)

I HEREWITH CONFIRM THAT I HAVE PERFORMED A THOROUGH SELF BRIEFING
ABOUT THE DESTINATION AND ALTERNATE AIRPORTS OF THIS FLIGHT
INCLUDING THE APPLICABLE INSTRUMENT APPROACH PROCEDURES, AIRPORT
FACILITIES, NOTAMS AND ALL OTHER RELEVANT PARTICULAR INFORMATION.

DISPATCHER: ERIC BECK

PIC NAME: HERMIDA PAZ, IAGO

TEL: +1 800 555 0199

PIC SIGNATURE:



ALTERNATE ROUTE TO:				FINRES			882
APT	TRK	DST	VIA	FL	WC	TIME	FUEL
SKBG/35	066	163	DIPRA1C DIPRA W26 UMKAG UMKAG2C	250	M006	0034	1231

MEL/CDL ITEMS DESCRIPTION

ROUTING:

ROUTE ID: DEF RTE
MPT0/03L DCT KUBEK DCT LCE B689 OPMEL OPMEL4A SKRG/01

DEPARTURE ATC CLEARANCE:

.
.
.

OPERATIONAL IMPACTS

WEIGHT CHANGE UP 1.0	TRIP P 0018 KGS	TIME P 0000
WEIGHT CHANGE DN 1.0	TRIP M 0029 KGS	TIME P 0000
FL CHANGE UP FL1	TRIP P 0041 KGS	TIME M 0000
FL CHANGE DN FL1	TRIP M 0019 KGS	TIME P 0000
FL CHANGE DN FL2	TRIP M 0020 KGS	TIME P 0001
SPD CHANGE CI 0	TRIP M 0019 KGS	TIME P 0001
SPD CHANGE CI 100	TRIP P 0035 KGS	TIME M 0002

-----
ATIS:.
.-----
RVSM: ALT SYS LEFT:

STBY:

RIGHT:

-----TIMES

	ESTIMATED	SKED	ACTUAL
OUT	2210Z/1710L	2210Z/1710L	Z
OFF	2230Z/1730L	2230Z/1730L	Z
ON	2328Z/1828L	2332Z/1832L	Z
IN	2336Z/1836L	2340Z/1840L	Z
BLOCK TIME	0126	0130	

-----WEIGHTS

	EST	MAX	ACTUAL	
PAX	133			
BAG/CARGO	3.3			
PAYLOAD	13.9			
ZFW	57.7	66.0		
FUEL	5.3	14.2		POSS EXTRA 8.9
TOW	62.8	71.7	LDG.....	
STAB TRIM				
LAW	60.4	69.3		

-----TERRAIN CLEARANCE CHECK

DD CHECK - TERRAIN CLEARANCE CHECK DISABLED

DP CHECK - TERRAIN CLEARANCE CHECK DISABLED



FLIGHT LOG

MOST CRITICAL MORA 12700 FEET AT REMUK///MXSHR 05 AT KUBEK

AWY POSITION IDENT FREQ	LAT LONG	EET TTLT	ETO ATO	FL MORA DIS	IMT ITT RDIS	MN TAS GS	WIND COMP SHR	OAT TDV TRP	EFOB AFOB	PBRN ABRN
TOCUMEN INT MPTO	N0904.3 W07923.0	...	...	36	120 115 348	458	P002		5.1	0.2
DCT T O C	N0814.4 W07739.4	0020	...	370 75 124	121 116 224	.78 456 458	016/014 P002 3	M48 P09 532	3.6	1.7
DCT KUBEK KUBEK	N0801.5 W07713.1	0004	...	370 66 29	120 112 195	.77 452 458	359/013 P006 5	M47 P10 530	3.5	1.8
BOGOTA FIR/UIR -SKED	N0801.4 W07713.0	0000	...	0	195					
DCT LOS CEDROS LCE 112.60	N0749.1 W07643.3	0004	...	370 111 32	152 144 163	.77 452 457	359/012 P005 5	M47 P10 529	3.3	2.0
B689 REMUJ REMUJ	N0713.3 W07617.9	0007	...	230 127 44	152 144 119	.60 380 365	121/016 M015 1	M13 P18 533	3.3	2.0
B689 OPMEL OPMEL	N0644.2 W07557.2	0006	...	230 127 36	137 129 83	.60 380 365	120/016 M015 1	M13 P18 533	3.1	2.2
OPMEL4A ISPAS ISPAS	N0623.8 W07532.5	0005	...	230 116 32	187 178 51	.60 379 362	122/017 M017 0	M13 P18 537	2.9	2.4
OPMEL4A T O D	N0622.8 W07532.5	0000	...	230 123 1	185 178 50	.60 379 369	122/017 M010 0	M13 P18 537	2.9	2.4
OPMEL4A VUBSA VUBSA	N0607.5 W07532.2	0003	...	160 123 15	188 180 35	.57 364	109/019 M007	01 P18 537	2.9	2.4
OPMEL4A DONTU DONTU	N0552.5 W07532.3	0003	...	095 116 15	029 021 20	.45 299	080/003 P001	13 P17 537	2.9	2.4
OPMEL4A JOSE MARIA SKRG	N0609.9 W07525.4	0006	...	20					2.7	2.6



AWY				FL	IMT	MN	WIND	OAT	EFOB	PBRN
POSITION	LAT	EET	ETO	MORA	ITT	TAS	COMP	TDV		
IDENT	LONG	TTLT	ATO	DIS	RDIS	GS	SHR	TRP	AFOB	ABRN
FREQ										

-----
WIND INFORMATION

CLIMB

350 050/009 -42
310 091/013 -31
200 117/013 -07
150 091/015 +03
100 087/010 +11

T O C

410 013/012 -58
390 008/018 -53
370 018/014 -48
350 050/009 -42
330 083/010 -37

KUBEK

410 350/015 -58
390 351/020 -53
370 359/012 -47
350 061/004 -42
330 120/008 -37

LCE

410 350/015 -58
390 351/020 -53
370 000/012 -47
350 064/004 -42
330 120/008 -37

REMUJ

270 095/014 -22
250 111/015 -17
230 120/016 -13
210 119/015 -09
190 107/015 -06

OPMEL

270 095/014 -22
250 110/015 -17
230 120/016 -13
210 118/015 -09
190 107/015 -06

ISPAS

270 100/016 -22
250 114/017 -17
230 122/017 -13
210 114/017 -09
190 111/018 -05

T O D

270 100/016 -22
250 114/017 -17
230 122/017 -13
210 114/017 -09
190 111/018 -05

DESCENT

350 012/014 -42
310 056/011 -31
200 112/018 -07
150 122/014 +03
100 143/010 +12



[ATC Flight Plan]

ICAO FLIGHT PLAN

FF MPZLZQZX SKEDZQZX
012142 CYULSBFP
(FPL-CMP4233-IS
-B38M/M-SDE1FGHILORVWXY/HB1
-MPT02210
-N0452F370 DCT KUBEK DCT LCE/N0380F230 B689 OPMEL OPMEL4A
-SKRG0048 SKBG
-PBN/A1B1C1D1L101S1S2 DOF/260901 REG/N808SB EET/SKED0024 OPR/CM
PER/D RMK/TCAS)



[Additional Info]

D I S P A T C H B R I E F I N G I N F O CM4233 MPT0/SKRG



[Runway Analysis]

TAKEOFF AND LANDING REPORT CM 4233 MPTO-SKRG 01SEP26
TLR-1 SEQ-184850020 01SEP26 2142Z
A/C N808SB B737 MAX 8 LEAP-1B28 BEW/CG 43799/.....

/// TAKEOFF DATA ///

APT	PRWY	POAT	PWIND	PQNH	PMRTW	FLP	MT	V1	VR	V2	PTOW	MFPTW	LIMIT
MPTO	03L	30.0	144M04	1009	7112	5	46	33	33	42	6278	7169	FLD

RMKS D-T02 - SEL TEMP 46
BLEEDS ON

RWY	OAT	WIND	QNH	MRTW	FLP	V1	VR	V2	PWR	CONFIG/CONDITION
-----	-----	------	-----	------	-----	----	----	----	-----	------------------

----- ACARS RUNWAYS -----										
RWY	ACARS	LENGTH	PMTOW	NOTES						
03L		8799	7112							
03R		10007	7594	ILS 110.70						
21L		10007	7640							
21R		8799	7541							

----- DRY RWY - PTOW - CALM WIND -----										
RWY	MTOW	MT	CONFIG	FLP	V1	VR	V2	LIMIT		
03L	7196	47	D-T02 - BLEEDS ON	5	133	133	142	FLD		
03R	7619	52	D-T02 - BLEEDS ON	5	139	141	149	CLB		
21L	7617	52	D-T02 - BLEEDS ON	5	139	141	149	CLB		
21R	7516	51	D-T02 - BLEEDS ON	5	138	139	147	CLB		

----- DRY RWY - PTOW PLUS 2000 - CALM WIND -----										
RWY	MTOW	MT	CONFIG	FLP	V1	VR	V2	LIMIT		
03L	7196	42	D-T02 - BLEEDS ON	5	135	135	144	FLD		
03R	7619	48	D-T02 - BLEEDS ON	5	140	141	149	CLB		
21L	7617	49	D-T02 - BLEEDS ON	5	142	144	152	CLB		
21R	7516	47	D-T02 - BLEEDS ON	5	139	140	148	CLB		

----- WET RWY - PTOW - CALM WIND -----										
RWY	MTOW	MT	CONFIG	FLP	V1	VR	V2	LIMIT		
03L	7029	46	D-T02 - BLEEDS ON	5	131	133	142	FLD		
03R	7594	51	D-T02 - BLEEDS ON	5	137	138	146	CLB		
21L	7592	52	D-T02 - BLEEDS ON	5	139	141	149	CLB		
21R	7492	50	D-T02 - BLEEDS ON	5	136	137	145	CLB		

----- WET RWY - PTOW PLUS 2000 - CALM WIND -----										
RWY	MTOW	MT	CONFIG	FLP	V1	VR	V2	LIMIT		
03L	7251	46	D-T01 - BLEEDS ON	5	133	136	144	FLD		
03R	7594	48	D-T02 - BLEEDS ON	5	140	141	149	CLB		
21L	7592	48	D-T02 - BLEEDS ON	5	140	141	149	CLB		
21R	7492	46	D-T02 - BLEEDS ON	5	137	137	145	CLB		

/// LANDING DATA ///

APT	PRWY	POAT	PWIND	PQNH	PMRLW	FLP	PLDW	LIMIT
SKRG	01	24.0	127M05	1025	6931	30	6040	AFM

RMKS WET RUNWAY



RWY OAT WIND QNH MRLW FLP VREF PWR CONFIG/CONDITION

----- ACARS RUNWAYS -----
RWY ACARS LENGTH PMRLW NOTES
01 11286 6931 ILS 110.90
19 11286 6931

----- FLAPS 30 - PACKS ON - NO ENROUTE ICING -----
DRY RWY / WET RWY
 01 19
 11286 FT 11286 FT
 6931A/6931A 6931A/6931A
/ 24 6931A/6931A 6931A/6931A
 6931A/6931A 6931A/6931A
HW/10KT 0/ 0 0/ 0
TW/10KT 0/ 0 0/ 0

----- LANDING DISTANCE - FLAPS 30 - MAX MANUAL BRAKING -----
 ACTUAL FACTORED
LDW VREF DRY WET DRY WET
5900 137 3568 4954 4808 6402
6000 138 3607 5008 4870 6481
/ 6100 139 3647 5063 4932 6561
6200 140 3687 5119 4994 6641
6300 141 3727 5175 5057 6722
HW/KT -22 -30 -25 -35
TW/KT 65 90 96 124

END TAKEOFF AND LANDING REPORT CM 4233 MPT0-SKRG 01SEP26

**[Airport WX List]**

MPTO --> SKRG CM 4233 / 01SEP2026
LIDO/WEATHER SERVICE DATE : 01Sep2026 TIME : 21:42 UTC

AIRMETs:

No Wx data available

SIGMETs:

MPZL PANAMA FIR/UIR
WS SIGMET 05 VALID 011850/012250 MPTO- MPZL PANAMA FIR
EMBD TS OBS AT 1830Z W OF LINE N1440 W07908 - N0940
W07943 TOP FL500 STNR NC=

Tropical Cyclone SIGMETs:

No Wx data available

Volcanic Ash SIGMETs:

No Wx data available

Departure:

MPTO/PTY TOCUMEN INTL

SA 012100 14004KT 110V170 9999 SCT018 SCT090 30/26 Q1009 NOSIG
FT 011730 0118/0224 29006KT 9999 SCT018 SCT090
PROB40 0118/0122 16007KT 6000 TSRA SCT015CB BKN090
TEMPO 0206/0210 VRB02KT
TEMPO 0210/0214 VRB01KT
PROB30 0217/0221 15006KT 6000 TSRA SCT015CB SCT080

Destination:

SKRG/MDE JOSE MARIA CORDOVA

SA 012100 VRB04KT 9999 FEW030 24/13 Q1025
FT 011655 0118/0218 12005KT 9999 SCT025
TEMPO 0120/0200 5000 SHRA SCT015TCU
BECMG 0204/0206 4000 BR BKN007
BECMG 0213/0215 9999 SCT020 TX23/0119Z TN14/0211Z

Destination Alternates:

SKBG/BGA PALONEGRO

SA 012100 COR 33010KT 250V030 9000 DZ VCSH SCT020 SCT050 23/21
Q1015 RMK VCSH/S
FT 011655 0118/0218 34010KT 9999 SCT030
TEMPO 0118/0122 SHRA SCT030TCU
PROB40 TEMPO 0124/0203 RADZ SCT020CB TX26/0119Z
TN20/0210Z

AIRPORTLIST ENDED



[NOTAM]

LIDO-NOTAM-BULLETIN INCLUDES NOTAM, COMP NOTAM AND AIP-REGULATION
VALID: 2609012210 - 2609020311 STD(EOBT)+TRIP+ALTN+3HRS
CM 4233 /01SEP OFP-NR: 1
ROUTE: MPTO - SKRG ALTN: SKBG
N0452F370 DCT KUBEK DCT LCE/N0380F230 B689 OPMEL OPMEL4A

=====

DEPARTURE AIRPORT - DETAILED INFO

=====

MPTO/PTY TOCUMEN INTL

+++++ AIRPORT +++++

A1286/26 VALID: 01-SEP-26 1741 - 01-SEP-26 2300

TWY S2 CLSD FM PSN 215 TIL PSN 216 CTN

A1285/26 VALID: 01-SEP-26 1712 - 01-SEP-26 2300

TWY S2 CLSD BTN PSN 215 AND PSN 216 CTN

A0873/26

TWY B AVBL TIL ACFT REF CODE LETTER D.

A0716/26ALL ACFT OPR APN T1 AND APN T2 MUST USE TWY S2 OR TWY S6,
ACCORDING TO INSTRUCTIONS TWR**A0715/26**

TWY S1, TWY S3, TWY S5 AND TWY S7 CLSD

+++++ RUNWAY +++++

A1282/26

1745-1815 DLY

RWY 03L/21R CLSD**A1135/26**PERSONNEL AND EQPT WORKING BOTH SIDES **RWY 03L/21R**. CTN**A1136/26**

1200-2359 DLY

PERSONNEL AND EQPT WORKING BOTH SIDES **RWY 03R/21L**. CTN

+++++ APPROACH PROCEDURES +++++

A1240/26**ILS/LOC** INAT 110.7MHZ**ILS/GS/DME** INAT 330.2MHZ/CH44X **U/S**



=====

DESTINATION AIRPORT - DETAILED INFO

=====

SKRG/MDE JOSE MARIA CORDOVA

+++++ AIRPORT +++++

A2214/26

MON - SAT 0430-0600, 0700-0800, 0900-1000, 1200-1400, 1530-1730,,
2000-2130

EXC AUG 7,17

OCT 12

TWY F CLSD

A2170/26

RWY 19 INTERSECTION **TWY D** DIST TORA CHANGES TO 2920M

RWY 01 INTERSECTION **TWY B** DIST TORA CHANGES TO 1975M

A2143/26

TWY G CLSD

A2142/26

TWY G AND **TWY F WIP**, EXER CTN

A2141/26

TWY S1 BTN **TWY G** AND **TWY F WIP**, EXER CTN

A2140/26

TWY A BTN **TWY G** AND **TWY F WIP**, EXER CTN

A2139/26

COMMERCIAL APN AND CARGO APN **WIP**, EXER CTN

A1979/26

JUL 16 0600-2359

PSN PRKG ACFT NR 09 **CLSD**

A1956/26

TWR LTD, VIS REDUCED BTN **TWY A** AND THR 01 DUE TO TREES, EXER CTN
REF. SKRG AD 2.23

A1915/26

JUL 08 0600-2359

APN COMERCIAL LTD, ACFT **CAT E**, ENTRY AND EXIT ONLY VIA **TWY F** AND
TWY N2

A1684/26

PSN PRKG ACFT C1C Y PSN PRKG ACFT C1A, **CLSD**

+++++ RUNWAY +++++

A2489/26

AUG 21 0730-0900,, SEP 15-26 0530-1030

RWY 01/19 CLSD

A2389/26

PAPI **RWY 19 U/S**

+++++ APPROACH PROCEDURES +++++

A0712/26

IAP RNP **RWY 01** MODIFIED, ADDN MNM LNAV/VNAV:

LNAV/VNAV: OCA(H) 7500(533) VIS 1700

BARO VNAV SYSTEMS NOT SELF - COMPENSATED APPLY BTN -5 DEG AND 30
DEG. REF. AIP AD 2 SKRG 2.24)



=====

DESTINATION ALTERNATE AIRPORT(S)

=====

SKBG/BGA PALONEGRO

+++++ AIRPORT +++++

A2535/26

MAIN APN **WIP**, EXER CTN

A2167/26

TWY A BTN TWY C AND TWY A2 **CLSD**

A1978/26

INT TWY A AND TWY C LTD, POTHOLE EXER CTN

A1739/26

MIDPOINT VISIBILIMETER **RWY 17/35 U/S**

+++++ RUNWAY +++++

A2561/26

0430-1000

AUG 31 0530-1000

RWY 17/35 WIP, EXER CTN

A2036/26

AUG 23 0430-1030,, SEP 06, 13, 20 0430-1030,, OCT 18, 25

0430-1030

RWY 17/35 WIP, EXER CTN

A2038/26

AUG 23 0000-0430 1030-1500, SEP 06 13 20 0000-0430 1030-1500,,

OCT 18 25 0000-0430 1030-1500

RWY 17/35 CLSD

A2363/26

RTHL 35 **U/S**

A2168/26

THR 35 LTD, TKOF FM INT **NOT AVBL**

A2096/26

TRANSMISOMETER **RWY 35 U/S**

A1988/26

REIL **RWY 35 U/S**

A1936/26

STRIP **RWY 17/35 WIP**, EXER CTN

A1785/26

THR **RWY 35 LTD**, POTHOLE EXER CTN

+++++ APPROACH PROCEDURES +++++

A1864/26

ILS/GP IBGA FREQ 330.2 MHZ **RWY 35 U/S**



=====

EXTENDED AREA AROUND DEPARTURE

=====

MPZL PANAMA FIR/UIR

+++++ FIR/UIR +++++

A2209/26

FPL VIA EMAIL AVBL
REF. ENR 1.10

=====

EXTENDED AREA AROUND DESTINATION

=====

SKED BOGOTA FIR/UIR

+++++ FIR/UIR +++++

00122/26

0219N07624W

ORANGE

F) VA CLD OBS SFC/FL180 0229N07650W 0219N07624W 0217N07624W

0223N07653W 0229N07650W G) W H) VAAC ADVISORY NR: 2026/473 -

SUP ACC GTP

I) CTR PPN **CLSD**

J) VAAC ADVISORY NR: 2026/473 - SUP ACC GTP

K) CONTINUA EL ESTADO DE ALERTA NARANJA: VARIACIONES

SIGNIFICATIVAS EN EL DESARROLLO DEL PROCESO VOLCANICO DERIVADAS

DEL ANALISIS DE LOS INDICADORES DE LOS PARAMETROS DE VIGILANCIA,

LAS CUALES PUEDEN EVOLUCIONAR EN EVENTO(S) ERUPTIVO(S) DE CARACTER

EXPLOSIVO O EFUSIVO. W 25KT.)

A2578/26

OPS GNSS POSS SGL LOSS FROM GND TIL A150 30NM ABT VOR/PPN, EXER
CTN

A2563/26

AUG 31 1100-1300, 1700-2359

SEP 01, 03, 04, 07, 10 0000-0200, 1100-1300, 2300-2359

SEP 02, 05, 08, 09, 12 0000-0200, 1100-1300, 2100-2359

SEP 06, 13 0000-0200, 2300-2359

SEP 11, 14, 15 0000-0200, 1100-1300, 1700-2359

SEP 16 0000-0200

TMA LETICIA LTD, BE ATS NO AVBL

AIP ENR 2.1 CONTINGENCY PLAN WILL BE APPLIED

A2471/26

APP VILLAVICENCIO 119.700 MHZ ALTN INSTL

REF. AIP ENR 2.1 **AD** 2.18, **AD** 2.24

A2430/26

ADS-B CARIMAGUA **U/S**

A2209/26

FPL VIA EMAIL AVBL

REF. ENR 1.10

A1874/26

ADS-B QUIBDO **U/S**

A1775/26

CTA CALI MSAW NO AVBL

A1755/26

ADS-B SAN JOSE DEL GUAVIARE **U/S**

**A1736/26**

TMA PEREIRA LTD.

RADAR SURVEILLANCE SER DEGRADATION RTE W2 BTN **VOR/DME** IBG AND
CRP/ISNOX, RTE W42 BTN **VOR/DME** IBG AND CRP/TOLIM ACFT OPR 17000FT
AMSL OR LOWER**A1659/26**SSR LET **U/S****A1638/26**SSR ETB **U/S****A1621/26**

TMA PEREIRA PARAGLIDERS PRESENCE, EXER CTN

A1598/26OPS GNSS POSS SGL LOSS FROM GND TIL A150 30NM ABT VOR/PPN, EXER
CTN

+++++ WAYPOINT +++++

A2581/26**VOR/DME** NVA 115.80MHZ/CH105X **U/S****A2580/26****DVOR/DME** IBG 113.10MHZ/CH78X **U/S****A2579/26****DVOR/DME** ABL 112.700MHZ CH74X **U/S****A2577/26****VOR** TME 114.50MHZ **U/S****A2525/26****DVOR** CUC 113.30 MHZ **U/S****A2413/26****VOR/DME** VVC FREQ 116.70 MHZ CH 114X **U/S****A2366/26****VOR/DME** EYP 115.60 MHZ CH103X **U/S****A2301/26****DME** PDA CH96X **U/S****A2281/26****VOR** ULQ 117.70MHZ **U/S****A2277/26****VOR** TCO 114.00MHZ **U/S****A2262/26**WPT CC430 INSTL NXT COORD 080309.90N0722821.80W
REF AIP ENR 3.3, ENR 4.4, ENR 6.1**A1905/26****VOR** PLG FREQ 112.80 MHZ **U/S****A1904/26****DVOR/DME** EJA FREQ 115.90 MHZ CH 106X **U/S****A1875/26****DME** PLG CH 75X **U/S****A1776/26****DVOR** UIB 113.20 MHZ **U/S****A1759/26****VOR** MRN 113.00MHZ **U/S****A1601/26****VOR/DME** NVA 115.80 MHZ CH105X **U/S****A1600/26****DVOR/DME** IBG 113.10 MHZ CH78X **U/S****A1599/26****DVOR/DME** ABL 112.700 MHZ CH74X **U/S**



+++++ RESTRICTED AIRSPACE +++++

A2523/26

1400-2300

PJE WILL TAKE PLACE NXT COORD:

064516N0731041W-064344N0730734W-064133N0730837W-064311N0731142W

F) GND G) 6500FT AMSL

A2474/26

1200-2200

PJE WILL TAKE PLACE NXT COORD:

063254.49N0745719.55W - 063116.85N0745712.66W -

063135.55N0750034.44W - 063319.09N0750021.00W F) GND G) 13500FT AMSL

A2553/26

1300-2100

UAS WILL TAKE PLACE NXT COORD:

013620.00N0753519.89W-013448.81N-0753211.53W-013422.71N0753224.10W

-013553.90N0753532.37W-013620.00N0753519.89W F) GND G) 1300FT

AMSL

A2551/26

AUG 29-30 1400-1600 1900-2200,, SEP 05-06 1400-1600 1900-2200

PJE WILL TAKE PLACE RADIUS 1.3NM CENTRE 051214.89N0723337.87W

F) GND G) 3200FT AMSL

A2506/26

MOA AVBL O/R NXT COORD:

023650N0763026.06W-023500.45N0763035.56W

023424.45N0763045.39W-022035.67N0763948.39W

021600.78N0764235.95W-021717.18N0764409.63W

022141.16N0764129.03W-023514.42N0763236.25W

023650N0763232.11W

F) 13000FT AMSL G) 15000FT AMSL

A1721/26

UA WILL TAKE PLACE NXT COORD:

023514.42N0763236.25W-023650.00N0763232.11W

023650.45N0763023.03W-023500.45N0763035.56W

023424.45N0763045.39W-023514.42N0763236.25W

F) 13000FT AMSL G) 15000FT AMSL

A1720/26

UA WILL TAKE PLACE NXT COORD:

022035.67N0763948.39W-021600.78N0764235.95W

021717.18N0764409.63W-022141.16N0764129.03W

022035.67N0763948.39W

F) 13000FT AMSL G) 15000FT AMSL

A1566/26

1100-1200

ASCENT OF METEOROLOGICAL BALLON WILL TAKE PLACE RADIUS 05NM

CENTRE: 004452,00N0751400,05W

F) GND G) UNL

A1706/26

MOA AVBL ON REQUEST NXT COORD:

021600.78N0764235.95W-021551.55N0764244.68W

021039.39N0764849.72W-020554.79N0765843.55W

020647N0765914.0W-020736.08N0765948.82W

021216.44N076501.32W-021717.18N0764409.63W

F) 10000FT AMSL G) 11000FT AMSL

A1705/26

MOA AVAILABLE ON REQUEST NXT COORD:

023650.00N0763029.13W-023650.00N0763229.04W-

030046.91N0763229.06W-030046.91N0763029.11W

F) 13000FT AMSL G) 15000FT AMSL

**A1704/26**

MOA **AVAILABLE** ON REQUEST RADIO 02NM CENTER 030046.91N0763129.08W
F) 8000FT AMSL G) 15000FT AMSL

=====

EXTENDED AREA AROUND DESTINATION ALTERNATE AIRPORT(S)

=====

SKED **BOGOTA FIR/UIR**

Please see section EXTENDED AREA AROUND DESTINATION

=====

AREA ENROUTE DEPARTURE - DESTINATION

=====

SKED **BOGOTA FIR/UIR**

Please see section EXTENDED AREA AROUND DESTINATION



[Company NOTAM]

=====

CREW ALERT

=====

SB007/14

SUBJECT: AUTO COST INDEXES

WHEN PLANNING A COST INDEX, 2 OPTIONS ARE AVAILABLE. PILOTS MAY EITHER SELECT A SPECIFIC COST INDEX NUMBER FROM THE LIST, OR THEY MAY SELECT "AUTO". WHEN PLANNING AN "AUTO" COST INDEX, THE SYSTEM WILL REFERENCE THE SCHEDULED "TIME ENROUTE" OPTION AND ATTEMPT TO CHOOSE A COST INDEX WHICH CLOSELY MATCHES THIS VALUE. NOTE THAT THE "TIME ENROUTE" OPTION IS MEANT AS A GATE TO GATE TIME (AS INDICATED ON AN AIRLINE'S FLIGHT SCHEDULE, FOR EXAMPLE). IF A "TIME ENROUTE" OF 2:30 IS SELECTED, THE SYSTEM WILL SUBTRACT THE TAXI TIMES FROM THIS VALUE TO DETERMINE THE SCHEDULED AIR TIME. IT WILL THEN DETERMINE AND USE THE COST INDEX WHICH MATCHES THIS AIR TIME.

SB003/13

SUBJECT: FLIGHT RELEASE UNITS

ALL FLIGHT CREW: PLEASE PAY SPECIAL ATTENTION TO THE UNITS SELECTION WHEN GENERATING A FLIGHT PLAN. FAILURE TO IDENTIFY THE CORRECT UNITS WHEN REFUELING PRIOR TO FLIGHT CAN RESULT IN DEPARTING WITH INSUFFICIENT FUEL AND/OR AN ERRONEOUS PAYLOAD.


=====


CREW BULLETIN


=====


NIL

===== END OF LIDO-NOTAM-BULLETIN =====












- Not for real world navigation -



- Not for real world navigation -



- Not for real world navigation -





End of Document: Total Number of Pages: 27