


432537N
0034912W ELEV 5 m

TWR 118.105 C
GMC 121.705 C

SANTANDER/Seve Ballesteros-Santander



INTENCIONADAMENTE EN BLANCO
INTENTIONALLY BLANK

SANTANDER/Seve Ballesteros-Santander



0 25 50 75 100 125 m

CARACTERÍSTICAS DE LOS PUESTOS DE ESTACIONAMIENTO
AIRCRAFT STANDS CHARACTERISTICS

PRKG	RAMPA RAMP	COORD	SALIDA EXIT	MAX ACFT	APROAR NOSE TO	OBSERVACIONES REMARKS
→ 1	—	432525.59N 0034923.15W	A	A321	—	—
2	—	432526.23N 0034925.56W	A	B738	—	—
3	—	432526.82N 0034928.12W	A	A321	—	—
4	—	432527.45N 0034930.04W	A	F50	—	—
5	—	432528.99N 0034922.70W	A	B731	—	INCOMP. 5A, 5B
5A	—	432528.54N 0034922.74W	A	C56X	—	INCOMP. 5
5B	—	432528.21N 0034921.49W	A	C56X	—	INCOMP. 5
6	—	432530.28N 0034927.52W	A	A320	—	INCOMP. 6A, 6B
6A	—	432529.64N 0034926.80W	A	C56X	—	INCOMP. 6
6B	—	432529.99N 0034927.99W	A	C56X	—	INCOMP. 6
7	—	432530.29N 0034922.27W	A	B738	—	INCOMP. 7A, 7B
7A	—	432530.07N 0034922.25W	A	C56X	—	INCOMP. 7
7B	—	432530.46N 0034920.65W	A	C56X	—	INCOMP. 7
8	—	432531.98N 0034926.66W	A	B738	—	INCOMP. 8A, 8B
8A	—	432531.01N 0034925.78W	A	C56X	—	INCOMP. 8
8B	—	432532.05N 0034926.62W	A	C56X	—	INCOMP. 8
→ 9	—	432523.75N 0034917.41W	A	A321	—	INCOMP. 10
10	—	432524.44N 0034918.74W	A	B763	—	INCOMP. 9, 11
→ 11	—	432524.52N 0034920.26W	A	A321	—	INCOMP. 10
12	—	432528.19N 0034919.30W	A	A320	—	—
13	—	432529.41N 0034918.68W	A	B738	—	—
14	—	432528.07N 0034931.46W	A	(1)	—	(2)
15	—	432527.61N 0034931.69W	A	(1)	—	(2)
16	—	432527.17N 0034931.92W	A	(1)	—	(2)
17	—	432528.47N 0034932.97W	A	(1)	—	(2)
18	—	432528.01N 0034933.20W	A	(1)	—	(2)
19	—	432527.56N 0034933.43W	A	(1)	—	(2)
20	—	432528.87N 0034934.47W	A	(1)	—	(2)
21	—	432528.42N 0034934.70W	A	(1)	—	(2)
22	—	432527.96N 0034934.93W	A	(1)	—	(2)
23	—	432530.22N 0034937.77W	A	B412	—	—
24	—	432529.24N 0034938.26W	A	B412	—	—

Observaciones // Remarks:	
(1)	Envergadura MAX // MAX wingspan 12 m. Longitud MAX // MAX length 9 m.
(2)	La aeronave debe permanecer calzada y sujeta a los anclajes provistos en cada estacionamiento. // Aircraft must be chocked and secured to the anchor points in each stand.