



[OFP]

AA4233 27AUG2026 CYYZ-KORD B38M N808SB RELEASE 1628 27AUG26
OFP 1 LESTER B PEARSON INT-CHICAGO O'HARE INTL
WX PROG 2715 2718 2721 OBS 2712 2712 2712

ATC C/S AAL4233 CYYZ/YYZ KORD/ORD CRZ SYS CI 8
27AUG2026 N808SB 1700/1720 1837/1845 GND DIST 441
B737 MAX 8 / LEAP-1B28 STA 1850 AIR DIST 485
CTOT:.... G/C DIST 378

MAXIMUM TOW 82645 LAW 69309 ZFW 65952 AVG WIND 267/036
ESTIMATED TOW 68018 LAW 65057 ZFW 62056 AVG W/C M034
AVG ISA P005
AVG FF KGS/HR 2286
FUEL BIAS P00.0
TKOF ALTN

ALTN KIND
FL STEPS CYYZ/0380/

DISP RMKS NIL

PLANNED FUEL

FUEL	ARPT	FUEL	TIME
TRIP	ORD	2961	0117
CONT 15 MIN		571	0015
ALTN	IND	1492	0040
FINRES		938	0030

MINIMUM T/OFF FUEL 5962 0243

EXTRA 0 0000

T/OFF FUEL 5962 0243
TAXI YYZ 191 0020

BLOCK FUEL YYZ 6153
PIC EXTRA
TOTAL FUEL
REASON FOR PIC EXTRA

FMC INFO:
FINRES+ALTN 2430
TRIP+TAXI 3152

NO TANKERING RECOMMENDED (P)

I HEREWITH CONFIRM THAT I HAVE PERFORMED A THOROUGH SELF BRIEFING
ABOUT THE DESTINATION AND ALTERNATE AIRPORTS OF THIS FLIGHT
INCLUDING THE APPLICABLE INSTRUMENT APPROACH PROCEDURES, AIRPORT
FACILITIES, NOTAMS AND ALL OTHER RELEVANT PARTICULAR INFORMATION.

DISPATCHER: MARCOS RAYMOND

PIC NAME: HERMIDA PAZ, IAGO

TEL: +1 800 555 0199

PIC SIGNATURE:



ALTERNATE ROUTE TO:							FINRES		938		
APT	TRK	DST	VIA				FL	WC	TIME	FUEL	

KIND/23R	151	184	DCT	EARND	DCT	ELANR	JAKKS2	230	P009	0040	1492

MEL/CDL ITEMS DESCRIPTION

ROUTING:

ROUTE ID: DEF RTE
CYYZ/23 GOPUP4 HOCKE DCT FNT WYNDE2 KORD/10C

DEPARTURE ATC CLEARANCE:

.
.
.
-----OPERATIONAL IMPACTS

WEIGHT CHANGE	UP	1.0	TRIP	P	0040	KGS	TIME	P	0000
WEIGHT CHANGE	DN	1.0	TRIP	M	0035	KGS	TIME	P	0000
FL CHANGE	UP	FL1	NOT AVAILABLE						
FL CHANGE	DN	FL1	TRIP	M	0017	KGS	TIME	P	0001
FL CHANGE	DN	FL2	TRIP	M	0035	KGS	TIME	P	0001
SPD CHANGE	CI	0	TRIP	M	0004	KGS	TIME	P	0000
SPD CHANGE	CI	100	TRIP	P	0026	KGS	TIME	M	0000

-----
ATIS:.
.-----
RVSM: ALT SYS LEFT:

STBY:

RIGHT:

-----TIMES

	ESTIMATED	SKED	ACTUAL
OUT	1700Z/1300L	1700Z/1300L	Z
OFF	1720Z/1320L	1720Z/1320L	Z
ON	1837Z/1337L	1842Z/1342L	Z
IN	1845Z/1345L	1850Z/1350L	Z
BLOCK TIME	0145	0150	

-----WEIGHTS

	EST	MAX	ACTUAL	
PAX	175			
BAG/CARGO	4.4			
PAYLOAD	18.3			
ZFW	62.1	66.0		
FUEL	6.2	10.4		POSS EXTRA 4.3
TOW	68.0	72.3	LDG.....	
STAB TRIM				
LAW	65.1	69.3		

-----TERRAIN CLEARANCE CHECK

DD CHECK - TERRAIN CLEARANCE CHECK DISABLED

DP CHECK - TERRAIN CLEARANCE CHECK DISABLED



FLIGHT LOG

MOST CRITICAL MORA 03700 FEET AT TILAM///MXSHR 02 AT HOCKE

AWY POSITION IDENT FREQ	LAT LONG	EET TTLT	ETO ATO	FL MORA DIS	IMT ITT RDIS	MN TAS GS	WIND COMP SHR	OAT TDV TRP	EFOB AFOB	PBRN ABRN
LESTER B PE CYYZ	N4340.6 W07937.8	...	...	35	286 275 441	331	M026		6.0	0.2
GOPUP4 TILAM TILAM	N4341.9 W07956.4	0006 0006	...	146 37 21	288 277 420	.55 331	271/026 M026	M04 P10 375	5.3	0.8
GOPUP4 TULEK TULEK	N4344.0 W08017.8	0003 0009	...	214 37 16	280 270 404	.64 365	266/035 M034	M20 P08 375	5.1	1.1
GOPUP4 GOPUP GOPUP	N4343.8 W08133.5	0008 0017	...	330 31 55	249 240 349	.78 417	256/040 M039	M48 P03 372	4.6	1.6
GOPUP4 EMDEX EMDEX	N4336.4 W08151.5	0002 0019	...	349 26 15	249 240 334	.78 411	255/043 M042	M51 P04 372	4.5	1.7
GOPUP4 TAGUM TAGUM	N4328.9 W08209.8	0002 0021	...	366 26 15	250 241 319	.78 407	257/047 M045	M52 P05 373	4.4	1.8
CLEVELAND FIR/UIR -KZOB	N4328.2 W08211.5	0000 0021	...	1	318					
GOPUP4 T O C	N4322.6 W08225.5	0002 0023	...	380 29 12	250 241 306	.78 451 405	256/047 M046 1	M53 P04 373	4.3	1.9
GOPUP4 HOCKE HOCKE	N4315.7 W08242.6	0002 0025	...	380 31 14	257 249 292	.79 454 410	260/046 M044 2	M53 P04 372	4.2	2.0
DCT FLINT FNT 116.90	N4258.0 W08344.8	0007 0032	...	380 30 49	270 262 243	.79 454 411	263/044 M043 2	M53 P04 372	4.0	2.2
WYNDE2 EMMMA EMMMA	N4253.1 W08434.8	0006 0038	...	380 30 37	269 262 206	.79 454 412	268/042 M042 1	M53 P04 372	3.8	2.4
WYNDE2 LTOUR LTOUR	N4251.0 W08455.1	0002 0040	...	380 30 15	268 261 191	.79 454 412	268/042 M042 1	M53 P04 372	3.7	2.4



AWY POSITION IDENT FREQ	LAT LONG	EET TTLT	ETO ATO	FL MORA DIS	IMT ITT RDIS	MN TAS GS	WIND COMP SHR	OAT TDV TRP	EFOB AFOB	PBRN ABRN
CHICAGO FIR/UIR										
-KZAU	N4250.5	0000	...							
	W08500.0	0040	...	3	188					
WYNDE2				380	262	.78	268/042	M53	3.6	2.6
VICTORY	N4247.2	0004	...	31	256	454	M042	P04		
VIO	W08529.8	0044	...	23	165	412	1	372		
115.95										
WYNDE2				380	262	.78	274/039	M52	3.5	2.6
DITCA	N4244.8	0001	...	30	256	454	M037	P05		
DITCA	W08543.0	0045	...	10	155	417	0	371		
WYNDE2				380	261	.78	274/039	M52	3.5	2.7
WLTER	N4241.2	0002	...	28	255	454	M037	P05		
WLTER	W08603.1	0047	...	15	140	417	0	371		
WYNDE2				380	261	.78	274/039	M52	3.4	2.7
RHIVR	N4238.8	0002	...	26	255	454	M037	P05		
RHIVR	W08616.2	0049	...	10	130	417	0	371		
WYNDE2				380	260	.78	284/037	M53	3.4	2.8
T O D	N4235.6	0002	...	26	255	453	M033	P04		
	W08633.3	0051	...	13	117	420	1	372		
WYNDE2				354	255	.78	290/031	M52	3.4	2.8
PAITN	N4233.7	0001	...	26	249		M026	P04		
PAITN	W08643.4	0052	...	8	109	426		372		
WYNDE2				294	254	.76	269/039	M40	3.3	2.8
WYNDE	N4227.3	0004	...	26	249		M037	P04		
WYNDE	W08706.6	0056	...	18	91	419		374		
WYNDE2				261	254	.71	273/028	M33	3.3	2.9
FIYER	N4223.9	0002	...	26	249		M026	P04		
FIYER	W08719.3	0058	...	10	81	404		374		
WYNDE2				228	222	.66	289/022	M25	3.3	2.9
ERNNY	N4220.3	0002	...	26	218		M017	P06		
ERNNY	W08732.1	0100	...	10	71	390		372		
WYNDE2				211	222	.63	288/020	M20	3.3	2.9
PAPPI	N4216.2	0001	...	27	217		M007	P07		
PAPPI	W08736.4	0101	...	5	66	389		372		
WYNDE2				188	198	.60	283/019	M15	3.2	2.9
TUBEZ	N4210.9	0001	...	27	194		M008	P08		
TUBEZ	W08742.0	0102	...	7	59	373		372		
WYNDE2				129	274	.54	300/017	01	3.2	3.0
MONKZ	N4153.1	0004	...	28	270		P004	P12		
MONKZ	W08748.1	0106	...	18	41	353		372		



AWY POSITION IDENT FREQ	LAT LONG	EET TTLT	ETO ATO	FL MORA DIS	IMT ITT RDIS	MN TAS GS	WIND COMP SHR	OAT TDV TRP	EFOB AFOB	PBRN ABRN
WYNDE2				102	271	.51	310/015	06	3.2	3.0
JORJO	N4153.1	0001	...	29	267		M012	P11		
JORJO	W08759.3	0107	...	8	33	322		372		
WYNDE2				059	073	.42	348/009	11	3.1	3.0
POSSM	N4152.5	0003	...	29	069		M002	P08		
POSSM	W08816.5	0110	...	13	20	275		372		
WYNDE2									3.0	3.2
CHICAGO O'H	N4158.6	0007	...							
KORD	W08754.5	0117	...	20						

-----
WIND INFORMATION

CLIMB

350 257/047 -51
310 260/044 -43
200 268/034 -16
150 271/026 -05
100 278/022 +04

T O C

420 254/040 -53
400 255/044 -53
380 256/047 -53
360 256/047 -52
340 257/048 -50

HOCKE

420 259/038 -53
400 260/042 -53
380 260/046 -53
360 258/048 -51
340 257/050 -50

FNT

420 261/037 -52
400 262/040 -53
380 263/044 -53
360 262/047 -51
340 261/051 -50

EMMMA

420 266/035 -52
400 267/039 -53
380 268/042 -53
360 267/043 -51
340 267/043 -50

LTOUR

420 266/035 -52
400 267/039 -53
380 268/042 -53
360 267/043 -51
340 267/043 -50

VIO

420 265/035 -52
400 267/039 -53
380 267/042 -53
360 267/043 -51
340 267/043 -50

DITCA

420 273/033 -52
400 274/037 -52
380 274/039 -52
360 276/037 -51
340 277/035 -51

WLTER

420 273/033 -52
400 274/037 -52
380 274/039 -52
360 276/037 -51
340 277/035 -51

RHIVR

420 273/033 -52
400 274/037 -52
380 274/039 -52
360 276/037 -51
340 277/035 -51

T O D

420 283/032 -52
400 283/036 -53
380 284/037 -53
360 288/032 -52
340 295/028 -51

DESCENT

350 292/030 -51
310 270/041 -44
200 276/021 -18
150 293/018 -03
100 311/014 +06



[ATC Flight Plan]

ICAO FLIGHT PLAN

FF CZYZZQZX KZOBZQZX KZAUZQZX
271628 CYULSBFP
(FPL-AAL4233-IS
-B38M/M-SDE1FGHILORVWXY/HB1
-CYYZ1700
-N0454F380 GOPUP4 HOCKE DCT FNT WYNDE2
-KORD0107 KIND
-PBN/A1B1C1D1L101S1S2 DOF/260827 REG/N808SB EET/KZOB0022 KZAU0040
OPR/AA PER/D RMK/TCAS)



[Additional Info]

D I S P A T C H B R I E F I N G I N F O AA4233 CYYZ/KORD



[Runway Analysis]

TAKEOFF AND LANDING REPORT AA 4233 CYYZ-KORD 27AUG26
TLR-1 SEQ-184199574 27AUG26 1628Z
A/C N808SB B737 MAX 8 LEAP-1B28 BEW/CG 43799/.....

/// TAKEOFF DATA ///

APT	PRWY	POAT	PWIND	PQNH	PMRTW	FLP	MT	V1	VR	V2	PTOW	MFPTW	LIMIT
CYYZ	23	25.0	260M12	29.87	7738	5	43	49	52	59	6802	7227	CLB

RMKS D-T02 - SEL TEMP 43
BLEEDS ON

RWY	OAT	WIND	QNH	MRTW	FLP	V1	VR	V2	PWR	CONFIG/CONDITION
-----	-----	------	-----	------	-----	----	----	----	-----	------------------

RWY	ACARS	LENGTH	PMTOW	NOTES
05		10775	7964	ILS 109.70
06L		9697	7545	ILS 109.10
06R		9000	7750	ILS 111.95
15L		10886	7990	ILS 110.50
15R		9088	7803	ILS 110.95
23		10775	7738	ILS 111.50
24L		8898	7624	ILS 111.95
24R		9589	7672	ILS 109.30
33L		9078	8042	ILS 110.95
33R		11050	7691	ILS 110.30

RWY	MTOW	MT	CONFIG	FLP	V1	VR	V2	LIMIT
05	7645	42	D-T02 - BLEEDS ON	5	146	149	156	CLB
06L	8025	47	D-T01 - BLEEDS ON	5	142	143	150	CLB
06R	7956	46	D-T01 - BLEEDS ON	5	140	140	147	FLD
15L	7645	42	D-T02 - BLEEDS ON	5	146	149	156	CLB
15R	7992	47	D-T01 - BLEEDS ON	5	142	143	150	CLB
23	7622	41	D-T02 - BLEEDS ON	5	145	147	154	CLB
24L	7987	47	D-T01 - BLEEDS ON	5	142	143	150	CLB
24R	8044	47	D-T01 - BLEEDS ON	5	142	143	150	CLB
33L	7992	47	D-T01 - BLEEDS ON	5	142	143	150	CLB
33R	7645	42	D-T02 - BLEEDS ON	5	146	149	156	CLB

RWY	MTOW	MT	CONFIG	FLP	V1	VR	V2	LIMIT
05	8119	45	D-T01 - BLEEDS ON	5	147	149	155	CLB
06L	8025	44	D-T01 - BLEEDS ON	5	145	146	152	CLB
06R	7956	43	D-T01 - BLEEDS ON	5	143	143	149	FLD
15L	8140	46	D-T01 - BLEEDS ON	5	149	151	158	CLB
15R	7992	43	D-T01 - BLEEDS ON	5	143	143	149	CLB
23	8116	45	D-T01 - BLEEDS ON	5	147	149	155	CLB
24L	7987	43	D-T01 - BLEEDS ON	5	143	143	149	CLB
24R	8044	44	D-T01 - BLEEDS ON	5	145	146	152	CLB
33L	7992	43	D-T01 - BLEEDS ON	5	143	143	149	CLB
33R	8138	46	D-T01 - BLEEDS ON	5	149	151	157	CLB



```
----- WET RWY - PTOW - CALM WIND -----
RWY      MTOW MT CONFIG      FLP  V1  VR  V2  LIMIT
05        7598 41 D-T02 - BLEEDS ON      5 145 147 154 CLB
06L        7970 47 D-T01 - BLEEDS ON      5 143 143 150 FLD
06R        7753 46 D-T01 - BLEEDS ON      5 137 140 147 FLD
15L        7622 41 D-T02 - BLEEDS ON      5 145 147 154 CLB
15R        7932 46 D-T01 - BLEEDS ON      5 140 140 147 FLD
23        7598 41 D-T02 - BLEEDS ON      5 145 147 154 CLB
24L        7844 46 D-T01 - BLEEDS ON      5 138 140 147 FLD
24R        7968 47 D-T01 - BLEEDS ON      5 143 143 150 FLD
33L        7867 46 D-T01 - BLEEDS ON      5 139 140 147 FLD
33R        7617 41 D-T02 - BLEEDS ON      5 145 147 154 CLB
```

```
----- WET RWY - PTOW PLUS 2000 - CALM WIND -----
RWY      MTOW MT CONFIG      FLP  V1  VR  V2  LIMIT
05        8089 45 D-T01 - BLEEDS ON      5 147 149 155 CLB
06L        7970 43 D-T01 - BLEEDS ON      5 143 143 149 FLD
06R        7753 42 D-T01 - BLEEDS ON      5 138 142 148 FLD
15L        8116 45 D-T01 - BLEEDS ON      5 148 149 155 CLB
15R        7932 42 D-T01 - BLEEDS ON      5 141 142 148 FLD
23        8091 45 D-T01 - BLEEDS ON      5 148 149 155 CLB
24L        7844 42 D-T01 - BLEEDS ON      5 139 142 148 FLD
24R        7968 43 D-T01 - BLEEDS ON      5 143 143 149 FLD
33L        7867 42 D-T01 - BLEEDS ON      5 140 142 148 FLD
33R        8108 45 D-T01 - BLEEDS ON      5 147 149 155 CLB
```

/// LANDING DATA ///

```
APT   PRWY  POAT PWIND  PQNH  PMRLW  FLP  PLDW  LIMIT
KORD  10C    26.0 023M07 30.01 6931  30   6506  AFM
```

RMKS NONE

```
-----
RWY      OAT  WIND  QNH  MRLW  FLP VREF  PWR CONFIG/CONDITION
-----
----- ACARS RUNWAYS -----
RWY      ACARS  LENGTH PMRLW NOTES
04L          7500  6931
04R          8075  6931 ILS 110.10
09C         11245  6931 ILS 111.90
09L          7500  6931 ILS 111.75
09R         11260  6931 ILS 110.50
10C         10540  6931 ILS 108.95
10L         12246  6931 ILS 111.10
10R          7500  6931 ILS 110.75
22L          8075  6931 ILS 110.10
22R          7300  6931 ILS 111.30
27C         11245  6931 ILS 111.90
27L         11260  6931 ILS 110.50
27R          7500  6931 ILS 111.75
28C         10800  6931 ILS 108.95
28L          7500  6931 ILS 110.75
28R         13000  6931 ILS 111.10
```



----- FLAPS 30 - PACKS ON - NO ENROUTE ICING -----

DRY RWY / WET RWY

	04L	04R	09C	09L
OAT	7500 FT	8075 FT	11245 FT	7500 FT
21	6931A/6931A	6931A/6931A	6931A/6931A	6931A/6931A
/ 26	6931A/6931A	6931A/6931A	6931A/6931A	6931A/6931A
31	6931A/6931A	6931A/6931A	6931A/6931A	6931A/6931A
HW/10KT	0/ 0	0/ 0	0/ 0	0/ 0
TW/10KT	0/ 0	0/ 0	0/ 0	0/ 0

	09R	10C	10L	10R
OAT	11260 FT	10540 FT	12246 FT	7500 FT
21	6931A/6931A	6931A/6931A	6931A/6931A	6931A/6931A
/ 26	6931A/6931A	6931A/6931A	6931A/6931A	6931A/6931A
31	6931A/6931A	6931A/6931A	6931A/6931A	6931A/6931A
HW/10KT	0/ 0	0/ 0	0/ 0	0/ 0
TW/10KT	0/ 0	0/ 0	0/ 0	0/ 0

	22L	22R	27C	27L
OAT	8075 FT	7300 FT	11245 FT	11260 FT
21	6931A/6931A	6931A/6931A	6931A/6931A	6931A/6931A
/ 26	6931A/6931A	6931A/6931A	6931A/6931A	6931A/6931A
31	6931A/6931A	6931A/6931A	6931A/6931A	6931A/6931A
HW/10KT	0/ 0	0/ 0	0/ 0	0/ 0
TW/10KT	0/ 0	0/ 0	0/ 0	0/ 0

	27R	28C	28L	28R
OAT	7500 FT	10800 FT	7500 FT	13000 FT
21	6931A/6931A	6931A/6931A	6931A/6931A	6931A/6931A
/ 26	6931A/6931A	6931A/6931A	6931A/6931A	6931A/6931A
31	6931A/6931A	6931A/6931A	6931A/6931A	6931A/6931A
HW/10KT	0/ 0	0/ 0	0/ 0	0/ 0
TW/10KT	0/ 0	0/ 0	0/ 0	0/ 0

----- LANDING DISTANCE - FLAPS 30 - MAX MANUAL BRAKING -----

		ACTUAL		FACTORED	
LDW	VREF	DRY	WET	DRY	WET
6400	142	3096	4299	4346	5729
6500	143	3124	4337	4392	5787
/ 6600	144	3151	4375	4437	5845
6700	145	3179	4414	4483	5903
6800	146	3207	4453	4528	5961
HW/KT		-19	-26	-21	-30
TW/KT		56	78	85	110

END TAKEOFF AND LANDING REPORT AA 4233 CYYZ-KORD 27AUG26

**[Airport WX List]**

CYYZ --> KORD AA 4233 / 27AUG2026
LIDO/WEATHER SERVICE DATE : 27Aug2026 TIME : 16:28 UTC

AIRMETs:
No Wx data available

SIGMETs:
No Wx data available

Tropical Cyclone SIGMETs:
No Wx data available

Volcanic Ash SIGMETs:
No Wx data available

Departure:

CYYZ/YYZ LESTER B PEARSON INTL
SA 271600 25012G18KT 15SM SCT035 BKN052 BKN070 25/18 A2987 RMK
CU4SC1AC1 TCU TOP DIST E SLP115 DENSITY ALT 2000FT
FT 271440 2715/2818 26012KT P6SM BKN030 BKN080
TEMPO 2715/2717 P6SM -SHRA BKN020
FM272000 27012KT P6SM OVC040
TEMPO 2720/2723 P6SM -SHRA
FM272300 27010KT P6SM SCT040
BECMG 2802/2804 30005KT
FM280600 27005KT P6SM BKN050
FM281000 27005KT P6SM BKN020
BECMG 2810/2812 33010KT
FM281400 33012KT P6SM FEW030
RMK NXT FCST BY 271800Z

Destination:

KORD/ORD CHICAGO O'HARE INTL
SA 271551 35004KT 10SM FEW039 26/16 A3001 RMK A02 SLP158
T02560156
FT 271449 2715/2818 02007KT P6SM SCT060
FM280100 VRB04KT P6SM SCT060
FM281600 20006KT P6SM SCT050

Destination Alternates:

KIND/IND INDIANAPOLIS INTL
SA 271554 27004KT 10SM FEW025 FEW250 26/18 A3001 RMK A02 SLP156
T02610183
FT 271125 2712/2818 25005KT P6SM SKC
FM271600 31008KT P6SM BKN040
FM280000 34004KT P6SM SCT250
FM281400 02006KT P6SM SKC

AIRPORTLIST ENDED



[NOTAM]

LIDO-NOTAM-BULLETIN INCLUDES NOTAM, COMP NOTAM AND AIP-REGULATION
VALID: 2608271700 - 2608272226 STD(EOBT)+TRIP+ALTN+3HRS
AA 4233 /27AUG OFP-NR: 1
ROUTE: CYYZ - KORD ALTN: KIND
N0454F380 GOPUP4 HOCKE DCT FNT WYNDE2

=====

DEPARTURE AIRPORT - DETAILED INFO

=====

CYYZ/YYZ LESTER B PEARSON INTL

+++++ AIRPORT +++++

S1676/26

RSC 05 6/6/6 DRY, DRY, DRY. VALID AUG 27 1336 - AUG 27 2136.
RSC 23 6/6/6 DRY, DRY, DRY. VALID AUG 27 1336 - AUG 27 2136.
RSC 06L 6/6/6 DRY, DRY, DRY. VALID AUG 27 1335 - AUG 27 2135.
RSC 24R 6/6/6 DRY, DRY, DRY. VALID AUG 27 1335 - AUG 27 2135.
RSC 06R 6/6/6 DRY, DRY, DRY. VALID AUG 27 1336 - AUG 27 2136.
RSC 24L 6/6/6 DRY, DRY, DRY. VALID AUG 27 1336 - AUG 27 2136.
RSC 15L 6/6/6 DRY, DRY, DRY. VALID AUG 27 1336 - AUG 27 2136.
RSC 33R 6/6/6 DRY, DRY, DRY. VALID AUG 27 1336 - AUG 27 2136.
RSC 15R 6/6/6 DRY, DRY, DRY. VALID AUG 27 1336 - AUG 27 2136.
RSC 33L 6/6/6 DRY, DRY, DRY. VALID AUG 27 1336 - AUG 27 2136.

ADDN NON-GRF/TALPA INFO:

D3456/26 VALID: 27-AUG-26 1300 - 27-AUG-26 1800

EAST/WEST TAXILANE BTN STARTBOX T1H AND TWY DR CLSD

D3503/26 VALID: 27-AUG-26 1300 - 27-AUG-26 1800EAST/WEST TAXILANE BTN STARTBOX T1H AND TWY DR, TAXILANE 9 BTN
TWY DR AND STARTBOX 9B CLSD**S1658/26 VALID: 27-AUG-26 0915 - 27-AUG-26 1715**

RSC 05 5/5/5 40 PCT WET, 40 PCT WET, 40 PCT WET. VALID AUG 27
0859 - AUG 27 1659.
RSC 23 5/5/5 40 PCT WET, 40 PCT WET, 40 PCT WET. VALID AUG 27
0859 - AUG 27 1659.
RSC 06L 6/6/6 DRY, DRY, DRY. VALID AUG 27 0914 - AUG 27 1714.
RSC 24R 6/6/6 DRY, DRY, DRY. VALID AUG 27 0914 - AUG 27 1714.
RSC 06R 6/6/6 DRY, DRY, DRY. VALID AUG 27 0914 - AUG 27 1714.
RSC 24L 6/6/6 DRY, DRY, DRY. VALID AUG 27 0914 - AUG 27 1714.
RSC 15L 5/6/6 80 PCT WET, DRY, DRY. VALID AUG 27 0903 - AUG 27
1703.
RSC 33R 6/6/5 DRY, DRY, 80 PCT WET. VALID AUG 27 0903 - AUG 27
1703.
RSC 15R 5/5/6 80 PCT WET, 80 PCT WET, DRY. VALID AUG 27 0902 -
AUG 27 1702.
RSC 33L 6/5/5 DRY, 80 PCT WET, 80 PCT WET. VALID AUG 27 0902 -
AUG 27 1702.

ADDN NON-GRF/TALPA INFO:

D3439/26

DAILY 0401-1000

TWY JE,

TWY J BTN TWY JD AND RWY 15R/33L CLSD.

G3020/26

PEARSON (TORONTO/LBP INTL) VOR YTP 116.55MHZ U/S

G2908/26

PEARSON (TORONTO/LBP INTL) VOR YTP 116.55MHZ U/S

**D2838/26**

TWY TC NOT AUTH TO ACFT WITH WINGSPAN GREATER THAN 118FT.

D2552/26

DUE CONST: STAND 181 LEAD-IN LINE POSITION MODIFIED.

VISUAL DOCKING GUIDANCE SYSTEM **NOT AVBL**.

ACFT TO TRANSITION FM STARTBOX 9C TO LEAD-IN

LINE TRIANGLE THEN STRICT ADHERANCE ALONG LEAD-IN LINE.

D2306/26

OPR TRIAL OF NEW ANGLED **RWY** HOLD POSITION IN EFFECT ON **TWY D4** AND **TWY D5**, SOUTH OF **RWY 06L/24R**, REFER TO AIC 15/21

D2079/26

AMEND PUBLICATIONS:

RWY DATA: **TWY**:

ADD: **TWY V**: ACFT WITH WINGSPANS 214FT AND GREATER NOT AUTH BTWN **TWY E** AND **TWY F**

TAXI CHART: NOTES: RESTRICTIONS:

ADD: ACFT WITH WINGSPANS 214FT AND GREATER NO TAXIING ON **TWY V** BTWN **TWY E** AND **TWY F**

+++++ RUNWAY +++++

D3514/26 VALID: 27-AUG-26 1400 - 27-AUG-26 1900

RVR A 33L **NOT AVBL**

D3490/26 VALID: 27-AUG-26 1200 - 27-AUG-26 1900

RWY 15L/33R CLSD.

D3491/26

AUG 27 0401-1000, AUG 28 0401-1000 1200-2100

RWY 15R/33L CLSD AVBL AS TWY.

D3440/26

DAILY 0401-1000

RWY 15R/33L CLSD AVBL AS TWY.

D3471/26

AUG 26 1200-2100, AUG 27-28 0401-1000

RWY 15R/33L CLSD AVBL AS TWY.

D3428/26 VALID: 26-AUG-26 1200 - 27-AUG-26 1900

DAILY 1200-1900

RWY 15L/33R CLSD.

+++++ SID +++++

D2655/26

ALL SID AND DEPARTURE PROCEDURE: **RWY 23**:

ADD: REQUIRES A MINIMUM CLIMB GRADIENT OF 230 FT/NM TO 1300.

DEPARTURE CLIMB RATE V/V (FPM)

GROUND SPEED 90 120 140 160 180 200 250 300

230 FT/NM 350 460 540 620 690 770 960 1150

+++++ APPROACH PROCEDURES +++++

D3412/26

ILS CAT II AND **CAT III** APCH **RWY 05** NOT AUTH

D2003/26

RNAV (GNSS) Z **RWY 15R** APCH:

LNAV/VNAV MINIMA: NOT AUTH

LNAV MINIMA TO READ: 1040 (489) 1 RVR 50

DIST/ALT TABLE: LAST ALT TO READ 1.4/1040 INSTEAD OF 1.2/980

D1308/26

AMEND PUBLICATIONS: **ILS RWY 24L** APCH:

LOC/DME MINIMA TO READ: 1040 (493) 1 RVR 50



=====

DESTINATION AIRPORT - DETAILED INFO

=====

KORD/ORD CHICAGO O'HARE INTL

+++++ AIRPORT ++++++

A8362/26

TWY RR SAFETY AREA BTN TWY F AND TWY HH SOUTH SIDE IRREGULAR SFC

A8361/26

TWY DD BTN RWY 10L/28R AND TWY P WIP OPEN EXCAVATION ADJ EAST SIDE LGTD AND BARRICADED

A8330/26

RWY 28R TKOF HOLD LGT U/S

A8228/26

TWY B BTN TWY A5 AND TWY U WIP OPN EXCAVATION ADJ NORTH SIDE LGTD AND BARRICADED

A8146/26

TWY SS SAFETY AREA BTN TWY A AND TWY B WEST SIDE IRREGULAR SFC

A8132/26

TWY B BTN TWY A5 AND TWY A6 WIP STEEL PLATES ADJ SOUTH SIDE

08/952

RWY 09C/27C EDGE MARKINGS FADED

08/946

RWY 10R/28L EDGE MARKINGS S SIDE FADED

08/918

RWY 10C/28C CL MARKINGS OBSC

08/840

TWY P2 HLDG PSN MARKINGS FOR RWY 10C/28C OBSC

08/839

TWY P6 HLDG PSN MARKINGS FOR RWY 10C/28C OBSC

A7845/26

TWY K BTN TWY R AND TWY Q WIP OPN EXCAVATION ADJ NORTH SIDE LGTD AND BARRICADED

A7525/26

TWY SS BTN TWY K AND TWY A CLSD TO ACFT WINGSPAN MORE THAN 225FT

A7522/26

TWY A BTN TWY A5 AND TXL SP WIP OPN EXCAVATION ADJ NORTH SIDE LGTD AND BARRICADED

08/625

RWY 22R TDZ MARKINGS FADED

A7439/26

TWY A BTN TXL A5 AND TWY U CLSD

A7438/26

APRON TXL A5 CLSD TO ACFT WINGSPAN MORE THAN 167FT

08/567

RWY 09L/27R CL MARKINGS OBSC

08/490

RWY 09C/27C CL MARKINGS OBSC

08/399

TWY M SAFETY AREA BTN RWY 09R AND TWY G WEST SIDE IRREGULAR SFC

A7038/26

TWY B SAFETY AREA BTN TWY U AND TWY A5 NORTH SIDE IRREGULAR SFC

A7037/26

TWY H SAFETY AREA BTN TWY R AND TWY T NORTHSIDE IRREGULAR SFC

A7030/26

APRON TXL SP WIP OPN EXCAVATION ADJ W SIDE LGTD AND BARRICADED

**A7027/26**TWY U BTN TWY L AND GATE C4 **CLSD** TO ACFT WINGSPAN MORE THAN 118FT**A6780/26**TWY A BTN TWY A17 AND TWY TT **WIP** OPN EXCAVATION ADJ WEST SIDE LGTD AND BARRICADED**A6680/26**

TWY U BTN GATE C4 AND TWY L NONMOVEMENT AREA

A6677/26TWY U BTN TWY A AND GATE C4 **CLSD****A6598/26**TWY SS1 **CLSD** TO ACFT WINGSPAN MORE THAN 225FT**A6596/26**

TWY S2 NONMOVEMENT AREA

08/114APRON SOUTHEAST CARGO RAMP NEW PROCEDURES CTC
GROUND HANDLERS**A6585/26**TWY S1 **CLSD****08/072**

RWY 10R/28L CL MARKINGS OBSC

A6474/26TWY A2 BTN TWY A AND TWY B **CLSD** TO ACFT WINGSPAN MORE THAN 118FT**A6364/26**

AD AP BIRD ACT INCREASED GEESE AND CRANES

07/288

RWY 10L/28R EDGE MARKINGS FADED

A6220/26

TWY FF EDGE MARKINGS BTN TWY D AND TWY E FADED

A6000/26TWY B BTN TWY A16 AND TWY B HOLD PAD **WIP** OPN EXCAVATION ADJ WEST SIDE LGTD AND BARRICADED**A5718/26**

TWY A16 SAFETY AREA NORTHSIDE IRREGULAR SFC

A5714/26TWY DD BTN TWY A AND TWY B **CLSD** TO ACFT WINGSPAN MORE THAN 118FT**A5712/26**AD AP WINDCONE PRI LGT **U/S****A4584/26**TWY A BTN TWY CC AND TWY T **CLSD** TO ACFT WINGSPAN MORE THAN 118FT**A1243/26**

THU 0230-0300

AIRSPACE PYROTECHNIC DEMONSTRATION WI AN AREA DEFINED AS .1NM
RADIUS OF 415843N0875158W (2.4NM SE ORD) SFC-500FT AGL F) SFC G)
500FT AGL

+++++ RUNWAY +++++

A8339/26RWY 04L/22R **CLSD** EXC TAX**A8233/26**

RWY 09R/27L SAFETY AREA IRREGULAR SFC N SIDE BTN TWY FF AND TWY R

A7691/26

RWY 10L/28R SAFETY AREA W END IRREGULAR SFC

A8810/25ORD RWY 09L PAPI **U/S****A8809/25**ORD RWY 27R PAPI **U/S**



+++++ SID +++++

A5605/26

ORD ODP CHICAGO O'HARE INTL, CHICAGO, IL.
TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 23...
ADD TAKEOFF OBSTACLE NOTES: **RWY 22L**, TEMPORARY CRANES BEGINNING
2454FT FROM DER, 1005FT RIGHT OF CENTERLINE, UP TO 125FT AGL/781FT
MSL (2025-AGL-8187-OE). TEMPORARY CRANES BEGINNING 4639FT FROM DER,
1041FT RIGHT OF CENTERLINE, UP TO 120FT AGL/808FT MSL
(2024-AGL-13320 TO 13324-OE). ALL OTHER DATA REMAINS AS PUBLISHED.

+++++ APPROACH PROCEDURES +++++

A8317/26NAV **ILS RWY 10R CAT II NA****A8141/26**

IAP CHICAGO O'HARE INTL, CHICAGO, IL. RNAV (GPS) **RWY 4R**, AMDT
1D... PROFILE NOTE: VGSI AND RNAV **GLIDEPATH** NOT COINCIDENT (VGSI
ANGLE 3.00/TCH 67). LNAV/VNAV DA 995/HAT 334 ALL CATS. CHANGE NOTE
TO READ: FOR UNCOMPENSATED BARO-VNAV, LNAV/VNAV NA BELOW -19C OR
ABOVE 54C.

A7473/26NAV **ILS RWY 28L CAT II/III NA****A7474/26**NAV **ILS RWY 28L GP U/S****A7028/26**

IAP CHICAGO O'HARE INTL, CHICAGO, IL. **ILS OR LOC RWY 27R**, AMDT
4B... **ILS OR LOC RWY 4R**, AMDT 8B... **ILS OR LOC RWY 9C**, ORIG-B...
ILS OR LOC RWY 9L, AMDT 4B... **ILS OR LOC RWY 9R**, AMDT 13A... **ILS**
RWY 9C (SA CAT I), ORIG-A... **ILS RWY 9L** (SA CAT I), AMDT 4B... **ILS**
RWY 27R (SA CAT I), AMDT 4B... **ILS RWY 4R** (SA CAT I-II), AMDT
8B... **ILS RWY 9C** (CAT II-III), ORIG-A... **ILS RWY 9L** (CAT II-III),
AMDT 4B... **ILS RWY 9R** (CAT II-III), AMDT 13... **ILS RWY 27R** (CAT
II-III), AMDT 4B... ALTERNATE MINIMUMS NA EXCEPT FOR ACFT EQUIPPED
WITH SUITABLE RNAV SYSTEM WITH GPS, OBK **VOR/DME** UNMONITORED.

A5950/26

IAP CHICAGO O'HARE INTL, CHICAGO, IL. RNAV (GPS) Y **RWY 10R**,
ORIG-B... LNAV MDA 1160/HAT 480 ALL CATS, VIS **CAT C/D RVR 5000**.
VDP NA. FOR INOP ALS, INCREASE LNAV/VNAV ALL CATS VISIBILITY AND
LNAV CATS C/D VISIBILITY TO 1 3/8 SM. TEMPORARY CRANES, UP TO 846
MSL, 1808FT SE OF **RWY 10R** (2024-AGL-15036 THRU 15042-NRA).

A4646/26

IAP CHICAGO O'HARE INTL, CHICAGO, IL. **ILS Z OR LOC Z RWY 10R**,
ORIG-C... S-ILS 10R DA 945/HAT 265 ALL CATS. VIS RVR 2000 ALL
CATS. TEMPORARY CRANES, UP TO 846 MSL, 1808FT SE OF **RWY 10R**
(2024-AGL-15026 THRU 15039-NRA).

A4645/26

IAP CHICAGO O'HARE INTL, CHICAGO, IL. **ILS Z RWY 10R** (SA CAT I),
ORIG-C ... **ILS Z RWY 10R** (SA CAT II AND III), ORIG-C ... PROCEDURE
NA. TEMPORARY CRANES, UP TO 846 MSL, 1808FT SE OF **RWY 10R**
(2024-AGL-15026 THRU 15039-NRA)

A4627/26

IAP CHICAGO O'HARE INTL, CHICAGO, IL. **ILS RWY 9C** (CAT II-III),
AMDT ORIG-B ... NOTE: OYG **ILS LLZ RWY 9C UNUSABLE** FOR ROLLOUT
GUIDANCE.

A2754/26NAV **ILS RWY 27C IM U/S****A1704/26**NAV **ILS RWY 28L IM U/S**

**6/0331**

IAP CHICAGO O'HARE INTL, CHICAGO, IL.

ILS OR LOC RWY 9L, AMDT 4B...**ILS RWY 9L SA CAT I**, AMDT 4B... **ILS RWY 9L CAT II/III**, AMDT 4B...PROFILE NOTE: VGSI AND **ILS GLIDEPATH** NOT COINCIDENT (VGSI ANGLE 3.00/TCH 69).**A0194/26**IAP CHICAGO O'HARE INTL, CHICAGO, IL. RNAV (GPS) **RWY 9L**, AMDT 4...PROFILE NOTE: VGSI AND RNAV **GLIDEPATH** NOT COINCIDENT (VGSI ANGLE 3.00/TCH 69).**A0192/26**IAP CHICAGO O'HARE INTL, CHICAGO, IL. **ILS OR LOC RWY 9L**, AMDT4B... **ILS RWY 9L SA CAT I**, AMDT 4B... **ILS RWY 9L CAT II/III**, AMDT4B... PROFILE NOTE: VGSI AND **ILS GLIDEPATH** NOT COINCIDENT (VGSI ANGLE 3.00/TCH 69).**A8777/26**IAP CHICAGO O'HARE INTL, CHICAGO, IL. RNAV (GPS) **RWY 4R**, AMDT

1D... LNAV/VNAV DA 1056/HAT 395 ALL CATS, VISIBILITY RVR 3500 ALL

CATS. LNAV MDA 1160/HAT 499 ALL CATS, VDP 1.35 NM TO RW04R. FOR

INOPERATIVE ALS, INCREASE LNAV CATS C/D VISIBILITY TO 1 3/8.TEMPORARY CRANE 845 MSL, 4873FT W OF **RWY 4R**

(2024-AGL-15027/15028/15029-NRA). TEMPORARY CRANE 822 MSL 7342FT

SW OF 10R (2025-AGL-8827-OE). TEMPORARY CRANE 788 MSL, 5934FT SW

OF **RWY 4R** (2024-AGL-13315-OE). TEMPORARY CRANE 841 MSL 5090FT SWOF **RWY 4R** (2024-AGL-15026-15033-NRA).**A6494/26**

ORD IAP CHICAGO O'HARE INTL, CHICAGO, IL.

RNAV (GPS) Z **RWY 10R**, ORIG-A...

LPV DA 944/HAT 264 ALL CATS. VISIBILITY RVR 2000 ALL CATS.

TEMPORARY CRANES, UP TO 846 MSL, BEGINNING 1808FT SE OF **RWY 10R**

(2024-AGL-15026 THRU 15039-NRA).

A6476/26

ORD IAP CHICAGO O'HARE INTL, CHICAGO, IL.

RNAV (GPS) **RWY 9L**, AMDT 4...

LNAV/VNAV DA 1100/HAT 432 ALL CATS, VIS ALL CATS RVR 4000. EXCEPT

WHEN ADVISED BY ATCT THAT THIS CRANE IS DOWN. TEMPORARY CRANE 840

MSL, 6911 FT W OF **RWY 9L** (2025-AGL-3331-OE).**A4566/26**ORD NAV **ILS RWY 27R IM U/S****A1622/26**ORD NAV **ILS RWY 28R IM U/S****A1621/26**ORD NAV **ILS RWY 28C IM U/S****A1619/26**ORD NAV **ILS RWY 27L IM U/S****A1613/26**ORD NAV **ILS RWY 10R(Z) IM U/S****A1611/26**ORD NAV **ILS RWY 10L IM U/S****A8816/25**ORD NAV **ILS RWY 10C IM U/S****A8813/25**ORD NAV **ILS RWY 09C IM U/S****A8811/25**ORD NAV **ILS RWY 09L IM U/S****A8434/25**ORD NAV **ILS RWY 09R IM U/S**



=====

DESTINATION ALTERNATE AIRPORT(S)

=====

KIND/IND INDIANAPOLIS INTL

+++++ AIRPORT +++++

A3839/26 VALID: 27-AUG-26 1230 - 27-AUG-26 2130

SVC MBST/WS DETECTION SYSTEM NOT AVBL

A2120/26

IND TWY P BTN TWY H AND TWY B CLSD

A2121/26

IND APRON PAPA PAD CLSD

+++++ SID +++++

A3898/26

SID INDIANAPOLIS INTL, INDIANAPOLIS, IN. ROCKY ONE DEPARTURE...
SPINNER TRANSITION NA EXCEPT FOR ACFT EQUIPPED WITH SUITABLE RNAV
SYSTEM WITH GPS, SPI **VOR OUT OF SERVICE.**

A2566/26

SID INDIANAPOLIS INTL, INDIANAPOLIS, IN. MAREO ONE DEPARTURE ...
DEPARTURE ROUTE DESCRIPTION: ALL **RUNWAYS**: CLIMB ON ASSIGNED
HEADING FOR VECTORS TO LUIJE ON TRACK 090.60 TO MAREO, THEN ON
TRANSITION. IND DEPARTURES MAINTAIN (JETS) 5000/ (PROPS) 3000, ALL
OTHER AIRPORTS MAINTAIN ATC ASSIGNED ALTITUDE. EXPECT FILED
ALTITUDE 10 MINUTES AFTER DEPARTURE. CHART NOTE: CHART TOP
ALTITUDE: KIND (JETS) 5000/(PROPS) 3000. CHART NOTE: CHART TOP
ALTITUDE: ALL OTHER AIRPORTS AS ASSIGNED BY ATC. MSA FROM EYE,
GEZ, HFY, IND, MQJ, 3100; TYQ, UMP, 2900. ALL OTHER DATA REMAINS
THE SAME.

+++++ APPROACH PROCEDURES +++++

A3370/26

IAP INDIANAPOLIS INTL, INDIANAPOLIS, IN. RNAV (GPS) Y **RWY 23L**,
AMDT 5... LPV DA 1046/HAT 256 ALL CATS. LNAV/VNAV DA 1182/HAT 392,
VIS ALL CATS RVR 3000. LNAV MDA 1280/HAT 490, VIS CATS C/D RVR
5000. VDP 1.29NM TO RW23L. FOR ALS INOP, INCREASE LNAV VISIBILITY
CAT C/D TO 1 3/4 SM. TEMPORARY CRANE 971 MSL, 3933FT NE OF RWY 23L
(2026-AGL-9969-NRA). TEMPORARY CRANE 931 MSL, 1972FT S OF RWY 23L
(2025-AGL-11488-NRA).

A3368/26

IAP INDIANAPOLIS INTL, INDIANAPOLIS, IN. RNAV (GPS) Y **RWY 32**, AMDT
4A... LNAV/VNAV DA 1182/HAT 389 ALL CATS, VIS ALL CATS RVR 3500.
LNAV MDA 1280/HAT 487 ALL CATS, VIS CATS C/D RVR 5000. VDP 1.30NM
TO RW32. FOR INOP ALS, INCREASE LNAV/VNAV VISIBILITY TO RVR 5500,
LNAV **CAT C/D VISIBILITY TO 1 3/8 SM. TEMPORARY CRANE 971 MSL,**
1477FT NE OF RWY 32 (2026-AGL-9969-NRA). TEMPORARY CRANE 931 MSL,
1972FT S OF RWY 23L (2025-AGL-11488-NRA).

A3369/26

IAP INDIANAPOLIS INTL, INDIANAPOLIS, IN. RNAV (RNP) Z **RWY 32**, AMDT
2... RNP .19 DA 1178/HAT 385, VISIBILITY ALL CATS RVR 3500. RNP
.30 DA 1207/HAT 414. FOR INOP ALS INCREASE RNP .30 VISIBILITY ALL
CATS TO RVR 6000. TEMPORARY CRANE 971 MSL, 1477FT NE OF **RWY 32**
(2026-AGL-9969-NRA).

**A3363/26**

IAP INDIANAPOLIS INTL, INDIANAPOLIS, IN. RNAV (GPS) Y **RWY 23L**, AMDT 5... LPV DA 1046/HAT 256 ALL CATS. LNAV/VNAV DA 1142/HAT 352, VIS ALL CATS RVR 3000. LNAV MDA 1240/HAT 450, VIS CATS C/D RVR 4500. VDP 1.17NM TO RW23L. FOR ALS INOP, INCREASE LNAV/VNAV VISIBILITY TO RVR 5500. TEMPORARY CRANE 931 MSL, 1972FT S OF **RWY 23L** (2025-AGL-11488-NRA).

A3364/26

IAP INDIANAPOLIS INTL, INDIANAPOLIS, IN. RNAV (GPS) Y **RWY 32**, AMDT 4A... LNAV/VNAV DA 1142/HAT 349 ALL CATS, VIS ALL CATS RVR 3000. LNAV MDA 1240/HAT 447 ALL CATS, VIS CATS C/D RVR 4000. VDP 1.18NM TO RW32. FOR INOP ALS, INCREASE LNAV/VNAV VISIBILITY TO RVR 5500. TEMPORARY CRANE 931 MSL, 1972FT S OF **RWY 23L** (2025-AGL-11488-NRA).

A3115/26

NAV **ILS RWY 05R** IM U/S

A2015/26

IND NAV **ILS RWY 05L** IM U/S

A1770/26

IND IAP INDIANAPOLIS INTL, INDIANAPOLIS, IN.
ILS RWY 23L (SA **CAT II**), AMDT 8 ...
PROCEDURE NA.

TEMPORARY CRANE 931 MSL, 1972FT S OF **RWY 23L** (2025-AGL-11488-NRA)

A1766/26

IND IAP INDIANAPOLIS INTL, INDIANAPOLIS, IN.
ILS OR LOC RWY 23L, AMDT 8...
S-ILS 23L DA 1045/HAT 255 ALL CATS. TEMPORARY CRANE 931 MSL, 1972FT S OF **RWY 23L** (2025-AGL-11488-NRA).

A1084/26

IND IAP INDIANAPOLIS INTL, INDIANAPOLIS, IN.
ILS RWY 5R (CAT II-III), AMDT 7A ...
S-ILS 5R **CAT II** NA EXCEPT FOR AIRCRAFT WITH RADIO ALTIMETER. I-OQV
INNER MARKER **OUT OF SERVICE**.

A0633/26

IND IAP INDIANAPOLIS INTL, INDIANAPOLIS, IN.
RNAV (GPS) Y **RWY 23L**, AMDT 5...
LNAV MDA 1220/HAT 430 ALL CATS, VISIBILITY CATS C/D RVR 4000.

A3858/25

IND IAP INDIANAPOLIS INTL, INDIANAPOLIS, IN.
ILS RWY 5L (CAT II-III), AMDT 5A. ...
S-ILS 5L **CAT II** NA EXCEPT FOR AIRCRAFT EQUIPPED WITH RADIO
ALTIMETER. I-IND INNER MARKER **OUT OF SERVICE**.

A3403/25

IND IAP INDIANAPOLIS INTL, INDIANAPOLIS, IN.
ILS OR LOC RWY 5R, AMDT 7A...
GOLSE FIX MINIMUMS: FOR ALS INOP, S-LOC 5R INCREASE **CAT C/D**
VISIBILITY TO RVR 5500.



=====

EXTENDED AREA AROUND DEPARTURE

=====

CZYZ TORONTO FIR

+++++ FIR/UIR +++++

G2958/26

EDMONTON CENTRE PERIPHERAL STATION (PAL) 132.6MHZ
AT OGOKI POST U/S

G2899/26

AMEND PUBLICATIONS:

MODIFY TOWER 464240N 0841039W 456FT AGL 2100FT AMSL LGTD, MARKED
TO READ: 464240N 0841040W (APRX 11NM NE SAULT STE. MARIE (SAULT
AREA HOSP) (HELI) (CSM9)) 470FT AGL 2180FT AMSL LGTD, PAINTED

G2675/26

AIRSPACE SECURITY WARNING ISSUED BY THE DEPARTMENT OF TRANSPORT
IN RESPONSE TO THE SECURITY SITUATION IN MALI. CANADIAN AIR
OPERATORS AND OWNERS OF AIRCRAFT REGISTERED IN CANADA ARE
RECOMMENDED TO MAINTAIN A FLIGHT LEVEL EQUAL TO OR ABOVE FL320 IN
THE PORTIONS OF FIR DAKAR (G000) AND FIR NIAMEY (DRRR) LOCATED IN
THE TERRITORY OF MALI DUE TO THE POTENTIAL RISK FROM MILITANT
ACTIVITY AND ANTI-AIRCRAFT WEAPONRY.

G2674/26

AIRSPACE SECURITY WARNING ISSUED BY THE DEPARTMENT OF TRANSPORT
IN RESPONSE TO THE SECURITY SITUATION IN MYANMAR. CANADIAN AIR
OPERATORS AND OWNERS OF AIRCRAFT REGISTERED IN CANADA ARE
RECOMMENDED TO MAINTAIN A FLIGHT LEVEL AT OR ABOVE FL260 IN FIR
YANGON (VYYYF) DUE TO THE RISK FROM ANTI-AIRCRAFT WEAPONRY.

G2420/26

ALL ACFT, REGARDLESS OF THE STATE OF REGISTRY, DIRECTLY OR
INDIRECTLY OWNED, CHARTERED, LEASED, OPERATED OR OTHERWISE
CONTROLLED BY A PERSON CONNECTED WITH EITHER THE RUSSIAN
FEDERATION OR OF BELARUS OR BY A CORPORATION OR ENTITY THAT IS
INCORPORATED OR FORMED UNDER THE LAWS OF THE RUSSIAN FEDERATION
OR BELARUS, AND ALL OPERATORS HOLDING AN AIR OPERATOR CERTIFICATE
(AOC) ISSUED BY RUSSIAN FEDERATION AND/OR BELARUSIAN AUTHORITIES
ARE PROHIBITED TO ENTER, EXIT OR OVERFLY CANADA'S TERRITORIAL
AIRSPACE (INCLUDING FLT WITHIN 12NM OF CANADA'S COASTS).
EXCEPTIONS PERMITTED FOR ACFT EXPERIENCING INFLIGHT EMERG.

ALL AUTH OBTAINED PRIOR TO 27 FEB 2022 FOR ACFT AND OPS SUBJECT
TO THIS NOTAM ARE REVOKED.

HUMANITARIAN, SAR, MEDEVAC AND ANY OTHER FLT SEEKING AN EXCEPTION
TO THIS RESTRICTION MUST RECEIVE AUTH GRANTED AFTER 27 FEB 2022
FM THE MINISTER OF TRANSPORT TO OPERATE IN CANADA'S TERRITORIAL
AIRSPACE. AFFECTED ACFT WISHING TO OBTAIN SUCH AN AUTH OR CLR
INTO CANADA'S TERRITORIAL AIRSPACE MAY APPLY TO THE MINISTER OF
TRANSPORT AT 1-877-992-6853 OR 1-613-992-6853 OR BY EMAIL AT
OPERATIONS.AVIATION(AT)TC.GC.CA.

G2259/26

WINNIPEG CENTRE PERIPHERAL STATION (PAL) 297.6MHZ AT THUNDER BAY
U/S



+++++ RESTRICTED AIRSPACE +++++

G3044/26

THU 1500-2359, FRI-MON 1200-2359
PARACHUTE ACT WILL TAKE PLACE WITHIN RADIUS 3NM
CENTRE 425737N 0794718W (AT CAYUGA EAST **AD** (CAF2))
F) SFC G) 13500FT AMSL

M2057/26

ADVISORY AREA CYA513(P) PORT COLBORNE ACT.
PARAJUMPS ACT WILL TAKE PLACE ABV CYA513(P).
F) SFC G) 14000FT AMSL

G3039/26

PARAJUMPS ACT WILL TAKE PLACE WITHIN RADIUS 1NM
CENTRE 431800N 0795800W (DUNDAS, CENTRE APRX 1.98NM SW
HAMILTON/WATERDOWN (HELI) (CWD3), APRX 8NM N HAMILTON **AD** (CYHM))
F) SFC G) 13000FT AMSL

M2049/26

MIL PARAJUMP ACT WILL TAKE PLACE WITHIN RADIUS 3NM CENTRE
452450N 0762157W (CENTRE AT ARNPRIOR **AD** (CNP3))
F) SFC G) 14000FT AMSL

M2024/26

DAILY 1200-2300
BLASTING ACT WILL TAKE PLACE WITHIN
RADIUS 3NM CENTRE 443747N 0775221W
(CENTRE APRX 8NM N CORDOVA MINES/BELMONT
LAKE (WATER) **AD** (CBE4))
F) SFC G) 3000FT AGL

G2971/26

DAILY 1200-2000
REMOTELY PILOTED ACFT (RPA) ACT WILL TAKE PLACE WITHIN RADIUS
1NM CENTRE 440413N 0772021W (CENTRE APRX 125FT NE
TRENTON/MOUNTAIN VIEW **AD** (CPZ3)).
TYPE: CLASSIFIED.
F) SFC G) 1000FT AGL

M1965/26

WED-THU 1400-2359, FRI-SUN 1300-0100
PARAJUMPS ACT WILL TAKE PLACE WITHIN RADIUS 4NM CENTRE
455152N 0771505W (PEMBROKE **AD** (CYTA))
MONITORING 122.8MHZ AND 135.2MHZ
F) SFC G) 13500FT AGL

M1646/26

MON-FRI 1100-2300
BLASTING WILL TAKE PLACE WITHIN
RADIUS 0.3NM CENTRE 480901N 0800516W
(CENTRE APRX 6NM WSW KIRKLAND LAKE **AD** (CYKX)).
F) SFC G) 821FT AGL

M1605/26

DAILY 1200-0300
PARAJUMP ACT WILL TAKE PLACE WITHIN
RADIUS 3NM CENTRE 442815N 0800018W
(CENTRE AT WASAGA BEACH, APRX 2.6NM NNW EDENVALE **AD** (CNV8))
F) SFC G) 12500FT AMSL

M1547/26

TUE-THU 1300-2000
BLASTING ACT WILL TAKE PLACE WITHIN RADIUS 2.1NM CENTRE
444845N 791932W (CENTRE APRX 3.6NM W WASHAGO/CLEARWATER LAKE
NORTH (WATER) **AD** (CLK5))
F) SFC G) 2000FT AGL

**G1981/26**

MON-SAT SR-SS

DESIGNATED AIRSPACE HANDBOOK (DAH) IS AMENDED AS FLW:
NORTH BAY, ON CYR599, CLASS F RESTRICTED AIRSPACE IS ESTABLISHED
WITHIN LATERAL BOUNDARIES OF CYA521, WITHIN THE AREA BOUNDED BY
4740132N 08020190W - 4734040N 08009520W - 4633198N 07949536W -
4632170N 07951340W - 4649154N 08030180W - 4728145N 08041190W -
4740132N 08020190W. NO PERSON SHALL OPR AN ACFT WITHIN
THE AREA DESCRIBED UNLESS THE FLT HAS BEEN AUTH BY THE
USER/CONTROLLING.

AGENCY USER AGENCY - ITPS 437-995-2988

CONTROLLING AGENCY - TORONTO ACC 905-676-4509

F) 7000FT AMSL G) FL230

G2127/26

BLASTING ACT WILL TAKE PLACE WITHIN

RADIUS 4NM CENTRE 481738N 0842721W

(CENTRE APRX 14NM NNE HAWK JUNCTION (WATER) AD (CNH6))

SFC TO 4950FT AGL

F) SFC G) 6350FT AMSL

M0348/26

AMEND PUBLICATIONS:

QUARRY AND BLASTING WITHIN

RADIUS 0.54NM CENTRE 463218N 0805939W

(CENTRE APRX 3.4NM NNW SUDBURY/RAMSEY LAKE (WATER)AD (CNB8))

SFC TO 1000FT AGL

F) SFC G) 2020FT AMSL

+++++ ROUTE +++++

M1889/26

DAILY 1100-2359

DUE CRANE: V37 BTN YMO AND YTS: MOCA TO READ: 2500

M1141/26

AMEND PUBLICATIONS:

T781 BTN TESUK TO TALEB: MOCA TO READ 2500 INSTEAD OF 2300

=====
EXTENDED AREA AROUND DESTINATION
=====

KZAU CHICAGO FIR/UIR

+++++ FIR/UIR +++++

08/389 VALID: 27-AUG-26 1700 - 27-AUG-26 1945

AIRSPACE AIRDROP WI AN AREA DEFINED AS 3NM EITHER

SIDE OF A LINE FM VOK272036 TO VOK275015 TO VOK235011 SFC-4000FT

08/459

AIRSPACE UAS WI AN AREA DEFINED AS 2NM RADIUS OF

421051.60N0853741.40W (3.5NM WNW 11C) SFC-200FT AGL

08/460

AIRSPACE UAS WI AN AREA DEFINED AS 1NM RADIUS OF

430903N0850157W (6.2NM SE C63) SFC-100FT AGL

08/443

AIRSPACE UAS WI AN AREA DEFINED AS 10NM RADIUS OF

405210N0853609W (6.3NM W HHG) SFC-90FT AGL

08/424

AIRSPACE R6901B ACT SFC-FL200

**08/452**

AIRSPACE UAS WI AN AREA DEFINED AS 5NM RADIUS OF
441408N0893505W (13.5NM SE ISW) SFC-100FT AGL

08/214

AIRSPACE UAS WI AN AREA DEFINED AS 7NM RADIUS OF
425748.90N0854007.20W (6.3NM E 08C) SFC-400FT AGL

08/450

NAV **VOR/DME** NOT MNT

08/446

AIRSPACE UAS WI AN AREA DEFINED AS 1NM RADIUS OF
410914N0870647W (13NM NE RZL) SFC-225FT AGL

08/429

AIRSPACE UAS WI AN AREA DEFINED AS 2.5NM RADIUS OF
412230N0860500W (8.2NM SW C03) SFC-100FT AGL

08/422

AIRSPACE UAS WI AN AREA DEFINED AS 3NM RADIUS OF
440814N0891015W (4.4NM SSE W23) SFC-100FT AGL

08/394

AIRSPACE UAS WI AN AREA DEFINED AS 2NM RADIUS OF
JOT218023 SFC-400FT AGL DLY 1200-0500

08/406

NAV **VOR** NOT MNT

08/404

AIRSPACE UAS WI AN AREA DEFINED AS 15NM RADIUS OF
401457N0861323W (4.5NM N 5I4) SFC-200FT AGL

08/332

AIRSPACE UAS WI AN AREA DEFINED AS 10NM RADIUS OF
401912N0860936W (7.4NM SSE 8I3) SFC-200FT AGL

07/582

AIRSPACE UAS WI AN AREA DEFINED AS 30NM RADIUS OF
403044N0871213W (13.3NM WNW LAF) SFC-200FT AGL
(FAA-2025-2529-24868)

07/407

AIRSPACE UAS WI AN AREA DEFINED AS 10NM RADIUS OF
403720N0891909W (16.7NM SE 3MY) SFC-80FT AGL DLY 1100-0200

A0534/26

AIRSPACE ADS-B, AUTO DEPENDENT SURVEILLANCE REBROADCAST (ADS-R),
TFC INFO SERVICE BCST (TIS-B), FLT INFO SERVICE BCST (FIS-B)
SERVICES MAY NOT BE **AVBL** WI AN AREA DEFINED AS 30NM RADIUS OF
410712N0892704W. AP AIRSPACE AFFECTED MAY INCLUDE 0C7, 2V3, 3MY,
65IS, C75, EZI, PIA, VYS. F) SFC G) 1000FT AMSL

06/333

AIRSPACE UAS WI AN AREA DEFINED AS 10NM RADIUS OF
442007N0891706W (8.6NM NW W23) SFC-100FT AGL DLY 0930-0300

06/057

AIRSPACE UAS WI AN AREA DEFINED AS E0N091057 TO
E0N094056 TO E0N094050.5 TO E0N091050 TO POINT OF ORIGIN SFC-225FT
AGL

A0437/26

AIRSPACE ADS-B, AUTO DEPENDENT SURVEILLANCE REBROADCAST (ADS-R),
TFC INFO SERVICE BCST (TIS-B) SERVICES MAY NOT BE **AVBL** WI AN AREA
DEFINED AS 45NM RADIUS OF 431005N0902047W. AP AIRSPACE AFFECTED
MAY INCLUDE DLL, HBW, MRJ, MSN, OVS, PDC, PVB. F) SFC G) 3999FT
AMSL

A0315/26

AIRSPACE ADS-B, AUTO DEPENDENT SURVEILLANCE REBROADCAST (ADS-R),
TFC INFO SER BCST (TIS-B), FLT INFO SER BCST (FIS-B) SER MAY NOT
BE **AVBL** WI AN AREA DEFINED AS 32NM RADIUS OF 430341N0911547W. AP
AIRSPACE AFFECTED MAY INCLUDE DEH, OVS, PDC, 3Y2. SFC-UNL. F) SFC
G) UNL

**A0207/26**

IN..ROUTE ZAU. V38 FORT WAYNE (FWA) **VORTAC**, IN R-285 TO COP MEA 12500. FWA **VORTAC** R-285 **UNUSABLE** BELOW 12500.

A0002/26

ADS-B, AUTO DEPENDENT SURVEILLANCE
REBROADCAST (ADS-R), TFC INFO SER BCST (TIS-B), FLT INFO SER BCST (FIS-B) SER MAY NOT BE **AVBL** WI AN AREA DEFINED AS 40NM RADIUS OF 410723N0935543W. AP AIRSPACE AFFECTED MAY INCLUDE MOB, STJ, IRK, MOB, GPH, MKC, FLV.
F) SFC G) 6000FT

+++++ WAYPOINT +++++

A0565/26

CGT NAV **TACAN U/S**

A0561/26

NAV **TACAN AZM U/S**

A0499/26

VIO **DME U/S**

=====
EXTENDED AREA AROUND DESTINATION ALTERNATE AIRPORT(S)
=====

KZID **INDIANAPOLIS FIR/UIR**

+++++ FIR/UIR +++++

08/896

AIRSPACE UAS WI AN AREA DEFINED AS 3NM RADIUS OF 390636N0853318W (4.2NM NE OVO) SFC-150FT AGL

08/907

AIRSPACE UAS WI AN AREA DEFINED AS 5NM RADIUS OF 383945.70N0862710W (0.5NM WNW 7I4) SFC-100FT AGL DLY SR-SS

08/910

AIRSPACE UAS WI AN AREA DEFINED AS 8NM RADIUS OF 382801.40N0855651.20W (11.6NM WNW JYV) SFC-100FT AGL DLY SR-SS

08/837

AIRSPACE UAS WI AN AREA DEFINED AS 4NM RADIUS OF 395121N0865902W (8NM S CFJ) SFC-100FT AGL DLY 1200-2359

08/838

AIRSPACE UAS WI AN AREA DEFINED AS 5NM RADIUS OF 383618.54N0853756.68W (8.2NM W 64I) SFC-150FT AGL DLY 1300-0100

A0718/26

OH..ROUTE ZID. V144 APPLETON (APE) **VORTAC**, OH R-300 TO BUZZI, OH MOCA 2800. TEMPORARY CRANE 1771 MSL 5.9NM SW OF APPLETON (APE) **VORTAC** (2024-AGL-9234-OE).

08/739

AIRSPACE UAS WI AN AREA DEFINED AS 5NM RADIUS OF 385748N0853123W (7NM SE OVO) SFC-150FT AGL

08/273

AIRSPACE UAS WI AN AREA DEFINED AS 8NM RADIUS OF 392440N0861240W (6.7NM W 3FK) SFC-50FT AGL DLY 1000-0200

A0704/26

AIRSPACE ADS-B, AUTO DEPENDENT SURVEILLANCE REBROADCAST (ADS-R), TFC INFO SERVICE BCST (TIS-B), FLT INFO SERVICE BCST (FIS-B) SERVICES MAY NOT BE **AVBL** WI AN AREA DEFINED AS 33NM RADIUS OF 372318N0802509W. AP AIRSPACE AFFECTED MAY INCLUDE BCB, LWB, PSK, ROA. F) SFC G) 4000FT AMSL

**08/306**

AIRSPACE UAS WI AN AREA DEFINED AS 5NM RADIUS OF
385435N0855630W (1.7NM SW SER) SFC-150FT AGL

07/052

AIRSPACE UAS WI AN AREA DEFINED AS 30NM RADIUS OF
403044N0871213W (13.3NM WNW LAF) SFC-200FT AGL
(FAA-2025-2529-24868)

07/867

AIRSPACE UAS WI AN AREA DEFINED AS 5NM RADIUS OF
385707N0854530W (7.9NM E SER) SFC-150FT AGL

07/856

AIRSPACE UAS WI AN AREA DEFINED AS 3NM RADIUS OF
395844N0830816W (4NM N TZR) SFC-400FT AGL

07/262

AIRSPACE UAS WI AN AREA DEFINED AS 3NM RADIUS OF
395905N0825845W (4NM W CMH) SFC-400FT AGL

07/261

AIRSPACE UAS WI AN AREA DEFINED AS 3NM RADIUS OF
400402N0825831W (5NM E OSU) SFC-400FT AGL

07/258

AIRSPACE UAS WI AN AREA DEFINED AS 3NM RADIUS OF
400146N0825943W (4.3NM NW CMH) SFC-400FT AGL

07/257

AIRSPACE UAS WI AN AREA DEFINED AS 3NM RADIUS OF
395553N0825324W (5NM S CMH) SFC-400FT AGL

07/673

AIRSPACE UAS WI AN AREA DEFINED AS 20NM RADIUS OF
403115N0822032W (11.8NM NE 6G4) SFC-200FT AGL DLY 1200-2359

07/401

AIRSPACE UAS WI AN AREA DEFINED AS 3NM RADIUS OF
390215.30N0853135.50W (3.7NM ESE OVO) SFC-100FT AGL DLY 1200-2200

07/095

AIRSPACE UAS WI AN AREA DEFINED AS 2NM RADIUS OF
400416.90N0824404.40W (8.5NM ENE CMH) SFC-200FT AGL DLY SR-SS

A0624/26

AIRSPACE ADS-B, AUTO DEPENDENT SURVEILLANCE REBROADCAST (ADS-R),
TFC INFO SER BCST (TIS-B), FLT INFO SER BCST (FIS-B) SER MAY NOT
BE **AVBL** WI AN AREA DEFINED AS 71NM RADIUS OF 355428N0835026W. AP
AIRSPACE AFFECTED MAY INCLUDE 3A2, 0VG, MOR, 2A0, GKT, RZR, AVL,
GCY. 6000FT-11000FT. F) 6000FT AMSL G) 11000FT AMSL

06/410

AIRSPACE UAS WI AN AREA DEFINED AS 20NM RADIUS OF
380935N0870044W (5.9NM SSW HNB) SFC-200FT AGL DLY SR-SS

06/003

AIRSPACE UAS WI AN AREA DEFINED AS 6NM RADIUS OF
395944.90N0824310.20W (8.0NM E CMH) SFC-400FT AGL DLY 0000-2359

A0407/26

AIRSPACE ADS-B, AUTO DEPENDENT SURVEILLANCE REBROADCAST (ADS-R),
TFC INFO SER BCST (TIS-B), FLT INFO SER BCST (FIS-B) SER MAY NOT
BE **AVBL** WI AN AREA DEFINED AS 44NM RADIUS OF 361057N0850950W. AP
AIRSPACE AFFECTED MAY INCLUDE CSV, RKW, RNC, SCX, SRB, 1A7, 2A1,
8A3. SFC-4999FT. F) SFC G) 4999FT AMSL

03/671

AIRSPACE UAS WI AN AREA DEFINED AS 1NM RADIUS OF
395513.12N0872600.55W (17NM NE PRG) SFC-400FT AGL

03/672

AIRSPACE UAS WI AN AREA DEFINED AS 2NM RADIUS OF
382120.79N0874533.80W (15.3NM S AJG) SFC-400FT AGL

03/673

AIRSPACE UAS WI AN AREA DEFINED AS 1NM RADIUS OF
384750.88N0871502.30W (7.4NM NW DCY) SFC-400FT AGL

**03/674**

AIRSPACE UAS WI AN AREA DEFINED AS 3NM RADIUS OF
385420N0845104W (12.3NM SW CVG) SFC-400FT AGL

A0364/25

ZID ROUTE ZID ZTL.

V178 LEXINGTON (HYK) **VOR/DME**, KY R-103 TO TRENT, KY MEA 10000
SOUTHEASTBOUND EXCEPT FOR ACFT EQUIPPED WITH SUITABLE RNAV SYSTEM
WITH GPS.

V178 TRENT, KY TO SLINK, WV MEA 10000 EXCEPT FOR ACFT EQUIPPED
WITH SUITABLE RNAV SYSTEM WITH GPS.

V178 SLINK, WV TO BLUEFIELD (BLF) **VOR/DME**, WV R-288 MEA 10000
NORTHWESTBOUND EXCEPT FOR ACFT EQUIPPED WITH SUITABLE RNAV SYSTEM
WITH GPS.

BLF **VOR** COP AT 81 NM 10000.

A0025/25

ZID IN..ROUTE ZID.

V53 HOUSE, IN MCA 10000 SOUTHEASTBOUND.

IIU **VORTAC** R-332 AT 64NM **UNUSABLE** BELOW 10000.

+++++ RESTRICTED AIRSPACE +++++

A0185/26

AIRSPACE UAS WI AN AREA DEFINED AS 3NM RADIUS OF
391222.42N0842846.60W (6NM NW LUK) F) SFC G) 400FT AGL

+++++ ROUTE +++++

A0675/26

ROUTE ZID ZTL. J99 VOLUNTEER (VXV) **VORTAC**, TN TO LOUISVILLE (IIU)
VORTAC, KY MEA GAP AT COP. IIU **VOR** R-147 **UNUSABLE** BEYOND 52 NM.

A0608/26

ROUTE ZID ZTL. J85 SPARTANBURG (SPA) **VORTAC**, SC TO CHARLESTON
(HVQ) **VOR/DME**, WV NA. SPA **VORTAC** AND HVQ **VOR** R-185 **UNUSABLE**.

=====
AREA ENROUTE DEPARTURE - DESTINATION
=====

KZOB CLEVELAND FIR/UIR

+++++ FIR/UIR +++++

08/105

AIRSPACE UAS WI AN AREA DEFINED AS 0.4NM RADIUS OF
433112.90N0823946.30W (8.7NM ENE Y83) SFC-100FT AGL

08/075

AIRSPACE NUMEROUS UAS WI AN AREA DEFINED AS 6.47NM
RADIUS OF 422833N0830532W (4.6NM NW DET) SFC-400FT AGL

08/076

AIRSPACE NUMEROUS UAS WI AN AREA DEFINED AS 6.5NM
RADIUS OF 423836N0831520W (6.3NM NW VLL) SFC-400FT AGL

A0904/26

AIRSPACE ADS-B, AUTO DEPENDENT SURVEILLANCE REBROADCAST (ADS-R),
TFC INFO SERVICE BCST (TIS-B), SERVICES MAY NOT BE **AVBL** WI AN AREA
DEFINED AS 50NM RADIUS OF 431020N0793333W. AP AIRSPACE AFFECTED
MAY INCLUDE BUF, JHW, ELZ, GVQ, ERI, ELZ, BFD, DUJ, IAG, GVQ. F)
2000FT AMSL G) UNL

08/011

AIRSPACE UAS WI AN AREA DEFINED AS 3.2NM RADIUS OF
412813.50N0812925.70W (5.6NM S CGF) SFC-400FT AGL DLY 1000-0400

**08/289**COM **VOR** VOICE **U/S****08/983**AIRSPACE UAS WI AN AREA DEFINED AS 10NM RADIUS OF
415348N0795658W (10NM SE 03G) SFC-50FT AGL**08/985**AIRSPACE UAS WI AN AREA DEFINED AS 3NM RADIUS OF
415306N0801108W (9.6NM SW 03G) SFC-50FT AGL DLY 1300-2359**08/984**AIRSPACE UAS WI AN AREA DEFINED AS 7NM RADIUS OF
414627N0793904W (8.5NM SSW 8G2) SFC-50FT DLY 1300-2359**A0900/26**AIRSPACE TFC INFO SERVICE BCST (TIS-B), FLT INFO SERVICE BCST
(FIS-B) SERVICES MAY NOT BE **AVBL** WI AN AREA DEFINED AS 29NM RADIUS
OF 421520N0851120W. AP AIRSPACE AFFECTED MAY INCLUDE 9D9, JXN,
OEB, IRS, BTL, AZO. F) SFC G) 1999FT AMSL**08/172**AIRSPACE UAS WI AN AREA DEFINED AS 1NM RADIUS OF
403906N0802309W (7.3NM S BVI) SFC-400FT AGL FRI MON TUE WED THU
1200-2100**A0878/26**AIRSPACE ADS-B, AUTO DEPENDENT SURVEILLANCE REBROADCAST (ADS-R),
TFC INFO SERVICE BCST (TIS-B), FLT INFO SERVICE BCST (FIS-B)
SERVICES MAY NOT BE **AVBL** WI AN AREA DEFINED AS 33NM RADIUS OF
372318N0802509W. AP AIRSPACE AFFECTED MAY INCLUDE BCB, LWB, PSK,
ROA. F) SFC G) 4000FT AMSL**08/154**AIRSPACE UAS WI AN AREA DEFINED AS 3NM RADIUS OF
430603N0781308W (4.56NM NW GVQ) SFC-225FT AGL**08/055**AIRSPACE UAS WI AN AREA DEFINED AS 10NM RADIUS OF
432428.80N0842832W (10.6NM ENE AMN) SFC-75FT AGL DLY 0000-2359**08/019**AIRSPACE UAS WI AN AREA DEFINED AS 0.5NM RADIUS OF
424908N0764152W (5.3NM SSE 0G7) SFC-250FT AGL DLY 0000-2359**08/003**AIRSPACE UAS WI AN AREA DEFINED AS 3.5NM RADIUS OF
425555.10N0774732.50W (7.0NM SE 5G0) SFC-250FT AGL DLY 0000-2359**08/004**AIRSPACE UAS WI AN AREA DEFINED AS 3.5NM RADIUS OF
425516.60N0773751.20W (11.9NM ENE D52) SFC-250FT AGL DLY 0000-2359**08/021**AIRSPACE UAS WI AN AREA DEFINED AS 5NM RADIUS OF
430450.40N0781718.40W (5.6NM SSW 9G6) SFC-250FT AGL DLY 0000-2359**08/022**AIRSPACE UAS WI AN AREA DEFINED AS 2NM RADIUS OF
430258.90N0782007.50W (6.7NM E 9G3) SFC-250FT AGL DLY 0000-2359**07/159**AIRSPACE UAS WI AN AREA DEFINED AS 10NM RADIUS OF
410353.20N0825314.90W (7.6NM WNW 8G1) SFC-200FT AGL**07/160**AIRSPACE UAS WI AN AREA DEFINED AS 10NM RADIUS OF
410657N0831036.30W (2.1NM ENE 16G) SFC-200FT AGL**07/137**AIRSPACE UAS WI AN AREA DEFINED AS .75NM RADIUS OF
420105N0801813W (6.9NM SW ERI) SFC-225FT AGL**07/993**AIRSPACE UAS WI AN AREA DEFINED AS 8NM RADIUS OF
412329.30N0823328W (2.2NM ESE 88D) SFC-200FT AGL

**07/860**

AIRSPACE UAS WI AN AREA DEFINED AS 8NM RADIUS OF
430452.20N0781111.40W (3.1NM N GVQ) SFC-250FT AGL DLY 0000-2359

07/155

AIRSPACE UAS WI AN AREA DEFINED AS 10NM RADIUS OF
411930.60N0822936.40W (5.5NM NE 5A1) SFC-200FT AGL

07/663

AIRSPACE UAS WI AN AREA DEFINED AS 6NM RADIUS OF
422138.40N0774501.60W (3.3NM WSW HTF) SFC-250FT AGL DLY 0000-2359

07/665

AIRSPACE UAS WI AN AREA DEFINED AS 6NM RADIUS OF
422000.70N0771906.30W (12.7NM NNW 7N1) SFC-250FT AGL DLY 0000-2359

07/704

AIRSPACE UAS WI AN AREA DEFINED AS 10NM RADIUS OF
431127N0844045W (8.5NM S AMN) SFC-100FT AGL

07/669

AIRSPACE UAS WI AN AREA DEFINED AS 20NM RADIUS OF
403115N0822032W (11.8NM NE 6G4) SFC-200FT AGL DLY 1200-2359

07/642

AIRSPACE UAS WI AN AREA DEFINED AS 10NM RADIUS OF
411516.90N0822407.60W (2.7NM SW I64) SFC-200FT AGL

A0796/26

AIRSPACE ADS-B, AUTO DEPENDENT SURVEILLANCE REBROADCAST (ADS-R),
TFC INFO SERVICE BCST (TIS-B) SERVICES MAY NOT BE **AVBL** WI AN AREA
DEFINED AS 51NM RADIUS OF 422732N0801759W. AP AIRSPACE AFFECTED
MAY INCLUDE DKK, ERI, JHW, HZY, GKJ. SFC-3999FT. F) SFC G) 3999FT
AMSL

07/176

AIRSPACE UAS WI AN AREA DEFINED AS 10NM RADIUS OF
410920.50N0832456.90W (2.3NM SSW FZI) SFC-200FT AGL

07/156

AIRSPACE UAS WI AN AREA DEFINED AS 10NM RADIUS OF
411625.80N0825029.20W (6.1NM ENE 5D9) SFC-200FT AGL

06/619

AIRSPACE UAS WI AN AREA DEFINED AS .25NM RADIUS OF
400132N0781532W (8.7NM NNE P17) SFC-50FT AGL

A0679/26

AIRSPACE ADS-B, AUTO DEPENDENT SURVEILLANCE REBROADCAST (ADS-R),
TFC INFO SER BCST (TIS-B), FLT INFO SER BCST (FIS-B) SER MAY NOT
BE **AVBL** WI AN AREA DEFINED AS 114NM RADIUS OF 430028N0801322W. AP
AIRSPACE AFFECTED MAY INCLUDE BUF, DKK, ERI, GKJ, GVQ, HZY, IAG,
JHW. F) SFC G) 11999FT AMSL

A0495/26

AIRSPACE ADS-B, AUTO DEPENDENT SURVEILLANCE REBROADCAST (ADS-R),
TFC INFO SERVICE BCST (TIS-B), FLT INFO SERVICE BCST (FIS-B)
SERVICES MAY NOT BE **AVBL** WI AN AREA DEFINED AS 61NM RADIUS OF
400515N0770050W. AP AIRSPACE AFFECTED MAY INCLUDE 8N8, 9D4, BWI,
CXY, HGR, RDG, RVL, THV, N68, W35. 1000FT-2000FT. F) 1000FT AMSL
G) 2000FT AMSL

05/411

AIRSPACE UAS WI AN AREA DEFINED AS 2.2NM RADIUS OF
422332.80N0845140.30W (9.5NM NNE RMY) SFC-200FT AGL DLY SR-SS

04/330

AIRSPACE PJE WI AN AREA DEFINED AS 5.2NM RADIUS OF
431533N0785756W (8.1NM W 85N) SFC-15000

03/130

AIRSPACE AEROBATIC ACFT WI AN AREA DEFINED AS 5NM
RADIUS OF YNG195023 SFC-8000FT AVOIDANCE ADZ

**A0005/26**

ZOB PA..ROUTE ZOB.

V170 SLATE RUN (SLT) **VORTAC**, PA TO SELINSGROVE (SEG) **VOR/DME**, PA
MEA 4700.**12/152**AIRSPACE UAS WI AN AREA DEFINED AS 412031N0824937W
(9.1NM NE 5D9) TO 412053N0824937W (9.1NM NE 5D9) TO
412049N0824843W (9.7NM NE 5D9) TO 411934N0824843W (9NM NE 5D9) TO
411937N0825042W (8NM NE 5D9) TO 412031N0825038W (8.6NM NE 5D9) TO
POINT OF ORIGIN SFC-225FT AGL**A0228/24**

ZOB MA..ROUTE ZOB.

T705 CLAMY, MA TO LIBBE, NY MOCA 1900.

+++++ WAYPOINT +++++

A0867/26CRL **DME U/S**

+++++ RESTRICTED AIRSPACE +++++

A0885/26

DLY 0000-0345

AIRSPACE DARIEN CENTER, NY..LASER LGT DEMONSTRATION WILL BE
CONDUCTED WI AN AREA DEFINED AS A 3NM RADIUS OF 425604N0782330W
(BUF090012) SFC-4300FT. LASER LGT BEAMS MAY BE INJURIOUS TO
PILOTS/PAX EYES WI 205FT VER AND 600 LATERALLY OF THE LIGHT
SOURCE. FLASHBLINDNESS OR COCKPIT ILLUMINATION MAY OCCUR BEYOND
THESE DIST. BUFFALO/BUF/APP TEL 716-626-6920 IS THE FAA CDN
FACILITY. F) SFC G) 4300FT AMSL**A0713/26**

DLY 1200-0359

AIRSPACE UNMANNED FREE BALLOON 430000N0790000W (6.9NM SW IAG)
F) SFC G) 500FT AGL

+++++ ROUTE +++++

A0409/26ROUTE ZOB SPECIAL NY ROUTE ZK215 RLANE WAYPOINT TO NERGE WAYPOINT
MEA 4700FT. NERGE WAYPOINT TO JOLUT WAYPOINT MEA 4600FT. REASON:
NEW CONTROLLING OBSTACLES: WINDMILLS, 422704.44N0781926.82W, 595FT
AGL/2658FT MSL AND 423002.72N0782008.18W, 595FT AGL/2600FT MSL**A0408/26**ROUTE ZOB SPECIAL NY ROUTE ZK487 RLANE WAYPOINT TO CIPSI WAYPOINT
MEA 4700FT. REASON: NEW CONTROLLING OBSTACLE: WINDMILL,
422355.71N0781700.28W, 595FT AGL/2614FT MSL**KZAU****CHICAGO FIR/UIR**

Please see section EXTENDED AREA AROUND DESTINATION

**[Company NOTAM]**

=====

CREW ALERT

=====

SB007/14

SUBJECT: AUTO COST INDEXES

WHEN PLANNING A COST INDEX, 2 OPTIONS ARE AVAILABLE. PILOTS MAY EITHER SELECT A SPECIFIC COST INDEX NUMBER FROM THE LIST, OR THEY MAY SELECT "AUTO". WHEN PLANNING AN "AUTO" COST INDEX, THE SYSTEM WILL REFERENCE THE SCHEDULED "TIME ENROUTE" OPTION AND ATTEMPT TO CHOOSE A COST INDEX WHICH CLOSELY MATCHES THIS VALUE. NOTE THAT THE "TIME ENROUTE" OPTION IS MEANT AS A GATE TO GATE TIME (AS INDICATED ON AN AIRLINE'S FLIGHT SCHEDULE, FOR EXAMPLE). IF A "TIME ENROUTE" OF 2:30 IS SELECTED, THE SYSTEM WILL SUBTRACT THE TAXI TIMES FROM THIS VALUE TO DETERMINE THE SCHEDULED AIR TIME. IT WILL THEN DETERMINE AND USE THE COST INDEX WHICH MATCHES THIS AIR TIME.

SB003/13

SUBJECT: FLIGHT RELEASE UNITS

ALL FLIGHT CREW: PLEASE PAY SPECIAL ATTENTION TO THE UNITS SELECTION WHEN GENERATING A FLIGHT PLAN. FAILURE TO IDENTIFY THE CORRECT UNITS WHEN REFUELING PRIOR TO FLIGHT CAN RESULT IN DEPARTING WITH INSUFFICIENT FUEL AND/OR AN ERRONEOUS PAYLOAD.

=====


CREW BULLETIN


=====

NIL


===== END OF LIDO-NOTAM-BULLETIN =====










- Not for real world navigation -





- Not for real world navigation -







End of Document: Total Number of Pages: 40