Assignment Coversheet

Faculty of Science and Engineering





UNIT NO:	UNIT NAME:		
FOSE1025	Scientific Computing		
FAMILY NAME:		FIRST NAME:	
Ahmed		Mohammad	
STUDENT NO:	CONTACT PHONE NO:	TUTOR'S NAME:	
44634927			
ASSIGNMENT TITLE:		TUTORIAL/PRAC DAY:	TUTORIAL/PRAC TIME:
Project and Portfolio		Wednesday	4PM
DATE RECEIVED:	SUBMITTED WORD COUNT:	TURNITIN NUMBER:	DUE DATE:
			08/05/2020
	☐ EXTENSION GRANTED?	☐ DOCUMENT ATTACHED?	

STUDENT DECLARATION:

I certify that:

- This assignment is my own work, based on my personal study and/or research
- I have acknowledged all material and sources used in the preparation of this assignment, including any material generated in the course of my employment
- If this assignment was based on collaborative preparatory work, as approved by the teachers of the unit, I have not submitted substantially the same final version of any material as another student
- Neither the assignment, nor substantial parts of it, have been previously submitted for assessment in this or any other institution
- I have not copied in part, or in whole, or otherwise plagiarised the work of other students
- I have read and I understand the criteria used for assessment.
- The use of any material in this assignment does not infringe the intellectual property / copyright of a third party
- I have kept a copy of my assignment and this coversheet
- I understand that this assignment may undergo electronic detection for plagiarism, and a copy of the assignment may be retained on the database and used to make comparisons with other assignments in future. To ensure confidentiality all personal details would be removed
- I have read and understood the information on plagiarism. For the University's policy in full, please refer to mq.edu.au/academichonesty or Student Information in the Handbook of Undergraduate Studies.

SIGNATURE:	iahmed
DATE: 08/05/20	

MARKER'S FEEDBACK:	
	(Continue overleaf if required)
MARKERS NAME:	GRADE/RESULT:





Excel Version: Microsoft Excel for Microsoft 365 MSO

(16.0.12730.20188) 64-bit

Istiak Ahmed
FOSE1025 Scientific Computing

Contents

	Contents	1
Qυ	estion 1: Importing and Cleaning Data from Multiple Files	3
	Step 1: Files in one folder	3
	Step 2: Selecting folder via Excel	3
	Step 3: Combing and opening editor	3
	Step 4: Data – Power Query Editor	3
	Step 5: Changing Data Type in Data - Power Query Editor	4
	Step 6: Appearing on Worksheet	4
	Step 7: Copying and Pasting Data	4
	Step 8: Deleting and Renaming Worksheet	4
	Step 9: Rename Columns	4
	Step 10: Replace Values	5
	Step 11: Changing Data Type in Worksheet	5
	Step 12: Add Filters	6
	Step 13: Sorting Data	6
Qυ	estion 2: Normalise the Data	7
	Step 1: Copying Data from Existing Worksheet to another Worksheet	7
	Step 2: Creating more Columns	8
	Step 3: Format Column	8
	Step 4: Year Column	9
	Step 5: Month Column	9
	Step 6: Day Column	9
	Step 7: Time Column	9
	Step 8: Normalised Time Column	10
	Step 9: Fahrenheit Column	11
	Step 10: Celsius Column	11
	Step 11: Formatting/Presentation	11
Qu	estion 3: Overlap	12
	Step 1: Create a Pivot Table	12
	Step 2: Displaying Correlation Table Sensor ID overlaps	12
	Step 3: Identifying Sensor ID overlaps	13
	Step 4: Rename Worksheets	13

Question 4 (a): Min, Max and Average of each Region	14
Question 4 (b): Trends	14
Question 4 (c): Additional Information – Average and Standard Deviation	15


Question 1: Importing and Cleaning Data from Multiple Files

Step 1: Files in one folder

Download all comma separated value (CSV) files and put it in **one folder**. TIP: Create a folder on the Desktop.

Step 2: Selecting folder via Excel

- 1. Open a Blank workbook on Excel and then navigate to the **Data** menu.
- 2. Select Get Data.
- 3. Select From File.
- 4. Select From Folder.
- 5. Browse for the **folder** where all the CSV files are held in and then click **OK**.



Step 3: Combing and opening editor

- 1. Click Combine drop-down menu.
- 2. Select Combine and Transform Data.

<u>Step 4: Data – Power Query Editor</u>

- 1. Make sure the Sample File is sampling the First file.
- 2. Delimiter is Comma.
- 3. Data Type Detection is Based on first 200 rows and then Click OK.

Now Data – Power Query Editor window will open.

Step 5: Changing Data Type in Data - Power Query Editor

- 1. Select Column1 (Column1 will be highlighted).
- 2. Change the Data Type to **Text**.
- 3. A window will appear, Change Column Type and click Replace Current.

Step 6: Appearing on Worksheet



1. Select Close and Load Close

Top Left of the Data – Power Query window.

Step 7: Copying and Pasting Data

- 1. Copy all the columns (A:C)
- 2. Click the New Sheet icon or Paste it on the Sheet1 worksheet.
- 3. Right click on cell A1, go to Past Special and Paste Values only on the new worksheet.
- 4. Adjust each column to a reasonable size.

Step 8: Deleting and Renaming Worksheet

- 1. Right click on the old worksheet (Sheet2) Sheet tab.
- Click Delete.
- 3. Click **Delete** again.

This will permanently remove that old worksheet.

- 4. Rename a worksheet by Right clicking on the new worksheets (Sheet1) Sheet tab
- 5. Click Rename.
- 6. Sheet1 will be highlighted, rename worksheet to Question 1.


Step 9: Rename Columns

- 1. Click on cell A1 and rename it to Sensor ID.
- 2. Click on cell B1 and rename it to Time Stamp.
- 3. Click on cell C1 and rename it to **Temperature.**

Step 10: Replace Values

- 1. Select the entire **Sensor ID** column(A:A). This can be done by just clicking the **A column tab** in the Editing area, which will highlight the entire column.
- 2. From the **Home** menu select **Find & Select** drop down menu.
- 3. The click Replace.


A window will appear as shown below:



- 4. In the Find what: section, type .csv
- 5. In the Replace with: section, have it empty (like the picture above). Then select "Replace All".

Step 11: Changing Data Type in Worksheet

- 1. Select the entire **Sensor ID** column. This can be done by just clicking the A column tab.
- 2. From the **Home** menu find the **number** section (in Toolbar section).
- 3. Click the drop-down menu and select the Data Type to <u>Number</u>, as seen in the picture below. And then decrease the decimal to 0 decimal place.



4. Same process should be applied for the Time Stamp column. But the Data type should be <u>Text</u> and there is no need to change the decimal placing.

Step 12: Add Filters


1. Highlight row 1, this can be done by click on the 1 in the editing area.



- 2. From the Home menu, in the editing section, select Sort & Filter
- 3. And then click Filter.

Step 13: Sorting Data


- 1. Select cell A1.
- 2. From the **Home** menu, in the editing section, Select **Sort & Filter**.
- 3. Select **Custom Sort**.
- 4. Condition to be applied is as follows below:




Question 2: Normalise the Data

Step 1: Copying Data from Existing Worksheet to another Worksheet

1. Right click on the Question 1 worksheet Sheet tab.



- 2. Click Move or Copy...
- 3. On the Move or Copy window. Select (move to end) in the Before sheet section.
- 4. Check the **Create a copy** checkbox, as shown below.



5. Then rename the **Question 1 (2)** worksheet to **Question 2**. (Refer to Step 8 in Question 1 Guideline).

Step 2: Creating more Columns

For this Question, everything will be done on the Question 2 worksheet.

- 1. Select cell D1 and type **Format**.
- 2. Select cell E1 and type Year.
- 3. Select cell F1 and type Month.
- 4. Select cell G1 and type Day.
- 5. Select cell H1 and type **Time**.
- 6. Select cell I1 and type Normalised Time.
- 7. Select cell J1 and type Fahrenheit.
- 8. Select cell K1 and type **Celsius**.
- 9. Adjust each cells width to a reasonable amount.

Step 3: Format Column

Please type formula, do not copy and paste

- 1. In cell D2, the formula should read as: =IFERROR(IF(DAY(B2),"AU","US"),"US")
- 2. Then populate the entire column with the same formula by double clicking the bottom right of cell D2 (a black t will appear).

The logic behind this is that in Australia the formatting for a Date is that the day is in the beginning and for the US it is in the middle. Therefore, this formula will identify which data are by the Australia and US manufacturer.

Step 4: Year Column

Please type formula, do not copy and paste

- 1. In cell E2, the formula should read as: =IFERROR(YEAR(B2),MID(B2,7,4))
- 2. Then populate the entire column with the same formula by double clicking the bottom right of cell E2.

Step 5: Month Column

Please type formula, do not copy and paste

- 1. In cell F2, the formula should read as: =IFERROR(MONTH(B2),MID(B2,2,1))
- 2. Then populate the entire column with the same formula by double clicking the bottom right of cell F2.

This is because the American format has the Month in the beginning of their Date format.

Step 6: Day Column

Please type formula, do not copy and paste

- 1. In cell G2, the formula should read as: =IFERROR(DAY(B2),MID(B2,4,2))
- 2. Then populate the entire column with the same formula by double clicking the bottom right of cell G2.

This is because the American format has the Day in the middle of their Date format.

Step 7: Time Column

Please type formula, do not copy and paste

- 1. In cell H2, the formula should read as: **=TEXT(RIGHT(B2,11),"hh:mm:ss")**
- 2. Then populate the entire column with the same formula by double clicking the bottom right of cell H2.


Step 8: Normalised Time Column

Please type formula, do not copy and paste

1. In cell I2, the formula should read as:

=DATE(E2,F2,G2)+TIME(LEFT(H2,2),MID(H2,4,2),RIGHT(H2,2))

- 2. Then populate the entire column with the same formula by double clicking the bottom right of cell I2.
- 3. Then, select the entire **Normalised Time** column (I column)
- 4. From the **Home** menu go to the number section and select the drop-down menu, that will present a list of all formatting types.
- 5. Select More Number Formats.
- 6. From the category list, select **Custom**. And fill in the Type box, type, **yyyy/mm/dd hh:mm**, then click **OK**. As shown below.



Step 9: Fahrenheit Column

Please type formula, do not copy and paste

1. In cell J2, the formula should read as:

=IF(C2<MINIFS(C:C,D:D,"US"),CONVERT(C2,"C","F"),C2)

This is saying IF temperature in the temperature column is less than (<) the minimum temperature of the data from the US manufacturer, convert the temperature from Celsius to Fahrenheit but if it isn't that means that temperature is already converted to Fahrenheit.

Then populate the entire column with the same formula by double clicking the bottom right of cell J2.

Step 10: Celsius Column

Please type formula, do not copy and paste

1. In cell K2, the formula should read as:

This is saying IF temperature in the temperature column is less than or equal (<=) to the maximum temperature of the data from the AU manufacturer, then the temperature is already in Celsius but if it isn't convert the temperature from Fahrenheit to Celsius.

2. Then populate the entire column with the same formula by double clicking the bottom right of cell K2.

Step 11: Formatting/Presentation

- 1. Add **Filter** to row 1. This may take the filter away if you click it the first time. If it does repeat Add **Filter steps**. (Refer to Step 12 of Question 1 Guideline).
- 2. After this, click on cell A1, then go to the **Insert menu**.
- 3. Click **Table**, it will ask about Where is the data for your table?, this will be "=\$A\$1:\$K\$9026" and have the **My table has headers** box checked, then click **OK**.
- 4. Default layout will be selected automatically but can be changed via **Table Design** menu.
- 5. Adjust each column appropriately, so that all values are displayed clearly.

Question 3: Overlap

Step 1: Create a Pivot Table

- 1. From the Question 2 worksheet, go to the **Insert** menu and click **Pivot Table**.
- 2. The **Select a table or range** box should be checked.
- 3. Select the entire table including the headers, Table/Range: 'Question 2'!\$A:\$K
- 4. New Worksheet box should be checked and then click OK.
- 5. From the Pivot Table Fields section, drag **Sensor ID** to the **Columns** section.
- 6. From the Pivot Table Fields section, drag **Normalised Time** to **Rows** section.
- 7. From the Pivot Table Fields section, drag **Fahrenheit** to the **Values** section.
- 8. In the Values section, click the drop-down menu for Sum of Fahrenheit.
- 9. Click Value Field Settings...
- 10. Change the Summarize Values By box to Average by selecting average and then click OK.

Step 2: Displaying Correlation Table Sensor ID overlaps

- 1. From Data menu, click Data Analysis
- 2. From the Data Analysis window, select **Correlation** and then click **OK**.
- 3. Input Range: \$B\$4:\$Z\$21.
- 4. **Grouped by:** Columns.
- 5. Check the **Labels in First Row** checkbox.
- 6. Check the New Worksheet Ply: checkbox and then click OK.
- 7. On the new worksheet created, highlight cells from B2:Z26.
- 8. Then from the **Home** menu, select the **Conditional Formatting** drop-down box.
- 9. Click New Rule...
- 10. Select a Rule Type: Format only cells that contain
- 11. In the Format only cells with: section, have Cell Value between 0.99 and 1.
- 12. Click **Format**, then **Fill** and Choose any color as the **Background Color**, then click **OK**, then **OK** again.

Step 3: Identifying Sensor ID overlaps

Using the correlation table, identifying Locations (Sensors) that overlap will be clear. The Sensor ID's are displayed along row 1 and column A. To identify overlaps, find the data that has a strong correlation, in this case it will be correlations that are between 0.99 and 1. A correlation of 1 will suggest that that the locations are identical. However, since some values are not identical, correlation between locations will be the ones that are greater than 0.99 or simply closest to 1. Hence, the locations that have the strongest correlation will be highlighted. Ignore the values that are 1 as they are correlated with their own sensors.

Therefore, Locations that are Identical are as follows:

Sensor 0 (AU) and Sensor 14 (US)
Sensor 5 (AU) and Sensor 9 (US)
Senor 8 (US) and Sensor 22 (AU)
Sensor 15 (US) and Sensor 18 (AU)
Sensor 16 (US) and Sensor 21 (AU)

Step 4: Rename Worksheets

- 1. Rename worksheet Sheet1 to Question 3 Pivot Table
- 2. Rename worksheet Sheet2 to Question 3 Overlaps
- 3. OPTIONAL: Drag sheets to order them to your liking.

Question 4 (a): Min, Max and Average of each Region

- 1. From the Question 2 worksheet, go to the **Insert** menu and click **Pivot Table**
- 2. The **Select a table or range** box should be checked. And select the entire table including the headers, **Table/Range:** 'Question 2'!\$A:\$K
- 3. New Worksheet box should be checked and then click OK.
- 4. A new worksheet will appear.
- 5. From the Pivot Table Fields, drag **Celsius** to the values area and change it to **Minimum** from the Value Field Setting (refer to Steps 8-10 in Question 3 Create a Pivot Table).
- From the Pivot Table Fields, drag Celsius to the values area and change it to Maximum.
- 7. From the Pivot Table Fields, drag **Celsius** to the values area and change it to **Average**.
- 8. From the Pivot Table Fields, drag **Sensor ID** to the rows area.
- 9. Rename worksheet to **Question 4 A** and re-order worksheet.
- 10. OPTIONAL: Select the Row Labels filter and uncheck Blanks.

Question 4 (b): Trends

- 1. From the Question 2 worksheet, go to the Insert menu and click Pivot Chart
- 2. The **Select a table or range** box should be checked.
- 3. Select the entire table including the headers, Table/Range: 'Question 2'!\$A:\$K
- 4. New Worksheet box should be checked and then click OK.
- 5. A new worksheet will appear.
- 6. From the Pivot Table Fields, drag **Celsius** to the values area and change it to **Minimum**.
- 7. From the Pivot Table Fields, drag **Celsius** to the values area and change it to **Maximum**.
- 8. From the Pivot Table Fields, drag **Celsius** to the values area and change it to **Average**.
- 9. From the Pivot Table Fields, drag **Sensor ID** to the filters area.
- 10. From the Pivot Table Fields, drag **Normalised Time** to the rows area.
- 11. Right click on the graph, then select **Change Series Chart Type** and choose the first **Line** graph.
- 12. Click on the graph, from the **Design** menu, click **Add Chart Element**, then **Trendline**, then **Linear**, highlight **Average of Celsius** and then **OK**. (OPITIONAL: repeat for Max and Min of Celsius).
- 13. Select the **Row Labels** filter and uncheck <15/09/2016 and >1/10/2016.
- 14. The Sensor ID filter will appear on the top of the pivot table, this is where Locations (Sensor ID) can be filtered to check which locations (Sensor IDs) are experiencing a raising or declining trend in temperature (Celsius).
- 15. Rename worksheet to **Question 4 B** and re-order worksheet.

Question 4 (c): Additional Information – Average and Standard Deviation

- 1. From the Question 2 worksheet, go to the Insert menu and click Pivot Chart
- 2. The **Select a table or range** box should be checked.
- 3. Select the entire table including the headers, Table/Range: 'Question 2'!\$A:\$K
- 4. New Worksheet box should be checked, then OK.
- 5. A new worksheet will appear.
- 6. From the Pivot Table Fields, drag **Celsius** to the values area and change it to **Average**.
- 7. From the Pivot Table Fields, drag **Celsius** to the values area and change it to **StdDev**.
- 8. From the Pivot Table Fields, drag **Normalised Time** to the rows area.
- 9. From the Pivot Table Fields, drag **Format** to the filters area.
- 10. Right click on the graph, then select **Change Series Chart Type** and choose the first **line** graph.
- 11. Click on the graph, then go to the **Design** menu, then click **Add Chart Element**, then **Trendline**, then **Linear**, highlight **Average of Celsius** and then **OK**.
- 12. Rename worksheet to Question 4 C.
- 13. Filter to which Format (manufacturer) you want to look at to see that has been recording a raising or declining trend in temperature.