# Honeypot IDS – Pool test report

Generated: 2026-10-08 17:41:20
Target: ids (local)  (https://localhost)
Exploits: A: CVE-2024-2387, B: CVE-2025-47577, C: GENERIC-WP-003, D: CVE-2024-27956, E: CVE-2022-0739, A: CVE-2024-1071, B: CVE-2025-4403, C: GENERIC-WP-002, D: CVE-2024-1071, E: CVE-2025-4403
Windows: 5

---

## Result

EXCLUSIVE **Every attacker has a honeypot pool of their own**

- Attacker A → pool 1, Attacker B → pool 2, Attacker C → pool 3, Attacker D → pool 4, Attacker E → pool 5.

## What is being tested

Attackers are told apart by session, not by address. Each test window has its own cookie jar and its own User-Agent and language, so the proxy sees 5 separate attackers. By default every malicious session is given a honeypot pool **of its own** (an eshop container with its own seeded database): the router hands a new attacker a free ready pool no other session owns, and the pools scale with the attacker sessions – a session that finds no free pool borrows one round-robin while pool_manager builds one for it, then moves there. Scaling stops at the configured resource limit (POOL_MAX_MEMORY_MB / POOL_MAX_CPUS / POOL_MAX) or when the host is short of memory, CPU or disk; from then on further attackers share the ready pools in strict round-robin order.

**Each window's session and the honeypot pool it was given**





**Figure 1.** One arrow per test window, from its session to the honeypot pool the router bound it to. Green: the pool belongs to that window alone. Orange: shared under resource pressure (designed). Red: shared or merged without a reason. Grey: not bound.

## Windows

| Window | Session | Honeypot pool | Language | User-Agent (tail) |
|---|---|---|---|---|
| Attacker A | de737219… | pool 1 | en-US,en;q=0.9 | 6.11.2 Chrome/140.0.0.0 Safari/537.36 PoolTest/A |
| Attacker B | b377c5fb… | pool 2 | de-DE,de;q=0.9 | 6.11.2 Chrome/140.0.0.0 Safari/537.36 PoolTest/B |
| Attacker C | ffc60ae0… | pool 3 | fr-FR,fr;q=0.9 | 6.11.2 Chrome/140.0.0.0 Safari/537.36 PoolTest/C |
| Attacker D | f252a78b… | pool 4 | es-ES,es;q=0.9 | 6.11.2 Chrome/140.0.0.0 Safari/537.36 PoolTest/D |
| Attacker E | 731ef7f1… | pool 5 | it-IT,it;q=0.9 | 6.11.2 Chrome/140.0.0.0 Safari/537.36 PoolTest/E |

## Scaling and latency

pool_manager adds one honeypot pool (an eshop container plus its own database seeded from production) for every attacker session that finds no free pool, up to the resource limit. These figures come from pool_manager's own event log (build phases, hand-overs with their wait time, resource-limit changes) and from the windows themselves (routing read after every step and every 2 s while waiting; the duration of each page load).

| | |
|---|---|
| **Windows** | 5, of which 2 attacked only after pools were pre-built for them |
| **Run time** | 3:01 |
| **Resource limit** | 12288 MB, 12 CPUs, POOL_MAX 10 (a pool reserves 1536 MB / 1.5 CPUs); 6 pool(s) exist, room for 2 more |
| **Pools added during the run** | 3 built; build time median 51 s, max 52 s |
| **Round-robin while not scaled yet (case A)** | 0 window(s) borrowed a pool |
| **Round-robin at the resource limit (case B)** | 0 window(s) share a pool for good |
| **Forced scale-down at the end** | 6 → 3 pool(s) in 30 s |
| **Pre-build for the delayed windows** | 2 pool(s) ready after 60 s |





**Figure 2.** Where each window was served over the run (grey: production, green: its own pool, orange: a borrowed pool while its own was being built, red: shared because the resource limit was reached), and every pool built during the run, its phases shaded dark to light. Dashed grey arrows: a finished pool handed to the window that waited for it. Numbered dotted lines: the steps below.





**Figure 3.** Latency of adding one honeypot pool: wall time from the decision to build it until it was registered healthy, split into pool_manager's phases.

| Pool | Built for | Started | Build time | Phases |
|---|---|---|---|---|
| 4 | spare | 0:24 | 52 s | seed volumes 5 s, database start 18 s, migrations 1 s, WordPress seed 18 s, content sync 1 s, WordPress start 9 s |
| 5 | reserve | 0:39 | 51 s | seed volumes 4 s, database start 18 s, migrations 1 s, WordPress seed 18 s, content sync 1 s, WordPress start 9 s |
| 6 | spare | 1:41 | 47 s | seed volumes 4 s, database start 6 s, migrations 7 s, WordPress seed 19 s, content sync 1 s, WordPress start 9 s |





**Figure 4.** Orange: time a window spent on a borrowed pool (assigned round-robin because no pool was free yet) until it was moved to the pool built for it, as seen by the window (2 s resolution); pool_manager's own measurement in brackets. Red: the window was left on the borrowed pool because the resource limit was reached. Purple: time to pre-build the pools for the delayed windows.





**Figure 5.** Memory, CPU and number of running honeypot pools (eshop + database containers, docker stats every 10 s, every 3 s around the scale-down). Dashed lines: green a pool finished building, red the resource limit was reached, brown a pool was removed. Shaded: the forced scale-down at the end of the run.





**Figure 6.** Every page load of every window during the run (browser navigation start to load finished), grouped by where that window was routed right after it. Bar: median; short tick: 90th percentile; line end: slowest load.

# Round-robin assignment

A diverted session is only ever put on a pool another session uses in two situations, both handled round-robin over the ready pools:

## A. Not scaled up yet (no free pool, more can be built)

Not observed: every window found a free pool the moment it was diverted. The delayed windows waited for pre-built pools, which is how this case is avoided.

## B. Resource limit reached (no more pools can be built)

Not observed: the resource limit was not reached during the run. At the end there was room for 2 more pool(s) and 0 free one(s): run with more than 2 additional diverted windows, or lower POOL_MAX_MEMORY_MB / POOL_MAX_CPUS / POOL_MAX, to see this case.

# Scale-down

pool_manager scales down a pool once no request has reached it for

POOL_IDLE_TIMEOUT_SECONDS = 1800 s (30:00): its attackers' assignments are dropped (a returning attacker is assigned afresh) and pools above the spare count (1) are removed with their volumes, freeing what they reserved. Compose-declared pools are only freed, never removed. Waiting that long is not practical in a test, so the run ends by forcing it: the windows stop sending requests, their sessions are released, and pool_manager removes the pools that are no longer needed at once. Other sessions' pools are not touched.

| | |
|---|---|
| **Requested at** | 2:22 |
| **Sessions released** | *5* |
| **Finished** | after 30.4 s |
| **Pools** | 6 → 3 (1, 2, 3, 4, *5* + 6 being built → 1, 2, 3) |
| **Pools removed** | pool *5* (7.2 s), pool 4 (7.0 s), pool 6 (6.8 s) |
| **Reserved by container limits** | 9,216 MB / 9 CPUs → 4,608 MB / 4.5 CPUs |
| **Memory in use (measured)** | 2,338 MB → 1,366 MB (-971 MB) |
| **CPU in use (measured)** | 4 % → 2 % |
| **Containers running** | 12 → 6 |

## Cart persistence

A visitor diverted to a honeypot is served by a different database, so WooCommerce's own cart session does not exist there. The storefront therefore carries the cart in a cookie and rebuilds it on whichever instance serves the next request. Each window filled its cart on production; the cart was then read back after every step, through the same cookies and routing as the window's own traffic.

| Step | Attacker A | Attacker B | Attacker C | Attacker D | Attacker E |
|---|---|---|---|---|---|
| All windows open the shop | no cart yet on production | no cart yet on production | no cart yet on production | no cart yet on production | no cart yet on production |
| Every window fills its cart | same cart on production | same cart on production | same cart on production | same cart on production | same cart on production |
| Attacker A attacks with CVE-2024-2387 | same cart on pool 1 | same cart on production | same cart on production | same cart on production | same cart on production |
| Attacker B attacks with CVE-2025-47577 | same cart on pool 1 | same cart on pool 2 | same cart on production | same cart on production | same cart on production |
| Attacker C attacks with GENERIC-WP-003 | same cart on pool 1 | same cart on pool 2 | same cart on pool 3 | same cart on production | same cart on production |
| Honeypot pools scale up | same cart on pool 1 | same cart on pool 2 | same cart on pool 3 | same cart on production | same cart on production |
| Pools pre-built for 2 delayed window(s) | same cart on pool 1 | same cart on pool 2 | same cart on pool 3 | same cart on production | same cart on production |
| Delayed windows D, E attack together | same cart on pool 1 | same cart on pool 2 | same cart on pool 3 | same cart on pool 4 | same cart on pool *5* |

| | | | | | |
|---|---|---|---|---|---|
| Honeypot pools scale up | same cart on pool 1 | same cart on pool 2 | same cart on pool 3 | same cart on pool 4 | same cart on pool 5 |
| All windows run a second exploit | same cart on pool 1 | same cart on pool 2 | same cart on pool 3 | same cart on pool 4 | same cart on pool 5 |
| Every window opens its cart | same cart on pool 1 | same cart on pool 2 | same cart on pool 3 | same cart on pool 4 | same cart on pool 5 |

**Every cart stayed exactly as filled, on production and in every honeypot pool.**

## Exploits run per window

Each window runs a different exploit, picked from the ones a live probe showed divert within three attempts. If a chosen exploit still did not divert in three attempts, the next candidate is used instead.

| Window | Exploit | Name | Routing | Pool |
|---|---|---|---|---|
| A | CVE-2024-2387 | Advanced Form Integration SQL injection | diverted after 1 | pool 1 |
| B | CVE-2025-47577 | Gift Voucher file upload RCE | diverted after 1 | pool 2 |
| C | GENERIC-WP-003 | User enumeration via ?author= | diverted after 1 | pool 3 |
| D | CVE-2024-27956 | WP Automatic SQL injection | diverted after 1 | pool 4 |
| E | CVE-2022-0739 | BookingPress SQL injection | diverted after 1 | pool 5 |
| A | CVE-2024-1071 | Ultimate Member SQL injection | diverted after 1 | pool 1 |
| B | CVE-2025-4403 | Drag & Drop file upload MIME-type bypass | diverted after 1 | pool 2 |
| C | GENERIC-WP-002 | Installer file access | diverted after 1 | pool 3 |
| D | CVE-2024-1071 | Ultimate Member SQL injection | diverted after 1 | pool 4 |
| E | CVE-2025-4403 | Drag & Drop file upload MIME-type bypass | diverted after 1 | pool 5 |


## Step by step

All windows move in every step. An attacker's pool must appear in their own step, differ from the earlier ones, and never change afterwards – except once, from a pool it only borrowed while its own was being built to that new pool.

### Step 1: All windows open the shop






5 new sessions, all routed to production.

| Attacker A | Attacker B | Attacker C | Attacker D | Attacker E |
|---|---|---|---|---|
| Browses the shop | Browses the shop | Browses the shop | Browses the shop | Browses the shop |
| PRODUCTION no pool • score 0 | PRODUCTION no pool • score 0 | PRODUCTION no pool • score 0 | PRODUCTION no pool • score 0 | PRODUCTION no pool • score 0 |
| cart empty | cart empty | cart empty | cart empty | cart empty |




## Step 2: Every window fills its cart





Each window adds its own products. These carts are the baseline: they must look exactly the same after the session is routed to a honeypot pool.

| Attacker A | Attacker B | Attacker C | Attacker D | Attacker E |
|---|---|---|---|---|
| Adds ceramic-pour-over-dripper × 1, paper-filters-size-02 × 2 | Adds hand-burr-coffee-grinder × 1, stainless-milk-pitcher × 1 | Adds enamel-camp-mug × 2, fernhill-canvas-tote × 1 | Adds gooseneck-electric-kettle × 1, logo-cap × 2 | Adds digital-brew-scale × 1 |
| PRODUCTION<br>no pool • score 50 | PRODUCTION<br>no pool • score 0 | PRODUCTION<br>no pool • score 0 | PRODUCTION<br>no pool • score 0 | PRODUCTION<br>no pool • score 0 |
| **$46.00**<br>Ceramic Pour-Over Dripper × 1<br>Paper Filters, Size 02 (100 ct) × 2 | **$113.00**<br>Hand Burr Coffee Grinder × 1<br>Stainless Milk Pitcher 12 oz × 1 | **$60.00**<br>Enamel Camp Mug × 2<br>Fernhill Canvas Tote × 1 | **$121.00**<br>Gooseneck Electric Kettle 0.9 L × 1<br>Fernhill Logo Cap × 2 | **$49.00**<br>Digital Brew Scale with Timer × 1 |
|  |  |  |  |  |

## Step 3: Attacker A attacks with CVE-2024-2387






Advanced Form Integration SQL injection. The session must be bound to a pool no other window has -- or, when no pool is free yet, borrow one round-robin until the pool being built for it is ready -- and the windows that have not attacked yet must stay on production.

| Attacker A | Attacker B | Attacker C | Attacker D | Attacker E |
|---|---|---|---|---|
| Opens | Browses the shop | Browses the shop | Browses the shop | Browses the shop |

| | | | | |
|---|---|---|---|---|
| CVE-2024-2387 (1 attempt(s)) | | | | |
| **HONEYPOT**<br>pool 1 • score 100 | **PRODUCTION**<br>no pool • score 0 | **PRODUCTION**<br>no pool • score 0 | **PRODUCTION**<br>no pool • score 0 | **PRODUCTION**<br>no pool • score 0 |
| **$46.00**<br>Ceramic Pour-Over Dripper × 1<br>Paper Filters, Size 02 (100 ct) × 2 | **$113.00**<br>Hand Burr Coffee Grinder × 1<br>Stainless Milk Pitcher 12 oz × 1 | **$60.00**<br>Enamel Camp Mug × 2<br>Fernhill Canvas Tote × 1 | **$121.00**<br>Gooseneck Electric Kettle 0.9 L × 1<br>Fernhill Logo Cap × 2 | **$49.00**<br>Digital Brew Scale with Timer × 1 |
|  |  |  |  |  |




## Step 4: Attacker B attacks with CVE-2025-47577

Gift Voucher file upload RCE. The session must be bound to a pool no other window has -- or, when no pool is free yet, borrow one round-robin until the pool being built for it is ready -- and the windows that have not attacked yet must stay on production.

| Attacker A | Attacker B | Attacker C | Attacker D | Attacker E |
|---|---|---|---|---|
| Browses the shop | Opens CVE-2025-47577 (1 attempt(s)) | Browses the shop | Browses the shop | Browses the shop |
| **HONEYPOT**<br>pool 1 • score 100 | **HONEYPOT**<br>pool 2 • score 95 | **PRODUCTION**<br>no pool • score 0 | **PRODUCTION**<br>no pool • score 0 | **PRODUCTION**<br>no pool • score 0 |
| **$46.00**<br>Ceramic Pour-Over Dripper × 1<br>Paper Filters, Size 02 (100 ct) × 2 | **$113.00**<br>Hand Burr Coffee Grinder × 1<br>Stainless Milk Pitcher 12 oz × 1 | **$60.00**<br>Enamel Camp Mug × 2<br>Fernhill Canvas Tote × 1 | **$121.00**<br>Gooseneck Electric Kettle 0.9 L × 1<br>Fernhill Logo Cap × 2 | **$49.00**<br>Digital Brew Scale with Timer × 1 |
|  |  |  |  |  |

## Step 5: Attacker C attacks with GENERIC-WP-003


User enumeration via ?author=. The session must be bound to a pool no other window has -- or, when no pool is free yet, borrow one round-robin until the pool being built for it is ready -- and the windows that have not attacked yet must stay on production.

| Attacker A | Attacker B | Attacker C | Attacker D | Attacker E |
|---|---|---|---|---|
| Browses the shop | Browses the shop | Opens GENERIC-WP-003 (1 attempt(s)) | Browses the shop | Browses the shop |
| HONEYPOT<br>pool 1 • score 100 | HONEYPOT<br>pool 2 • score 100 | HONEYPOT<br>pool 3 • score 100 | PRODUCTION<br>no pool • score 0 | PRODUCTION<br>no pool • score 0 |
| **$46.00**<br>Ceramic Pour-Over Dripper × 1<br>Paper Filters, Size 02 (100 ct) × 2 | **$113.00**<br>Hand Burr Coffee Grinder × 1<br>Stainless Milk Pitcher 12 oz × 1 | **$60.00**<br>Enamel Camp Mug × 2<br>Fernhill Canvas Tote × 1 | **$121.00**<br>Gooseneck Electric Kettle 0.9 L × 1<br>Fernhill Logo Cap × 2 | **$49.00**<br>Digital Brew Scale with Timer × 1 |
|  |  |  |  |  |

## Step 6: Honeypot pools scale up






Windows that found no free pool (not scaled up yet) borrowed a ready one round-robin while pool_manager built a pool (eshop + seeded database) for each of them, and must now each be in their own. Once the resource limit is reached no more pools are built and the remaining windows keep sharing the ready pools round-robin.

| Attacker A | Attacker B | Attacker C | Attacker D | Attacker E |
|---|---|---|---|---|
| Browses the shop | Browses the shop | Browses the shop | Browses the shop | Browses the shop |
| HONEYPOT<br>pool 1 • score 100 | HONEYPOT<br>pool 2 • score 100 | HONEYPOT<br>pool 3 • score 100 | PRODUCTION<br>no pool • score 0 | PRODUCTION<br>no pool • score 0 |
| **$46.00**<br>Ceramic Pour-Over Dripper × 1<br>Paper Filters, Size 02 (100 ct) × 2 | **$113.00**<br>Hand Burr Coffee Grinder × 1<br>Stainless Milk Pitcher 12 oz × 1 | **$60.00**<br>Enamel Camp Mug × 2<br>Fernhill Canvas Tote × 1 | **$121.00**<br>Gooseneck Electric Kettle 0.9 L × 1<br>Fernhill Logo Cap × 2 | **$49.00**<br>Digital Brew Scale with Timer × 1 |




## Step 7: Pools pre-built for 2 delayed window(s)

Before windows D, E attack, the test asks pool_manager for 2 free pool(s) and waits until they are ready, so these windows find a pool of their own the moment they are diverted instead of borrowing one round-robin. If the resource limit stops the build first, they share the ready pools round-robin instead.


| Attacker A | Attacker B | Attacker C | Attacker D | Attacker E |
|---|---|---|---|---|
| Browses the shop | Browses the shop | Browses the shop | Waits for its pool: 2 free pool(s) ready after 60 s | Waits for its pool: 2 free pool(s) ready after 60 s |
| HONEYPOT<br>pool 1 • score 100 | HONEYPOT<br>pool 2 • score 100 | HONEYPOT<br>pool 3 • score 100 | PRODUCTION<br>no pool • score 0 | PRODUCTION<br>no pool • score 0 |
| **$46.00**<br>Ceramic Pour-Over Dripper × 1<br>Paper Filters, Size 02 (100 ct) × 2 | **$113.00**<br>Hand Burr Coffee Grinder × 1<br>Stainless Milk Pitcher 12 oz × 1 | **$60.00**<br>Enamel Camp Mug × 2<br>Fernhill Canvas Tote × 1 | **$121.00**<br>Gooseneck Electric Kettle 0.9 L × 1<br>Fernhill Logo Cap × 2 | **$49.00**<br>Digital Brew Scale with Timer × 1 |
|  |  |  |  |  |



## Step 8: Delayed windows D, E attack together



These windows attack only now that pools were built for them: each must get a free pool of its own at once (no borrowing) -- unless the resource limit stopped the build, in which case they share the ready pools round-robin.

| Attacker A | Attacker B | Attacker C | Attacker D | Attacker E |
|---|---|---|---|---|
| Browses the shop | Browses the shop | Browses the shop | Opens | Opens |

| | | | CVE-2024-27956 (1 attempt(s)) | CVE-2022-0739 (1 attempt(s)) |
|---|---|---|---|---|
| **HONEYPOT**<br>pool 1 • score 100 | **HONEYPOT**<br>pool 2 • score 100 | **HONEYPOT**<br>pool 3 • score 100 | **HONEYPOT**<br>pool 4 • score 100 | **HONEYPOT**<br>pool 5 • score 100 |
| **$46.00**<br>Ceramic Pour-Over Dripper × 1<br>Paper Filters, Size 02 (100 ct) × 2 | **$113.00**<br>Hand Burr Coffee Grinder × 1<br>Stainless Milk Pitcher 12 oz × 1 | **$60.00**<br>Enamel Camp Mug × 2<br>Fernhill Canvas Tote × 1 | **$121.00**<br>Gooseneck Electric Kettle 0.9 L × 1<br>Fernhill Logo Cap × 2 | **$49.00**<br>Digital Brew Scale with Timer × 1 |
|  |  |  |  | 0 |




## Step 9: Honeypot pools scale up

Windows that found no free pool (not scaled up yet) borrowed a ready one round-robin while pool_manager built a pool (eshop + seeded database) for each of them, and must now each be in their own. Once the resource limit is reached no more pools are built and the remaining windows keep sharing the ready pools round-robin.

| Attacker A | Attacker B | Attacker C | Attacker D | Attacker E |
|---|---|---|---|---|
| Browses the shop | Browses the shop | Browses the shop | Browses the shop | Browses the shop |
| **HONEYPOT**<br>pool 1 • score 100 | **HONEYPOT**<br>pool 2 • score 100 | **HONEYPOT**<br>pool 3 • score 100 | **HONEYPOT**<br>pool 4 • score 100 | **HONEYPOT**<br>pool 5 • score 100 |
| **$46.00**<br>Ceramic Pour-Over Dripper × 1<br>Paper Filters, Size 02 (100 ct) × 2 | **$113.00**<br>Hand Burr Coffee Grinder × 1<br>Stainless Milk Pitcher 12 oz × 1 | **$60.00**<br>Enamel Camp Mug × 2<br>Fernhill Canvas Tote × 1 | **$121.00**<br>Gooseneck Electric Kettle 0.9 L × 1<br>Fernhill Logo Cap × 2 | **$49.00**<br>Digital Brew Scale with Timer × 1 |
|  |  |  |  |  |






## Step 10: All windows run a second exploit

Sticky binding: each second exploit must land in the pool the window already owns, nobody changes pool, nobody is merged.

| Attacker A | Attacker B | Attacker C | Attacker D | Attacker E |
|---|---|---|---|---|
| Opens CVE-2024-1071 | Opens CVE-2025-4403 | Opens GENERIC-WP-002 | Opens CVE-2024-1071 | Opens CVE-2025-4403 |
| HONEYPOT pool 1 • score 100 | HONEYPOT pool 2 • score 100 | HONEYPOT pool 3 • score 100 | HONEYPOT pool 4 • score 100 | HONEYPOT pool 5 • score 100 |
| **$46.00** Ceramic Pour-Over Dripper × 1 Paper Filters, Size 02 (100 ct) × 2 | **$113.00** Hand Burr Coffee Grinder × 1 Stainless Milk Pitcher 12 oz × 1 | **$60.00** Enamel Camp Mug × 2 Fernhill Canvas Tote × 1 | **$121.00** Gooseneck Electric Kettle 0.9 L × 1 Fernhill Logo Cap × 2 | **$49.00** Digital Brew Scale with Timer × 1 |
| 0 |   |   | 0 |   |

## Step 11: Every window opens its cart

The cart page, served by each window's honeypot pool, must show the same products and quantities that were added on production.

| Attacker A | Attacker B | Attacker C | Attacker D | Attacker E |
|---|---|---|---|---|
| Opens the cart page | Opens the cart page | Opens the cart page | Opens the cart page | Opens the cart page |
| HONEYPOT pool 1 • score 100 | HONEYPOT pool 2 • score 100 | HONEYPOT pool 3 • score 100 | HONEYPOT pool 4 • score 100 | HONEYPOT pool 5 • score 100 |
| **$46.00** Ceramic Pour-Over Dripper × 1 Paper Filters, Size 02 (100 ct) × 2 | **$113.00** Hand Burr Coffee Grinder × 1 Stainless Milk Pitcher 12 oz × 1 | **$60.00** Enamel Camp Mug × 2 Fernhill Canvas Tote × 1 | **$121.00** Gooseneck Electric Kettle 0.9 L × 1 Fernhill Logo Cap × 2 | **$49.00** Digital Brew Scale with Timer × 1 |
|   |   |   |   |   |

# What each honeypot container saw and changed

Read from each pool's own eshop and database containers since the run started (2026-10-08T17:38:18Z). Requests are matched to windows by their User-Agent tag, so a pool should show its owner's exploits and nobody else's. A pool no window owns is shown for contrast.

## pool 1 window A

| | |
|---|---|
| **Windows seen** | A (18 requests) |
| **Requests received** | • A GET /?page=advanced-form-integration-log&integration_id=1%27%20UNION%20SELECT%20user_login%2Cu → 404<br>• A GET /wp-json/wc/store/v1/cart → 200<br>• A GET / → 200<br>• A GET /wp-admin/admin-ajax.php?action=um_get_members&directory_id=1%27%20UNION%20SELECT%20user_l → 400<br>• A GET /cart/ → 200 |
| **Files changed** | • no files written |
| **Database activity** | questions +4655, select +4416, insert +24, update +9, delete +12 |

## pool 2 window B

| | |
|---|---|
| **Windows seen** | B (16 requests) |
| **Requests received** | • B GET /?action=mwb_wgm_preview_mail&attachment=shell.php → 404<br>• B GET /wp-json/wc/store/v1/cart → 200<br>• B GET / → 200<br>• B GET /?action=dnd-wc-upload-file&name=shell.php → 404<br>• B GET /cart/ → 200 |
| **Files changed** | • no files written |
| **Database activity** | questions +4322, select +4105, insert +23, update +1, delete +12 |

## pool 3 window C

| | |
|---|---|
| **Windows seen** | C (15 requests) |
| **Requests received** | • C GET /?author=1 → 301<br>• C GET /author/admin/ → 200<br>• C GET /wp-json/wc/store/v1/cart → 200<br>• C GET / → 200<br>• C GET /wp-admin/install.php → 200<br>• C GET /cart/ → 200 |
| **Files changed** | • no files written |
| **Database activity** | questions +4026, select +3822, insert +20, update +1, delete +10 |

## pool 4 window D

service "honeypot_eshop_4" is not running

## pool 5 window E

service "honeypot_eshop_5" is not running

## Pool registry at export time

**Growing normally** – below the resource limit, so every new attacker gets a pool of their own, built on demand, plus a ready spare.
Ready pools: 5 (1, 2, 3, 4, 5). Free (unowned) spares: 0. Attackers per pool: pool 1: 1, pool 2: 1, pool 3: 1, pool 4: 1, pool 5: 1. Round-robin reuse assignments so far: 1.