Service start-up report

Generated: 2026-10-16 10:53:31
Target: ids (local)
Operation: **start** · Recorded window: 92s · compose exit code: **0**

No warnings: no container failed or was left unstarted, and no service logged an error line during the start.

Resource usage recorded while the stack was brought up. Each dashed red vertical line marks a major event (a container created, started, going healthy or unhealthy, a one-shot job finishing, or a container stopping or being removed), numbered in a band above the graph; events within 1.5s of each other share one number, and the event key under the host graph says what each number covers. The largest host CPU peak is called out with the marker it lines up with. **Figure 1** shows how these services fit together – the per-container graphs below track each box in it.

No container changed state in the first 7s: docker compose was building or checking the locally built images first (*up --build*).

Reading the metrics. **SD** (standard deviation) is the typical distance of a value from the mean. The **95th percentile** is the level usage stayed at or below 95% of the time; a **peak** far above it is a short burst rather than sustained load. **P(≥x)** is the share of the recording spent at or above *x*: the chance that a randomly picked moment was that busy. "How unusual the peak is" counts SDs above the mean; more than about 3 is a rare spike.





Figure 1. System architecture: the services whose CPU / memory the per-container charts below track as the stack is started.

1. Overall system (host)



Event key (marker numbers on all graphs)

Marker	Elapsed	What happened
1	7s	created: backup_service, honeypot_content_sync, honeypot_database_1, honeypot_database_2, honeypot_database_3, honeypot_db_migration, honeypot_db_seed_1, honeypot_db_seed_2, honeypot_db_seed_3, honeypot_eshop_1, honeypot_eshop_2, honeypot_eshop_3, pool_manager, production_database, production_db_seed, production_eshop, reverse_proxy, session_store, suricata_ids, vector_outbound; started: init_setup, log_capper
2	17s	running, health pending: honeypot_database_2, honeypot_database_3, suricata_ids; finished: init_setup
3	18s	running, health pending: honeypot_database_1, production_database; healthy: session_store
4	20s–22s	started: pool_manager; healthy: suricata_ids, honeypot_database_2
5	23s–25s	healthy: honeypot_database_3, production_database, honeypot_database_1; started: production_db_seed, honeypot_db_migration
6	31s	finished: honeypot_db_migration; started: honeypot_db_seed_1, honeypot_db_seed_2
7	33s	started: honeypot_db_seed_3
8	51s–53s	finished: honeypot_db_seed_2, honeypot_db_seed_1, honeypot_db_seed_3; running, health pending: honeypot_eshop_2, honeypot_eshop_1, honeypot_eshop_3
9	56s	healthy: honeypot_eshop_1, honeypot_eshop_2, honeypot_eshop_3
10	78s	started: honeypot_content_sync; finished: production_db_seed; running, health pending: production_eshop
11	82s	started: backup_service, reverse_proxy, vector_outbound; healthy: production_eshop
12	84s	removed: honeypot_db_migration, honeypot_db_seed_1, honeypot_db_seed_2, honeypot_db_seed_3, init_setup, production_db_seed

Probability metrics: host		
Host CPU, mean ± SD	**14.4% ± 7.9**	average over 132 samples; the SD is the typical swing around it
Host CPU, 95th percentile / peak	**28.5% / 34.2%**	95% of the time usage was at or below the first figure
Host CPU, how unusual the peak is	**2.5 SD above the mean**	more than ~3 SD is a rare spike rather than normal fluctuation
Host CPU, P(≥50%)	**0.0%**	chance a random moment of this recording was at least this busy
Host CPU, P(≥80%)	**0.0%**	chance a random moment of this recording was at least this busy
Host RAM used, mean ± SD	**42.4% ± 3.2**	average over 132 samples; the SD is the typical swing around it
Host RAM used, 95th percentile / peak	**45.9% / 46.9%**	95% of the time usage was at or below the first figure
Host RAM used, how unusual the	**1.4 SD above the mean**	more than ~3 SD is a rare spike rather than

peak is		normal fluctuation
Host RAM used, P(≥50%)	**0.0%**	chance a random moment of this recording was at least this busy
Host RAM used, P(≥80%)	**0.0%**	chance a random moment of this recording was at least this busy


2. Per-container

CPU and memory were read from the containers' cgroup files every 0.25 s.


Grouped by role, one CPU and one memory chart per group, so every line in a chart has a colour of its own.

One-shot jobs

One-shot jobs: container CPU %




One-shot jobs: container memory (MiB)




Legend: honeypot_db_migration honeypot_db_seed_1 honeypot_db_seed_2 honeypot_db_seed_3 init_setup production_db_seed

Databases

Databases: container CPU %




Databases: container memory (MiB)




Legend: honeypot_database_1 honeypot_database_2 honeypot_database_3 production_database

Shops

Shops: container CPU %




Shops: container memory (MiB)




Legend: honeypot_eshop_1 honeypot_eshop_2 honeypot_eshop_3 production_eshop

Edge & monitoring

Edge & monitoring: container CPU %



Edge & monitoring: container memory (MiB)



Legend: backup_service honeypot_content_sync log_capper pool_manager reverse_proxy session_store suricata_ids vector_outbound


Probability metrics: per container					
Container	**CPU mean ± SD**	**CPU p95 / peak**	**P(CPU ≥ 50%)**	**Memory MiB, mean ± SD**	**Memory MiB, peak**
backup_service	0.0% ± 0.0	0.0% / 0.0%	0.0%	0 ± 0	1
honeypot_content_sync	0.7% ± 2.4	2.6% / 11.0%	0.0%	2 ± 1	3
honeypot_datab	6.0% ± 12.4	40.0% / 59.7%	4.1%	386 ± 77	422

ase_1					
honeypot_database_2	5.7% ± 11.3	34.6% / 56.2%	2.5%	399 ± 71	430
honeypot_database_3	5.5% ± 11.0	26.9% / 59.3%	2.5%	388 ± 70	421
honeypot_db_migration	2.1% ± 5.8	11.3% / 18.4%	0.0%	1 ± 1	5
honeypot_db_seed_1	62.3% ± 39.4	98.8% / 99.0%	66.7%	110 ± 56	268
honeypot_db_seed_2	61.7% ± 40.1	97.5% / 97.9%	68.6%	112 ± 58	307
honeypot_db_seed_3	61.9% ± 39.6	98.9% / 100.1%	66.7%	107 ± 55	266
honeypot_eshop_1	5.7% ± 19.2	44.0% / 94.8%	4.5%	136 ± 32	208
honeypot_eshop_2	4.7% ± 15.1	32.2% / 96.4%	1.5%	147 ± 30	220
honeypot_eshop_3	4.1% ± 14.3	27.8% / 88.9%	3.1%	136 ± 31	210
init_setup	122.0% ± 170.3	391.7% / 513.3%	62.5%	247 ± 21	256
log_capper	0.0% ± 0.0	0.0% / 0.3%	0.0%	1 ± 0	1
pool_manager	0.2% ± 0.7	1.7% / 3.7%	0.0%	27 ± 2	27
production_database	14.5% ± 15.3	30.4% / 106.3%	2.5%	394 ± 70	460
production_db_seed	49.1% ± 32.6	98.0% / 99.7%	46.2%	193 ± 56	286
production_eshop	61.0% ± 45.0	118.0% / 125.3%	61.9%	137 ± 85	297
reverse_proxy	1.0% ± 1.4	3.8% / 4.0%	0.0%	60 ± 17	65
session_store	0.6% ± 0.6	2.7% / 3.9%	0.0%	11 ± 1	16
suricata_ids	3.4% ± 4.9	13.1% / 30.0%	0.0%	132 ± 18	161
vector_outbound	1.9% ± 1.7	4.7% / 5.7%	0.0%	42 ± 12	48


P(CPU ≥ 50%) is the share of the recording the container spent at half a core or more, i.e. the chance of catching it that busy at a random moment. A peak far above the p95 means a short burst (typically start-up work or a first healthcheck) rather than sustained load.

3. Global Visualization page as the stack changes state


Before: stack idle / not yet changed



Starting: containers coming up



All containers healthy



4. Event log

Marker	Elapsed	Event
1	7s	backup_service created
1	7s	honeypot_content_sync created
1	7s	honeypot_database_1 created
1	7s	honeypot_database_2 created
1	7s	honeypot_database_3 created
1	7s	honeypot_db_migration created
1	7s	honeypot_db_seed_1 created
1	7s	honeypot_db_seed_2 created
1	7s	honeypot_db_seed_3 created
1	7s	honeypot_eshop_1 created
1	7s	honeypot_eshop_2 created
1	7s	honeypot_eshop_3 created
1	7s	init_setup started
1	7s	pool_manager created
1	7s	production_database created
1	7s	production_db_seed created
1	7s	production_eshop created
1	7s	reverse_proxy created
1	7s	session_store created
1	7s	suricata_ids created
1	7s	vector_outbound created

1	7s	log_capper started
2	17s	honeypot_database_2 running, health pending
2	17s	honeypot_database_3 running, health pending
2	17s	init_setup finished
2	17s	suricata_ids running, health pending
3	18s	honeypot_database_1 running, health pending
3	18s	production_database running, health pending
3	18s	session_store healthy
4	20s	pool_manager started
4	20s	suricata_ids healthy
4	22s	honeypot_database_2 healthy
5	23s	honeypot_database_3 healthy
5	23s	production_database healthy
5	23s	production_db_seed started
5	25s	honeypot_database_1 healthy
5	25s	honeypot_db_migration started
6	31s	honeypot_db_migration finished
6	31s	honeypot_db_seed_1 started
6	31s	honeypot_db_seed_2 started
7	33s	honeypot_db_seed_3 started
8	51s	honeypot_db_seed_2 finished
8	51s	honeypot_eshop_2 running, health pending
8	53s	honeypot_db_seed_1 finished
8	53s	honeypot_db_seed_3 finished
8	53s	honeypot_eshop_1 running, health pending
8	53s	honeypot_eshop_3 running, health pending
9	56s	honeypot_eshop_1 healthy
9	56s	honeypot_eshop_2 healthy
9	56s	honeypot_eshop_3 healthy
10	78s	honeypot_content_sync started
10	78s	production_db_seed finished
10	78s	production_eshop running, health pending
11	82s	backup_service started
11	82s	production_eshop healthy
11	82s	reverse_proxy started
11	82s	vector_outbound started
12	84s	honeypot_db_migration removed
12	84s	honeypot_db_seed_1 removed

12	84s	honeypot_db_seed_2 removed
12	84s	honeypot_db_seed_3 removed
12	84s	init_setup removed
12	84s	production_db_seed removed