

Site: 23FR170 Prov: 90N 120E, Level 2, Bottom of grey ashy soil (Stratum 1) to 6" below top of Stratum 2 (brown compact soil) Cat#: 46 Misc: Gen. Level Bag Name: Roberts; Smith; Date: 1964-03-07	Site: 23FR170 Prov: 90N 120E, Level 2, Bottom of grey ashy soil (Stratum 1) to 6" below top of Stratum 2 (brown compact soil) Cat#: 46 Misc: Gen. Level Bag Name: Roberts; Smith; Date: 1964-03-07	Site: 23FR170 Prov: 90N 120E, Level 2, Bottom of grey ashy soil (Stratum 1) to 6" below top of Stratum 2 (brown compact soil) Cat#: 46 Misc: Gen. Level Bag Name: Roberts; Smith; Date: 1964-03-07	Site: 23FR170 Prov: 90N 120E, Level 2, Bottom of grey ashy soil (Stratum 1) to 6" below top of Stratum 2 (brown compact soil) Cat#: 46 Misc: Gen. Level Bag Name: Roberts; Smith; Date: 1964-03-07	Site: 23FR170 Prov: 90N 120E, Level 2, Bottom of grey ashy soil (Stratum 1) to 6" below top of Stratum 2 (brown compact soil) Cat#: 46 Misc: Gen. Level Bag Name: Roberts; Smith; Date: 1964-03-07
Site: 23FR170 Prov: 90N 120E, Level 2, Bottom of grey ashy soil (Stratum 1) to 6" below top of Stratum 2 (brown compact soil) Cat#: 46 Misc: Gen. Level Bag Name: Roberts; Smith; Date: 1964-03-07	Site: 23FR170 Prov: 90N 120E, Level 2, Bottom of grey ashy soil (Stratum 1) to 6" below top of Stratum 2 (brown compact soil) Cat#: 46 Misc: Gen. Level Bag Name: Roberts; Smith; Date: 1964-03-07	Site: 23FR170 Prov: 90N 120E, Level 2, Bottom of grey ashy soil (Stratum 1) to 6" below top of Stratum 2 (brown compact soil) Cat#: 46 Misc: Gen. Level Bag Name: Roberts; Smith; Date: 1964-03-07	Site: 23FR170 Prov: 90N 120E, Level 2, Bottom of grey ashy soil (Stratum 1) to 6" below top of Stratum 2 (brown compact soil) Cat#: 46 Misc: Gen. Level Bag Name: Roberts; Smith; Date: 1964-03-07	Site: 23FR170 Prov: 95N 125E, Level 2, SD 10"-12", 11"N 6"E, In grey ashy layer just above brown compact soil layer Misc: Found together - sherd vertical in ground Name: McMillan Date: 1964-03-06
Site: 23FR170 Prov: 95N 125E, Level 2m SD 12", 15"N 0"E, Laying on contact line between upper grey ashy stratum and lower brown compact stratum Cat#: 38 Name: McMillan Date: 1964-03-06	Site: 23FR170 Prov: 95N 125E, Level 2, SD 12", 12"N 1"E, In grey stratum but laying directly on compact brown layer Cat#: 38 Name: McMillan; Smith; Date: 1964-03-06	Site: 23FR170 Prov: 90N 120E, Level 4, SD 18"-24" Cat#: 51 Misc: Gen. Level Bag; Sandstone Groundstone; Name: McMillan; Smith; Date: 1964-03-08	Site: 23FR170 Prov: 90N 120E, Level 4, SD 18"-24" Cat#: 51 Misc: Gen. Level Bag; Sandstone Groundstone; Name: McMillan; Smith; Date: 1964-03-08	Site: 23FR170 Prov: 95N 135E, Level 1, SD Surface-6" Cat#: 12 Misc: From "Miscellaneous" Name: McMillan; Schoonover; Date: 1964-03-02
Site: 23FR170 Prov: 95N 135E, Level 1, SD Surface-6" Cat#: 12 Misc: From "Miscellaneous" Name: McMillan; Schoonover; Date: 1964-03-02	Site: 23FR170 Prov: 95N 135E, Level 1, SD Surface-6" Cat#: 12 Misc: From "Miscellaneous" Name: McMillan; Schoonover; Date: 1964-03-02	Site: 23FR170 Prov: 95N 135E, Level 1, SD Surface-6" Cat#: 12 Misc: From "Miscellaneous" Name: McMillan; Schoonover; Date: 1964-03-02	Site: 23FR170 Prov: 95N 135E, Level 1, SD Surface-6" Cat#: 12 Misc: From "Miscellaneous" Name: McMillan; Schoonover; Date: 1964-03-02	Site: 23FR170 Prov: 95N 135E, Level 1, SD Surface-6" Cat#: 12 Misc: From "Miscellaneous" Name: McMillan; Schoonover; Date: 1964-03-02
Site: 23FR170 Prov: 95N 125E, Level 3, SD 12"-18" Cat#: 39 Misc: From "Miscellaneous" Name: McMillan; Schoonover; Date: 1964-03-07	Site: 23FR170 Prov: 95N 125E, Level 3, SD 12"-18" Cat#: 39 Misc: From "Miscellaneous" Name: McMillan; Schoonover; Date: 1964-03-07	Site: 23FR170 Prov: 95N 125E, Level 3, SD 12"-18" Cat#: 39 Misc: From "Miscellaneous" Name: McMillan; Schoonover; Date: 1964-03-07	Site: 23FR170 Prov: 95N 125E, Level 2, SD 12", In top grey layer, 8"N 13"E Cat#: 38 Name: McMillan; Smith; Date: 1964-03-06	Site: 23FR170 Prov: 95N 135E, Level 4, SD 18"-Bedrock Cat#: 9 Misc: Gen. Level Bag Name: McMillan; Schoonover; Date: 1964-03-03
Site: 23FR170 Prov: 95N 135E, Level 4, SD 18"-Bedrock Cat#: 9 Misc: Gen. Level Bag Name: McMillan; Schoonover; Date: 1964-03-03	Site: 23FR170 Prov: 95N 135E, Level 4, SD 18"-Bedrock Cat#: 9 Misc: Gen. Level Bag Name: McMillan; Schoonover; Date: 1964-03-03	Site: 23FR170 Prov: 95N 135E, Level 4, SD 18"-Bedrock Cat#: 9 Misc: Gen. Level Bag Name: McMillan; Schoonover; Date: 1964-03-03	Site: 23FR170 Prov: 95N 135E, Level 4, SD 18"-Bedrock Cat#: 9 Misc: Gen. Level Bag Name: McMillan; Schoonover; Date: 1964-03-03	Site: 23FR170 Prov: 95N 135E, Level 4, SD 18"-Bedrock Cat#: 9 Misc: Gen. Level Bag Name: McMillan; Schoonover; Date: 1964-03-03
Site: 23FR170 Prov: 95N 135E, Level 4, SD 18"-Bedrock Cat#: 9 Misc: Gen. Level Bag Name: McMillan; Schoonover; Date: 1964-03-03	Site: 23FR170 Prov: 95N 135E, Level 4, SD 18"-Bedrock Cat#: 9 Misc: Gen. Level Bag Name: McMillan; Schoonover; Date: 1964-03-03	Site: 23FR170 Prov: 95N 135E, Level 4, SD 18"-Bedrock Cat#: 9 Misc: Gen. Level Bag Name: McMillan; Schoonover; Date: 1964-03-03	Site: 23FR170 Prov: 90N 120E, Level 1, SD Surface-6" Cat#: 48 Misc: Gen. Level Bag Name: Smith, Syd; Roberts, Ralph; Date: 1964-03-07	Site: 23FR170 Prov: 90N 120E, Level 1, SD Surface-6" Cat#: 48 Misc: Gen. Level Bag Name: Smith, Syd; Roberts, Ralph; Date: 1964-03-07
Site: 23FR170 Prov: 100N 125E, Level 1, SD Surface-6" Cat#: 23 Misc: Gen. Level Bag; Miscellaneous; Name: McMillan; Smith; Date: 1964-03-08	Site: 23FR170 Prov: 95N 130E, Level 2, SD 6"-12" Cat#: 41 Misc: Gen. Level Bag Name: McMillan; Schoonover; Date: 1964-03-04	Site: 23FR170 Prov: 95N 130E, Level 2, SD 6"-12" Cat#: 41 Misc: Gen. Level Bag Name: McMillan; Schoonover; Date: 1964-03-04	Site: 23FR170 Prov: 95N 130E, Level 2, SD 6"-12" Cat#: 41 Misc: Gen. Level Bag Name: McMillan; Schoonover; Date: 1964-03-04	Site: 23FR170 Prov: 95N 130E, Level 2, SD 6"-12" Cat#: 41 Misc: Gen. Level Bag Name: McMillan; Schoonover; Date: 1964-03-04

Utilized Debitage: (6) 75.0g	Debitage: (15) 83.5g	Sherd Rim: (1) 8.0g	Animal Bone: (1) 1.5g	Shell: (2) 10.0g
Sherd Body: (1) 66.0g Sherd Rim: (1) 5.5g Debitage: (1) 17.0g	Misc. Stone: (6) 8.5g	Sandstone: (4) 339.0g	Hafted Biface - Stemmed: (3) 25.5g	Biface: (3) 51.5g
Hematite: (1) 1.0g	Hematite: (2) 30.5g Debitage: (1) 5.5g Groundstone: (1) 20.5g	Groundstone: (2) 656.5g	Biface: (1) 14.0g	Hafted Biface - Stemmed: (1) 11.5g
Animal Bone: 31.0g	Debitage: 270.5g	Shell: (8) 6.0g	Sherd Body: (4) 4.0g	Sandstone: (4) 4.0g
Debitage: 1006.0g	Biface: (1) 25.0g	Biface: (1) 1.0g Limestone: (1) 0.5g Sandstone: (1) 1.0g Hematite: (1) 1.0g	Shell: 27.5g	Debitage: 68.5g
Ochre: 0.5g	Misc. Stone: (1) 10.0g	Debitage: (6) 56.0g	Misc. Stone: 55.5g	Core: (1) 90.0g
Limestone: (9) 60.0g	Debitage: 63.0g	Utilized Debitage: (1) 43.0g	Shell: 0.5g	Charcoal: 1.0g
Misc. Stone: (4) 53.0g	Animal Bone: 45.5g	Animal Bone: (8) 10.5g	Shell: (4) 8.0g	Nail: (2) 8.5g Casing: (1) 0.5g
Misc. Stone: 1343.5g	Utilized Debitage: 476.0g	Shell: 23.5g	Animal Bone: 117.5g	Shell: 85.0g

[illegible]

Debitage: 462.5g Ochre: 46.5g	Animal Bone: (4) 14.0g	Debitage: 146.0g	Misc. Stone: (3) 75.0g	Debitage: 1978.5g
Casing: (3) 1.5g	Nail: (1) 3.5g	Sherd Body: (4) 4.0g	Nutshell: 8.0g	Shell: 27.0g
Core: (2) 419.5g Debitage: (8) 149.0g Misc. Stone: (3) 136.5g Animal Bone: (5) 50.5g	Shell: 60.5g	Animal Bone: (9) 8.0g	Debitage: (6) 4.0g	Ochre: 1.5g
Debitage: 168.0g	Utilized Debitage: 467.0g Core: (8) 511.0g	Sandstone: (2) 38.0g	Animal Bone: 45.5g	Animal Bone: (5) 20.0g Shell: (4) 43.0g Biface: (1) 12.5g Core: (2) 207.0g Debitage: 492.5g
Hafted Biface - Side Notch: (2) 29.5g	Sherd Rim: (11) 56.0g	Sandstone: 699.0g	Animal Bone: 48.0g	Animal Bone: 27.5g Shell: (5) 10.0g Groundstone: (1) 60.0g Debitage: 555.0g
Core: (10) 473.5g	Hammerstone: (1) 241.5g	Debitage: 416.0g	Shell: (2) 4.5g	Debitage: 661.5g
Drill: (2) 6.5g	Biface: (2) 91.5g	Debitage: 117.0g	Misc. Stone: (4) 0.5g	Biface: (4) 64.5g
Debitage: 110.5g	Sherd Body: (7) 77.5g	Wood: (1) 1.0g	Shell: 48.5g	Utilized Debitage: 229.0g
Shell: 36.5g	Sherd Body: (1) 0.5g	Animal Bone: 38.5g	Sandstone: (2) 8.0g	Debitage: (11) 55.0g
Hafted Biface - Corner Notch: (1) 13.5g	Utilized Debitage: (9) 108.0g	Debitage: (11) 77.0g	Animal Bone: (6) 25.5g	Animal Bone: (1) 1.0g
Hafted Biface - Side Notch: (1) 11.5g	Debitage: 182.5g	Debitage: (7) 228.5g	Sherd Body: (9) 33.5g	Groundstone: (1) 242.0g

[illegible]

<i>Sherd Body: (6) 27.5g</i>	<i>Hafted Biface - Side Notch: (1) 0.5g</i>	<i>Groundstone: (3) 892.5g</i>	<i>Ochre: 20.5g</i>	<i>Misc. Stone: (1) 45.0g</i>
<i>Shell: 115.5g</i>	<i>Shell: 148.0g</i>	<i>Nutshell: (2) 1.0g</i>	<i>Animal Bone: 31.0g</i>	<i>Shell: (6) 11.0g</i>
<i>Shell: (1) 1.0g</i>	<i>Debitage: 269.0g</i>	<i>Debitage: 105.5g Core: (4) 656.0g</i>	<i>Animal Bone: 256.5g</i>	<i>Animal Bone: 195.0g</i>
<i>Core: (1) 197.0g</i>	<i>Debitage: 390.5g</i>	<i>Misc. Stone: (5) 62.0g</i>	<i>Animal Bone: 1.5g</i>	<i>Sherd Body: (2) 3.5g</i>
<i>Animal Bone: 39.5g Shell: 6.0g Debitage: (6) 8.0g Biface: (1) 1.0g</i>	<i>Debitage: 1224.0g</i>	<i>Animal Bone: 31.0g</i>	<i>Shell: (1) 0.5g</i>	<i>Debitage: 25.5g</i>
<i>Debitage: 14.0g</i>	<i>Debitage: 304.5g</i>	<i>Animal Bone: 24.0g</i>	<i>Debitage: 217.0g</i>	<i>Ochre: 93.5g</i>
<i>Animal Bone: 22.0g</i>	<i>Shell: 23.5g</i>	<i>Debitage: 192.0g</i>	<i>Debitage: (5) 7.0g Animal Bone: (1) 1.5g</i>	<i>Sherd Body: (3) 2.5g</i>
<i>Animal Bone: 80.0g</i>	<i>Shell: 152.0g</i>	<i>Biface: (4) 44.5g</i>	<i>Animal Bone: (2) 1.0g</i>	<i>Animal Bone: 18.0g</i>
<i>Core: (12) 664.0g</i>	<i>Sandstone: (1) 46.0g</i>	<i>Debitage: 612.5g</i>	<i>Debitage: 681.0g</i>	<i>Sherd Body: (19) 160.0g</i>
<i>Hafted Biface - Corner Notch: (1) 42.0g</i>	<i>Hafted Biface - Corner Notch: (1) 6.5g</i>	<i>Hafted Biface - Corner Notch: (1) 20.0g</i>	<i>Groundstone: (2) 1505.5g</i>	<i>Hafted Biface - Side Notch: (3) 27.5g Hafted Biface - Corner Notch: (1) 9.0g Hafted Biface - Stemmed: (2) 2.5g</i>
<i>Debitage: (2) 39.0g Uniface: (1) 52.0g Biface: (10) 188.5g</i>	<i>Debitage: (2) 11.5g</i>	<i>Debitage: 931.5g</i>	<i>Debitage: 640.0g</i>	<i>Debitage: 602.5g</i>
<i>Groundstone: (8) 1161.0g</i>	<i>Hematite: (3) 14.5g</i>	<i>Hafted Biface - Corner Notch: (3) 25.0g</i>	<i>Biface: (1) 31.0g</i>	<i>Biface: (2) 1.5g</i>

Site: 23FR170 Prov: 95N 120E, Level 1, SD Surface-6" Cat#: 34 Name: McMillan Date: 1964-03-04	Site: 23FR170 Prov: 95N 120E, Level 1, SD Surface-6" Cat#: 34 Name: McMillan Date: 1964-03-04	Site: 23FR170 Prov: 95N 120E, Level 1, SD Surface-6" Cat#: 34 Name: McMillan Date: 1964-03-04	Site: 23FR170 Prov: 95N 120E, Level 1, SD Surface-6" Cat#: 34 Name: McMillan Date: 1964-03-04	Site: 23FR170 Prov: 95N 120E, Level 1, SD Surface-6" Cat#: 34 Name: McMillan Date: 1964-03-04
Site: 23FR170 Prov: 95N 120E, Level 1, SD Surface-6" Cat#: 34 Name: McMillan Date: 1964-03-04	Site: 23FR170 Prov: 95N 135E, Level 2, SD 6"-12" Cat#: 7 Name: McMillan Date: 1964-03-02	Site: 23FR170 Prov: 95N 135E, Level 2, SD 6"-12" Cat#: 7 Name: McMillan Date: 1964-03-02	Site: 23FR170 Prov: 95N 135E, Level 2, SD 6"-12" Cat#: 7 Name: McMillan Date: 1964-03-02	Site: 23FR170 Prov: 95N 125E, Level 5, SD 24"-30" Misc: Gen. Level Bag Name: McMillan Date: 1964-04-22
Site: 23FR170 Prov: 90N 125E, Level 2, SD 6"-12", 11"S 13"E, SD 10" Cat#: 24A	Site: 23FR170 Prov: 90N 125E, Level 2, SD 6"-12", 12"S 10"E, SD 9" +/- 2" Cat#: 24B	Site: 23FR170 Misc: Surface Collection Name: McMillan; Schoonover; Date: 1964-03-02	Site: 23FR170 Misc: Surface Collection Name: McMillan; Schoonover; Date: 1964-03-02	Site: 23FR170 Misc: Surface Collection Name: McMillan; Schoonover; Date: 1964-03-02
Site: 23FR170 Misc: Surface Collection Name: McMillan; Schoonover; Date: 1964-03-02	Site: 23FR170 Cat#: 2; 5; 7; 10; 15; 23; 32; 34; 35; 45; Misc: Preform Bifaces	Site: 23FR170 Cat#: 2; 5; 22; 23; 27; 32; 33; 34; 35; 36; 37; 40; 41; 48;	Site: 23FR170 Cat#: 2; 5; 7; 10; 15; 23; 32; 34; 35; 45; Misc: Preform Bifaces	Site: 23FR170 Cat#: 2; 5; 22; 23; 27; 32; 33; 34; 35; 36; 37; 40; 41; 48;
Site: 23FR170 Cat#: 7; 12; 23; 34; 37; 40; Misc: Sand Temper	Site: 23FR170 Cat#: 2; 3; 4; 22; 33; 40; 41; 44; 49; 200;	Site: 23FR170 Prov: Surface Name: Smith; Date: 1964-01-03	Site: 23FR170 Prov: Surface Name: Smith; Date: 1964-01-03	Site: 23FR170 Cat#: 41; Misc: Pottery
Site: 23FR170 Cat#: 23; Misc: Pottery	Site: 23FR170 Cat#: 7; Misc: Pottery	Site: 23FR170 Cat#: 27; Misc: Pottery	Site: 23FR170 Cat#: 39; Misc: Pottery	Site: 23FR170 Cat#: 38; Misc: Pottery
Site: 23FR170 Cat#: 22; Misc: Pottery	Site: 23FR170 Cat#: 10; Misc: Pottery	Site: 23FR170 Cat#: 12; Misc: Pottery	Site: 23FR170 Cat#: 41; Misc: Pottery	Site: 23FR170 Cat#: 23; Misc: Pottery
Site: 23FR170 Cat#: 7; Misc: Pottery	Site: 23FR170 Cat#: 27; Misc: Pottery	Site: 23FR170 Cat#: 39; Misc: Pottery	Site: 23FR170 Cat#: 38; Misc: Pottery	Site: 23FR170 Cat#: 22; Misc: Pottery
Site: 23FR170 Cat#: 10; Misc: Pottery	Site: 23FR170 Cat#: 12; Misc: Pottery	Site: 23FR170 Cat#: 7; 30; 36; 40; Misc: Shell Temper	Site: 23FR170 Cat#: 7; 23; 33; 35; Misc: Limestone Temper	Site: 23FR170 Prov: Surface
Site: 23FR170 Cat#: 9 Misc: Loose in bag	Site: 23FR170 Cat#: 7; 9; 12; 25; 27; 34; 35; 40; 48;	Site: 23FR170 Cat#: 14; 17; 22; 30; 33; 35; 41;	Site: 23FR170 Prov: Survey Cat#: 7; 23;	Site: 23FR170 Prov: Survey Cat#: 2
Site: 23FR170 Prov: Survey Cat#: 33	Site: 23FR170 Prov: Surface Cat#: 24	Site: 23FR170 Prov: Surface Cat#: 24	Site: 23FR170 Cat#: 48;	Site: 23FR170 Cat#: 10;
Site: 23FR170 Cat#: 10; 23; 37;	Site: 23FR170 Cat#: 7; 21; 40; 45;	Site: 23FR170 Cat#: 48;	Site: 23FR170 Cat#: 10;	Site: 23FR170 Cat#: 10; 23; 37;
Site: 23FR170 Cat#: 7; 21; 40; 45;	Site: 23FR170 Cat#: 5; 33; 34;	Site: 23FR170 Cat#: 23; 37; 40; 41;	Site: 23FR170 Cat#: 21; 49;	Site: 23FR170 Cat#: 27; 49; 201;
Site: 23FR170 Cat#: 4; 19; 23;	Site: 23FR170 Cat#: 20; 32; 35; 36;	Site: 23FR170 Cat#: 35; 36;	Site: 23FR170 Cat#: 3_	Site: 23FR170 Cat#: 48; 49;
Site: 23FR170 Cat#: Various	Site: 23FR170 Prov: Surface	Site: 23FR170 Prov: Surface	Site: 23FR170 Prov: Surface	Site: 23FR170 Cat#: 7; 36; 40;
Site: 23FR170 Cat#: 3; 23; 27; 33;	Site: 23FR170 Cat#: 9; 27;	Site: 23FR170 Cat#: 36; 40;	Site: 23FR170 Cat#: 40;	Site: 23FR170 Cat#: 23;
Site: 23FR170 Cat#: 36;	Site: 23FR170 Cat#: 1; 5; 7; 9; 33; 35;	Site: 23FR170 Cat#: 23; 36; 40; 48;	Site: 23FR170 Cat#: 7; 23; 34; 48;	Site: 23FR170 Cat#: 34;
Site: 23FR170 Cat#: 36;	Site: 23FR170 Cat#: 12; 23; 34; 35;	Site: 23FR170 Cat#: 39;	Site: 23FR170 Cat#: 23; 35;	Site: 23FR170 Misc: Loose in box
Site: 23FR170 Prov: Survey	Site: 23FR170 Cat#: 35; 36;	Site: 23FR170 Prov: 1000N 500E	Site: 23FR170 Prov: Surface	Site: 23FR170 Cat#: 20; 32; 35; 36;
Site: 23FR170 Cat#: 20; 32; 35; 36;	Site: 23FR170 Prov: Surface			

Animal Bone: 24.0g	Animal Bone: 77.5g	Shell: 71.0g	Debitage: 585.0g	Debitage: 753.5g
Debitage: (8) 211.0g Hematite: (1) 18.5g	Sandstone: (1) 122.0g Limestone: (1) 297.5g	Debitage: 793.0g Core: (3) 295.0g	Sandstone: (7) 98.5g	Debitage: 559.0g Core: (5) 413.5g Animal Bone: (7) 2.5g
Debitage: 449.5g	Shell: 429.5g	Core: (2) 196.0g	Sherd Rim: (1) 6.5g	Hafted Biface - Side Notch: (1) 9.5g
Biface: (50) 514.5g	Biface: (13) 911.0g	Biface: (50) 514.5g	Biface: (13) 911.0g	Animal Bone: 441.5g
Sherd Body: 134.0g	Abrader: (2) 413.0g	Abrader: (2) 413.0g	Hafted Biface - Stemmed: (10) 191.5g	Sherd Rim: (8) 40.0g Sherd Body: (1) 6.5g
Sherd Body: (7) 20.0g	Sherd Body: (7) 41.0g	Sherd Body: (5) 26.0g	Sherd Body: 128.0g	Sherd Body: 95.5g
Sherd Body: 95.5g	Sherd Body: 134.0g	Sherd Body: (10) 46.0g	Sherd Body: (9) 33.5g	Sherd Body: (6) 36.5g
Sherd Body: (6) 36.5g	Sherd Body: (7) 20.0g	Sherd Body: (7) 41.0g	Sherd Body: (5) 26.0g	Sherd Body: 128.0g
Utilized Debitage: (1) 41.0g Biface: (1) 38.0g	Sherd Rim: (4) 45.0g	Sherd Rim: (2) 68.5g Sherd Body: (3) 47.5g	Sherd Body: (10) 46.0g	Sherd Body: (9) 33.5g
Sherd Body: (7) g	Groundstone: (2) g	Sherd Body: 222.5g	Hafted Biface - Side Notch: (12) 131.0g	Groundstone: (1) 1038.0g
Uniface: (1) 97.0g	Sandstone: (1) 30.0g	Groundstone: (4) 13.0g	Groundstone: (4) 13.0g	Biface: (1) g
Debitage: (5) 425.5g	Uniface: (1) 97.0g	Sandstone: (1) 30.0g	Core: (5) 754.5g	Debitage: (5) 425.5g
Biface: (3) 148.5g	Biface: (2) 100.0g	Biface: (5) 69.5g	Unidentified: (3) 20.5g	Core: (5) 754.5g
Hafted Biface - Stemmed: (2) 22.0g	Hafted Biface - Corner Notch: (1) 1.0g	Unidentified: (2) 26.0g	Hafted Biface - Corner Notch: (5) 85.0g	Hafted Biface - Lanceolate: (3) 87.0g
Biface: (3) 48.0g	Hafted Biface - Side Notch: (1) 15.5g	Animal Bone: 163.5g	Shell: (5) 100.0g	Sherd: 416.5g
Biface: (1) 12.5g	Unidentified: (1) 11.5g	Biface: (2) 18.0g	Hafted Biface - Side Notch: (2) 17.0g	Hafted Biface - Stemmed: (4) 43.0g
Hafted Biface - Corner Notch: (2) 1.0g	Biface: (5) 4.0g	Hafted Biface - Side Notch: (6) 7.0g	Hafted Biface - Side Notch: (7) 101.5g	Hafted Biface - Corner Notch: (1) 24.5g
Groundstone: (1) g	Hafted Biface - Side Notch: (2) 1.0g	Hafted Biface - Side Notch: (1) 1.0g	Hafted Biface - Corner Notch: (5) 3.5g	Hafted Biface - Side Notch: (2) 1.5g
Hafted Biface - Corner Notch: (5) 85.0g	Utilized Debitage: (1) 41.0g	Debitage: (1) 7.0g	Hafted Biface - Side Notch: (2) 26.0g Hafted Biface - Side Notch: (1) 15.5g	Sandstone: (1) g Hafted Biface - Corner Notch: (5) 85.0g