

Site: 23FR170; Prov: 90N 120E, Level 2, Bottom of grey ashly soil (Stratum 1) to 6" below top of Stratum 2 (brown compact soil); Cat#: 46; Misc: Gen. Level Bag; Name: Roberts; Smith; Date: 1964-03-07;	Site: 23FR170; Prov: 90N 120E, Level 2, Bottom of grey ashly soil (Stratum 1) to 6" below top of Stratum 2 (brown compact soil); Cat#: 46; Misc: Gen. Level Bag; Name: Roberts; Smith; Date: 1964-03-07;	Site: 23FR170; Prov: 90N 120E, Level 2, Bottom of grey ashly soil (Stratum 1) to 6" below top of Stratum 2 (brown compact soil); Cat#: 46; Misc: Gen. Level Bag; Name: Roberts; Smith; Date: 1964-03-07;	Site: 23FR170; Prov: 90N 120E, Level 2, Bottom of grey ashly soil (Stratum 1) to 6" below top of Stratum 2 (brown compact soil); Cat#: 46; Misc: Gen. Level Bag; Name: Roberts; Smith; Date: 1964-03-07;	Site: 23FR170; Prov: 90N 120E, Level 2, Bottom of grey ashly soil (Stratum 1) to 6" below top of Stratum 2 (brown compact soil); Cat#: 46; Misc: Gen. Level Bag; Name: Roberts; Smith; Date: 1964-03-07;
Site: 23FR170; Prov: 90N 120E, Level 2, Bottom of grey ashly soil (Stratum 1) to 6" below top of Stratum 2 (brown compact soil); Cat#: 46; Misc: Gen. Level Bag; Name: Roberts; Smith; Date: 1964-03-07;	Site: 23FR170; Prov: 90N 120E, Level 2, Bottom of grey ashly soil (Stratum 1) to 6" below top of Stratum 2 (brown compact soil); Cat#: 46; Misc: Gen. Level Bag; Name: Roberts; Smith; Date: 1964-03-07;	Site: 23FR170; Prov: 90N 120E, Level 2, Bottom of grey ashly soil (Stratum 1) to 6" below top of Stratum 2 (brown compact soil); Cat#: 46; Misc: Gen. Level Bag; Name: Roberts; Smith; Date: 1964-03-07;	Site: 23FR170; Prov: 90N 120E, Level 2, Bottom of grey ashly soil (Stratum 1) to 6" below top of Stratum 2 (brown compact soil); Cat#: 46; Misc: Gen. Level Bag; Name: Roberts; Smith; Date: 1964-03-07;	Site: 23FR170; Prov: 95N 125E, Level 2m SD 12", 15"N 0"E, Laying on contact line between upper grey ashy stratum and lower brown compact stratum; Cat#: 38; Name: McMillan; Date: 1964-03-06;
Site: 23FR170; Prov: 95N 125E, Level 2, SD 10"-12", 11"N 6"E, In grey ashly layer just above brown compact soil layer; Misc: Found together - sherd vertical in ground; Name: McMillan; Date: 1964-03-06;	Site: 23FR170; Prov: 90N 120E, Level 4, SD 18"-24"; Cat#: 51; Misc: Gen. Level Bag; Sandstone Groundstone; Name: McMillan; Smith; Date: 1964-03-08;	Site: 23FR170; Prov: 90N 120E, Level 4, SD 18"-24"; Cat#: 51; Misc: Gen. Level Bag; Sandstone Groundstone; Name: McMillan; Smith; Date: 1964-03-08;	Site: 23FR170; Prov: 95N 125E, Level 2, SD 12", 12"N 1"E, In grey stratum but laying directly on compact brown layer; Cat#: 38; Name: McMillan; Smith; Date: 1964-03-06;	Site: 23FR170; Prov: 90N 120E, Level 1, SD Surface-6"; Cat#: 48; Misc: Gen. Level Bag; Name: Smith, Syd; Roberts, Ralph; Date: 1964-03-07;
Site: 23FR170; Prov: 90N 120E, Level 1, SD Surface-6"; Cat#: 48; Misc: Gen. Level Bag; Name: Smith, Syd; Roberts, Ralph; Date: 1964-03-07;	Site: 23FR170; Prov: 90N 120E, Level 1, SD Surface-6"; Cat#: 48; Misc: Gen. Level Bag; Name: Smith, Syd; Roberts, Ralph; Date: 1964-03-07;	Site: 23FR170; Prov: 90N 120E, Level 1, SD Surface-6"; Cat#: 48; Misc: Gen. Level Bag; Name: Smith, Syd; Roberts, Ralph; Date: 1964-03-07;	Site: 23FR170; Prov: 90N 120E, Level 1, SD Surface-6"; Cat#: 48; Misc: Gen. Level Bag; Name: Smith, Syd; Roberts, Ralph; Date: 1964-03-07;	Site: 23FR170; Prov: 100N 125E, Level 1, SD Surface-6"; Cat#: 23; Misc: Gen. Level Bag; Miscellaneous; Name: McMillan; Smith; Date: 1964-03-08;
Site: 23FR170; Prov: 100N 125E, Level 1, SD Surface-6"; Cat#: 23; Misc: Gen. Level Bag; Miscellaneous; Name: McMillan; Smith; Date: 1964-03-08;	Site: 23FR170; Prov: 100N 125E, Level 1, SD Surface-6"; Cat#: 23; Misc: Gen. Level Bag; Miscellaneous; Name: McMillan; Smith; Date: 1964-03-08;	Site: 23FR170; Prov: 90N 125E, Level 1, SD Surface-6"; Cat#: 27; Misc: Gen. Level Bag; Miscellaneous; Name: Miller; Schmidt; Date: 1964-03-08;	Site: 23FR170; Prov: 90N 125E, Level 1, SD Surface-6"; Cat#: 27; Misc: Gen. Level Bag; Miscellaneous; Name: Miller; Schmidt; Date: 1964-03-08;	Site: 23FR170; Prov: 90N 125E, Level 1, SD Surface-6"; Cat#: 27; Misc: Gen. Level Bag; Miscellaneous; Name: Miller; Schmidt; Date: 1964-03-08;
Site: 23FR170; Prov: 90N 125E, Level 1, SD Surface-6"; Cat#: 27; Misc: Gen. Level Bag, Miscellaneous; Name: Miller; Schmidt; Date: 1964-03-08;	Site: 23FR170; Prov: 90N 125E, Level 1, SD Surface-6"; Cat#: 27; Misc: Gen. Level Bag, Miscellaneous; Name: Miller; Schmidt; Date: 1964-03-08;	Site: 23FR170; Prov: 90N 125E, Level 1, SD Surface-6"; Cat#: 27; Misc: Gen. Level Bag, Miscellaneous; Name: Miller; Schmidt; Date: 1964-03-08;	Site: 23FR170; Prov: 90N 125E, Level 1, SD Surface-6"; Cat#: 27; Misc: Gen. Level Bag, Miscellaneous; Name: Miller; Schmidt; Date: 1964-03-08;	Site: 23FR170; Prov: 90N 125E, Level 1, SD Surface-6"; Cat#: 27; Misc: Gen. Level Bag, Miscellaneous; Name: Miller; Schmidt; Date: 1964-03-08;
Site: 23FR170; Prov: 90N 120E, Level 4, SD 18"-24"; Cat#: 51; Misc: Gen. Level Bag; Name: McMillan; Smith; Date: 1964-03-08;	Site: 23FR170; Prov: 90N 120E, Level 4, SD 18"-24"; Cat#: 51; Misc: Gen. Level Bag; Name: McMillan; Smith; Date: 1964-03-08;	Site: 23FR170; Prov: 90N 120E, Level 4, SD 18"-24"; Cat#: 51; Misc: Gen. Level Bag; Name: McMillan; Smith; Date: 1964-03-08;	Site: 23FR170; Prov: 90N 120E, Level 4, SD 18"-24"; Cat#: 51; Misc: Gen. Level Bag; Name: McMillan; Smith; Date: 1964-03-08;	Site: 23FR170; Prov: 125N 130E, Level 2, SD 6"-12"; Cat#: 28; Misc: Gen. Level Bag; Name: Smith; Wehrle; Date: 1964-03-07;
Site: 23FR170; Prov: 125N 130E, Level 2, SD 6"-12"; Cat#: 28; Misc: Gen. Level Bag; Name: Smith; Wehrle; Date: 1964-03-07;	Site: 23FR170; Prov: 125N 130E, Level 2, SD 6"-12"; Cat#: 28; Misc: Gen. Level Bag; Name: Smith; Wehrle; Date: 1964-03-07;	Site: 23FR170; Prov: 125N 130E, Level 2, SD 6"-12"; Cat#: 28; Misc: Gen. Level Bag; Name: Smith; Wehrle; Date: 1964-03-07;	Site: 23FR170; Prov: 125N 130E, Level 2, SD 6"-12"; Cat#: 28; Misc: Gen. Level Bag; Name: Smith; Wehrle; Date: 1964-03-07;	Site: 23FR170; Prov: 125N 130E, Level 2, SD 6"-12"; Cat#: 28; Misc: Gen. Level Bag; Name: Smith; Wehrle; Date: 1964-03-07;
Site: 23FR170; Prov: 125N 130E, Level 2, SD 6"-12"; Cat#: 28; Misc: Gen. Level Bag; Name: Smith; Wehrle; Date: 1964-03-07;	Site: 23FR170; Prov: 125N 130E, Level 2, SD 6"-12"; Cat#: 28; Misc: Gen. Level Bag; Name: Smith; Wehrle; Date: 1964-03-07;	Site: 23FR170; Prov: 125N 130E, Level 3, SD 12"-18"; Cat#: 29; Misc: Gen. Level Bag; Name: Sands; Wehrle; Date: 1964-03-07;	Site: 23FR170; Prov: 125N 130E, Level 3, SD 12"-18"; Cat#: 29; Misc: Gen. Level Bag; Name: Sands; Wehrle; Date: 1964-03-07;	Site: 23FR170; Prov: 125N 130E, Level 3, SD 12"-18"; Cat#: 29; Misc: Gen. Level Bag; Name: Sands; Wehrle; Date: 1964-03-07;
Site: 23FR170; Prov: 125N 130E, Level 3, SD 12"-18"; Cat#: 29; Misc: Gen. Level Bag; Name: Sands; Wehrle; Date: 1964-03-07;	Site: 23FR170; Prov: 125N 130E, Level 3, SD 12"-18"; Cat#: 29; Misc: Gen. Level Bag; Name: Sands; Wehrle; Date: 1964-03-07;	Site: 23FR170; Prov: 125N 130E, Level 3, SD 12"-18"; Cat#: 29; Misc: Gen. Level Bag; Name: Sands; Wehrle; Date: 1964-03-07;	Site: 23FR170; Prov: 125N 130E, Level 3, SD 12"-18"; Cat#: 29; Misc: Gen. Level Bag; Name: Sands; Wehrle; Date: 1964-03-07;	Site: 23FR170; Prov: 125N 130E, Level 3, SD 12"-18"; Cat#: 29; Misc: Gen. Level Bag; Name: Sands; Wehrle; Date: 1964-03-07;

Utilized Debitage: (6) 75.0g	Debitage: (15) 83.5g	Sherd Rim: (1) 8.0g	Animal Bone: (1) 1.5g	Shell: (2) 10.0g
Hafted Biface - Stemmed: (1) 11.5g	Misc. Stone: (6) 8.5g	Sandstone: (4) 339.0g	Hafted Biface - Stemmed: (3) 25.5g	Biface: (3) 51.5g
Debitage: 63.0g	Biface: (1) 14.0g	Hematite: (2) 30.5g Debitage: (1) 5.5g Groundstone: (1) 20.5g	Groundstone: (2) 656.5g	Sherd Body: (1) 66.0g Sherd Rim: (1) 5.5g Debitage: (1) 17.0g
Animal Bone: 45.5g	Animal Bone: (8) 10.5g	Shell: (4) 8.0g	Nail: (2) 8.5g Casing: (1) 0.5g	Limestone: (9) 60.0g
Sherd Body: (4) 4.0g	Nutshell: 8.0g	Shell: 27.0g	Shell: 85.0g	Misc. Stone: (4) 53.0g
Animal Bone: (9) 8.0g	Debitage: (6) 4.0g	Ochre: 1.5g	Casing: (3) 1.5g	Nail: (1) 3.5g
Shell: 48.5g	Utilized Debitage: 229.0g	Drill: (2) 6.5g	Biface: (2) 91.5g	Debitage: 117.0g
Sandstone: (2) 8.0g	Debitage: (11) 55.0g	Debitage: 110.5g	Sherd Body: (7) 77.5g	Wood: (1) 1.0g
Animal Bone: (6) 25.5g	Animal Bone: (1) 1.0g	Shell: 36.5g	Sherd Body: (1) 0.5g	Animal Bone: 38.5g
Sherd Body: (9) 33.5g	Groundstone: (1) 242.0g	Hafted Biface - Corner Notch: (1) 13.5g	Utilized Debitage: (9) 108.0g	Debitage: (11) 77.0g

[illegible]

Misc. Stone: (1) 45.0g	Misc. Stone: (1) 452.0g	Debitage: (5) 7.0g Animal Bone: (1) 1.5g	Debitage: 175.5g	Biface: (1) 13.0g Uniface: (1) 16.5g Core: (1) 51.5g Debitage: (3) 70.0g
Shell: (6) 11.0g	Sherd Body: (6) 27.5g	Hafted Biface - Side Notch: (1) 0.5g	Groundstone: (3) 892.5g	Ochre: 20.5g
Animal Bone: 195.0g	Shell: 115.5g	Shell: 148.0g	Nutshell: (2) 1.0g	Animal Bone: 31.0g
Debitage: (6) 56.0g	Misc. Stone: 55.5g	Core: (1) 90.0g	Debitage: 1006.0g	Animal Bone: 256.5g
Utilized Debitage: (1) 43.0g	Shell: 0.5g	Charcoal: 1.0g	Ochre: 0.5g	Misc. Stone: (1) 10.0g
Misc. Stone: (5) 62.0g	Animal Bone: 1.5g	Sherd Body: (2) 3.5g	Shell: (1) 1.0g	Debitage: 269.0g
Animal Bone: 31.0g	Shell: (1) 0.5g	Debitage: 25.5g	Core: (1) 197.0g	Debitage: 390.5g
Misc. Stone: 1343.5g	Utilized Debitage: 476.0g	Shell: 23.5g	Animal Bone: 117.5g	Debitage: 1224.0g
Core: (1) 108.0g Biface: (1) 28.5g Uniface: (1) 5.0g Debitage: (3) 63.5g	Shell: 38.0g	Animal Bone: 36.5g	Debitage: 462.5g	Debitage: 378.0g
Debitage: 462.5g Ochre: 46.5g	Animal Bone: (4) 14.0g	Debitage: 146.0g	Misc. Stone: (3) 75.0g	Debitage: 1978.5g
Hematite: (1) 1.0g	Debitage: 304.5g	Animal Bone: 24.0g	Debitage: 217.0g	Ochre: 93.5g
Animal Bone: 31.0g	Debitage: 270.5g	Shell: (8) 6.0g	Sherd Body: (4) 4.0g	Sandstone: (4) 4.0g

[illegible]

Shell: 27.5g	Debitage: 68.5g	Utilized Debitage: 467.0g Core: (8) 511.0g	Debitage: 168.0g	Sandstone: (2) 38.0g
Animal Bone: (2) 1.0g	Sherd Body: (3) 2.5g	Debitage: 14.0g	Biface: (1) 1.0g Limestone: (1) 0.5g Sandstone: (1) 1.0g Hematite: (1) 1.0g	Animal Bone: 34.0g
Debitage: (5) 7.0g Animal Bone: (1) 1.5g	Debitage: 192.0g	Animal Bone: 22.0g	Shell: 23.5g	Animal Bone: 18.0g
Debitage: 182.5g	Groundstone: (3) 892.5g	Ochre: 20.5g	Misc. Stone: (1) 45.0g	Misc. Stone: (1) 452.0g
Debitage: 681.0g	Sherd Body: (19) 160.0g	Animal Bone: 80.0g	Shell: 152.0g	Biface: (4) 44.5g
Animal Bone: 48.0g	Groundstone: (2) 1505.5g	Core: (12) 664.0g	Sandstone: (1) 46.0g	Debitage: 612.5g
Shell: (2) 4.5g	Debitage: 661.5g	Hafted Biface - Side Notch: (2) 29.5g	Sherd Rim: (11) 56.0g	Sandstone: 699.0g
Misc. Stone: (4) 0.5g	Biface: (4) 64.5g	Core: (10) 473.5g	Hammerstone: (1) 241.5g	Debitage: 416.0g
Debitage: 640.0g	Debitage: 602.5g	Hafted Biface - Corner Notch: (1) 42.0g	Hafted Biface - Corner Notch: (1) 6.5g	Hafted Biface - Corner Notch: (1) 20.0g
Biface: (1) 31.0g	Biface: (2) 1.5g	Debitage: (2) 39.0g Uniface: (1) 52.0g Biface: (10) 188.5g	Debitage: (2) 11.5g	Debitage: 931.5g
Shell: (3) 1.0g	Animal Bone: 98.0g	Groundstone: (8) 1161.0g	Hematite: (3) 14.5g	Hafted Biface - Corner Notch: (3) 25.0g
Debitage: 585.0g	Debitage: 753.5g	Sherd Body: (3) 25.5g	Sherd Body: 201.0g	Shell: 153.0g
Sandstone: (7) 98.5g	Debitage: 559.0g Core: (5) 413.5g Animal Bone: (7) 2.5g	Animal Bone: 24.0g	Animal Bone: 77.5g	Shell: 71.0g

Site: 23FR170; Prov: 90N 120E, Level 4, SD 20", 17"N 14"E; Cat#: 51; Name: Smith; Date: 1964-03-08;	Site: 23FR170; Prov: 90N 120E, SD 9", 6"E 12"S; Cat#: 46; Name: Roberts; Smith; Date: 1964-03-07;	Site: 23FR170; Prov: 95N 130E, Level 3, SD 12"-18"; Cat#: 42; Name: McMillan; Schoonover; Date: 1964-03-07;	Site: 23FR170; Prov: 90N 125E, Level 2, SD 6"-12", 11"S 13"E, SD 10"; Cat#: 24A;	Site: 23FR170; Prov: 90N 125E, Level 2, SD 6"-12", 12"S 10"E, SD 9" +/- 2"; Cat#: 24B;	
Site: 23FR170; Misc: Surface Collection; Miscellaneous; Name: McMillan; Schoonover; Date: 1964-03-02;	Site: 23FR170; Cat#: 2; 5; 7; 10; 15; 23; 32; 34; 35; 45; Misc: Preform Bifaces;	Site: 23FR170; Cat#: 2; 5; 22; 23; 27; 32; 33; 34; 35; 36; 37; 40; 41; 48;	Site: 23FR170; Cat#: 2; 5; 7; 10; 15; 23; 32; 34; 35; 45; Misc: Preform Bifaces;	Site: 23FR170; Cat#: 2; 5; 22; 23; 27; 32; 33; 34; 35; 36; 37; 40; 41; 48;	
Site: 23FR170; Cat#: 7; 12; 23; 34; 37; 40; Misc: Sand Temper;	Site: 23FR170; Misc: Surface Collection; Name: McMillan; Schoonover; Date: 1964-03-02;	Site: 23FR170; Misc: Surface Collection; Name: McMillan; Schoonover; Date: 1964-03-02;	Site: 23FR170; Misc: Surface Collection; Name: McMillan; Schoonover; Date: 1964-03-02;	Site: 23FR170; Misc: Surface Collection; Name: McMillan; Schoonover; Date: 1964-03-02;	
Site: 23FR170; Cat#: 41; Misc: Pottery;	Site: 23FR170; Cat#: 23; Misc: Pottery;	Site: 23FR170; Cat#: 7; Misc: Pottery;	Site: 23FR170; Cat#: 27; Misc: Pottery;	Site: 23FR170; Cat#: 39; Misc: Pottery;	
Site: 23FR170; Cat#: 38; Misc: Pottery;	Site: 23FR170; Cat#: 22; Misc: Pottery;	Site: 23FR170; Cat#: 10; Misc: Pottery;	Site: 23FR170; Cat#: 12; Misc: Pottery;	Site: 23FR170; Cat#: 41; Misc: Pottery;	
Site: 23FR170; Cat#: 23; Misc: Pottery;	Site: 23FR170; Cat#: 7; Misc: Pottery;	Site: 23FR170; Cat#: 27; Misc: Pottery;	Site: 23FR170; Cat#: 39; Misc: Pottery;	Site: 23FR170; Cat#: 38; Misc: Pottery;	
Site: 23FR170; Cat#: 22; Misc: Pottery;	Site: 23FR170; Cat#: 10; Misc: Pottery;	Site: 23FR170; Cat#: 12; Misc: Pottery;	Site: 23FR170; Cat#: 7; 30; 36; 40; ; Misc: Shell Temper;	Site: 23FR170; Cat#: 7; 23; 33; 35; Misc: Limestone Temper;	
Site: 23FR170; Cat#: 9; Misc: Loose in bag;	Site: 23FR170; Cat#: 7; 9; 12; 25; 27; 34; 35; 40; 48;	Site: 23FR170; Cat#: 2; 3; 4; 22; 33; 40; 41; 44; 49; 200;	Site: 23FR170; Cat#: 14; 17; 22; 30; 33; 35; 41;	Site: 23FR170; Prov: Survey; Cat#: 7; 23;	
Site: 23FR170; Prov: Survey; Cat#: 2;	Site: 23FR170; Prov: Survey; Cat#: 33;	Site: 23FR170; Cat#: 48;	Site: 23FR170; Cat#: 10;	Site: 23FR170; Cat#: 10; 23; 37;	
Site: 23FR170; Cat#: 7; 21; 40; 45;	Site: 23FR170; Cat#: 48;	Site: 23FR170; Cat#: 10;	Site: 23FR170; Cat#: 10; 23; 37;	Site: 23FR170; Cat#: 7; 21; 40; 45;	
Site: 23FR170; Cat#: 5; 33; 34;	Site: 23FR170; Cat#: 23; 37; 40; 41;	Site: 23FR170; Cat#: 21; 49;	Site: 23FR170; Cat#: 27; 49; 201;	Site: 23FR170; Cat#: 35; 36;	
Site: 23FR170; Cat#: Various;	Site: 23FR170; Prov: Surface;	Site: 23FR170; Prov: Surface;	Site: 23FR170; Cat#: 7; 36; 40;	Site: 23FR170; Cat#: 36; 40; ;	
Site: 23FR170; Cat#: 40;	Site: 23FR170; Cat#: 23;	Site: 23FR170; Cat#: 7; 23; 34; 48;	Site: 23FR170; Misc: Loose in box;	Site: 23FR170; Prov: Survey;	
Site: 23FR170; Prov: 1000N 500E;	Site: 23FR170; Cat#: 4; 19; 23;	Site: 23FR170; Cat#: 20; 32; 35; 36;	Site: 23FR170; Cat#: 3_;	Site: 23FR170; Cat#: 48; 49;	
Site: 23FR170; Prov: 105N 125E, Level 1, SD 0"-6"; Cat#: 26; Name: Hallock; Gebhards; Date: 1964-03-12;	Site: 23FR170; Prov: Surface;	Site: 23FR170; Prov: Surface;	Site: 23FR170; Cat#: 3; 23; 27; 33;	Site: 23FR170; Cat#: 9; 27;	Site: Cat#:

Sherd Rim: (1) 6.5g	Hafted Biface - Side Notch: (1) 9.5g	Misc. Stone: (4) 0.5g	Hafted Biface - Corner Notch: (1) 6.5g	Hafted Biface - Corner Notch: (1) 20.0g	
Biface: (50) 514.5g	Biface: (13) 911.0g	Biface: (50) 514.5g	Biface: (13) 911.0g	Animal Bone: 39.5g Shell: 6.0g Debitage: (6) 8.0g Biface: (1) 1.0g	
Animal Bone: 441.5g	Debitage: 449.5g	Shell: 429.5g	Core: (2) 196.0g	Sherd Rim: (8) 40.0g Sherd Body: (1) 6.5g	
Sherd Body: (7) 41.0g	Sherd Body: (5) 26.0g	Sherd Body: 128.0g	Sherd Body: 95.5g	Sherd Body: 134.0g	
Sherd Body: 134.0g	Sherd Body: (10) 46.0g	Sherd Body: (9) 33.5g	Sherd Body: (6) 36.5g	Sherd Body: (7) 20.0g	
Sherd Body: (7) 20.0g	Sherd Body: (7) 41.0g	Sherd Body: (5) 26.0g	Sherd Body: 128.0g	Sherd Body: 95.5g	
Sherd Rim: (4) 45.0g	Sherd Rim: (2) 68.5g Sherd Body: (3) 47.5g	Sherd Body: (10) 46.0g	Sherd Body: (9) 33.5g	Sherd Body: (6) 36.5g	
Groundstone: (2) g	Sherd Body: 222.5g	Hafted Biface - Stemmed: (10) 191.5g	Hafted Biface - Side Notch: (12) 131.0g	Groundstone: (1) 1038.0g	
Debitage: (5) 425.5g	Uniface: (1) 97.0g	Sandstone: (1) 30.0g	Biface: (1) g	Sherd Body: (7) g	
Core: (5) 754.5g	Debitage: (5) 425.5g	Uniface: (1) 97.0g	Sandstone: (1) 30.0g	Core: (5) 754.5g	
Unidentified: (2) 26.0g	Biface: (3) 148.5g	Biface: (2) 100.0g	Biface: (5) 69.5g	Unidentified: (3) 20.5g	
Biface: (2) 18.0g	Biface: (3) 48.0g	Animal Bone: 163.5g	Shell: (5) 100.0g	Sherd: 416.5g	
Sandstone: (1) g	Groundstone: (1) g	Biface: (5) 4.0g	Biface: (1) 12.5g	Unidentified: (1) 11.5g	
Hafted Biface - Stemmed: (2) 22.0g	Hafted Biface - Corner Notch: (1) 1.0g	Hafted Biface - Corner Notch: (5) 85.0g	Hafted Biface - Lanceolate: (3) 87.0g	Debitage: (1) 7.0g	
Hafted Biface - Side Notch: (2) 17.0g	Hafted Biface - Stemmed: (4) 43.0g	Utilized Debitage: (1) 41.0g Biface: (1) 38.0g	Hafted Biface - Side Notch: (1) 15.5g	Hafted Biface - Side Notch: (3) 27.5g Hafted Biface - Corner Notch: (1) 9.0g Hafted Biface - Stemmed: (2) 2.5g	Hafted