



JumanaMedical ERP

نظام جمانة الطبي المتكامل

Architecture, Full ERD, Workflows & Request Flow Diagrams

Version: vGlobal.0 + Waves 14–24 · **Generated:** 2026-08-04

Deployment: Hetzner · 204.168.144.74 · jumanasoft.com

Stack: Node.js 20 + Express 4 + PostgreSQL 14 + Vanilla JS SPA + Tailwind

Compliance: ZATCA Phase 2 · NPHIES · CBAHI · PDPL · HIPAA-aligned

Source repo: integration/all-epics @ 5539629



Coverage at a Glance

367

Public tables

4,758

Columns

339

FORCE RLS

314

Foreign keys

816

Indexes

342

RLS policies



Contents

§1 · System Architecture

§2 · Request / Response Flow (14 middleware hops)

§3 · Tenant Isolation Layers (defense-in-depth)

§4 · Domain ERD Index (15 domains)

§5 · Top 30 Foreign-Key Relationships

§6 · All Migrations (87+ applied)

§7 · All Routes (47 routers mounted)

§8 · All Engines (40+ pure logic modules)

§9 · All Stations (30 frontend modules)

§10 · Clinical Workflows (BPMN-style)

§11 · Order ↔ Result Loop (state machine)

§12 · Pharmacy & Controlled Substances

§13 · Authentication & MFA Flow

§14 · Audit Hash Chain

§15 · Deployment Topology

§16 · Safety Rails Matrix (13 rails)


§17 · Wave Completion Matrix (14–24)

§18 · All Lib Files (50+)

§1 · System Architecture

Three-tier deployment with multi-layer tenant isolation, hash-chained audit, and structured observability. Built on Node.js 20 + Express 4 + PostgreSQL 14.


Layered Stack Diagram




Frontend	3 HTML pages + 17 JS modules + 30 specialty stations (anesthesia, cardiology, ER, ICU, NICU, OB/GYN, oncology, ophthalmology, orthopedics, plastic-surgery, pulmonology, radiology, rheuma, surgery, urology, dermatology, diagnostics, endocrine, ent, functional-tests, gastro, infectious, lab, nephrology, neurosurgery, nursing, peds, cardiothoracic, critical, pacu)
Backend	47 routers (autowired via deploy/autowire.js), 40+ pure-logic engines, idempotency guard, audit middleware
Database	367 public tables, 4,758 columns, 314 foreign keys, 816 indexes, 342 RLS policies, 339 FORCE RLS (100%)
Compliance	ZATCA Phase 2 · NPHIES · CBAHI OVR · PDPL · HIPAA-aligned
Memory Files	~50+ persisted files in /memories/repo/ covering Waves 1–24

§2 · Request / Response Flow (14 Middleware Hops)

Every HTTP request flows through this sequence. The request logger runs on the finish hook — it captures real status code + duration AFTER the response is sent.





Failure paths: any of ⑨–⑭ throwing returns JSON error to client. The requestLogger middleware still emits a JSON log line with status=errored. CSP nonce is regenerated on each request (128-bit entropy).

§3 · Tenant Isolation Layers (Defense-in-Depth)

Three independent layers must all agree. Safety Rail #5. If any one fails, the next catches it.

Layer	Mechanism	Failure mode caught	Wave
L1 — app-layer	requireTenantScope middleware → sets req.tenantScope; every query in route handler binds tenant_id explicitly	Bug in route: app-layer filter forgotten	1–13
L2 — DB RLS	PostgreSQL ALTER TABLE ... ENABLE ROW LEVEL SECURITY; FORCE ROW LEVEL SECURITY; + tenant_id = current_setting('app.tenant_id') policy	Even a query that forgets the WHERE clause returns 0 rows for wrong tenant	15–20 (100% coverage)
L3 — audit chain	Every mutating write goes through logAudit() which stamps tenant_id + hash-chains the row. Any post-hoc tampering breaks the chain.	Insider with DB access tries to forge an audit row	21

Live verification (2026-08-04)

Test	Result
Read with correct tenant context (SET app.tenant_id='1')	Pass — rows visible
Read without tenant context	Fail-closed — 0 rows
Read with mismatched tenant ('999')	Fail-closed — 0 rows
INSERT with tenant context	Pass — INSERT 0 1
INSERT without tenant context (FORCE RLS)	ERROR: new row violates row-level security policy
Cross-tenant query attempt	Fail-closed — 0 rows

§4 • Domain ERD Index

367 public tables grouped into 15 logical domains. All 339 tenant-aware tables have FORCE RLS enabled (Waves 15–20). Per-table column detail + FK references shown on the following pages.

§	Domain	Tables	RLS / FORCE	Cols	Description
1	Core / Tenant	18	10 / 10	142	Tenants, users, facilities, RBAC, settings, departments, templates
2	SaaS / Billing	7	5 / 5	77	Subscriptions, plans, payment provider events
3	Patient / Clinical Core	20	20 / 20	284	Patient master, encounters, EMR, notes, problems, referrals, consent, portal, appointments
4	Orders & Medications	13	12 / 12	162	Orders, prescriptions, MAR/eMAR, pharmacy, drug safety
5	Lab & Pathology	11	10 / 10	175	Specimens, results, QC, microbiology, biopsies, path reports, molecular
6	Radiology & Imaging	3	2 / 2	22	Radiology orders, advanced metrics, nuclear med, overrides, AI vectors
7	Specialty Clinical (136 tables)	85	85 / 85	1023	Surgery, ICU, OB/GYN, ED, Cardiology, Dental, Derm, Eye, ENT, Burn, Ortho, Neuro, Gyn Onc, GI, Pulm, Psych, Renal, Endo, Cosmetics, Rehab, Social work, Blood bank, CME
8	Nursing & Observations	10	10 / 10	133	Vitals, nursing scores, IO, handover, care plans, ECG, nutrition, diet
9	Beds, Wards & Facility Ops	17	17 / 17	250	Beds, wards, transfers, maintenance, CSSD, biomedical, supply chain, transport, waste, vendors
10	Finance & Insurance	20	18 / 18	312	GL, AR/AP, invoices, ZATCA, NPHIES, insurance, claims, packages, billing integrity
11	Inventory & Procurement	19	19 / 19	210	Items, batches, stock, purchases, goods receipts, dept requests
12	HR & Workforce	15	14 / 14	171	Employees, attendance, leaves, payroll, GOSI, Nitaqat, credentials, HCM
13	Quality, Safety & Compliance	9	9 / 9	149	Incidents, KPIs, CAPA, infection, hand hygiene
14	Integrations & AI	7	7 / 7	107	HL7, FHIR, AI CDS, voice, integration settings, telemedicine, audit trail
15	Misc / Reference	5	5 / 5	60	Reference tables not in primary domains
TOTAL		367	339 / 339 (100%)	4,758	—

\$5 • Top 30 Foreign-Key Relationships

The most-referenced foreign keys. These represent the core data-flow graph — most business logic queries traverse these relationships.

Source table	References	Times referenced
clinical_records	system_users	2
neonatal_apgar_scores	patients	2
admission_daily_rounds	tenants	1
admissions	tenants	1
ams_flags	tenants	1
ams_flags	patients	1
approvals	tenants	1
audiogram_records	patients	1
audiogram_records	system_users	1
audit_trail	tenants	1
bed_status_history	beds	1
bed_status_history	tenants	1
bed_status_history	admissions	1
bed_status_history	patients	1
bed_transfers	tenants	1
beds	tenants	1
biopsy_samples	system_users	1
biopsy_samples	patients	1
blood_bank_crossmatch	tenants	1
blood_bank_donors	tenants	1
blood_bank_transfusion_reactions	tenants	1
blood_bank_transfusion_reactions	blood_bank_transfusions	1
blood_bank_transfusions	tenants	1
blood_bank_units	tenants	1
branches	facilities	1

Source table	References	Times referenced
burn_assessments	patients	1
burn_assessments	system_users	1
cardiology_procedures	system_users	1
cardiology_procedures	patients	1
clinical_departments	tenants	1

\$6 · All Migrations (87+ applied)

Each migration ships as a triple: `_up.sql` + `_down.sql` + `_validate.sql`. All are idempotent.

\$5.0 · Core / Tenant

▸ Core / Tenant (18 tables · 142 cols)

Tenants, users, facilities, RBAC, settings, departments, templates

FORCE approvals

8 cols

id	integer	NN
patient_id	integer	
service_id	integer	
request_date	text	
status	text	
approval_number	text	
response_date	text	
tenant_id →tenants	integer	NN

NONE branches

5 cols

id	integer	NN
facility_id →facilities	integer	NN
name	character varying	NN
address	text	
created_at	timestamp without	

FORCE clinical_departments

7 cols

id	integer	NN
tenant_id →tenants	integer	NN
code	text	NN
name_ar	text	
name_en	text	
created_at	timestamp without	
owner_role	character varying	NN

FORCE clinical_smart_templates

6 cols

id	integer	NN
tenant_id →tenants	integer	NN
doctor_id →system_users	integer	NN
shortcut	character varying	NN
template_text	text	NN
created_at	timestamp without	

FORCE clinical_templates

9 cols

id	integer	NN
department_id →clinical_dep	integer	NN
version	text	
form_structure	jsonb	NN
is_active	integer	
created_at	timestamp without	
tenant_id →tenants	integer	NN
template_name_en	character varying	NN
template_name_ar	character varying	NN

FORCE company_settings

3 cols

setting_key	text	NN
setting_value	text	
tenant_id	integer	

NONE departments

6 cols

id	integer	NN
branch_id →branches	integer	NN
name_ar	character varying	NN
name_en	character varying	NN
is_active	boolean	
created_at	timestamp without	

NONE employees

12 cols

id	integer	NN
name	text	
name_ar	text	
name_en	text	
role	text	
department_ar	text	
department_en	text	
status	text	
salary	real	
created_at	timestamp without	
commission_type	text	
commission_value	real	

FORCE facilities

10 cols

id	integer	NN
tenant_id →tenants	integer	NN
name	character varying	NN
tax_number	character varying	
created_at	timestamp without	
type	character varying	
beds	integer	NN
currency	character varying	NN
timezone	character varying	NN
parent_facility_id →facilities	integer	

FORCE facility_modules

5 cols

id	integer	NN
tenant_id →tenants	integer	NN
module_index	integer	NN
enabled	boolean	NN
created_at	timestamp without	

NONE permissions

4 cols

id	integer	NN
key	text	NN
description	text	
created_at	timestamp without	

NONE plan_entitlements

8 cols

plan_id →plans	integer	NN
max_users	integer	
max_branches	integer	
max_invoices_per_month	integer	
modules_enabled	text	NN
support_level	character varying	NN
api_access	boolean	NN
custom_domain	boolean	NN

NONE plans

14 cols

 id	integer	NN
plan_key	character varying	NN
name_ar	character varying	NN
name_en	character varying	NN
description_ar	text	NN
description_en	text	NN
currency	character	NN
monthly_price	numeric	NN
yearly_price	numeric	NN
trial_days	integer	NN
active	boolean	NN
sort_order	integer	NN
created_at	timestamp with tim	NN
updated_at	timestamp with tim	NN

NONE system_users

14 cols

 id	integer	NN
username	text	NN
password_hash	text	
display_name	text	
role	text	
speciality	text	
permissions	text	
commission_type	text	
commission_value	real	
is_active	integer	
created_at	timestamp without	
last_ip	text	
failed_login_attempts	integer	
lockout_until	timestamp with tim	

FORCE tenant_plan_assignments

8 cols

 id	integer	NN
tenant_id  tenants	integer	NN
plan_key  plans	character varying	NN
assignment_source	character varying	NN
assigned_by	integer	
assigned_at	timestamp with tim	NN
effective_from	timestamp with tim	NN
effective_to	timestamp with tim	

FORCE tenant_settings

4 cols

 id	integer	NN
tenant_id  tenants	integer	NN
setting_key	character varying	NN
setting_value	text	NN

NONE tenants

14 cols

 id	integer	NN
name	character varying	NN
subdomain	character varying	NN
status	character varying	
plan_type	character varying	
created_at	timestamp without	
archetype	character varying	
moh_license	text	
cr_no	text	
vat_no	text	
last_activity_at	timestamp with tim	
trial_ends_at	timestamp with tim	
suspended_at	timestamp with tim	
suspended_reason	text	

FORCE user_tenants

5 cols

 id	integer	NN
user_id  system_users	integer	NN
tenant_id  tenants	integer	NN
is_active	boolean	
created_at	timestamp without	

§6.1 · SaaS / Billing

▸ **SaaS / Billing** (7 tables · 77 cols)
Subscriptions, plans, payment provider events

FORCE **saas_billing_audit_events** 9 cols

 id	integer	NN
tenant_id	integer	
actor_user_id	integer	NN
actor_role	character varying	NN
action	character varying	NN
target_type	character varying	
target_id	integer	
safe_metadata_jsonb	jsonb	
created_at	timestamp without	

FORCE **saas_billing_checkout_sessions** 13 cols

 id	integer	NN
tenant_id	integer	NN
plan_key	character varying	NN
provider	character varying	NN
idempotency_key	character varying	NN
provider_session_id_hash	character varying	
status	character varying	NN
amount_minor	integer	NN
currency	character varying	NN
expires_at	timestamp without	NN
created_by	integer	
created_at	timestamp without	
updated_at	timestamp without	

FORCE **saas_billing_customers** 9 cols

 id	integer	NN
tenant_id	integer	NN
provider	character varying	NN
provider_customer_id_hash	character varying	NN
billing_email_masked	character varying	NN
status	character varying	
created_by	integer	
created_at	timestamp without	
updated_at	timestamp without	

FORCE **saas_billing_payment_transactions** 13 cols

 id	integer	NN
tenant_id	integer	NN
provider	character varying	NN
idempotency_key	character varying	NN
provider_transaction_id_hash	character varying	
amount_minor	integer	NN
currency	character varying	NN
status	character varying	NN
payment_method_type	character varying	
failure_code	character varying	
failure_message_safe	character varying	
created_at	timestamp without	
updated_at	timestamp without	

NONE **saas_billing_provider_accounts** 8 cols

 id	integer	NN
provider	character varying	NN
mode	character varying	
enabled	boolean	
public_label	character varying	
capabilities_jsonb	jsonb	
created_at	timestamp without	
updated_at	timestamp without	

FORCE **saas_billing_subscriptions** 14 cols

 id	integer	NN
tenant_id	integer	NN
plan_key	character varying	NN
provider	character varying	NN
provider_subscription_id_hash	character varying	
status	character varying	NN
current_period_start	timestamp without	
current_period_end	timestamp without	
cancel_at_period_end	boolean	
trial_start	timestamp without	
trial_end	timestamp without	
created_by	integer	
created_at	timestamp without	
updated_at	timestamp without	

NONE **saas_billing_webhook_events** 11 cols

 id	integer	NN
provider	character varying	NN
provider_event_id_hash	character varying	NN
event_type	character varying	NN
received_at	timestamp without	
processed_at	timestamp without	
processing_status	character varying	
signature_verified	boolean	
payload_hash	character varying	NN
payload_safe_jsonb	jsonb	
error_message_safe	character varying	

§7.2 · Patient / Clinical Core

▸ Patient / Clinical Core (21 tables · 294 cols)

Patient master, encounters, EMR, notes, problems, referrals, consent, portal, appointments

FORCE admin_resource_logs

8 cols

 id	uuid	NN
tenant_id	uuid	NN
log_date	timestamp with tim	
bed_occupancy_percent	double precision	
staff_patient_ratio	double precision	
or_utilization_percent	double precision	
resource_bottleneck	character varying	
created_at	timestamp with tim	

FORCE admission_daily_rounds

16 cols

 id	integer	NN
admission_id	integer	
patient_id	integer	
round_date	text	
round_time	text	
doctor_name	text	
subjective	text	
objective	text	
assessment	text	
plan	text	
vitals_summary	text	
orders	text	
diet_changes	text	
created_at	timestamp without	
tenant_id  tenants	integer	NN
facility_id	integer	

FORCE admissions

29 cols

 id	integer	NN
patient_id	integer	
patient_name	text	
admission_type	text	
admission_date	timestamp without	
admitting_doctor	text	
attending_doctor	text	
department	text	
ward_id	integer	
bed_id	integer	
diagnosis	text	
icd10_code	text	
admission_orders	text	
diet_order	text	
activity_level	text	
dvt_prophylaxis	text	
expected_los	integer	
insurance_auth	text	
status	text	
discharge_date	text	
discharge_type	text	
discharge_summary	text	
discharge_instructions	text	
discharge_medications	text	
followup_date	text	

+4 more cols...

FORCE appointments

12 cols

 id	integer	NN
patient_id	integer	
patient_name	text	
doctor_name	text	
department	text	
appt_date	text	
appt_time	text	
notes	text	
status	text	
created_at	timestamp without	
tenant_id	integer	
branch_id	integer	

FORCE bed_status_history

11 cols

 id	integer	NN
bed_id  beds	integer	NN
admission_id  admissions	integer	
patient_id  patients	integer	
from_status	text	NN
to_status	text	NN
reason	text	
changed_by	text	
changed_at	timestamp without	
tenant_id  tenants	integer	NN
facility_id	integer	

FORCE bed_transfers

12 cols

 id	integer	NN
admission_id	integer	
patient_id	integer	
from_ward	integer	
from_bed	integer	
to_ward	integer	
to_bed	integer	
transfer_reason	text	
transferred_by	text	
transfer_date	timestamp without	
tenant_id  tenants	integer	NN
branch_id	integer	

FORCE beds

12 cols

 id	integer	NN
ward_id	integer	
bed_number	text	
bed_type	text	
room_number	text	
status	text	
current_patient_id	integer	
current_admission_id	integer	
isolation_type	text	
notes	text	
tenant_id  tenants	integer	NN
branch_id	integer	

FORCE clinical_incidents

11 cols

 id	integer	NN
tenant_id  tenants	integer	NN
reporter_id  system_users	integer	
reporter_name	character varying	
incident_date	timestamp without	
department	character varying	
severity	character varying	
description	text	
action_taken	text	
status	character varying	
created_at	timestamp without	

FORCE clinical_knowledge_vectors

7 cols

 id	integer	NN
department_id  clinical_dep	integer	
content_chunk	text	NN
embedding	ARRAY	
metadata	jsonb	
created_at	timestamp without	
tenant_id	integer	NN

FORCE clinical_notes

17 cols

 id	integer	NN
tenant_id  tenants	integer	NN
facility_id	integer	
patient_id	integer	NN
encounter_ref	integer	
type	text	NN
subjective	text	
objective	text	
assessment	text	
plan	text	
author_id	integer	
emr_status	text	NN
signed_by_user_id	integer	
signed_at	timestamp without	
locked_at	timestamp without	
integrity_hash	text	
created_at	timestamp without	

FORCE clinical_photos_meta

10 cols

 id	integer	NN
patient_id  patients	integer	NN
doctor_id  system_users	integer	
photo_date	date	NN
body_region	character varying	NN
description	text	
is_confidential	boolean	
created_at	timestamp without	
tenant_id	integer	NN
facility_id	integer	

FORCE clinical_records

12 cols

 id	uuid	NN
patient_id  patients	integer	NN
template_id  clinical_tem	integer	
record_data	jsonb	NN
is_locked	integer	
locked_at	timestamp without	
locked_by  system_users	integer	
signature	text	
tenant_id  tenants	integer	NN
facility_id	integer	
created_at	timestamp without	
created_by  system_users	integer	

FORCE medical_certificates 14 cols		
id	integer	NN
patient_id	integer	
patient_name	text	
doctor_id	integer	
doctor_name	text	
cert_type	text	
diagnosis	text	
notes	text	
start_date	text	
end_date	text	
days	integer	
created_at	timestamp without	
tenant_id	integer	
facility_id	integer	

FORCE medical_records 10 cols		
id	integer	NN
patient_id	integer	
doctor_id	integer	
diagnosis	text	
symptoms	text	
icd10_codes	text	
notes	text	
visit_date	timestamp without	
tenant_id →tenants	integer	NN
facility_id	integer	

FORCE patient_clinical_records 10 cols		
id	integer	NN
patient_id →patients	integer	NN
encounter_id	integer	
template_id →clinical_tem	integer	NN
recorded_values	jsonb	NN
doctor_id →system_users	integer	NN
is_locked	boolean	
signature	character varying	
created_at	timestamp without	
tenant_id →tenants	integer	NN

FORCE patient_problem_list 22 cols		
id	integer	NN
patient_id	integer	NN
admission_id	integer	
icd10_code	character varying	NN
icd10_description	text	
snomed_code	character varying	
problem_name	text	NN
problem_type	character varying	
onset_date	date	
resolved_date	date	
is_active	boolean	
severity	character varying	
status	character varying	
added_by	text	
added_by_id	integer	
last_updated_by	text	
encounter_id	integer	
notes	text	
principal_diagnosis	boolean	
tenant_id	integer	NN
facility_id	integer	
created_at	timestamp with tim	

FORCE patient_referrals

14 cols

 id	integer	NN
patient_id	integer	
patient_name	text	
from_doctor_id	integer	
from_doctor	text	
to_department	text	
to_doctor	text	
reason	text	
urgency	text	
status	text	
notes	text	
created_at	timestamp without	
tenant_id	integer	
facility_id	integer	

FORCE patients

31 cols

 id	integer	NN
file_number	integer	
name_ar	text	
name_en	text	
national_id	text	
phone	text	
department	text	
notes	text	
amount	real	
payment_method	text	
status	text	
dob	text	
dob_hijri	text	
age	integer	
created_at	timestamp without	
nationality	text	
blood_type	text	
gender	text	
tenant_id	integer	
facility_id	integer	
privacy_consent_signed	boolean	
privacy_consent_date	timestamp without	
mrn	text	
allergies	text	
chronic_diseases	text	

+6 more cols...

FORCE portal_messages

14 cols

 id	integer	NN
patient_id  patients	integer	
sender_type	character varying	
sender_name	text	NN
subject	text	NN
body	text	NN
department	character varying	
is_read	boolean	
replied_at	timestamp with tim	
replied_by	text	
reply_body	text	
tenant_id	integer	NN
facility_id	integer	
created_at	timestamp with tim	

FORCE portal_users

10 cols

 id	integer	NN
patient_id	integer	
username	text	
password_hash	text	
email	text	
phone	text	
is_active	integer	
last_login	text	
created_at	timestamp without	
tenant_id  tenants	integer	NN

FORCE problems

12 cols

 id	integer	NN
tenant_id  tenants	integer	NN
facility_id	integer	
patient_id	integer	NN
encounter_ref	integer	
icd10	text	
snomed	text	
description	text	NN
status	text	NN
onset_date	date	
recorded_by	integer	
created_at	timestamp without	

§8.3 · Orders & Medications

- **Orders & Medications** (13 tables · 162 cols)
Orders, prescriptions, MAR/eMAR, pharmacy, drug safety

FORCE clinical_pharmacy_reviews 14 cols		
id	integer	NN
patient_id	integer	
patient_name	text	
prescription_id	integer	
review_type	text	
pharmacist	text	
findings	text	
recommendations	text	
interventions	text	
outcome	text	
severity	text	
status	text	
created_at	timestamp without	
tenant_id	integer	NN

FORCE controlled_drug_log 17 cols		
id	integer	NN
tenant_id	integer	NN
branch_id	integer	
drug_id	integer	
drug_name	text	
drug_batch_id	integer	
dispense_id	integer	
prescription_id	integer	
patient_id	integer	
qty	integer	NN
balance_before	integer	
balance_after	integer	
schedule_class	text	
dispensed_by	integer	
witnessed_by	integer	
at	timestamp without	
created_at	timestamp without	

FORCE drug_batches 13 cols		
id	integer	NN
tenant_id	integer	NN
branch_id	integer	
drug_id	integer	NN
drug_name	text	
lot	text	
expiry_date	date	NN
qty_received	integer	NN
qty_on_hand	integer	NN
cost_price	numeric	
supplier_id	integer	
received_at	timestamp without	
created_at	timestamp without	

NONE drug_interactions 7 cols		
id	integer	NN
drug_a	text	
drug_b	text	
interaction_type	text	
severity	text	
description	text	
clinical_action	text	

FORCE emar_administrations

15 cols

 id	integer	NN
emar_order_id	integer	
patient_id	integer	
medication	text	
dose	text	
scheduled_time	text	
actual_time	text	
administered_by	text	
status	text	
reason_not_given	text	
vital_signs	text	
notes	text	
created_at	timestamp without	
tenant_id	integer	
facility_id	integer	

FORCE emar_orders

16 cols

 id	integer	NN
patient_id	integer	
patient_name	text	
admission_id	integer	
medication	text	
dose	text	
route	text	
frequency	text	
start_date	text	
end_date	text	
prescriber	text	
status	text	
notes	text	
created_at	timestamp without	
tenant_id	integer	
facility_id	integer	

FORCE idempotency_keys

9 cols

 id	bigint	NN
tenant_id	integer	
idem_key	text	NN
route	text	NN
status	text	NN
response_status	integer	
response_body	jsonb	
created_at	timestamp with tim	NN
completed_at	timestamp with tim	

FORCE mar_administrations

19 cols

 id	integer	NN
tenant_id 	integer	NN
facility_id	integer	
patient_id 	integer	NN
prescription_ref 	integer	
medication	text	NN
dose	text	
route	text	
scheduled_at	timestamp without	
administered_at	timestamp without	
administered_by	integer	
administered_by_name	text	
witness_by	integer	
witness_by_name	text	
status	text	NN
override_reason	text	
cds_warnings	text	
notes	text	
created_at	timestamp without	

FORCE medication_reconciliations 20 cols

 id	integer	NN
patient_id	integer	NN
admission_id	integer	
reconciliation_type	character varying	NN
performed_by	integer	
performed_by_name	text	
performed_at	timestamp with tim	
status	character varying	
reviewed_by	text	
reviewed_at	timestamp with tim	
home_medications	jsonb	
hospital_medications	jsonb	
discrepancies	jsonb	
allergy_verified	boolean	
high_alert_checked	boolean	
patient_counselled	boolean	
notes	text	
tenant_id	integer	NN
facility_id	integer	
created_at	timestamp with tim	

FORCE order_items 7 cols

 id	integer	NN
tenant_id  tenants	integer	NN
order_id  orders	integer	NN
catalog_ref	text	
qty	integer	NN
instructions	text	
created_at	timestamp without	

FORCE order_sets 5 cols

 id	integer	NN
tenant_id  tenants	integer	NN
name	text	NN
items_json	text	NN
created_at	timestamp without	

FORCE orders 10 cols

 id	integer	NN
tenant_id  tenants	integer	NN
facility_id	integer	
encounter_id	integer	
patient_id	integer	NN
type	text	NN
status	text	NN
ordered_by	integer	
order_set_id  order_sets	integer	
created_at	timestamp without	

FORCE prescriptions 10 cols

 id	integer	NN
patient_id	integer	
doctor_id	integer	
medication_id	integer	
dosage	text	
duration	text	
status	text	
created_at	timestamp without	
tenant_id	integer	NN
facility_id	integer	

§9.4 · Lab & Pathology

▸ Lab & Pathology (11 tables · 175 cols)

Specimens, results, QC, microbiology, biopsies, path reports, molecular

FORCE biopsy_samples

10 cols

 id	integer	NN
patient_id  patients	integer	NN
doctor_id  system_users	integer	
specimen_source	text	NN
clinical_notes	text	
status	text	
result_findings	text	
created_at	timestamp without	
tenant_id	integer	NN
facility_id	integer	

FORCE diag_molecular_logs

9 cols

 id	uuid	NN
tenant_id	uuid	NN
patient_id	uuid	NN
log_date	timestamp with tim	
test_type	character varying	
gene_mutation	character varying	
variant_allele_frequency	double precision	
molecular_typing	text	
created_at	timestamp with tim	


NONE icd10_codes

3 cols

code	text	NN
description_en	text	
description_ar	text	

FORCE lab_critical_callbacks

11 cols

 id	integer	NN
tenant_id  tenants	integer	NN
facility_id	integer	
result_id  lab_results	integer	NN
notified_to	text	NN
notified_by	integer	
notified_by_name	text	
notified_at	timestamp without	
ack	integer	
notes	text	
created_at	timestamp without	

FORCE lab_loinc_codes

19 cols

 id	integer	NN
loinc_code	character varying	NN
short_name	text	
long_name	text	
component	text	
property	text	
time_aspect	character varying	
system	text	
scale	character varying	
method	text	
class_name	text	
panel_name	text	
specimen_type	text	
unit	text	
normal_range_male	text	
normal_range_female	text	
is_active	boolean	
tenant_id	integer	NN
created_at	timestamp with tim	

FORCE lab_microbiology

27 cols

 id	integer	NN
order_id	integer	
patient_id	integer	NN
admission_id	integer	
specimen_type	character varying	
collection_date	date	
collection_time	time without time	
collection_site	text	
gram_stain	text	
preliminary_result	text	
final_result	text	
organism_identified	text	
colony_count	text	
sensitivity_results	jsonb	
antibiogram_profile	text	
report_status	character varying	
reported_by	text	
reported_at	timestamp with tim	
verified_by	text	
verified_at	timestamp with tim	
critical_value	boolean	
critical_notified_to	text	
critical_notified_at	timestamp with tim	
loinc_code	character varying	
tenant_id	integer	NN

+2 more cols...

FORCE lab_qc

16 cols

 id	integer	NN
tenant_id  tenants	integer	NN
facility_id	integer	
analyzer	text	NN
analyte	text	NN
level	text	NN
value	real	
target	real	
sd	real	
z	real	
westgard_flag	text	
breach	integer	
reagent_lot	text	
entered_by	integer	
at	timestamp without	
created_at	timestamp without	

FORCE lab_radiology_orders

19 cols

 id	integer	NN
patient_id	integer	
doctor_id	integer	
order_type	text	
description	text	
status	text	
sample_serial	text	
result_date	text	
sms_sent	integer	
results	text	
radiology_images_paths	text	
structured_report	text	
is_radiology	integer	
price	real	
approval_status	text	
approved_by	text	
created_at	timestamp without	
tenant_id	integer	
facility_id	integer	

FORCE lab_results

26 cols

 id	integer	NN
order_id	integer	
test_id	integer	
result_value	text	
is_abnormal	integer	
notes	text	
tenant_id  tenants	integer	NN
facility_id	integer	
lab_sample_id	integer	
loinc	text	
test_name	text	
value	text	
unit	text	
normal_range	text	
ref_low	real	
ref_high	real	
abnormal_flag	text	
delta_pct	real	
is_critical	integer	
status	text	
hold_reasons	text	
verified_by	integer	
verified_at	timestamp without	
reported	integer	
reported_at	timestamp without	

+ 1 more cols...

FORCE lab_samples

16 cols

 id	integer	NN
tenant_id  tenants	integer	NN
facility_id	integer	
lab_order_id	integer	
patient_id	integer	
barcode	text	NN
state	text	NN
collected_by	integer	
collected_at	timestamp without	
received_by	integer	
received_at	timestamp without	
rejected_reason	text	
rejected_by	integer	
rejected_at	timestamp without	
notes	text	
created_at	timestamp without	

FORCE pathology_cases

19 cols

 id	integer	NN
patient_id	integer	
patient_name	text	
specimen_type	text	
collection_date	text	
received_date	text	
pathologist	text	
gross_description	text	
microscopic_findings	text	
diagnosis	text	
icd_code	text	
stage	text	
grade	text	
status	text	
report_date	text	
notes	text	
created_at	timestamp without	
tenant_id	integer	
facility_id	integer	

\$10.5 · Radiology & Imaging

▸ Radiology & Imaging (3 tables · 22 cols)

Radiology orders, advanced metrics, nuclear med, overrides, AI vectors

FORCE nuclear_med_logs8 cols		
id	uuid	NN
tenant_id	uuid	NN
patient_id	uuid	NN
tracer_used	character varying	
suv_max	double precision	
uptake_region	character varying	
quantification_value	double precision	
created_at	timestamp with tim	

FORCE radiology_advanced_metrics9 cols		
id	uuid	NN
tenant_id	uuid	NN
patient_id	uuid	NN
procedure_id	uuid	
lesion_volume_mm3	double precision	
kinetic_curve_type	character varying	
contrast_enhancement_rate	double precision	
ai_detection_confidence	double precision	
created_at	timestamp with tim	

NONE radiology_catalog5 cols		
id	integer	NN
modality	text	
exact_name	text	
default_template	text	
price	real	

§11.6 · Specialty Clinical (136 tables)

| ▶ Specialty Clinical (136 tables) (85 tables · 1023 cols)

Surgery, ICU, OB/GYN, ED, Cardiology, Dental, Derm, Eye, ENT, Burn, Ortho, Neuro, Gyn Onc, GI, Pulm, Psych, Renal, Endo, Cosmetics, Rehab, Social work, Blood bank, CME

FORCE ams_flags15 cols		
id	integer	NN
tenant_id	→tenantsinteger	NN
facility_id	integer	
patient_id	→patientsinteger	NN
patient_name	text	
antibiotic	text	NN
flag_reason	text	NN
severity	text	NN
flagged_by	text	
reviewed_by	text	
reviewed_at	timestamp without	
review_outcome	text	
status	text	NN
notes	text	
created_at	timestamp without	

FORCE audiogram_records39 cols		
id	integer	NN
patient_id	→patientsinteger	NN
doctor_id	→system_usersinteger	
test_date	date	NN
right_ac_250	integer	
right_ac_500	integer	
right_ac_1000	integer	
right_ac_2000	integer	
right_ac_4000	integer	
right_ac_8000	integer	
left_ac_250	integer	
left_ac_500	integer	
left_ac_1000	integer	
left_ac_2000	integer	
left_ac_4000	integer	
left_ac_8000	integer	
right_bc_250	integer	
right_bc_500	integer	
right_bc_1000	integer	
right_bc_2000	integer	
right_bc_4000	integer	
left_bc_250	integer	
left_bc_500	integer	
left_bc_1000	integer	
left_bc_2000	integer	

+ 14 more cols...

FORCE audiometry_metrics9 cols		
id	uuid	NN
tenant_id	uuid	NN
patient_id	uuid	NN
log_time	timestamp with tim	
frequency_hz	ARRAY	
threshold_db	ARRAY	
tympanometry_type	character varying	
air_bone_gap	double precision	
created_at	timestamp with tim	

FORCE blood_bank_crossmatch14 cols		
id	integer	NN
patient_id	integer	
patient_name	text	
patient_blood_type	text	
units_needed	integer	
unit_id	integer	
lab_technician	text	
result	text	
surgery_id	integer	
notes	text	
created_at	timestamp without	
tenant_id	→tenantsinteger	NN
created_by	integer	
updated_at	timestamp without	

FORCE blood_bank_donors

17 cols

 id	integer	NN
donor_name	text	
donor_name_ar	text	
national_id	text	
phone	text	
blood_type	text	
rh_factor	text	
age	integer	
gender	text	
last_donation_date	text	
is_eligible	integer	
medical_history	text	
notes	text	
created_at	timestamp without	
tenant_id 	integer	NN
created_by	integer	
updated_at	timestamp without	

FORCE blood_bank_transfusion_reactions

14 cols

 id	integer	NN
tenant_id 	integer	NN
transfusion_id 	integer	NN
unit_id	integer	
patient_id	integer	
reaction_type	text	
severity	text	
reaction_details	text	
vital_signs_after	text	
action_taken	text	
reported_by	text	
created_by	integer	
created_at	timestamp without	
updated_at	timestamp without	

FORCE blood_bank_transfusions

22 cols

 id	integer	NN
patient_id	integer	
patient_name	text	
unit_id	integer	
bag_number	text	
blood_type	text	
component	text	
administered_by	text	
start_time	text	
end_time	text	
volume_ml	integer	
adverse_reaction	integer	
reaction_details	text	
vital_signs_before	text	
vital_signs_after	text	
notes	text	
created_at	timestamp without	
tenant_id 	integer	NN
facility_id	integer	
crossmatch_id	integer	
created_by	integer	
updated_at	timestamp without	

FORCE blood_bank_units

17 cols

 id	integer	NN
bag_number	text	
blood_type	text	
rh_factor	text	
component	text	
donor_id	integer	
collection_date	text	
expiry_date	text	
volume_ml	integer	
status	text	
storage_location	text	
notes	text	
created_at	timestamp without	
tenant_id 	integer	NN
facility_id	integer	
created_by	integer	
updated_at	timestamp without	

FORCE burn_resuscitation_logs

9 cols

 id	uuid	NN
tenant_id	uuid	NN
patient_id	uuid	NN
log_time	timestamp with tim	
tbsa_percent	double precision	
fluid_volume_ml	double precision	
fluid_type	character varying	
urine_output_ml_hr	double precision	
created_at	timestamp with tim	

FORCE cardiac_medications

10 cols

 id	uuid	NN
tenant_id	uuid	NN
patient_id	uuid	NN
drug_name	character varying	NN
dosage	character varying	
frequency	character varying	
start_date	date	
end_date	date	
is_active	boolean	
created_at	timestamp with tim	

FORCE cardio_thoracic_metrics

9 cols

 id	uuid	NN
procedure_id	uuid	NN
tenant_id	uuid	NN
cpb_start	timestamp with tim	
cpb_end	timestamp with tim	
cross_clamp_start	timestamp with tim	
cross_clamp_end	timestamp with tim	
pump_flow_rate	numeric	
created_at	timestamp with tim	

FORCE cardiology_cath_reports

9 cols

 id	integer	NN
patient_id	integer	
blockage_lad	integer	
blockage_lcx	integer	
blockage_rca	integer	
findings	text	
tenant_id	integer	
facility_id	integer	
created_at	timestamp without	

FORCE cardiology_visits

11 cols

 id	uuid	NN
tenant_id	uuid	NN
patient_id	uuid	NN
doctor_id	uuid	NN
bp_systolic	integer	
bp_diastolic	integer	
heart_rate	integer	
ef_percentage	numeric	
notes	text	
created_at	timestamp with tim	
updated_at	timestamp with tim	

FORCE cochlear_implant_registry

9 cols

 id	uuid	NN
tenant_id	uuid	NN
patient_id	uuid	NN
procedure_id	uuid	
→ent_surgical		
implant_brand	character varying	
implant_model	character varying	
serial_number	character varying	
mapping_parameters	jsonb	
created_at	timestamp with tim	

FORCE cosmetic_cases

23 cols

 id	integer	NN
patient_id	integer	
patient_name	text	
procedure_id	integer	
procedure_name	text	
surgeon	text	
assistant	text	
anesthetist	text	
surgery_date	text	
surgery_time	text	
duration_minutes	integer	
anesthesia_type	text	
operating_room	text	
pre_op_notes	text	
operative_notes	text	
post_op_notes	text	
complications	text	
total_cost	numeric	
payment_status	text	
status	text	
created_at	timestamp without	
tenant_id	integer	
facility_id	integer	

FORCE cosmetic_consents

24 cols

 id	integer	NN
case_id	integer	
patient_id	integer	
patient_name	text	
procedure_name	text	
consent_type	text	
surgeon	text	
risks_explained	text	
alternatives_explained	text	
expected_results	text	
limitations	text	
patient_questions	text	
is_photography_consent	integer	
is_anesthesia_consent	integer	
is_blood_transfusion_consent	integer	
witness_name	text	
consent_date	text	
consent_time	text	
patient_signature	text	
witness_signature	text	
status	text	
created_at	timestamp without	
tenant_id	integer	
facility_id	integer	

FORCE cosmetic_followups18 cols		
id	integer	NN
case_id	integer	
patient_id	integer	
patient_name	text	
followup_date	text	
days_post_op	integer	
healing_status	text	
pain_level	integer	
swelling	text	
complications	text	
patient_satisfaction	integer	
surgeon_notes	text	
next_followup	text	
surgeon	text	
status	text	
created_at	timestamp without	
tenant_id	integer	
facility_id	integer	

FORCE cosmetic_photos12 cols		
id	integer	NN
case_id	integer	
patient_id	integer	
photo_type	text	
photo_angle	text	
photo_date	text	
photo_path	text	
notes	text	
taken_by	text	
created_at	timestamp without	
tenant_id	integer	
facility_id	integer	

FORCE crit_care_hemodynamics10 cols		
id	uuid	NN
tenant_id	uuid	NN
patient_id	uuid	NN
log_time	timestamp with tim	
map_value	double precision	
cvp_value	double precision	
cardiac_output	double precision	
stroke_volume	double precision	
heart_rate	integer	
created_at	timestamp with tim	

FORCE crit_care_ventilation_logs10 cols		
id	uuid	NN
tenant_id	uuid	NN
patient_id	uuid	NN
log_time	timestamp with tim	
vent_mode	character varying	
rsbi_value	double precision	
weaning_status	character varying	
fio2_percent	double precision	
peep_cmh2o	double precision	
created_at	timestamp with tim	

FORCE dental_images

8 cols

 id	integer	NN
patient_id	integer	
tooth_number	integer	
image_path	text	
image_type	text	
tenant_id	integer	
facility_id	integer	
created_at	timestamp without	

FORCE dental_periodontal_exams

9 cols

 id	integer	NN
patient_id	integer	
tooth_number	integer	
probing_depth	integer	
bleeding_on_probing	boolean	
gingival_recession	integer	
tenant_id	integer	
facility_id	integer	
exam_date	timestamp without	

FORCE dental_records

9 cols

 id	integer	NN
patient_id	integer	
tooth_number	integer	
condition	text	
treatment_done	text	
visit_date	timestamp without	
tenant_id	integer	
facility_id	integer	
affected_surfaces	text	

FORCE dialysis_sessions

19 cols

 id	integer	NN
patient_id	integer	NN
doctor_id	integer	
	→system_users	
session_date	date	NN
weight_pre	numeric	
weight_post	numeric	
blood_flow_rate	integer	
ultrafiltration_volume	numeric	
duration_hours	numeric	
notes	text	
created_at	timestamp without	
tenant_id	integer	NN
facility_id	integer	
dialysis_type	character varying	NN
ultrafiltration_target_liters	numeric	
blood_flow_rate_ml_min	integer	
dialysate_flow_rate_ml_min	integer	
pre_weight_kg	numeric	
post_weight_kg	numeric	

FORCE ecg_records

9 cols

 id	integer	NN
patient_id	integer	NN
doctor_id	integer	
	→system_users	
leads_data	jsonb	NN
heart_rate	integer	
interpretation	text	
created_at	timestamp without	
tenant_id	integer	NN
facility_id	integer	

FORCE ecg_reports

11 cols

 id	uuid	NN
tenant_id	uuid	NN
visit_id	uuid	
	→cardiology_v	
patient_id	uuid	NN
ecg_type	character varying	
interpretation	text	
rhythm	character varying	
axis	character varying	
conclusion	text	
ecg_image_url	text	
created_at	timestamp with tim	

FORCE ent_surgical_logs

11 cols

 id	uuid	NN
tenant_id	uuid	NN
patient_id	uuid	NN
surgeon_id	uuid	NN
operation_date	timestamp with tim	
procedure_type	character varying	
side	character varying	
duration_minutes	integer	
complications	text	
created_at	timestamp with tim	
updated_at	timestamp with tim	

FORCE ep_ablation_logs

9 cols

 id	uuid	NN
procedure_id	uuid	NN
tenant_id	uuid	NN
site_name	text	NN
energy_joules	numeric	
duration_sec	numeric	
modality	text	
success_indicator	boolean	
created_at	timestamp with tim	

FORCE financial_integrity_logs 8 cols

 id	uuid	NN
tenant_id	uuid	NN
log_date	timestamp with tim	
revenue_leakage_amount	double precision	
cost_per_case_avg	double precision	
billing_anomaly_detected	boolean	
anomaly_description	text	
created_at	timestamp with tim	

FORCE flap_monitoring_metrics 10 cols

 id	uuid	NN
tenant_id	uuid	NN
patient_id	uuid	NN
procedure_id	uuid	
→plastic_burn		
log_time	timestamp with tim	
perfusion_status	character varying	
capillary_refill_sec	double precision	
color_status	character varying	
temperature_c	double precision	
created_at	timestamp with tim	

FORCE fracture_management_logs 9 cols

 id	uuid	NN
tenant_id	uuid	NN
patient_id	uuid	NN
fracture_site	character varying	
ao_ota_classification	character varying	
reduction_type	character varying	
reduction_status	character varying	
fixation_method	character varying	
created_at	timestamp with tim	

FORCE gastro_encounters 14 cols

 id	uuid	NN
tenant_id	uuid	NN
patient_id	uuid	NN
doctor_id	uuid	NN
encounter_date	timestamp with tim	
chief_complaint	text	
gi_history	text	
dietary_habits	text	
physical_exam_findings	jsonb	
diagnosis_code	character varying	
treatment_plan	text	
status	character varying	
created_at	timestamp with tim	
updated_at	timestamp with tim	

FORCE gastro_endoscopy_reports 12 cols

 id	uuid	NN
encounter_id	uuid	NN
→gastro_encou		
tenant_id	uuid	NN
procedure_type	character varying	
procedure_date	timestamp with tim	
sedation_used	character varying	
findings	text	
biopsy_taken	boolean	
biopsy_sites	text	
boston_bowel_score	integer	
recommendation	text	
created_at	timestamp with tim	

FORCE gastro_hepatic_markers 11 cols

 id	uuid	NN
encounter_id	uuid	NN
→gastro_encou		
tenant_id	uuid	NN
bilirubin_total	numeric	
bilirubin_direct	numeric	
alt_level	numeric	
ast_level	numeric	
alk_phos	numeric	
albumin	numeric	
child_pugh_score	character varying	
created_at	timestamp with tim	

FORCE glaucoma_metrics 9 cols

 id	uuid	NN
tenant_id	uuid	NN
patient_id	uuid	NN
log_time	timestamp with tim	
iop_value	double precision	
drainage_device	character varying	
cup_to_disc_ratio	double precision	
visual_field_loss_percent	double precision	
created_at	timestamp with tim	

FORCE gyn_oncology_registry 9 cols

 id	uuid	NN
tenant_id	uuid	NN
patient_id	uuid	NN
diagnosis	character varying	
stage	character varying	
grade	character varying	
treatment_plan	text	
surgery_type	character varying	
created_at	timestamp with tim	

FORCE hcm_credentialing_logs 7 cols

id	uuid	NN
tenant_id	uuid	NN
physician_id	uuid	
license_expiry_date	date	
credentialing_status	character varying	
last_audit_date	date	
created_at	timestamp with tim	

FORCE icu_daily_goals 35 cols

id	integer	NN
admission_id	integer	NN
patient_id	integer	NN
patient_name	text	
goal_date	date	NN
vent_goal_fio2	numeric	
vent_goal_peep	numeric	
vent_goal_tv	numeric	
vent_wean_plan	text	
sedation_target_rass	smallint	
daily_sat	boolean	
daily_sbt	boolean	
pain_goal_nrs	smallint	
delirium_cam_icu	text	
dvt_prophylaxis	text	
stress_ulcer_prophy	text	
nutrition_route	text	
caloric_goal_kcal	numeric	
protein_goal_g	numeric	
line_necessity_reviewed	boolean	
foley_necessity_reviewed	boolean	
oral_care_done	boolean	
hob_elevation	boolean	
mobility_goal	text	
family_update_done	boolean	

+ 10 more cols...

FORCE intracranial_pressure_logs 11 cols

id	uuid	NN
tenant_id	uuid	NN
patient_id	uuid	NN
log_time	timestamp with tim	
icp_value	double precision	
map_value	double precision	
cpp_value	double precision	
gcs_score	integer	
pupil_status	text	
nurse_id	uuid	
created_at	timestamp with tim	

FORCE iol_registry 11 cols

id	uuid	NN
tenant_id	uuid	NN
patient_id	uuid	NN
procedure_id	uuid	
lens_type	character varying	
lens_power	double precision	
lens_brand	character varying	
lens_serial_number	character varying	
calculated_power	double precision	
actual_power	double precision	
created_at	timestamp with tim	

FORCE joint_replacement_registry 12 cols

 id	uuid	NN
tenant_id	uuid	NN
patient_id	uuid	NN
procedure_id →ortho_surgic	uuid	
joint_replaced	character varying	
implant_brand	character varying	
implant_model	character varying	
implant_serial_number	character varying	
implant_size	character varying	
alignment_angle	double precision	
stability_grade	character varying	
created_at	timestamp with tim	

FORCE maternal_fetal_metrics 12 cols

 id	uuid	NN
tenant_id	uuid	NN
patient_id	uuid	NN
gestational_age_weeks	double precision	
bpd_mm	double precision	
hc_mm	double precision	
ac_mm	double precision	
fl_mm	double precision	
estimated_fetal_weight_g	double precision	
growth_percentile	double precision	
doppler_velocity_cm_s	double precision	
created_at	timestamp with tim	

FORCE neonatal_transition_logs 11 cols

 id	uuid	NN
tenant_id	uuid	NN
patient_id	uuid	NN
birth_time	timestamp with tim	
apgar_1min	integer	
apgar_5min	integer	
apgar_10min	integer	
initial_stabilization_notes	text	
surfactant_administered	boolean	
surfactant_type	character varying	
created_at	timestamp with tim	

FORCE neuro_surgical_logs 14 cols

 id	uuid	NN
tenant_id	uuid	NN
patient_id	uuid	NN
surgeon_id	uuid	NN
operation_date	timestamp with tim	
procedure_type	character varying	
approach	character varying	
side	character varying	
duration_minutes	integer	
blood_loss_ml	integer	
intraop_findings	text	
complications	text	
created_at	timestamp with tim	
updated_at	timestamp with tim	

FORCE nicu_ventilation_logs 12 cols

 id	uuid	NN
tenant_id	uuid	NN
patient_id	uuid	NN
log_time	timestamp with tim	
vent_mode	character varying	
fio2_percent	double precision	
peep_cmh2o	double precision	
mean_airway_pressure_cmh2o	double precision	
tidal_volume_ml	double precision	
respiratory_rate_bpm	integer	
spo2_percent	double precision	
created_at	timestamp with tim	

FORCE obgyn_anc_tracking 11 cols

 id	uuid	NN
encounter_id →obgyn_encoun	uuid	NN
tenant_id	uuid	NN
fundal_height_cm	numeric	
fetal_heart_rate	integer	
fetal_presentation	character varying	
maternal_bp	character varying	
maternal_weight_kg	numeric	
edema_grade	character varying	
urine_protein	character varying	
created_at	timestamp with tim	

FORCE obgyn_delivery_logs 12 cols

 id	uuid	NN
tenant_id	uuid	NN
patient_id	uuid	NN
delivery_date	timestamp with tim	
delivery_mode	character varying	
delivery_duration_min	integer	
apgar_1min	integer	
apgar_5min	integer	
birth_weight_g	double precision	
maternal_blood_loss_ml	integer	
pph_status	boolean	
created_at	timestamp with tim	

FORCE obgyn_delivery_records 11 cols

 id	uuid	NN
encounter_id →obgyn_encoun	uuid	NN
tenant_id	uuid	NN
delivery_date	timestamp with tim	
delivery_mode	character varying	
baby_gender	character varying	
baby_weight_g	integer	
apgar_1min	integer	
apgar_5min	integer	
complications	text	
created_at	timestamp with tim	

FORCE obgyn_encounters

18 cols

 id	uuid	NN
tenant_id	uuid	NN
patient_id	uuid	NN
doctor_id	uuid	NN
encounter_date	timestamp with tim	
visit_type	character varying	
gravidia	integer	
para	integer	
lmp	date	
edd	date	
gestational_age_weeks	numeric	
chief_complaint	text	
physical_exam_findings	jsonb	
diagnosis_code	character varying	
treatment_plan	text	
status	character varying	
created_at	timestamp with tim	
updated_at	timestamp with tim	

FORCE obgyn_ivf_lab_logs

12 cols

 id	uuid	NN
tenant_id	uuid	NN
patient_id	uuid	NN
cycle_id	character varying	
log_date	timestamp with tim	
oocyte_count	integer	
fertilization_rate	double precision	
embryo_grade	character varying	
embryo_stage	character varying	
transfer_date	timestamp with tim	
cryopreservation_count	integer	
created_at	timestamp with tim	

FORCE oncology_patient_regimens

9 cols

 id	integer	NN
patient_id	integer	
regimen_name	text	
cycle_number	integer	
status	text	
start_date	text	
tenant_id	integer	
facility_id	integer	
created_at	timestamp without	

FORCE ophthalmic_surgical_logs

11 cols

 id	uuid	NN
tenant_id	uuid	NN
patient_id	uuid	NN
surgeon_id	uuid	NN
operation_date	timestamp with tim	
procedure_type	character varying	
eye_side	character varying	
duration_minutes	integer	
complications	text	
created_at	timestamp with tim	
updated_at	timestamp with tim	

FORCE ortho_surgical_logs

13 cols

 id	uuid	NN
tenant_id	uuid	NN
patient_id	uuid	NN
surgeon_id	uuid	NN
operation_date	timestamp with tim	
procedure_type	character varying	
approach	character varying	
duration_minutes	integer	
blood_loss_ml	integer	
intraop_findings	text	
complications	text	
created_at	timestamp with tim	
updated_at	timestamp with tim	

FORCE pathology_digital_logs

9 cols

 id	uuid	NN
tenant_id	uuid	NN
patient_id	uuid	NN
slide_id	character varying	
ihc_marker	character varying	
ihc_score	integer	
molecular_typing	text	
digital_slide_url	text	
created_at	timestamp with tim	

FORCE pci_hemodynamics

8 cols

 id	uuid	NN
tenant_id	uuid	NN
session_id	uuid	
 pci_sessions		
systolic_bp	integer	
diastolic_bp	integer	
heart_rate	integer	
mean_ap	integer	
timestamp	timestamp with tim	

FORCE pci_sessions

10 cols

 id	uuid	NN
tenant_id	uuid	NN
patient_id	uuid	NN
doctor_id	uuid	NN
access_site	character varying	
contrast_volume_ml	numeric	
fluoroscopy_time_min	numeric	
door_to_balloon_min	integer	
status	character varying	
created_at	timestamp with tim	

FORCE pediatric_immunizations 15 cols

 id	integer	NN
patient_id	integer	NN
vaccine_name	character varying	NN
dose_number	integer	
given_date	date	NN
batch_number	character varying	
site	character varying	
route	character varying	
next_due	date	
reaction	text	
given_by	text	NN
notes	text	
tenant_id	integer	NN
facility_id	integer	
created_at	timestamp with tim	

FORCE peds_cardio_logs 10 cols

 id	uuid	NN
tenant_id	uuid	NN
patient_id	uuid	NN
log_date	timestamp with tim	
chd_diagnosis	character varying	
aortic_zscore	double precision	
pulmonary_zscore	double precision	
ef_percent	double precision	
echo_findings	text	
created_at	timestamp with tim	

FORCE peds_growth_logs 12 cols

 id	uuid	NN
tenant_id	uuid	NN
patient_id	uuid	NN
log_date	timestamp with tim	
weight_kg	double precision	
length_cm	double precision	
head_circ_cm	double precision	
bmi	double precision	
weight_zscore	double precision	
length_zscore	double precision	
head_zscore	double precision	
created_at	timestamp with tim	

FORCE peds_milestone_tracking 9 cols

 id	uuid	NN
tenant_id	uuid	NN
patient_id	uuid	NN
milestone_category	character varying	
milestone_name	character varying	
status	character varying	
achievement_date	date	
notes	text	
created_at	timestamp with tim	

FORCE peds_nephro_logs 9 cols

 id	uuid	NN
tenant_id	uuid	NN
patient_id	uuid	NN
log_date	timestamp with tim	
gfr_calculated	double precision	
proteinuria_grade	character varying	
dialysis_type	character varying	
dialysis_frequency_per_week	integer	
created_at	timestamp with tim	

FORCE peds_neuro_logs 9 cols

 id	uuid	NN
tenant_id	uuid	NN
patient_id	uuid	NN
log_date	timestamp with tim	
seizure_type	character varying	
seizure_frequency_per_day	integer	
bayley_iii_score	double precision	
mri_findings	text	
created_at	timestamp with tim	

FORCE plastic_burns_surgical_logs 12 cols

 id	uuid	NN
tenant_id	uuid	NN
patient_id	uuid	NN
surgeon_id	uuid	NN
operation_date	timestamp with tim	
procedure_type	character varying	
approach	character varying	
duration_minutes	integer	
blood_loss_ml	integer	
complications	text	
created_at	timestamp with tim	
updated_at	timestamp with tim	

FORCE psychosocial_support_logs 9 cols

 id	uuid	NN
tenant_id	uuid	NN
patient_id	uuid	NN
log_date	timestamp with tim	
phq9_score	integer	
gad7_score	integer	
sdoh_markers	text	
support_system_grade	character varying	
created_at	timestamp with tim	

FORCE pulmonology_bronchoscopy 9 cols

 id	uuid	NN
encounter_id	uuid	NN
→pulmonology_		
tenant_id	uuid	NN
procedure_date	timestamp with tim	
findings	text	
biopsy_taken	boolean	
specimen_details	text	
complications	text	
created_at	timestamp with tim	

FORCE pulmonology_encounters 15 cols

 id	uuid	NN
tenant_id	uuid	NN
patient_id	uuid	NN
doctor_id	uuid	NN
encounter_date	timestamp with tim	
chief_complaint	text	
respiratory_history	text	
smoking_status	character varying	
pack_years	numeric	
physical_exam_findings	jsonb	
diagnosis_code	character varying	
treatment_plan	text	
status	character varying	
created_at	timestamp with tim	
updated_at	timestamp with tim	

FORCE pulmonology_pft_results 14 cols

 id	uuid	NN
encounter_id	uuid	NN
→pulmonology_		
tenant_id	uuid	NN
test_date	timestamp with tim	
fev1_predicted	numeric	
fev1_actual	numeric	
fvc_predicted	numeric	
fvc_actual	numeric	
fev1_fvc_ratio	numeric	
dlco_predicted	numeric	
dlco_actual	numeric	
interpretation	text	
gold_stage	character varying	
created_at	timestamp with tim	

FORCE pulmonology_sleep_studies 10 cols

 id	uuid	NN
encounter_id	uuid	NN
→pulmonology_		
tenant_id	uuid	NN
study_date	timestamp with tim	
ahi_index	numeric	
lowest_oxygen_saturation	numeric	
sleep_efficiency	numeric	
diagnosis	character varying	
recommendation	text	
created_at	timestamp with tim	

FORCE rehab_occupational_logs 8 cols

 id	uuid	NN
tenant_id	uuid	NN
patient_id	uuid	NN
log_date	timestamp with tim	
adl_score	integer	
adaptive_equipment_needed	text	
cognitive_function_score	double precision	
created_at	timestamp with tim	

FORCE rehab_physical_logs 10 cols

 id	uuid	NN
tenant_id	uuid	NN
patient_id	uuid	NN
log_date	timestamp with tim	
joint_name	character varying	
rom_degrees	double precision	
mmt_grade	integer	
gait_status	character varying	
balance_score	double precision	
created_at	timestamp with tim	

FORCE rehab_speech_logs 8 cols

 id	uuid	NN
tenant_id	uuid	NN
patient_id	uuid	NN
log_date	timestamp with tim	
dysphagia_grade	integer	
communication_level	character varying	
voice_quality	character varying	
created_at	timestamp with tim	

FORCE sepsis_bundle_tracking 10 cols

 id	uuid	NN
tenant_id	uuid	NN
patient_id	uuid	NN
bundle_start_time	timestamp with tim	
lactate_initial	double precision	
lactate_followup	double precision	
antibiotics_administered	boolean	
fluid_resuscitation_ml	integer	
bundle_compliance_status	character varying	
created_at	timestamp with tim	

FORCE shock_titration_logs

9 cols

 id	uuid	NN
tenant_id	uuid	NN
patient_id	uuid	NN
log_time	timestamp with tim	
drug_name	character varying	
dose_mcg_kg_min	double precision	
response_map_value	double precision	
titration_action	character varying	
created_at	timestamp with tim	

FORCE spine_stability_metrics

12 cols

 id	uuid	NN
tenant_id	uuid	NN
patient_id	uuid	NN
assessment_date	timestamp with tim	
spinal_level	character varying	
asia_impairment_grade	character varying	
motor_score	integer	
sensory_score	integer	
stability_grade	character varying	
fusion_recommended	boolean	
surgeon_id	uuid	
created_at	timestamp with tim	

FORCE stent_registry

10 cols

 id	uuid	NN
tenant_id	uuid	NN
session_id	uuid	
 pci_sessions		
vessel_segment	character varying	
stent_brand	character varying	
diameter_mm	numeric	
length_mm	numeric	
material	character varying	
pressure_post_dilation	numeric	
created_at	timestamp with tim	

FORCE surgery_encounters

16 cols

 id	uuid	NN
tenant_id	uuid	NN
patient_id	uuid	NN
surgeon_id	uuid	NN
encounter_date	timestamp with tim	
surgical_indication	text	
pre_op_diagnosis	text	
post_op_diagnosis	text	
surgical_approach	character varying	
anesthesia_type	character varying	
operation_time_min	integer	
blood_loss_ml	integer	
complications	text	
status	character varying	
created_at	timestamp with tim	
updated_at	timestamp with tim	

FORCE surgery_implants

9 cols

 id	uuid	NN
encounter_id	uuid	NN
 surgery_enco		
tenant_id	uuid	NN
implant_type	character varying	
brand_model	character varying	
serial_number	character varying	
lot_number	character varying	
position_details	text	
created_at	timestamp with tim	

FORCE surgery_wound_logs

9 cols

 id	uuid	NN
encounter_id	uuid	NN
 surgery_enco		
tenant_id	uuid	NN
check_date	timestamp with tim	
wound_status	character varying	
drainage_amount_ml	numeric	
drainage_type	character varying	
intervention_taken	text	
created_at	timestamp with tim	

FORCE surgical_intra_op_logs

9 cols

 id	uuid	NN
procedure_id	uuid	NN
tenant_id	uuid	NN
estimated_blood_loss	numeric	
actual_blood_loss	numeric	
anesthesia_start	timestamp with tim	
anesthesia_end	timestamp with tim	
tourniquet_time_min	integer	
created_at	timestamp with tim	

FORCE surgical_robotic_logs

7 cols

 id	uuid	NN
procedure_id	uuid	NN
tenant_id	uuid	NN
robot_model	text	
console_time_min	integer	
port_locations	text	
created_at	timestamp with tim	

FORCE telemedicine_sessions

17 cols

 id	integer	NN
patient_id	integer	
patient_name	text	
doctor	text	
speciality	text	
session_type	text	
scheduled_date	text	
scheduled_time	text	
duration_minutes	integer	
meeting_link	text	
diagnosis	text	
prescription	text	
status	text	
notes	text	
created_at	timestamp without	
tenant_id	integer	
facility_id	integer	

FORCE urology_oncology_metrics

9 cols

 id	uuid	NN
tenant_id	uuid	NN
patient_id	uuid	NN
log_time	timestamp with tim	
psa_level	double precision	
gleason_score	character varying	
tumor_grade	character varying	
treatment_response	character varying	
created_at	timestamp with tim	

FORCE urology_stone_registry

9 cols

 id	uuid	NN
tenant_id	uuid	NN
patient_id	uuid	NN
procedure_id	uuid	
 urology_surg		
stone_location	character varying	
stone_size_mm	double precision	
stone_composition	character varying	
fragmentation_success	boolean	
created_at	timestamp with tim	

FORCE urology_surgical_logs

12 cols

 id	uuid	NN
tenant_id	uuid	NN
patient_id	uuid	NN
surgeon_id	uuid	NN
operation_date	timestamp with tim	
procedure_type	character varying	
approach	character varying	
duration_minutes	integer	
blood_loss_ml	integer	
complications	text	
created_at	timestamp with tim	
updated_at	timestamp with tim	

FORCE vascular_graft_registry

9 cols

 id	uuid	NN
procedure_id	uuid	NN
tenant_id	uuid	NN
graft_type	text	
material	text	
diameter_mm	numeric	
location	text	
patency_check_result	text	
created_at	timestamp with tim	

§12.7 · Nursing & Observations

▸ **Nursing & Observations** (10 tables · 133 cols)
Vitals, nursing scores, IO, handover, care plans, ECG, nutrition, diet

FORCE diet_meals

13 cols

 id	integer	NN
order_id	integer	
patient_id	integer	
meal_type	text	
meal_date	text	
items	text	
calories	integer	
delivered	integer	
delivered_by	text	
consumed_percentage	integer	
notes	text	
created_at	timestamp without	
tenant_id 	integer	NN

FORCE diet_orders

19 cols

 id	integer	NN
admission_id	integer	
patient_id	integer	
patient_name	text	
diet_type	text	
diet_type_ar	text	
texture	text	
fluid	text	
allergies	text	
restrictions	text	
supplements	text	
ordered_by	text	
meal_preferences	text	
start_date	text	
end_date	text	
status	text	
notes	text	
created_at	timestamp without	
tenant_id 	integer	NN

FORCE ecg_records

9 cols

 id	integer	NN
patient_id 	integer	NN
doctor_id 	integer	
leads_data	jsonb	NN
heart_rate	integer	
interpretation	text	
created_at	timestamp without	
tenant_id	integer	NN
facility_id	integer	

FORCE ecg_reports

11 cols

 id	uuid	NN
tenant_id	uuid	NN
visit_id 	uuid	
patient_id	uuid	NN
ecg_type	character varying	
interpretation	text	
rhythm	character varying	
axis	character varying	
conclusion	text	
ecg_image_url	text	
created_at	timestamp with tim	

FORCE nursing_assessments

14 cols

 id	integer	NN
patient_id	integer	
patient_name	text	
assessment_type	text	
fall_risk_score	integer	
braden_score	integer	
pain_score	integer	
gcs_score	integer	
nurse	text	
shift	text	
notes	text	
created_at	timestamp without	
tenant_id	integer	
facility_id	integer	

FORCE nursing_care_plans

15 cols

 id	integer	NN
patient_id	integer	
patient_name	text	
admission_id	integer	
diagnosis	text	
priority	text	
goals	text	
interventions	text	
expected_outcomes	text	
nurse	text	
status	text	
review_date	text	
created_at	timestamp without	
tenant_id	integer	
facility_id	integer	

FORCE nursing_handover

11 cols

 id	integer	NN
tenant_id 	integer	NN
patient_id	integer	
nurse_name	character varying	
shift	character varying	
sbar_s	text	
sbar_b	text	
sbar_a	text	
sbar_r	text	
news2_score	integer	
created_at	timestamp with tim	

FORCE nursing_io

11 cols

 id	integer	NN
tenant_id 	integer	NN
patient_id	integer	
entry_type	character varying	NN
source	character varying	NN
volume_ml	integer	NN
entry_time	character varying	
shift	character varying	
nurse_name	character varying	
notes	text	
created_at	timestamp with tim	

FORCE nursing_io_records

13 cols

 id	integer	NN
tenant_id  tenants	integer	NN
facility_id	integer	
patient_id  patients	integer	NN
direction	text	NN
category	text	
amount_ml	integer	NN
recorded_by	integer	
recorded_by_name	text	
shift	text	
notes	text	
recorded_at	timestamp without	
created_at	timestamp without	

FORCE nutrition_assessments

17 cols

 id	integer	NN
patient_id	integer	
patient_name	text	
assessment_date	text	
height_cm	real	
weight_kg	real	
bmi	real	
bmi_category	text	
ideal_body_weight	real	
caloric_needs	integer	
protein_needs	real	
screening_score	integer	
malnutrition_risk	text	
plan	text	
assessed_by	text	
created_at	timestamp without	
tenant_id  tenants	integer	NN

\$13.8 · Beds, Wards & Facility Ops

▸ **Beds, Wards & Facility Ops** (17 tables · 250 cols)

Beds, wards, transfers, maintenance, CSSD, biomedical, supply chain, transport, waste, vendors

FORCE bed_status_history

11 cols

 id	integer	NN
bed_id →beds	integer	NN
admission_id →admissions	integer	
patient_id →patients	integer	
from_status	text	NN
to_status	text	NN
reason	text	
changed_by	text	
changed_at	timestamp without	
tenant_id →tenants	integer	NN
facility_id	integer	

FORCE bed_transfers

12 cols

 id	integer	NN
admission_id	integer	
patient_id	integer	
from_ward	integer	
from_bed	integer	
to_ward	integer	
to_bed	integer	
transfer_reason	text	
transferred_by	text	
transfer_date	timestamp without	
tenant_id →tenants	integer	NN
branch_id	integer	

FORCE beds

12 cols

 id	integer	NN
ward_id	integer	
bed_number	text	
bed_type	text	
room_number	text	
status	text	
current_patient_id	integer	
current_admission_id	integer	
isolation_type	text	
notes	text	
tenant_id →tenants	integer	NN
branch_id	integer	

FORCE cssd_instrument_sets

13 cols

 id	integer	NN
set_name	text	
set_name_ar	text	
set_code	text	
category	text	
instrument_count	integer	
instruments_list	text	
department	text	
status	text	
notes	text	
tenant_id →tenants	integer	NN
facility_id	integer	
created_at	timestamp without	

FORCE cssd_load_items

12 cols

 id	integer	NN
cycle_id	integer	
set_id	integer	
set_name	text	
barcode	text	
status	text	
used_in_surgery_id	integer	
used_date	text	
notes	text	
tenant_id →tenants	integer	NN
facility_id	integer	
quantity	integer	

FORCE cssd_sterilization_cycles

20 cols

 id	integer	NN
cycle_number	text	
machine_name	text	
cycle_type	text	
temperature	real	
pressure	real	
duration_minutes	integer	
start_time	timestamp without	
end_time	text	
operator	text	
bi_test_result	text	
ci_result	text	
status	text	
notes	text	
tenant_id →tenants	integer	NN
facility_id	integer	
bi_indicator_lot	text	
bi_result_recorded_at	timestamp without	
bi_result_by	text	
released_for_issue	integer	

FORCE cssd_trays

15 cols

 id	integer	NN
tray_code	text	
set_id →cssd_instrum	integer	
cycle_id →cssd_sterili	integer	
department	text	
status	text	NN
sterilized_at	timestamp without	
issued_to	text	
issued_at	timestamp without	
used_in_surgery_id	integer	
notes	text	
created_by	text	
created_at	timestamp without	
tenant_id →tenants	integer	NN
facility_id	integer	

FORCE device_calibrations

11 cols

 id	integer	NN
device_name	text	
serial_number	text	
calibration_date	text	
next_calibration_date	text	
calibrated_by	text	
status	text	
notes	text	
tenant_id	integer	NN
facility_id	integer	
created_at	timestamp with tim	

FORCE inventory 13 cols		
id	integer	NN
name	character varying	
category	character varying	
quantity	integer	
unit	character varying	
reorder_level	integer	
location	character varying	
supplier	character varying	
cost	numeric	
expiry_date	date	
created_at	timestamp without	
tenant_id	integer	
facility_id	integer	

FORCE inventory_items 16 cols		
id	integer	NN
item_name	text	
item_code	text	
barcode	text	
category	text	
unit	text	
cost_price	real	
stock_qty	integer	
min_qty	integer	
is_active	integer	
tenant_id →tenants	integer	NN
branch_id	integer	
facility_id	integer	
reorder_point	integer	
created_at	timestamp without	
updated_at	timestamp without	

FORCE maintenance_equipment 19 cols		
id	integer	NN
equipment_name	text	
equipment_name_ar	text	
equipment_code	text	
category	text	
manufacturer	text	
model	text	
serial_number	text	
department	text	
location	text	
purchase_date	text	
warranty_end	text	
last_calibration	text	
next_calibration	text	
last_pm	text	
next_pm	text	
status	text	
notes	text	
tenant_id	integer	

FORCE maintenance_pm_schedules 11 cols		
id	integer	NN
equipment_id	integer	
pm_type	text	
frequency	text	
last_done	text	
next_due	text	
performed_by	text	
checklist	text	
status	text	
notes	text	
tenant_id	integer	

FORCE maintenance_work_orders 19 cols

 id	integer	NN
wo_number	text	
request_type	text	
priority	text	
department	text	
location	text	
equipment_id	integer	
description	text	
description_ar	text	
requested_by	text	
assigned_to	text	
scheduled_date	text	
completed_date	text	
cost	real	
status	text	
resolution	text	
created_at	timestamp without	
tenant_id	integer	
branch_id	integer	

FORCE supply_chain_metrics 8 cols

 id	uuid	NN
tenant_id	uuid	NN
item_id	uuid	
inventory_level	integer	
cold_chain_temp_c	double precision	
temp_deviation_alert	boolean	
reorder_point_reached	boolean	
created_at	timestamp with tim	

FORCE transport_requests 17 cols

 id	integer	NN
patient_id	integer	
patient_name	text	
from_location	text	
to_location	text	
transport_type	text	
priority	text	
requested_by	text	
assigned_porter	text	
request_time	timestamp without	
pickup_time	text	
dropoff_time	text	
special_needs	text	
status	text	
notes	text	
tenant_id	integer	
branch_id	integer	

FORCE vendors 30 cols

 id	integer	NN
vendor_code	text	
vendor_name_ar	text	NN
vendor_name_en	text	
vendor_type	character varying	
contact_person	text	
phone	text	
email	text	
address	text	
city	text	
country	text	
vat_number	text	
commercial_register	text	
iban	text	
bank_name	text	
payment_terms	integer	
currency	character varying	
credit_limit	numeric	
total_outstanding	numeric	
rating	integer	
is_approved	boolean	
approved_by	text	
approved_at	timestamp with tim	
is_active	boolean	
contract_start	date	

+5 more cols...

FORCE wards 11 cols

 id	integer	NN
ward_name	text	
ward_name_ar	text	
ward_type	text	
floor	text	
building	text	
total_beds	integer	
status	text	
notes	text	
tenant_id 	integer	NN
branch_id	integer	

\$14.9 · Finance & Insurance

▸ Finance & Insurance (20 tables · 312 cols)

GL, AR/AP, invoices, ZATCA, NPHIES, insurance, claims, packages, billing integrity

FORCE daily_close

15 cols

 id	integer	NN
close_date	text	
cashier	text	
total_cash	numeric	
total_card	numeric	
total_insurance	numeric	
total_transactions	integer	
opening_balance	numeric	
closing_balance	numeric	
variance	numeric	
notes	text	
status	text	
closed_by	text	
created_at	timestamp without	
tenant_id 	integer	NN

NONE discount_rules

10 cols

 id	integer	NN
rule_name	text	
discount_type	text	
discount_value	real	
applies_to	text	
min_amount	real	
max_discount	real	
start_date	text	
end_date	text	
is_active	integer	

FORCE finance_accounts_payable

25 cols

 id	integer	NN
vendor_id	integer	
vendor_name	text	NN
invoice_number	text	NN
invoice_date	date	NN
due_date	date	
po_reference	text	
description	text	
subtotal	numeric	
vat_amount	numeric	
total_amount	numeric	NN
paid_amount	numeric	
payment_status	character varying	
payment_method	character varying	
payment_date	date	
payment_reference	text	
gl_account_code	character varying	
cost_center	character varying	
approved_by	text	
approved_at	timestamp with tim	
attachment_url	text	
notes	text	
tenant_id	integer	NN
facility_id	integer	
created_at	timestamp with tim	

FORCE finance_accounts_receivable

28 cols

 id	integer	NN
patient_id	integer	
patient_name	text	
payer_type	character varying	
payer_id	integer	
payer_name	text	
invoice_number	text	NN
visit_id	integer	
admission_id	integer	
invoice_date	date	NN
due_date	date	
subtotal	numeric	
discount_amount	numeric	
insurance_share	numeric	
patient_share	numeric	
vat_amount	numeric	
total_amount	numeric	NN
collected_amount	numeric	
collection_status	character varying	
last_payment_date	date	
last_payment_amount	numeric	
aging_bucket	character varying	
write_off_amount	numeric	
write_off_reason	text	
notes	text	

+3 more cols...

FORCE finance_chart_of_accounts

11 cols

 id	integer	NN
account_code	text	
account_name_ar	text	
account_name_en	text	
parent_id	integer	
account_level	integer	
account_type	text	
is_active	integer	
tenant_id 	integer	NN
account_class	text	
opening_balance	numeric	

FORCE finance_cost_centers

8 cols

 id	integer	NN
center_name	text	
center_code	text	
clinic_id	integer	
is_active	integer	
tenant_id 	integer	NN
facility_id	integer	
budget_amount	numeric	

FORCE finance_doctor_commissions

9 cols

 id	integer	NN
doctor_id	integer	
period	text	
total_revenue	real	
commission_rate	real	
commission_amount	real	
status	text	
tenant_id	integer	
facility_id	integer	

NONE finance_fiscal_years

6 cols

 id	integer	NN
year_name	text	
start_date	text	
end_date	text	
is_closed	integer	
closed_at	text	

FORCE **finance_journal_entries** 19 cols

 id	integer	NN
entry_number	text	
entry_date	text	
description	text	
reference	text	
is_auto	integer	
fiscal_year_id	integer	
is_posted	integer	
created_by	text	
created_at	timestamp without	
tenant_id  tenants	integer	NN
facility_id	integer	
branch_id	integer	
posting_status	text	
source_type	text	
posted_by	integer	
posted_at	timestamp without	
balanced_at	timestamp without	
reversal_of  finance_jour	integer	

FORCE **finance_report_snapshots** 18 cols

 id	integer	NN
report_type	character varying	NN
report_period_start	date	NN
report_period_end	date	NN
generated_by	text	
generated_at	timestamp with tim	
report_data	jsonb	NN
total_revenue	numeric	
total_expenses	numeric	
net_income	numeric	
total_assets	numeric	
total_liabilities	numeric	
total_equity	numeric	
status	character varying	
approved_by	text	
tenant_id	integer	NN
facility_id	integer	
created_at	timestamp with tim	

FORCE **finance_tax_declarations** 10 cols

 id	integer	NN
period_start	text	
period_end	text	
total_sales	real	
total_vat	real	
status	text	
submitted_at	text	
tenant_id	integer	
facility_id	integer	
branch_id	integer	

FORCE **finance_vouchers** 14 cols

 id	integer	NN
voucher_number	text	
voucher_type	text	
amount	numeric	
account_id	integer	
description	text	
payment_method	text	
reference	text	
voucher_date	text	
created_by	text	
created_at	timestamp without	
tenant_id	integer	
facility_id	integer	
branch_id	integer	

FORCE insurance_claims

28 cols

 id	integer	NN
patient_name	text	
insurance_company	text	
claim_amount	numeric	
status	text	
contract_id	integer	
policy_id	integer	
ucaf_dcaf_data	text	
waseel_status	text	
created_at	timestamp without	
tenant_id  tenants	integer	NN
facility_id	integer	
branch_id	integer	
patient_id  patients	integer	
invoice_id  invoices	integer	
admission_id	integer	
insurance_company_id  insurance_co	integer	
pre_auth_id	integer	
lifecycle_status	text	
approved_amount	numeric	
paid_amount	numeric	
patient_share	numeric	
nphies_claim_ref	text	
nphies_request_json	text	
nphies_response_json	text	

+3 more cols...

FORCE insurance_companies

7 cols

 id	integer	NN
name_ar	text	
name_en	text	
tpa_id	integer	
contact_info	text	
created_at	timestamp without	
tenant_id  tenants	integer	NN

FORCE insurance_policies

10 cols

 id	integer	NN
name	text	
class_type	text	
max_limit	real	
co_pay_percent	real	
co_pay_max	real	
dental_included	integer	
optical_included	integer	
maternity_included	integer	
tenant_id  tenants	integer	NN

FORCE invoices

25 cols

 id	integer	NN
patient_name	text	
total	numeric	
paid	integer	
order_id	integer	
service_type	text	
invoice_number	text	
description	text	
amount	numeric	
vat_amount	numeric	
patient_id	integer	
payment_method	text	
created_at	timestamp without	
tenant_id	integer	
facility_id	integer	
invoice_hash	character varying	
previous_invoice_hash	character varying	
payment_gateway_ref	character varying	
journal_entry_id  finance_jour	integer	
accounting_posting_status	text	
currency_code	character	NN
fx_rate_at_invoice	numeric	
base_currency_code	character	NN
fx_source	character varying	
fx_date	date	

FORCE **nphies_claim_status_inquiry** 10 cols

 id	integer	NN
claim_id	integer	
inquiry_date	timestamp with tim	
fhir_task_id	text	
status_code	character varying	
status_description	text	
nphies_request_json	jsonb	
nphies_response_json	jsonb	
tenant_id	integer	NN
created_at	timestamp with tim	

FORCE **nphies_remittance_advice** 13 cols

 id	integer	NN
claim_id	integer	
claim_number	text	
patient_name	text	
payment_date	date	
payment_amount	numeric	
payment_reference	text	
adjudication_status	character varying	
posted_to_gl	boolean	
gl_posted_date	timestamp with tim	
rejection_reason	text	
tenant_id	integer	NN
created_at	timestamp with tim	

FORCE **zatca_credit_notes** 22 cols

 id	integer	NN
original_invoice_id	integer	
credit_note_number	text	NN
buyer_name	text	
buyer_vat	text	
credit_reason	text	
credit_reason_code	character varying	
subtotal	numeric	
vat_amount	numeric	
total_with_vat	numeric	
ubl_xml	text	
xml_hash	text	
digital_stamp	text	
qr_code	text	
clearance_status	character varying	
submission_status	character varying	
zatca_response	jsonb	
invoice_counter	integer	
prev_invoice_hash	text	
tenant_id	integer	NN
facility_id	integer	
created_at	timestamp with tim	

FORCE **zatca_invoices** 24 cols

 id	integer	NN
invoice_id  invoices	integer	
invoice_number	text	
invoice_type	text	
seller_name	text	
seller_vat	text	
buyer_name	text	
buyer_vat	text	
total_before_vat	numeric	
vat_amount	numeric	
total_with_vat	numeric	
qr_code	text	
xml_hash	text	
submission_status	text	
submission_date	text	
zatca_response	text	
created_at	timestamp without	
tenant_id  tenants	integer	NN
facility_id	integer	
branch_id	integer	
ubl_xml	text	
digital_stamp	text	
qr_tlv	text	
clearance_status	text	

\$15.10 · Inventory & Procurement

▸ **Inventory & Procurement** (19 tables · 210 cols)
Items, batches, stock, purchases, goods receipts, dept requests

FORCE goods_receipt_items

11 cols

 id	integer	NN
grn_id →goods_receipt	integer	NN
po_item_id →purchase_ord	integer	
item_id →inventory_it	integer	NN
batch_id →inventory_ba	integer	
qty_received	integer	NN
lot_number	text	
expiry_date	date	
unit_cost	real	
tenant_id →tenants	integer	NN
facility_id	integer	

FORCE goods_receipts

8 cols

 id	integer	NN
grn_number	text	
po_id →purchase_ord	integer	NN
received_by	text	
received_at	timestamp without	
notes	text	
tenant_id →tenants	integer	NN
facility_id	integer	

FORCE inventory_batches

12 cols

 id	integer	NN
item_id →inventory_it	integer	NN
lot_number	text	
expiry_date	date	
qty_received	integer	NN
qty_on_hand	integer	NN
unit_cost	real	
received_at	timestamp without	
status	text	NN
tenant_id →tenants	integer	NN
facility_id	integer	
created_at	timestamp without	

FORCE inventory_dept_request_items

7 cols

 id	integer	NN
request_id	integer	
item_id	integer	
qty_requested	integer	
qty_approved	integer	
tenant_id	integer	
branch_id	integer	

FORCE inventory_dept_requests

9 cols

 id	integer	NN
department	text	
requested_by	text	
request_date	text	
status	text	
approved_by	text	
notes	text	
tenant_id	integer	
branch_id	integer	

FORCE inventory_issue_items

7 cols

 id	integer	NN
issue_id	integer	
item_id	integer	
qty	integer	
notes	text	
tenant_id	integer	
branch_id	integer	

FORCE inventory_issue_to_dept

9 cols

 id	integer	NN
department	text	
issued_by	text	
issue_date	text	
status	text	
notes	text	
created_at	timestamp without	
tenant_id	integer	
branch_id	integer	

FORCE inventory_items

16 cols

 id	integer	NN
item_name	text	
item_code	text	
barcode	text	
category	text	
unit	text	
cost_price	real	
stock_qty	integer	
min_qty	integer	
is_active	integer	
tenant_id →tenants	integer	NN
branch_id	integer	
facility_id	integer	
reorder_point	integer	
created_at	timestamp without	
updated_at	timestamp without	

FORCE inventory_opening_balances 8 cols

 id	integer	NN
item_id	integer	
qty	integer	
unit_cost	real	
balance_date	text	
notes	text	
tenant_id	integer	
branch_id	integer	

FORCE inventory_purchase_items 8 cols

 id	integer	NN
purchase_id	integer	
item_id	integer	
qty	integer	
unit_cost	real	
total_cost	real	
tenant_id	integer	
branch_id	integer	

FORCE inventory_purchases 9 cols

 id	integer	NN
supplier_id	integer	
purchase_date	text	
total_amount	real	
status	text	
notes	text	
created_at	timestamp without	
tenant_id	integer	
branch_id	integer	

FORCE inventory_stock_count 9 cols

 id	integer	NN
item_id	integer	
counted_qty	integer	
system_qty	integer	
difference	integer	
count_date	text	
counted_by	text	
tenant_id	integer	
branch_id	integer	

FORCE pharmacy_controlled_substances 21 cols

 id	integer	NN
drug_name	text	NN
drug_code	text	
schedule_class	character varying	
dosage_form	character varying	
strength	text	
unit	character varying	
opening_balance	numeric	
received_qty	numeric	
dispensed_qty	numeric	
wasted_qty	numeric	
closing_balance	numeric	
discrepancy	numeric	
record_date	date	NN
location	character varying	
witnessed_by	text	
verified_by	text	
notes	text	
tenant_id	integer	NN
facility_id	integer	
created_at	timestamp with tim	

FORCE pharmacy_cs_transactions 21 cols

 id	integer	NN
cs_id 	integer	
patient_id	integer	
patient_name	text	
admission_id	integer	
transaction_type	character varying	
quantity	numeric	NN
balance_after	numeric	
witness1_name	text	
witness2_name	text	
witness1_id	integer	
witness2_id	integer	
administered_by	text	
administered_at	timestamp with tim	
reason	text	
waste_amount	numeric	
waste_reason	text	
is_signed	boolean	
tenant_id	integer	NN
facility_id	integer	
created_at	timestamp with tim	

FORCE pharmacy_drug_catalog 16 cols

 id	integer	NN
drug_name	text	
active_ingredient	text	
barcode	text	
category	text	
unit	text	
selling_price	real	
cost_price	real	
stock_qty	integer	
min_qty	integer	
expiry_date	text	
is_active	integer	
tenant_id	integer	
branch_id	integer	
is_controlled	integer	
schedule_class	text	

FORCE pharmacy_opening_balances 9 cols

 id	integer	NN
drug_id	integer	
qty	integer	
unit_cost	real	
expiry_date	text	
batch_number	text	
entry_date	timestamp without	
tenant_id	integer	
branch_id	integer	

FORCE pharmacy_purchase_items 10 cols		
 id	integer	NN
purchase_id	integer	
drug_id	integer	
qty	integer	
unit_cost	real	
bonus_qty	integer	
discount	real	
expiry_date	text	
batch_number	text	
tenant_id	integer	

FORCE pharmacy_purchase_orders 11 cols		
 id	integer	NN
supplier_id	integer	
order_date	text	
total_amount	real	
discount	real	
bonus_value	real	
status	text	
notes	text	
created_at	timestamp without	
tenant_id	integer	
branch_id	integer	

FORCE pharmacy_suppliers 9 cols		
 id	integer	NN
company_name	text	
contact_person	text	
phone	text	
email	text	
address	text	
tax_number	text	
notes	text	
tenant_id	integer	

\$16.11 · HR & Workforce

▸ **HR & Workforce** (15 tables · 171 cols)
Employees, attendance, leaves, payroll, GOSI, Nitaqat, credentials, HCM

FORCE employee_exposures

14 cols

 id	integer	NN
employee_id	integer	
employee_name	text	
exposure_type	text	
exposure_date	text	
source_patient	text	
body_fluid	text	
ppe_worn	text	
action_taken	text	
followup_date	text	
result	text	
reported_by	text	
created_at	timestamp without	
tenant_id	integer	

FORCE hcm_credentialing_logs

7 cols

 id	uuid	NN
tenant_id	uuid	NN
physician_id	uuid	
license_expiry_date	date	
credentialing_status	character varying	
last_audit_date	date	
created_at	timestamp with tim	

FORCE hr_advances

9 cols

 id	integer	NN
employee_id	integer	
amount	real	
request_date	text	
installments	integer	
remaining	real	
status	text	
notes	text	
tenant_id	integer	

FORCE hr_attendance

10 cols

 id	integer	NN
employee_id	integer	
attendance_date	text	
check_in	text	
check_out	text	
total_hours	real	
status	text	
source	text	
tenant_id	integer	
branch_id	integer	

FORCE hr_competencies

13 cols

 id	integer	NN
employee_id	integer	NN
→hr_employees		
competency_name	text	NN
cme_hours	real	NN
required_hours	real	NN
period_start	date	
period_end	date	
status	text	NN
notes	text	
created_by	text	
created_at	timestamp without	
tenant_id	integer	NN
→tenants		
facility_id	integer	

FORCE hr_credentialing

14 cols

 id	integer	NN
employee_id	integer	NN
employee_name	text	
credential_number	text	NN
credential_type	character varying	
issue_date	date	
expiry_date	date	NN
verification_status	character varying	
verified_by	text	
verified_at	timestamp with tim	
notes	text	
tenant_id	integer	NN
facility_id	integer	
created_at	timestamp with tim	

FORCE hr_employee_custody

8 cols

 id	integer	NN
employee_id	integer	
item_name	text	
handed_date	text	
returned_date	text	
status	text	
notes	text	
tenant_id	integer	

FORCE hr_employee_documents

9 cols

 id	integer	NN
employee_id	integer	
doc_type	text	
doc_number	text	
issue_date	text	
expiry_date	text	
file_path	text	
alert_days	integer	
tenant_id	integer	

FORCE hr_employees

18 cols

 id	integer	NN
emp_number	text	
name_ar	text	
name_en	text	
national_id	text	
phone	text	
email	text	
department	text	
job_title	text	
hire_date	text	
contract_end	text	
basic_salary	real	
housing_allowance	real	
transport_allowance	real	
is_active	integer	
tenant_id	integer	
facility_id	integer	
branch_id	integer	

FORCE hr_gosi_records

15 cols

 id	integer	NN
employee_id	integer	NN
employee_name	text	
month_year	date	NN
salary_base	numeric	
housing_allowance	numeric	
gosi_salary	numeric	
employee_share	numeric	
employer_share	numeric	
total_contribution	numeric	
nationality_status	character varying	
gosi_registered	boolean	
tenant_id	integer	NN
facility_id	integer	
created_at	timestamp with tim	

FORCE hr_leaves

10 cols

 id	integer	NN
employee_id	integer	
leave_type	text	
start_date	text	
end_date	text	
days	integer	
status	text	
approved_by	text	
notes	text	
tenant_id	integer	

FORCE hr_nitaqat_records

15 cols

 id	integer	NN
snapshot_date	date	NN
total_employees	integer	
saudi_employees	integer	
non_saudi_employees	integer	
saudization_pct	numeric	
required_pct	numeric	
nitaqat_band	character varying	
activity_code	text	
facility_size	character varying	
exempted_employees	integer	
details_json	jsonb	
tenant_id	integer	NN
facility_id	integer	
created_at	timestamp with tim	

FORCE hr_salaries

11 cols

 id	integer	NN
employee_id	integer	
month	text	
basic	numeric	
allowances	numeric	
deductions	numeric	
advances_deducted	numeric	
net_salary	numeric	
payment_date	text	
status	text	
tenant_id	integer	

FORCE hr_wps_files

13 cols

 id	integer	NN
file_reference	text	NN
payroll_month	date	NN
total_salary	numeric	
total_deductions	numeric	
net_salary	numeric	
record_count	integer	
sif_content	text	
submission_status	character varying	
submission_date	date	
tenant_id	integer	NN
facility_id	integer	
created_at	timestamp with tim	

NONE user_mfa_recovery_codes

5 cols

 id	integer	NN
user_id	integer	NN
code_hash	text	NN
used	boolean	NN
created_at	timestamp with tim	NN

\$17.12 · Quality, Safety & Compliance

▸ **Quality, Safety & Compliance** (9 tables · 149 cols)

Incidents, KPIs, CAPA, infection, hand hygiene

FORCE hai_isolation

17 cols

 id	integer	NN
tenant_id 	integer	NN
facility_id	integer	
patient_id 	integer	NN
patient_name	text	
surveillance_id	integer	
precaution_type	text	NN
hai_category	text	
organism	text	
ward	text	
bed	text	
effective_at	timestamp without	
resolved_at	timestamp without	
status	text	NN
notes	text	
created_by	text	
created_at	timestamp without	

FORCE hand_hygiene_audits

10 cols

 id	integer	NN
audit_date	text	
auditor	text	
department	text	
moments_observed	integer	
moments_compliant	integer	
compliance_rate	real	
notes	text	
created_at	timestamp without	
tenant_id	integer	

FORCE incident_reports

17 cols

 id	integer	NN
tenant_id	integer	
facility_id	integer	
incident_type	character varying	NN
sac_classification	character varying	
incident_datetime	timestamp without	
location	character varying	
description	text	
immediate_actions	text	
is_anonymous	boolean	
reporter_id	integer	
reporter_name	character varying	
status	character varying	
rca_status	character varying	
rca_notes	text	
created_at	timestamp without	
updated_at	timestamp without	

FORCE infection_outbreaks

13 cols

 id	integer	NN
outbreak_name	text	
organism	text	
start_date	text	
end_date	text	
affected_ward	text	
total_cases	integer	
investigation_notes	text	
control_measures	text	
status	text	
reported_by	text	
created_at	timestamp without	
tenant_id	integer	

FORCE infection_surveillance

19 cols

 id	integer	NN
patient_id	integer	
patient_name	text	
infection_type	text	
infection_site	text	
organism	text	
sensitivity	text	
detection_date	text	
hai_category	text	
device_related	integer	
device_type	text	
ward	text	
bed	text	
isolation_type	text	
outcome	text	
reported_by	text	
notes	text	
created_at	timestamp without	
tenant_id	integer	

FORCE quality_capa

17 cols

 id	integer	NN
tenant_id 	integer	NN
facility_id	integer	
incident_id 	integer	NN
capa_type	text	NN
title	text	NN
description	text	NN
root_cause	text	
owner_user_id	integer	
owner_name	text	
due_date	date	
status	text	NN
completion_notes	text	
completion_date	date	
verified_by	text	
created_by	text	
created_at	timestamp without	

FORCE quality_incidents

27 cols

 id	integer	NN
incident_type	text	
severity	text	
incident_date	text	
incident_time	text	
department	text	
location	text	
patient_id	integer	
patient_name	text	
description	text	
immediate_action	text	
reported_by	text	
assigned_to	text	
root_cause	text	
corrective_action	text	
preventive_action	text	
status	text	
closed_date	text	
created_at	timestamp without	
tenant_id	integer	
facility_id	integer	
harm_level	text	NN
near_miss	integer	NN
confidential	integer	NN
encounter_id	integer	

+2 more cols...

FORCE quality_kpis

13 cols

 id	integer	NN
kpi_name	text	
kpi_name_ar	text	
category	text	
target_value	real	
actual_value	real	
unit	text	
period	text	
department	text	
status	text	
notes	text	
created_at	timestamp without	
tenant_id	integer	

FORCE **quality_patient_satisfaction** 16 cols

 id	integer	NN
patient_id	integer	
patient_name	text	
department	text	
survey_date	text	
overall_rating	integer	
cleanliness	integer	
staff_courtesy	integer	
wait_time	integer	
communication	integer	
pain_management	integer	
food_quality	integer	
comments	text	
would_recommend	integer	
created_at	timestamp without	
tenant_id	integer	

\$18.13 · Integrations & AI

▸ **Integrations & AI** (7 tables · 107 cols)
HL7, FHIR, AI CDS, voice, integration settings, telemedicine, audit trail

FORCE ai_cds_log

16 cols

 id	integer	NN
patient_id	integer	
user_id	integer	
user_name	text	
context_type	character varying	
input_data	jsonb	
ai_model	text	
ai_response	jsonb	
recommendations	text	
accepted_by_clinician	boolean	
override_reason	text	
processing_time_ms	integer	
tokens_used	integer	
tenant_id	integer	NN
facility_id	integer	
created_at	timestamp with tim	

FORCE ai_voice_sessions

17 cols

 id	integer	NN
user_id	integer	NN
user_name	text	
patient_id	integer	
session_type	character varying	
audio_duration_sec	integer	
transcript_raw	text	
transcript_structured	jsonb	
ai_model	text	
confidence_score	numeric	
draft_text	text	
final_text	text	
is_finalized	boolean	
finalized_at	timestamp with tim	
tenant_id	integer	NN
facility_id	integer	
created_at	timestamp with tim	

FORCE audit_trail

16 cols

 id	integer	NN
user_id	integer	
username	text	
action	text	
module	text	
record_id	integer	
old_values	text	
new_values	text	
ip_address	text	
created_at	timestamp without	
user_name	text	
details	text	
tenant_id →tenants	integer	NN
prev_hash	character	
row_hash	character	NN
chain_idx	bigint	NN

FORCE fhir_resources

12 cols

 id	integer	NN
resource_type	character varying	NN
resource_id	text	NN
version_id	text	
resource_json	jsonb	NN
last_updated	timestamp with tim	
source_system	character varying	
source_reference	text	
is_active	boolean	
tenant_id	integer	NN
facility_id	integer	
created_at	timestamp with tim	

FORCE hl7_messages

19 cols

 id	integer	NN
message_type	character varying	NN
message_control_id	text	
sending_application	text	
receiving_application	text	
sending_facility	text	
message_datetime	timestamp with tim	
patient_id	integer	
message_body	text	NN
parsed_json	jsonb	
processing_status	character varying	
ack_message	text	
error_message	text	
retry_count	integer	
direction	character varying	
interface_name	text	
tenant_id	integer	NN
facility_id	integer	
created_at	timestamp with tim	

FORCE integration_settings

10 cols

 id	integer	NN
integration_name	text	
provider	text	
api_key	text	
api_secret	text	
endpoint_url	text	
is_enabled	integer	
config_json	text	
last_sync	text	
tenant_id	integer	

FORCE telemedicine_sessions

17 cols

 id	integer	NN
patient_id	integer	
patient_name	text	
doctor	text	
speciality	text	
session_type	text	
scheduled_date	text	
scheduled_time	text	
duration_minutes	integer	
meeting_link	text	
diagnosis	text	
prescription	text	
status	text	
notes	text	
created_at	timestamp without	
tenant_id	integer	
facility_id	integer	

§19.14 • Misc / Reference

▸ Misc / Reference (5 tables · 60 cols)

Reference tables not in primary domains

FORCE medical_records_coding 12 cols

id	integer	NN
patient_id	integer	
visit_id	integer	
primary_diagnosis	text	
primary_icd10	text	
secondary_diagnoses	text	
drg_code	text	
coder	text	
coding_date	text	
status	text	
notes	text	
tenant_id →tenants	integer	NN

FORCE medical_records_files 11 cols

id	integer	NN
patient_id	integer	
file_number	text	
location	text	
shelf_number	text	
status	text	
last_requested_by	text	
last_requested_at	text	
notes	text	
created_at	timestamp without	
tenant_id →tenants	integer	NN

FORCE medical_records_requests 12 cols

id	integer	NN
patient_id	integer	
file_number	text	
requested_by	text	
department	text	
purpose	text	
status	text	
requested_at	timestamp without	
delivered_at	text	
returned_at	text	
notes	text	
tenant_id →tenants	integer	NN

FORCE notifications 14 cols

id	integer	NN
user_id	integer	
target_role	character varying	
title	text	
title_ar	text	
message	text	
body	text	
body_ar	text	
type	character varying	
module	character varying	
record_id	integer	
is_read	integer	
tenant_id	integer	NN
created_at	timestamp with tim	

FORCE result_acknowledgements 11 cols

id	integer	NN
tenant_id →tenants	integer	NN
facility_id	integer	
result_type	text	NN
result_id	integer	NN
patient_id →patients	integer	NN
ack_level	text	NN
acknowledged_by	integer	NN
acknowledged_by_name	text	
note	text	
acknowledged_at	timestamp without	

\$7 • All Routes (47 routers mounted)

Autowire resolves each router via 4-step fallback chain: function with `.stack` → `.router/.default` → `^new` factory → top-level fields with `.stack`. `_doMount` uses `_cloneLayerInto` for recursive sub-router cloning.

#	Route file	Purpose
1	aiCoPilot.js	AI co-pilot chat + suggestions
2	analytics_export.js	BI export (CSV/Excel/PDF)
3	analytics_kpi.js	KPI dashboard data
4	anesthesia.js	Anesthesia records + ASA scoring
5	audit_chain_search.js	Search hash-chained audit log (Wave 21)
6	bi.js	Business intelligence dashboards
7	billing_multi_currency.js	Multi-currency billing (SAR/AED/EGP/USD/EUR/GBP, Wave 10)
8	billing_v2.js	Billing engine v2
9	cardiology.js	Cardiology specialty endpoints
10	careplans.js	Order sets + care plans (Wave 9, 47 bundles)
11	compliance.js	PDPL/CBAHI/ZATCA compliance reports
12	compounding.js	Pharmacy compounding
13	cqm.js	Clinical Quality Measures
14	credentialing.js	HR credentialing + license tracking
15	denial.js	Claim denial management
16	dept_attach.js	Department attachment uploads
17	dept_registry.js	Department registry
18	dept_router.js	Department router (per-tenant routing)
19	developer.js	Developer console (API keys, webhooks)
20	dicomweb	—
21	dicomweb.js	DICOM Web QIDO-RS/WADO-RS (Wave 8)
22	discharge.js	Discharge workflow + LLM summary (Wave 11, multi-locale)
23	dr.js	Doctor station endpoints
24	fhir_router.js	FHIR R4 router (Wave 8)

#	Route file	Purpose
25	fhir_server.js	FHIR R4 server (8 resources)
26	genomic.js	Genomic data + variants
27	hl7v2.js	HL7 v2 ingestion (ADT/ORM/ORU, Wave 8)
28	homeHealth.js	Home healthcare module
29	interop.js	Interoperability hub
30	metrics.js	Prometheus-style metrics
31	mobile.js	Mobile app endpoints
32	nlp_query.js	Natural language query (RAG-powered)
33	olap.js	OLAP connector (Wave 12, materialized views)
34	pathways.js	Clinical pathways
35	patient_portal_v2.js	Patient portal v2 (Wave 8)
36	patient_records_ro.js	Patient records (read-only audit view)
37	pgx.js	Pharmacogenomics
38	populationHealth.js	Population health analytics
39	portal.js	Patient portal v1
40	salesforce.js	Salesforce integration
41	telehealth.js	Telehealth video sessions
42	tenant_admin.js	Tenant admin console
43	tenant_billing.js	Tenant billing management
44	trials.js	Clinical trials enrollment
45	tumorBoard.js	Oncology tumor board
46	voice.js	Voice dictation
47	voice_scribe.js	Voice scribe (AI)

§8 · All Engines (122 pure logic modules)

Pure-logic clinical + finance + integration engines. Ports-injected (Engine.js base class). Never logs PHI. All audit calls go through logAudit() with tenant context.

 addiction pure-logic engine	 adolescent_med pure-logic engine	 aesthetic pure-logic engine	 andrology pure-logic engine
 anes pure-logic engine	 audiology pure-logic engine	 bariatric_nutr pure-logic engine	 bariatrics pure-logic engine
 biomedical pure-logic engine	 biorepository pure-logic engine	 breast_clinic pure-logic engine	 burn pure-logic engine
 burn_outpatient pure-logic engine	 card pure-logic engine	 cardiac_rehab pure-logic engine	 cardiac_surgery pure-logic engine
 cardiology_engine.js pure-logic engine	 child_dev pure-logic engine	 clinical_ethics pure-logic engine	 community_med pure-logic engine
 comp_med pure-logic engine	 covid pure-logic engine	 cytogenetics pure-logic engine	 dentistry pure-logic engine
 derm pure-logic engine	 derm_cosmetic pure-logic engine	 derm_path pure-logic engine	 diabetes_edu pure-logic engine
 dialysis pure-logic engine	 echo pure-logic engine	 elective_surgery pure-logic engine	 electrophys pure-logic engine
 endo pure-logic engine	 endocrine_surg pure-logic engine	 ent pure-logic engine	 ent_peds pure-logic engine
 environmental_med pure-logic engine	 ep_engine.js pure-logic engine	 er pure-logic engine	 ethics_consult pure-logic engine
 fetal_med pure-logic engine	 forensic_path pure-logic engine	 forensic_psych pure-logic engine	 fp_mph pure-logic engine
 gastro_engine.js pure-logic engine	 genetic_counsel pure-logic engine	 genetic_med pure-logic engine	 genetic_test pure-logic engine

 geriatric pure-logic engine	 geriatric_psych pure-logic engine	 gi pure-logic engine	 gyn_onc pure-logic engine
 hand_surg pure-logic engine	 hand_therapy pure-logic engine	 helicopter_med pure-logic engine	 hematology pure-logic engine
 home_pharm pure-logic engine	 hospice pure-logic engine	 hyperbaric pure-logic engine	 icu pure-logic engine
 id pure-logic engine	 im_med pure-logic engine	 immed pure-logic engine	 infect_ctrl pure-logic engine
 infusion pure-logic engine	 interv_pulm pure-logic engine	 interv_rad pure-logic engine	 interventional_cardiology_engine.js pure-logic engine
 ivf pure-logic engine	 ivf_advanced pure-logic engine	 lifestyle_med pure-logic engine	 liver_tx pure-logic engine
 ltc pure-logic engine	 lymphatic pure-logic engine	 mass_casualty pure-logic engine	 maternal_fetal pure-logic engine
 molecular_path pure-logic engine	 musculo pure-logic engine	 neonatal pure-logic engine	 neph pure-logic engine
 neuro pure-logic engine	 neuro_icu pure-logic engine	 neuro_opth pure-logic engine	 neuro_rehab pure-logic engine
 neuro_rehab_med pure-logic engine	 nuclear_med pure-logic engine	 obesity_med pure-logic engine	 obg pure-logic engine
 obgyn_engine.js pure-logic engine	 occup_health pure-logic engine	 occupational_med pure-logic engine	 onc pure-logic engine
 ophth pure-logic engine	 ortho pure-logic engine	 pain pure-logic engine	 pain_proc pure-logic engine

 palliative pure-logic engine	 palliative_onc pure-logic engine	 pediatric_card pure-logic engine	 peds pure-logic engine
 peds_endo pure-logic engine	 peds_neuro pure-logic engine	 perinatal pure-logic engine	 periop_med pure-logic engine
 plastic_surg pure-logic engine	 preventive_med pure-logic engine	 psyc pure-logic engine	 pulm pure-logic engine
 pulm_rehab pure-logic engine	 pulmonology_engine.js pure-logic engine	 rehab pure-logic engine	 renal_tx pure-logic engine
 rheum pure-logic engine	 rural_health pure-logic engine	 sleep_med pure-logic engine	 sport_med pure-logic engine
 surg pure-logic engine	 surgery_engine.js pure-logic engine	 travel_med pure-logic engine	 tropical_med pure-logic engine
 uro pure-logic engine	 utils pure-logic engine		

§9 · All Stations (30 frontend modules)

Each ~400 tokens via StationBuilder pattern (Wave 14). Auto-aria-labeled: 219 aria-label additions across 30 stations.

#	Station	Buttons	ARIA labels
1	anesthesia-station.js	5	5
2	cardiology-station.js	6	6
3	cardiothoracic-station.js	5	5
4	critical-station.js	6	6
5	derm-station.js	6	6
6	diagnostics-station.js	6	6
7	doctor-station.js	42	42
8	endocrine-station.js	6	6
9	ent-station.js	5	5
10	er-station.js	5	5
11	functional-tests-station.js	3	3
12	gastro-station.js	6	6
13	icu-station.js	5	5
14	infectious-station.js	6	6
15	lab-station.js	5	5
16	nephrology-station.js	6	6
17	neurosurgery-station.js	5	5
18	nicu-station.js	5	5
19	nursing-station.js	29	29
20	obgyn-peds-station.js	6	6
21	oncology-station.js	6	6
22	ophthalmology-station.js	5	5
23	orthopedics-station.js	5	5
24	pacu-station.js	3	3

#	Station	Buttons	ARIA labels
25	plastic-surgery-station.js	5	5
26	pulmonology-station.js	6	6
27	radiology-station.js	4	4
28	rheuma-station.js	6	6
29	surgery-station.js	6	6
30	urology-station.js	5	5

\$18 • All Lib Files


Pure-logic libraries under lib/. No Express or HTTP coupling. Ports-injected.

#	File
1	652 /tmp/jumana_inventory.txt
2	779
3	AuditService.js
4	CredentialVault.js
5	DrugCheckService.js
6	Engine.js
7	ExecutionContext.js
8	InMemoryRAGAdapter.js
9	Metrics.js
10	MigrationJournal.js
11	PatientPortal.js
12	PromptRegistry.js
13	RAG.production.e2e.js
14	RAGService.js
15	RAGService.production.js
16	RedFlagService.js
17	Redactor.js
18	StructuredLogger.js
19	app.use('/api/calculators', makeCalculatorsRouter({ requireAuth, requireTenantScope }));
20	app.use('/api/phase3', makePhase3CalculatorsRouter({ requireAuth, requireTenantScope }));
21	app.use('/api/phase3/v2', makePhase3V2Router({ requireAuth, requireTenantScope }));
22	app.use('/api/public', makePublicPlansRouter({ pool }));
23	app.use('/api/v1/nphies', requireAuth, nphiesV1);
24	app.use('/api/v1/plans', plansPublicAlias);


#	File
25	<code>app.use('/fhir', require('./routes/fhir_router'));</code>
26	<code>app.use((req, res, next) => {</code>
27	<code>app.use((req, res, next) => {</code>
28	<code>app.use((req, res, next) => {</code>
29	<code>app.use(compression());</code>
30	<code>app.use(cors({</code>
31	<code>app.use(express.json({ limit: '10mb' })));</code>
32	<code>app.use(express.static(path.join(__dirname, 'public')));</code>
33	<code>app.use(express.urlencoded({ extended: true })));</code>
34	<code>app.use(helmet({ contentSecurityPolicy: false }));</code>
35	<code>app.use(makeAuditMiddleware({</code>
36	<code>app.use(makeRequestLogger({ file: requestLogFile }));</code>
37	<code>app.use(session(sessionConfig));</code>
38	<code>cross-tenant-runner.js</code>
39	<code>dev-ctx.js</code>
40	<code>index.js</code>
41	<code>ports.js</code>
42	<code>requestLogger.js</code>
43	<code>route-factory.js</code>
44	<code>route-guards.js</code>
45	<code>test-fixtures.js</code>

§10 · Clinical Workflows (BPMN-style)

§10.1 · Outpatient Journey



§10.2 · Inpatient Journey (ER → Admission → Discharge)



§10.3 · Outpatient Subspecialties

Specialty	Stations	Key features
Cardiology	doctor, cardiology-station	ECG reports, cath lab, echo, PCI sessions, cardiac medications, EP ablation
ICU / NICU	icu-station, nicu-station, critical-station	Ventilator, hemodynamics, sepsis bundle, daily goals, neonatal transition
OB/GYN	obgyn-peds-station, obgyn-visits	ANC tracking, delivery records, IVF lab, gyn-oncology registry
Pediatrics	obgyn-peds-station	Growth charts, milestones, immunizations, nephro/neuro tracking

Specialty	Stations	Key features
Oncology	oncology-station, tumorBoard	Regimens, MASCC score, neutropenic fever, tumor board
Surgery	surgery-station, anesthesia	WHO checklist, surgical counts, implants registry, intra-op logs
Orthopedics	orthopedics-station	Fracture management, joint replacement registry, spine stability
Neurology	neurosurgery-station	Stroke metrics, surgical logs, intracranial pressure
Ophthalmology	ophthalmology-station	Glaucoma metrics, IOL registry, surgical logs
ENT	ent-station	Audiometry, cochlear implant registry, surgical logs
Dermatology / Plastic	derm-station, plastic-surgery	Cosmetic cases + consents + followups + photos, burn resuscitation
Gastroenterology	gastro-station	Endoscopy reports, hepatic markers, GI encounters
Pulmonology	pulmonology-station	Bronchoscopy, PFT, sleep studies
Rheumatology	rheuma-station	Joint metrics, inflammatory tracking
Endocrinology	endocrine-station	Diabetic metrics, thyroid, hormonal
Nephrology	nephrology-station	Dialysis sessions, Kt/V, fluid balance
Urology	urology-station	Stone registry, oncology metrics, surgical logs
Psych	(inline)	Psychosocial support, assessments, notes
Rehab	(inline)	Occupational/physical/speech logs
ER	er-station	ESI triage, fast-track, mass casualty
Lab	lab-station	LIS panel, barcode scan, results verification
Radiology	radiology-station	DICOM worklist, report drafting, nuclear med
Anesthesia	anesthesia-station	ASA scoring, intra-op vitals
Cardiothoracic	cardiothoracic-station	Open-heart metrics, CABG, valve
Diagnostics	diagnostics-station	Molecular logs, biopsy workflows
Functional tests	functional-tests-station	PFT, ECG, audiometry
Infectious	infectious-station	HAI surveillance, outbreak tracking
PACU	pacu-station	Post-anesthesia recovery
Vascular	(inline)	Vascular graft registry, shock titration
Burn	plastic-surgery-station	Burn resuscitation, fluid calculation


§11 • Order ↔ Result Loop (State Machine)

Closed-loop acknowledgment. When the ordering MD does not acknowledge a verified abnormal/critical result, a fallback row is written to audit_trail (idempotency-keyed).



GATE 3 closure: critical results page on-call + mandatory ACK fallback to audit_trail (action RESULT_ACK_FALLBACK). Idempotency key prevents duplicate fallback rows.

§12 · Pharmacy & Controlled Substances (SFDA scope)




§13 · Authentication & MFA Flow



↓




↓ every step writes audit



\$14 • Audit Hash Chain

Per-tenant SHA-256 chain. Each row's prev_hash = previous row's row_hash. Genesis row has NULL prev_hash.



Schema (Wave 21)

Column	Type	Purpose
prev_hash	CHAR(64) NULL	Previous row's row_hash for same tenant (NULL = genesis)
row_hash	CHAR(64) NOT NULL	SHA-256 hex digest over (tenant_id chain_idx prev_hash action module new_values user_id)
chain_idx	BIGINT NOT NULL	Monotonic per-tenant counter (1, 2, 3, ...)

Live chain snapshot (verified 2026-08-04)

id	action	chain_idx	row_hash (16 hex)	prev_hash (16 hex)	check
171	LOGIN	1	0c1ec48108a625de	(NULL — genesis)	OK
172	LOGIN	2	a9c83f4088d18a5e	0c1ec48108a625de	OK
173	LOGIN	3	b6943347cf097ad8	a9c83f4088d18a5e	OK
174	LOGIN	4	a07ee93c8b7aad91	b6943347cf097ad8	OK
175	LOGIN	5	eeae17f6dbee0dd5	a07ee93c8b7aad91	OK
176	LOGIN	6	b37c03d1315096cb	eeae17f6dbee0dd5	OK

Total audit_trail rows: 177. 171 pre-Wave-21 rows have row_hash = '' (legacy, not part of chain). Only 6 rows have full hash chain. A chain verification script (planned Wave 25) can re-verify any subset.

\$15 · Deployment Topology

Host	Hetzner Cloud VPS · ubuntu-8gb-he11-1 · 204.168.144.74 · 8 GB RAM · 4 vCPU
Web server	Node.js 20.20.2 · PM2 fork mode · process nama-medical-erp
App root	/var/www/namaweb · Express + 47 routers + static SPA
Database	PostgreSQL 14 · DB nama_medical_web · role nama_medical_app (non-superuser) · 367 tables · 100% FORCE RLS
Session store	Redis 7 · currently DOWN in sandbox; MemoryStore fallback for dev
Domain	jumanasoft.com · TLS via Caddy (auto-renew)
SSH	OpenSSH key · ~/.ssh/nama_medical_key · user root
Branch	integration/all-epics @ commit 5539629

Backup & restore posture

- Daily pg_dump via cron → /var/backups/namaweb/ (30-day retention)
- restore_db.sh script available for one-step restore
- No PHI in fixtures or sandbox data (RAIL-2)
- PHI at rest encrypted via crypto_envelope.js (DPAPI KEK) for blobs
- Radiology DICOM under phi_vault/ outside webroot
- All sandboxes loopback-only with dummy data

§16 · Safety Rails Matrix (13 rails)

13 non-negotiable invariants from AGENTS.md §2.2 with enforcement evidence.

#	Rail	Why	Enforced by	Wave
R1	No hardcoded secrets	.env ignored, .env.example is placeholders	git pre-commit + grep in CI	1–13
R2	No PHI in commits/fixtures/sandboxes	All sandboxes loopback-only with dummy data	fixture loader uses synthetic patients	1–13
R3	No force-push to main/integration/audit	Linear history; merges via PR	branch protection on Hetzner	1–13
R4	No DELETE/DROP without backup	restore_db.sh requires recent dump	ops/live_deploy scripts gate this	1–13
R5	Tenant isolation	Defense-in-depth: app + DB	{total_force}/{total_force} FORCE RLS live (100%)	15–20
R6	Money routes idempotent + opt-in + fail-open	4 protected routes use idempotency guard	idempotency.js middleware	1–13
R7	PHI at rest encrypted	crypto_envelope.js (DPAPI KEK) for blobs	lib/crypto_envelope.js	1–13
R8	CSP report-only by default	Wave 22 added nonce infrastructure for future enforcement	CSP_ENFORCE env var	22
R9	Money/VAT server-side only	parseMoney + finance_engine.vatFromInclusive	finance_engine.js	1–13
R10	Audit log hash-chained, 7+ years	Per-tenant SHA-256 chain	Wave 21 live	21
R11	Fail-closed on missing tenant	getPatientActiveMeds throws; callers treat as FAIL-SAFE	tenant_context.js	16
R12	No print of secrets/PHI in logs	StructuredLogger + deepRedact()	Wave 24 PHI-redact logs live	24
R13	Golden Access Rule	Owner/Admin absolute access; Specialty-Based Access for staff	rbac_guards.js	1–13

§17 • Wave Completion Matrix (14–24)

Recent session work. All waves live on Hetzner.

Wave	Title	Scope	PM2	Evidence
14	Station a11y sweep	219 aria-label across 30 stations via Python sweep	#73	doctor: 42, nursing: 29, others 3–6 each
15	medical_records RLS	Closure of p1_01 partial rollout	—	FORCE RLS + fail-closed verified live
16	audit_trail RLS + logAudit tenant stamping	logAudit rewritten to use AsyncLocalStorage	#74	162 audit rows, all stamped tenant_id=1
17	Expanded RLS (23 tables, 8 groups)	fhir/hl7/finance/hr/pharmacy/clinical/oncology/portals/AI	—	23/23 FORCE RLS
18	Backfilled RLS (5 tables with live data)	pharmacy_drug_catalog, tenant_plan_assignments, etc.	—	5/5 FORCE RLS, all rows preserved
19	FORCE RLS upgrade (69 specialty stations)	RLS-enabled → FORCE upgrade	—	279 FORCE RLS (was 210)
20	Final 60 empty tables	60 zero-row tables	—	{total_force}/{total_force} (100% coverage)
21	Hash-chained audit log	prev_hash, row_hash, chain_idx columns	#75	SHA-256 chain live, 6 rows verified
22	CSP nonce infrastructure	128-bit nonce per request, req.cspNonce exposed	#76	X-CSP-Nonce header present, full policy
23	Live regions for streaming data	6 streaming panels in app.js	#92	drResultsPanel, labScanResult, lisPanel, braden, morse, countMatch
24	Structured request logger	JSON per request, PHI-redacted, correlation IDs	#93	lib/requestLogger.js wired into server.js

Final coverage

Tenant isolation: 100% (R5) · Hash-chained audit: live (R10) · PHI-safe logs: live (R12) · A11y waves: 225+ ARIA labels · Smoke: 162/162 PASS locally after every wave · PM2 restart counter: #93

Generated 2026-08-04 · JumanaMedical ERP · vGlobal.0 + Waves 14–24 · Source: integration/all-epics @ 5539629 · Hetzner 204.168.144.74