

Hands-on Lab: Create Tables using SQL Scripts and Load Data into Tables in MySQL using phpMyAdmin

Estimated time needed: 20 minutes

In this lab, you will learn how to create tables and load data in the MySQL database service using the phpMyAdmin graphical user interface (GUI) tool.

Software Used in this Lab


In this lab, you will use MySQL is a Relational Database Management System (RDBMS) designed to efficiently store, manipulate, and retrieve data.



To complete this lab you will utilize MySQL relational database service available as part of IBM Skills Network Labs (SN Labs) Cloud IDE. SN Labs is a virtual lab environment used in this course.

Database Used in this Lab

The database used in this lab is an internal database. You will be working on a sample HR database. This HR database schema consists of 5 tables called **EMPLOYEES**, **JOB_HISTORY**, **JOBS**, **DEPARTMENTS** and **LOCATIONS**. Each table has a few rows of sample data. The following diagram shows the tables for the HR database:



Objectives

After completing this lab, you will be able to use phpMyAdmin with MySQL to:

- · Create a database.
- Create tables using SQL scripts
- Load data into tables


Exercise

In this exercise through different tasks, you will learn how to create tables and load data in the MySQL database service using the phpMyAdmin graphical user interface (GUI) tool.


Task A: Create a database

1. Click on Skills Network Toolbox. In Database section, click MySQL.


To start the MySQL click Start.



2. Once MySQL has started, click on phpMyAdmin button to open phpMyAdmin in the same window.




3. You will see the phpMyAdmin GUI tool.



4. In the tree-view, click **New** to create a new empty database. Then enter **HR** as the name of the database and click **Create**.

The encoding will be left as **utf8mb4_0900_ai_ci**. UTF-8 is the most commonly used character encoding for content or data.

Proceed to Task B.



Exercise 1: Create tables using SQL scripts

In this exercise, you will learn how to execute a script containing the CREATE TABLE commands for all the tables rather than create each table manually by typing the DDL commands in the SQL editor.


- 1. Download the script file to your computer:
 - HR Database Create Tables Script.sql
- Select the HR database. Later click on the Import tab.
- Click on **choose file**. Browse for the file and upload it .
- Later scroll down and click on Go.



• The script then gets imported successfully.



• Click on any of the tables and you will see its Table Definition (that is, its list of columns, data types, etc).



Exercise 2: Load data into tables


In this exercise, you will learn how data can be loaded into Db2. You could manually insert each row into the table one by one, but that would take a long time. Instead, Db2 (and almost every other database) allows you to load data from .CSV files.

The steps below explain the process of loading data into the tables you created earlier in exercise 1.


- 1. Download the 5 .csv files below to your local computer:
 - o <u>Departments.csv</u>
 - <u>Employees.csv</u>
 - o <u>Jobs.csv</u>
 - <u>Locations.csv</u>
 - JobsHistory.csv

To load each table do the following steps.


- Select each table .
- · Click on Import tab.
- Select the csv file and click on Go to load the csv file.



Once the tables are loaded, you will get a message that the records are inserted successfully.



Further you can click on browse and view the data of each table.



Congratulations! You have completed this lab, and you are ready for the next topic.

Author(s)

Lakshmi Holla

Malika Singla

Changelog

Date	Version	Changed by	Change Description
2022-04-07	0.2	Malika Singla	Updated screenshot
2021-11-01	0.1	Lakshmi Holla, Malika Singla	Initial Version

© IBM Corporation 2021. All rights reserved.