UAT Plan — Offline Bangla Dubbing Video Player

Oct 29, 2026 · @Md. Nazmul Hossain

Real Bangladeshi users try the QA-approved release candidate on their own kind of videos and hardware for 2 weeks. Approval moves it to step 7, Deployment; feedback that needs a new approach goes back to step 3, Spike.

Entry criteria

- [ ] QA exit criteria met and the final test report approved by the product owner
- [ ] Signed release-candidate installers for Windows, macOS and Linux
- [ ] Zero open critical defects; open major defects listed with workarounds in the release notes
- [ ] Short Bangla and English quick-start guide ready for testers
- [ ] Testers recruited and sessions booked
- [ ] Feedback form set up

Objectives, scope and participants

QA proved the app works as specified; UAT checks that real users find it **useful and acceptable**.

Objectives

1. Users can dub and watch their own kind of videos without help.
2. The Bangla dub is understandable and natural enough to watch a whole film.
3. The app works on the computers users actually own.
4. Find anything that would stop a public release.

In scope: all version 1 features in BRD v1.1. **Out of scope:** BR-04b Bangladeshi accent (phase 2), but accent feedback is collected for it.

Participants

Group	Number	Profile	Why
Home viewers	6	Adults who watch foreign films or dramas; mixed tech skill	Main audience
Elderly viewers	3	55+, read subtitles with difficulty	Core pain point from the BRD
Students	4	University students using foreign lectures	Second audience
Low-connectivity users	2	Outside Dhaka, limited internet	Offline promise
Language reviewers	3	Bangla teachers, editors or translators	Expert judgement on wording
Total	**18**	From at least 4 divisions of Bangladesh	Regional variety

No tester works on the project. Each signs a short consent form for feedback use.

Setup

Machines: testers use their own computers where possible, so UAT covers real hardware. The team provides 2 laptops (one Windows with NVIDIA GPU, one CPU-only) for testers without a suitable computer.

Installers: testers download the release candidate and models during a supported first session; after that, all testing is offline.

Videos: testers use videos they already own or watch legally. The team also provides 5 shared clips (from QA's V1–V5) so everyone rates the same content.

Session format

Session	Format	Length
1. Setup	In person or video call; install, download models, quick-start guide	45 min
2. Guided tasks	Tester does scenarios UAT-01 to UAT-08 while a facilitator watches and notes, without helping	60 min

Session	Format	Length
3. Home use	Tester uses the app alone for a week, at least 3 videos, one a full film	1 week
4. Debrief	Feedback form plus a 20-minute interview	30 min

Facilitators speak Bangla and record where testers hesitate, get stuck or ask for help.

UAT scenarios

Testers get the task in plain words only, never the steps. A scenario passes when **80% of testers** complete it without help.

ID	Task given to the tester	Accepted when	Covers
UAT-01	"Install the app and get it ready to use."	Installed and models downloaded without help	NFR-04, NFR-09
UAT-02	"Make this English video speak Bangla and watch it." (shared clip 1)	Dubbed and playing in 3 clicks or fewer	BR-03, BR-08, NFR-07
UAT-03	"Watch this drama with several characters in Bangla." (shared clip 2)	Tester says they could tell the characters apart	BR-05
UAT-04	"One character has the wrong voice. Fix it."	Voice changed or speakers merged without help	BR-10, BR-17
UAT-05	"This line sounds wrong. Correct it."	Line edited and regenerated	BR-15
UAT-06	"Switch back to the original sound, then turn on Bangla subtitles."	Both done during playback	BR-11, BR-13
UAT-07	"Save the Bangla version to share with your family."	Exported file plays in another player	BR-12
UAT-08	"Turn off the internet and dub this Hindi video." (shared clip 3)	Completes offline	BR-02, BR-07

ID	Task given to the tester	Accepted when	Covers
UAT-09	Home use: dub and watch a full film of your choice	Tester watched to the end in Bangla	BR-08, BR-09, NFR-10
UAT-10	Home use: use the app in Bangla	Tester rates the Bangla interface clear	BR-16

Feedback form

Available in Bangla and English. Testers fill it after the home-use week.

Ratings (1 = very poor, 5 = excellent)

#	Question	Pass (average)
F1	How well could you understand the videos in Bangla?	4.0
F2	How natural did the Bangla sound?	3.5
F3	Did the words sound like Bangladeshi Bangla?	3.5
F4	Could you tell the different people apart by voice?	4.0
F5	Did the voices match when people spoke?	3.5
F6	How easy was the app to use?	4.0
F7	How long did you wait before watching? Was that acceptable?	3.5
F8	Did the voice accent sound Bangladeshi?	Recorded for phase 2

Questions

- Would you use this instead of subtitles? (Yes / Sometimes / No) — pass: 70%+ Yes or Sometimes
- Would you recommend it to family or friends? (0–10) — tracked as Net Promoter Score
- What was the best part?
- What almost stopped you using it?
- Which videos or languages did not work well?

Also recorded per tester: computer model, OS, GPU or CPU only, processing time for the full film, any crash or error.

Handling feedback

Every UAT finding that needs more than a code fix becomes a change request (CR) under Feedback and Change Management, grouped by underlying problem rather than by tester. The product owner and lead developer triage each CR within 2 working days and give it a class, which decides its route.

Route	CR class	When	Examples	Next step
Fix in UAT	Bug, or class A	A bug or small change; code fix under 3 days	Confusing button label; export fails on one OS	Fix build, QA verifies, tester re-checks
BRD update	B	A limit or priority must change, same technology	Testers need a slower speed-up cap	BRD, then Development and QA
Back to step 3, Spike	C	Needs a new technical approach	Translation ratings fail with IndicTrans2; voices unacceptable to most testers	Re-spike that component; then Development, QA and a UAT re-check
BRD fallback	E	A known limit already has a BRD v1.1 fallback	Live mode too slow on testers' PCs → version 2	Product owner applies the fallback; release notes updated
Later version	D or F	A new feature, or a wish not needed for release	More voices; Bangladeshi accent; new languages	Version 2 backlog

Issues found in UAT use the same severity levels as QA. A critical issue always blocks approval.

UAT re-check for changes

A change that users will notice is checked by users again, but not with a full UAT round.

CR class	UAT re-check?	How
A (user-facing)	Optional	The tester who raised it confirms on the fix build
B (user-facing)	Yes	3 testers repeat the affected scenarios
C	Yes	5 testers, including those who reported the problem, repeat the affected scenarios and rate the related F questions
D	Yes, in the next version's UAT	Not part of this release
E	No	QA confirms; release notes tell users

Re-check rules

- Runs only after QA has marked the CR **Verified**.
- Takes at most 3 working days.
- Passes when the affected scenarios reach 80% completion and the related ratings meet their pass averages.
- The result is recorded in the CR and in the sign-off record; a failed re-check sends a class C CR back to the Spike once more, then to the change board.

Acceptance criteria, schedule and sign-off

UAT is approved when:

- [ ] Scenarios UAT-01 to UAT-08 pass (80%+ of testers complete each without help)
- [ ] At least 70% of testers watched a full film in Bangla (UAT-09)
- [ ] Feedback ratings F1–F7 meet their pass averages
- [ ] 70%+ of testers would use it instead of subtitles at least sometimes
- [ ] Zero open critical issues; every major issue fixed or accepted by the product owner with a fallback
- [ ] No offline or privacy problem reported

Schedule

Days	Activity
1–2	Setup sessions (session 1)
3–4	Guided task sessions (session 2)
3–9	Home use (session 3); fix builds for urgent issues
10–11	Debriefs (session 4) and feedback analysis
12–14	Final fixes re-tested by QA; UAT report; sign-off meeting

Outcomes

Decision	Meaning
Approved	Release candidate moves to step 7, Deployment
Approved with conditions	Deploy after the listed class A, B or E CRs are verified by QA, without a new UAT round
Not approved	Blocking CRs are raised: class A or B go to a fix sprint; class C go back to step 3 for a re-spike. A UAT re-check follows, not a full round

Sign-off record

Field	Entry
Release candidate version	
UAT dates	
Testers (number, groups)	
Scenario pass rate	
Average ratings F1–F7	
CRs raised (IDs and classes)	
CRs verified and re-checked before sign-off	

Field	Entry
CRs deferred to the next version	
Decision	Approved / Approved with conditions / Not approved
Product owner signature and date	
QA lead signature and date	

Change log

Version	Date	Change
1.1	2026-10-29	Feedback routes mapped to CR classes; new UAT re-check for changes; outcomes and sign-off record include CRs, following Feedback and Change Management
1.0	2026-10-29	First version, based on BRD v1.1 and Test Plan v1.0