
Project Delivery Templates — Workflow Guide

Reusable templates for any software project that follows this delivery workflow. Copy the set into a new project folder, replace every `[placeholder]`, and delete the guidance notes (lines starting with **Guidance:**) before sharing.

The workflow



Step	Name	Template	Moves on when
1	Business pain point / requirement	`01-BRD-Template`	BRD approved by the product owner
2	Gap analysis / requirement analysis	`02-Gap-Analysis-Template`	Every requirement has a feasibility rating and an action

Step	Name	Template	Moves on when
3	Spike / feasibility	`03-Spike-Feasibility-Template`	Go / no-go rules say **Go**
3 → 1	Not feasible / rework	`03a-Rework-Plan-Template`	BRD updated, spike re-run, or project stopped
4	Development	`04-Development-Plan-Template`	Handoff checklist to QA complete
5	Testing (QA)	`05-Test-Plan-QA-Template`	QA exit criteria met
6	UAT	`06-UAT-Plan-Template`	Users accept the release candidate
6 → 3	Feedback / changes	`06a-Feedback-Change-Management-Template`	Each change request routed, done and verified
6 → 7	Approved	`06b-Release-Approval-Template`	Approval record signed
7	Deployment	`07-Deployment-Plan-Template`	Deployment record signed
8	Project closure	`08-Project-Closure-Template`	Closure record signed

Loops in the workflow

- **Not feasible / rework (3 → 1):** the spike shows an approach cannot meet a requirement. Change the BRD (scope, priority, target) and run the spike again, or stop the project.
- **Feedback / changes (6 → 3):** UAT finds something that needs a new technical approach. Raise a change request; it goes back to the spike for that component only, then through development, QA and a UAT re-check.

How to use the templates

1. **One document per step.** Keep the step number in the file name so the set stays in order.
2. **Requirement IDs everywhere.** Number requirements in the BRD (`BR-01`, `NFR-01`) and use those IDs in every later document, so each test, change and decision traces back to a requirement.
3. **Version every document.** Each template ends with a change log. Minor updates add 0.1 (1.0 → 1.1); a scope change adds 1.0.
4. **Update in flow order.** When something changes, update the BRD first, then each later document it affects.
5. **Delete what does not apply.** A small project can merge steps 2 and 3, or skip the early-access stage in deployment. Note any skipped section with one line saying why.

Document control (use at the top of every template)

Field	Entry
Project	[Project name]
Document	[Document name]
Version	[1.0]
Date	[YYYY-MM-DD]
Author	[Name]
Approver	[Name, role]
Status	Draft / In review / Approved

Placeholder conventions

Placeholder	Meaning
`[Project name]`	Replace with your text
`[BR-xx]`	A requirement ID from the BRD
`[YYYY-MM-DD]`	A date
`[n]`	A number or target value
Guidance:	Instruction for the author; delete before sharing