User Acceptance Testing (UAT) Plan — [Project name]

Field	Entry
Project	[Project name]
Document	UAT Plan
Version	[1.0]
Based on	BRD v[x.x], Test Plan v[x.x]
Release candidate	[version]
Date	[YYYY-MM-DD]
Author	[Product owner / UAT lead]

Workflow step: 6. UAT. **Next step:** 7. Deployment (Approved) or 3. Spike (Feedback / changes).

1. Entry criteria

- ☐ QA exit criteria met; test report approved
- ☐ Release candidate available to testers
- ☐ Zero open critical defects
- ☐ Quick-start guide ready
- ☐ Testers recruited; sessions booked; feedback form ready

2. Objectives, scope and participants

QA proves the product works as specified; UAT checks that real users find it useful and acceptable.

Objectives

1. [Users can complete their main tasks without help]
2. [The output is good enough for real use]
3. [It works in users' real environments]

Participants

Group	Number	Profile	Why
[User group]	[n]	[ ]	[ ]
Total	**[n]**		

3. Setup and session format

Session	Format	Length
1. Setup	[Install / access, introduction]	[ ]
2. Guided tasks	Tester does scenarios while a facilitator observes without helping	[ ]
3. Real use	Tester uses the product alone in their own setting	[ ]
4. Debrief	Feedback form plus interview	[ ]

4. UAT scenarios

Guidance: give testers the task in plain words, never the steps. A scenario passes when [80]% of testers complete it without help.

ID	Task given to the tester	Accepted when	Covers
UAT-01	"[Task in user language]"	[ ]	BR-xx
UAT-02	"[ ]"	[ ]	BR-xx

5. Feedback form

#	Question (1 = very poor, 5 = excellent)	Pass (average)
F1	[ ]	[n]
F2	[ ]	[n]
F3	How easy was it to use?	[n]

Open questions: best part; what almost stopped you; would you use it instead of [current solution]; would you recommend it (0–10).

6. Handling feedback

Route	CR class	When	Next step
Fix in UAT	Bug / A	Small fix	Fix build, QA verifies, tester re-checks
BRD update	B	A limit or priority must change	BRD, Development, QA
Back to step 3, Spike	C	Needs a new technical approach	Re-spike, Development, QA, UAT re-check
BRD fallback	E	A known fallback exists	Apply; update release notes
Later version	D / F	New feature or wish	Backlog

7. UAT re-check for changes

CR class	Re-check	How
A (user-facing)	Optional	Reporting tester confirms
B (user-facing)	Yes	[3] testers repeat affected scenarios
C	Yes	[5] testers repeat affected scenarios and ratings
E	No	QA confirms

8. Acceptance criteria and schedule

UAT is approved when:

- ☐ All scenarios pass ([80]%+ without help)
- ☐ Ratings meet their pass averages
- ☐ Zero open critical issues; major issues fixed or accepted
- ☐ All user-facing changes passed their re-check

Days	Activity
[ ]	Setup sessions
[ ]	Guided tasks
[ ]	Real use
[ ]	Debriefs and analysis
[ ]	Final fixes, report, sign-off

9. Outcomes and sign-off

Decision	Meaning
Approved	Moves to step 7, Deployment

Decision	Meaning
Approved with conditions	Deploy after listed fixes are verified
Not approved	Change requests raised; fix sprint or re-spike; UAT re-check

Field	Entry
Release candidate	
UAT dates	
Testers	
Scenario pass rate	
Average ratings	
Change requests raised / verified / deferred	
Decision	Approved / Approved with conditions / Not approved
Product owner signature and date	
QA lead signature and date	

10. Change log

Version	Date	Change
1.0	[YYYY-MM-DD]	First version