

Laboratory Report - Student Health Services

Name:	OBBINA, TARUN TEJA	Ordered by:	CHACKO, BIJU
Id:	2021721641	Order #:	L67584-67 (DZ627855M)
Age:	24 yrs at result time	Collected:	11/13/2024 9:10 AM
DOB:	10/28/2000	Received:	11/13/2024 9:10 AM
Sex:	M	Timezone:	CST
		Spec. Type:	S
		Status:	Final

7600 - LIPID PANEL, STANDARD

Reported:	11/14/2024 5:00 PM	Lab Name:	Quest Diagnostics Irving
Status:	Final		

Test Name	Result	Flags	Reference Range
CHOLESTEROL, TOTAL	206*	H	<200 mg/dL
HDL CHOLESTEROL	40		> OR = 40 mg/dL
TRIGLYCERIDES	120		<150 mg/dL
LDL-CHOLESTEROL	142*	H	mg/dL (calc)

Reference range: <100

Desirable range <100 mg/dL for primary prevention;
<70 mg/dL for patients with CHD or diabetic patients
with > or = 2 CHD risk factors.

LDL-C is now calculated using the Martin-Hopkins
calculation, which is a validated novel method providing
better accuracy than the Friedewald equation in the
estimation of LDL-C.

Martin SS et al. JAMA. 2013;310(19): 2061-2068
(<http://education.QuestDiagnostics.com/faq/FAQ164>
(<http://education.QuestDiagnostics.com/faq/FAQ164>))

CHOL/HDL-C RATIO	5.2*	H	<5.0 (calc)
NON HDL CHOLESTEROL	166*	H	<130 mg/dL (calc)

For patients with diabetes plus 1 major ASCVD risk
factor, treating to a non-HDL-C goal of <100 mg/dL
(LDL-C of <70 mg/dL) is considered a therapeutic
option.

10306 - HEPATITIS PANEL, ACUTE W/REFLEX TO CONFIRMATION

Reported:	11/14/2024 5:00 PM	Lab Name:	Quest Diagnostics Irving
Status:	Final		

Test Name	Result	Flags	Reference Range
HEPATITIS A IGM	NON-REACTIVE		NON-REACTIVE

For additional information, please refer to
<http://education.questdiagnostics.com/faq/FAQ202>
(<http://education.questdiagnostics.com/faq/FAQ202>)
(This link is being provided for informational/
educational purposes only.)

HEPATITIS B SURFACE ANTIGEN NON-REACTIVE

NON-REACTIVE

For additional information, please refer to
<http://education.questdiagnostics.com/faq/FAQ202>
(<http://education.questdiagnostics.com/faq/FAQ202>)
(This link is being provided for informational/
educational purposes only.)

HEPATITIS B CORE ANTIBODY (IGM) NON-REACTIVE

NON-REACTIVE

For additional information, please refer to
<http://education.questdiagnostics.com/faq/FAQ202>
(<http://education.questdiagnostics.com/faq/FAQ202>)
(This link is being provided for informational/
educational purposes only.)

HEPATITIS C ANTIBODY NON-REACTIVE

NON-REACTIVE

HCV antibody was non-reactive. There is no laboratory
evidence of HCV infection.

In most cases, no further action is required. However,
if recent HCV exposure is suspected, a test for HCV RNA
(test code 35645) is suggested.

For additional information please refer to
<http://education.questdiagnostics.com/faq/FAQ22v1>
(<http://education.questdiagnostics.com/faq/FAQ22v1>)
(This link is being provided for informational/
educational purposes only.)

10231 - COMPREHENSIVE METABOLIC PANEL

Reported: 11/14/2024 5:00 PM **Lab Name:** Quest Diagnostics Irving
Status: Final

Test Name	Result	Flags	Reference Range
GLUCOSE	88		65-99 mg/dL
Fasting reference interval			
UREA NITROGEN (BUN)	12		7-25 mg/dL
CREATININE	0.87		0.60-1.24 mg/dL
EGFR	124		> OR = 60 mL/min/1.73m2
BUN/CREATININE RATIO	SEE NOTE:		6-22 (calc)

Not Reported: BUN and Creatinine are within
reference range.

SODIUM	137		135-146 mmol/L
POTASSIUM	4.4		3.5-5.3 mmol/L
CHLORIDE	100		98-110 mmol/L
CARBON DIOXIDE	27		20-32 mmol/L
CALCIUM	9.6		8.6-10.3 mg/dL
PROTEIN, TOTAL	7.9		6.1-8.1 g/dL
ALBUMIN	4.8		3.6-5.1 g/dL
GLOBULIN	3.1		1.9-3.7 g/dL (calc)
ALBUMIN/GLOBULIN RATIO	1.5		1.0-2.5 (calc)
BILIRUBIN, TOTAL	0.6		0.2-1.2 mg/dL
ALKALINE PHOSPHATASE	98		36-130 U/L
AST	42*	H	10-40 U/L
ALT	28		9-46 U/L

6399 - CBC (INCLUDES DIFF/PLT)

Reported: 11/14/2024 5:00 PM **Lab Name:** Quest Diagnostics Irving
Status: Final

Test Name	Result	Flags	Reference Range
WHITE BLOOD CELL COUNT	6.0		3.8-10.8 Thousand/uL
RED BLOOD CELL COUNT	5.95*	H	4.20-5.80 Million/uL
HEMOGLOBIN	16.5		13.2-17.1 g/dL
HEMATOCRIT	49.5		38.5-50.0 %
MCV	83.2		80.0-100.0 fL
MCH	27.7		27.0-33.0 pg
MCHC	33.3		32.0-36.0 g/dL

For adults, a slight decrease in the calculated MCHC value (in the range of 30 to 32 g/dL) is most likely not clinically significant; however, it should be interpreted with caution in correlation with other red cell parameters and the patient's clinical condition.

RDW	12.7		11.0-15.0 %
PLATELET COUNT	334		140-400 Thousand/uL
MPV	9.1		7.5-12.5 fL
ABSOLUTE NEUTROPHILS	3366		1500-7800 cells/uL
ABSOLUTE LYMPHOCYTES	2076		850-3900 cells/uL
ABSOLUTE MONOCYTES	450		200-950 cells/uL
ABSOLUTE EOSINOPHILS	78		15-500 cells/uL
ABSOLUTE BASOPHILS	30		0-200 cells/uL
NEUTROPHILS	56.1		%
LYMPHOCYTES	34.6		%

MONOCYTES	7.5	%
EOSINOPHILS	1.3	%
BASOPHILS	0.5	%

36127 - TSH W/REFLEX TO FT4

Reported: 11/14/2024 5:00 PM **Lab Name:** Quest Diagnostics Irving
Status: Final

Test Name	Result	Flags	Reference Range
TSH W/REFLEX TO FT4	2.65		0.40-4.50 mIU/L

17306 - VITAMIN D,25-OH,TOTAL,IA

Reported: 11/14/2024 5:00 PM **Lab Name:** Quest Diagnostics Irving
Status: Final

Test Name	Result	Flags	Reference Range
VITAMIN D,25-OH,TOTAL,IA	12*	L	30-100 ng/mL

Vitamin D Status 25-OH Vitamin D:

Deficiency: <20 ng/mL

Insufficiency: 20 - 29 ng/mL

Optimal: > or = 30 ng/mL

For 25-OH Vitamin D testing on patients on D2-supplementation and patients for whom quantitation of D2 and D3 fractions is required, the QuestAssured(TM) 25-OH VIT D, (D2,D3), LC/MS/MS is recommended: order code 92888 (patients >2yrs).

See Note 1

Note 1

For additional information, please refer to <http://education.QuestDiagnostics.com/faq/FAQ199> (<http://education.QuestDiagnostics.com/faq/FAQ199>) (This link is being provided for informational/educational purposes only.)

496 - HEMOGLOBIN A1c

Reported: 11/14/2024 5:00 PM **Lab Name:** Quest Diagnostics Irving
Status: Final

Test Name	Result	Flags	Reference Range
HEMOGLOBIN A1c	5.6		<5.7 % of total Hgb

For the purpose of screening for the presence of diabetes:

<5.7%	Consistent with the absence of diabetes
5.7–6.4%	Consistent with increased risk for diabetes (prediabetes)
> or =6.5%	Consistent with diabetes

This assay result is consistent with a decreased risk of diabetes.

Currently, no consensus exists regarding use of hemoglobin A1c for diagnosis of diabetes in children.

According to American Diabetes Association (ADA) guidelines, hemoglobin A1c <7.0% represents optimal control in non-pregnant diabetic patients. Different metrics may apply to specific patient populations. Standards of Medical Care in Diabetes(ADA).

REPORT COMMENT:
FASTING:YES

Performing Laboratory Information

Name: Quest Diagnostics Irving
4770 REGENT BLVD. IRVING TX 75063
ELISABETH S BROCKIE, DO