

task1

```
1 SELECT persona_id, nickname, unit_system, goal_weight, gender
2 FROM renpho.user_profiles
3 WHERE is_user = true;
```

Run Query

Explain Query ▾

No records found

```
1 SELECT persona_id, first_name, last_name, weight_kg, goal, calorie_goal, activity_level
2 FROM myfitnesspal.user_profiles
3 WHERE is_user = true;
```

Run Query

Explain Query ▾

No records found

```
1 SELECT m.weight, p.unit_system, m.timestamp, m.bmi
2 FROM renpho.measurements m
3 JOIN renpho.user_profiles p ON m.persona_id = p.persona_id
4 WHERE p.is_user = true
5 ORDER BY m.timestamp DESC
6 LIMIT 1;
```

Run Query

Explain Query ▾

No records found

```
1 SELECT
2   MIN(fl.log_date::date) AS first_log,
3   MAX(fl.log_date::date) AS last_log,
4   COUNT(DISTINCT fl.log_date::date) AS distinct_days
5 FROM myfitnesspal.food_logs fl
6 JOIN myfitnesspal.user_profiles p ON fl.persona_id = p.persona_id
7 WHERE p.is_user = true;
```

Run Query Explain Query

first_log	last_log	distinct_days
NULL	NULL	0

```
1 SELECT persona_id, nickname, unit_system, goal_weight, gender
2 FROM renpho.user_profiles
3 WHERE nickname = 'Jennifer' OR persona_id = 'persona_001';
```

Run Query Explain Query

2 rows in 0 ms

persona_id	nickname	unit_system	goal_weight	gender
persona_001	John	metric	75	male
persona_031	Jennifer	metric	60	female

```
1 SELECT persona_id, first_name, last_name, weight_kg, goal, calorie_goal, activity_level
2 FROM myfitnesspal.user_profiles
3 WHERE first_name = 'John' AND last_name = 'Doe';
```

Run Query Explain Query

1 rows in 1 ms JSON

persona_id	first_name	last_name	weight_kg	goal	calorie_goal	activity_level
persona_001	John	Doe	77.1	maintain	2200	moderate

```
1 SELECT m.weight, p.unit_system, m.timestamp, m.bmi
2 FROM renpho.measurements m
3 JOIN renpho.user_profiles p ON m.persona_id = p.persona_id
4 WHERE p.persona_id = 'persona_001'
5 ORDER BY m.timestamp DESC
6 LIMIT 1;
```

Run Query Explain Query

1 rows in 1 ms JSON CSV XML

weight	unit_system	timestamp	bmi
77.2	metric	2026-03-03 09:55:00	24.4

```
1 SELECT
2     MIN(fl.log_date::date) AS first_log,
3     MAX(fl.log_date::date) AS last_log,
4     COUNT(DISTINCT fl.log_date::date) AS distinct_days
5 FROM myfitnesspal.food_logs fl
6 JOIN myfitnesspal.user_profiles p ON fl.persona_id = p.persona_id
7 WHERE p.persona_id = 'persona_001';
```

Run Query Explain Query

1 rows in 2 ms JSON CSV XM

first_log	last_log	distinct_days
2025-12-07T00:00:00Z	2026-03-06T00:00:00Z	90

```
1 WITH daily AS (
2     SELECT
3         fl.log_date::date AS d,
4         SUM(fl.servings * f.calories) AS kcal
5     FROM myfitnesspal.food_logs fl
6     JOIN myfitnesspal.foods f ON fl.food_id = f.food_id
7     JOIN myfitnesspal.user_profiles p ON fl.persona_id = p.persona_id
8     WHERE p.persona_id = 'persona_001'
9     AND fl.log_date::date BETWEEN '2026-02-21' AND '2026-03-06'
10    GROUP BY fl.log_date::date
11 )
12 SELECT
13     ROUND(AVG(kcal)) AS avg_kcal,
14     COUNT(*) AS n_days,
15     MIN(d) AS start_d,
16     MAX(d) AS end_d
17 FROM daily;
```

Run Query Explain Query

avg_kcal	n_days	start_d	end_d
1727	14	2026-02-21T00:00:00Z	2026-03-06T00:00:00Z