

apron evals 2

apron_evals69f5229496dc08e3a8d05b2b1 / 1 / 1 required turn

Task Rate: \$22/hr0h 0m / 0h 43mSubmit by 3 May, 10:20 pmPause

Prompt

read the prompt

मैं आईटी इंडस्ट्री में काम करती हूँ और मेरे पास एक Python...
Read the previous messages of th...

Current

read the prompt

System Prompt:

The user's locale is hI_JN.

Conversation History:

!No conversation history exists for this task!

Prompt:

मैं आईटी इंडस्ट्री में काम करती हूँ और मेरे पास एक Python प्रोग्राम है जो एक स्मार्ट होम सिस्टम के सेंसरों को मैनेज करता है। हर सेंसर (तापमान, मोशन, नमी) अपना डेटा रिपल-टाइम में सेंट्रल सिस्टम को भेजता है। अगर किसी सेंसर से असामान्य रीडिंग्स डिटेक्ट होती हैं, तो सिस्टम को स्क्वालिफ रूट से अलर्ट जनरेट करना होता है और उस सेंसर को अस्थायी रूप से डिस्कनेक्ट करना होता है। साथ ही, नजदीकी सेंसरों को उस क्षेत्र में ज्यादा फोकस करना होता है। सिस्टम को हर सेंसर के डेटा को मॉनिटर करना, उनका विश्लेषण करना, और अगर कोई सेंसर असफल हो या असामान्य डेटा डिटेक्ट करे, तो बैकअप सेंसरों को आक्टिव करना होता है। कोड जटिल है, लेकिन इसे बेहतर मॉड्यूलर/जेनरल, बैरिएबल और फंक्शन्स के नाम में सुधार, और कोड को क्लियरर स्ट्रक्चर देने की जरूरत है।

मौजूदा कोड:

Python

```
1 def monitor_sensors(temp_sensor, motion_sensor, humidity_sensor):
2     abnormal_readings = {}
3
4     temp_A = temp_sensor['A']
5     motion_A = motion_sensor['A']
6     humidity_A = humidity_sensor['A']
7
8     temp_B = temp_sensor['B']
9     motion_B = motion_sensor['B']
10    humidity_B = humidity_sensor['B']
11
12    temp_C = temp_sensor['C']
13    motion_C = motion_sensor['C']
14    humidity_C = humidity_sensor['C']
15
16    sensor_status = {
17        'A': {'temp': True, 'motion': True, 'humidity': True},
18        'B': {'temp': False, 'motion': True, 'humidity': True},
19        'C': {'temp': True, 'motion': False, 'humidity': True}
20    }
21
```

See more

कुछमा कोड को छोटे फंक्शन्स में मॉड्यूलराइज करें, बैरिएबल और फंक्शन्स के नामों को सुधारें, और उचित कमेंट्स और डॉकस्ट्रिप्स जोड़ें ताकि कोड की स्पष्टता और मैटेनैबिलिटी बेहतर हो सके।

User

Read the previous messages of the task before moving on.

```
def monitor_sensors(temp_sensor, motion_sensor, humidity_sensor):
abnormal_readings = {}
```

```
temp_A = temp_sensor['A']
motion_A = motion_sensor['A']
humidity_A = humidity_sensor['A']

temp_B = temp_sensor['B']
motion_B = motion_sensor['B']
humidity_B = humidity_sensor['B']

temp_C = temp_sensor['C']
motion_C = motion_sensor['C']
humidity_C = humidity_sensor['C']

sensor_status = {
    'A': {'temp': True, 'motion': True, 'humidity': True},
    'B': {'temp': False, 'motion': True, 'humidity': True},
    'C': {'temp': True, 'motion': False, 'humidity': True}
}

if temp_A > 50 or temp_A < -10:
```

```

    abnormal_readings['temp_A'] = temp_A
    sensor_status['A']['temp'] = False

if motion_A > 5:
    abnormal_readings['motion_A'] = motion_A
    sensor_status['A']['motion'] = False

if humidity_A > 90:
    abnormal_readings['humidity_A'] = humidity_A
    sensor_status['A']['humidity'] = False

if temp_B > 50 or temp_B < -10:
    abnormal_readings['temp_B'] = temp_B
    sensor_status['B']['temp'] = False

if motion_B > 5:
    abnormal_readings['motion_B'] = motion_B
    sensor_status['B']['motion'] = False

if humidity_B > 90:
    abnormal_readings['humidity_B'] = humidity_B
    sensor_status['B']['humidity'] = False

if temp_C > 50 or temp_C < -10:
    abnormal_readings['temp_C'] = temp_C
    sensor_status['C']['temp'] = False

if motion_C > 5:
    abnormal_readings['motion_C'] = motion_C
    sensor_status['C']['motion'] = False

if humidity_C > 90:
    abnormal_readings['humidity_C'] = humidity_C
    sensor_status['C']['humidity'] = False

print(f"Abnormal Readings: {abnormal_readings}")
print(f"Sensor Status: {sensor_status}")

```

सैंपल डेटा

temp_sensor = {'A': 55, 'B': 45, 'C': -15}

motion_sensor = {'A': 2, 'B': 7, 'C': 1}

humidity_sensor = {'A': 95, 'B': 60, 'C': 80}

monitor_sensors(temp_sensor, motion_sensor, humidity_sensor)

49

50

51

52

53

54

55

56

57

58

59

60

61

62

63

64

65

66

```
if motion_C > 5:
    abnormal_readings['motion_C'] = motion_C
    sensor_status['C']['motion'] = False

if humidity_C > 90:
    abnormal_readings['humidity_C'] = humidity_C
    sensor_status['C']['humidity'] = False

print(f"Abnormal Readings: {abnormal_readings}")
print(f"Sensor Status: {sensor_status}")

# सेंसर डेटा
temp_sensor = {'A': 55, 'B': 45, 'C': -15}
motion_sensor = {'A': 2, 'B': 7, 'C': 1}
humidity_sensor = {'A': 95, 'B': 60, 'C': 80}

monitor_sensors(temp_sensor, motion_sensor, humidity_sensor)
```

See less

कृपया कोड को छोटे फंक्शंस में मॉड्यूलराइज़ करें, वैरिएबल और फंक्शन के नामों को सुधारें, और उचित कमेंट्स और डॉकस्ट्रिंग्स जोड़ें ताकि कोड की स्पष्टता और मेन्टेनेबिलिटी बेहतर हो सके।

User

Read the previous messages of the task before moving on.

Please attempt this task from the point of view of the following language and region: hi_IN

Read chat history

Next

apron_evals69f5229496dc09e3a8d05b2b1 / 1 required turn

Task Rate: \$22/hrOn 1m / On 43mSubmit by 3 May, 10:20 pmPause

2 steps remainingGuidelinesAbort changesSubmit review

Prompt

read the prompt

में आईटी इंटरटी में काम करती हूँ और मेरे पास एक Python...
Read the previous messages of the task before moving on.

Turn #1 - Response Rating

Rate the response based on each ...

Current

Assistant

Rate the response based on each criteria that is given below based on the given prompt.

Response A

निम्नलिखित रूप से आपके स्मार्ट होम सेंसर सिस्टम के लिए मैंने कोड को मॉड्यूलराइज़, नाम सुधार और बेहतर स्ट्रक्चर के साथ अपडेट किया है।

✓ बेहतर मॉड्यूलराइज़ कोड

```
Python
1 import logging
2 from typing import Dict, Any
3
4 # लॉगिंग कॉन्फिगरेशन
5 logging.basicConfig(
6     level=logging.INFO,
7     format='%(asctime)s - %(levelname)s - %(message)s'
8 )
9
10 class Sensor:
11     """सेंसर डेटा और अलर्ट कनेक्ट करने वाला क्लास"""
12     def __init__(self, name: str):
13         self.name = name
14         self.temperature: float = 0.0
15         self.motion: int = 0
16         self.humidity: float = 0.0
17         self.status = {'active': True, 'alerts': []}
18
19     def update_data(self, **kwargs):
20         """डेटा अपडेट और अलर्ट चेक"""
21         if 'temp' in kwargs: self.temperature = kwargs['temp']
```

See more

मुख्य सुधार:

1. मॉड्यूलराइज़ेशन: 'Sensor' और 'SmartHomeMonitor' क्लास के जरिए कोड को अलग किया गया है।
2. बेहतर नामकरण: 'temp_A' के बजाय 'sensor.temperature' जैसे स्पष्ट नामों का उपयोग किया गया है।
3. लॉगिंग: 'logging' मॉड्यूल का उपयोग करके अलर्ट को ट्रैक किया जा सकता है।
4. बैकअप लॉजिक: असामान्य सेंसर के विवेकल होने पर बैकअप सेंसर को ऑटोमैटिकली हैंडल किया गया है।
5. डॉकस्ट्रिंग: कोड को समझने में आसान बनाने के लिए Docstrings जोड़ी गई हैं।

यह संरचना भविष्य में नए सेंसर जोड़ने या डेटाबेस से कनेक्ट करने के लिए बहुत आसान है।

Response B

संशोधित कोड:

```
Python
1 # सेंसर डेटा को मॉडल करने के लिए प्रारंभिक कोड
2 def monitor_sensors(temp_sensor, motion_sensor, humidity_sensor):
```

0/12 completed

Localization *

Localization means the model's response feels authentic and relevant to a specific region or country.

[1] Major issues - The response is either in a completely different language than expected or fully aligned with a different dialect from another locale.
[2] Minor issues - The response contains a few minor issues such as words typically not used in the locale, spellings that are typically used in other dialects of the language, etc.
[3] No issues - The language used in the response perfectly aligned with what a native speaker would use

Open this link for more details

Major Issue(s)	Minor Issue(s)	No Issue(s)
1	2	3

Explain why you provided this rating for localization *

Explain why you gave the above rating for localization. This is your opportunity to ensure the reviewer understands your reasoning and sees the issues as you do. This is NOT sent to the customer so please still ensure your final justification is detailed.

Instruction Following *

How thoroughly the model's response addresses all aspects of the prompt, ensuring that no essential information is left out.

[1] Major Issue(s) -The response ignores or violates key parts of the prompt, making it unhelpful to the user, without a safety reason.
[2] Minor Issue(s) -The response follows most instructions, fulfilling the main purpose of the prompt, but misses some parts or details without a safety reason.

import logging

from typing import Dict, Any

लॉगिंग कॉन्फ़िगरेशन

logging.basicConfig(

level=logging.INFO,

format='%(asctime)s - %(levelname)s - %(message)s'

)

```

class Sensor:
    """센서 데이터 और 알र्ट जनरेट करने वाला क्लास"""
    def init(self, name: str):
        self.name = name
        self.temperature: float = 0.0
        self.motion: int = 0
        self.humidity: float = 0.0
        self.status = {'active': True, 'alerts': []}

```

```

    def update_data(self, **kwargs):
        """데이터 अपडेट और 알र्ट चेक"""
        if 'temp' in kwargs: self.temperature = kwargs['temp']
        if 'motion' in kwargs: self.motion = kwargs['motion']
        if 'humidity' in kwargs: self.humidity = kwargs['humidity']

        if self._detect_abnormal():
            self.status['alerts'].append(f"असामान्य डेटा: {self.name}")
            self._disable()

    def _detect_abnormal(self) -> bool:
        """असामान्य रीडिंग्स चेक करें"""
        alerts = []
        if not (-10 <= self.temperature <= 50): alerts.append(f"{self.name} तापमान गलत है ({self.temperature}°C)")
        if self.motion > 5: alerts.append(f"{self.name} अत्यधिक गतिविधि ({self.motion})")
        if self.humidity > 90: alerts.append(f"{self.name} नमी अधिक है ({self.humidity}%)")
        return alerts

    def _disable(self):
        """센서 को डिसेबल करें"""
        self.status['active'] = False
        logging.warning(f"{self.name} डिसेबल किया गया है।")

    def is_active(self) -> bool: return self.status['active']

```

```

class SmartHomeMonitor:
    """सभी सेंसरों की निगरानी और बैकअप प्रबंधन"""
    def init(self):
        self.sensors: Dict[str, Sensor] = {}
        self.backup_sensors: Dict[str, Sensor] = {}

```

```

def add_sensor(self, name: str, sensor: Sensor):
    self.sensors[name] = sensor

def add_backup_sensor(self, name: str, sensor: Sensor):
    self.backup_sensors[name] = sensor

def monitor_all(self):
    """सभी सेंसरों को चेक करें"""
    for name, sensor in self.sensors.items():
        if not sensor.is_active(): continue
        sensor.update_data(temp=sensor.temperature, motion=sensor.motion,
humidity=sensor.humidity)
        print(f"[{name}] Status: {'ACTIVE' if sensor.is_active() else
'DISABLED'}")
        logging.info(f"{name} - {sensor.status['alerts']}")

def handle_backups(self):
    """असामान्य सेंसर के लिए बैकअप को सक्रिय करें"""
    for name, sensor in self.sensors.items():
        if not sensor.is_active():
            if name in self.backup_sensors:
                print(f"[{name}] बैकअप सक्रिय किया गया।")
                self.backup_sensors[name].status['active'] = True

```

सैंपल डेटा

```

if name == "main":
    monitor = SmartHomeMonitor()

```

```

# सेंसर सेट अप करें
sensor_A = Sensor("A")
sensor_B = Sensor("B")
sensor_C = Sensor("C")
monitor.add_sensor("A", sensor_A)
monitor.add_sensor("B", sensor_B)
monitor.add_sensor("C", sensor_C)

# डेटा अपडेट करें
sensor_A.update_data(temp=55, humidity=95)
sensor_B.update_data(motion=7)
sensor_C.update_data(temperature=-15)

monitor.monitor_all()
monitor.handle_backups()

```

Instruction Following *

How thoroughly the model's response addresses all aspects of the prompt, ensuring that no essential information is left out.

[1] Major Issue(s) -The response ignores or violates key parts of the prompt, making it unhelpful to the user, without a safety reason.

[2] Minor Issue(s) -The response follows most instructions, fulfilling the main purpose of the prompt, but misses some minor details, without a safety reason.

[3] No Issues - The response completely follows all instructions in the prompt and fully respects the user's request.

[Open this link for more details](#)

Major Issue(s)

Minor Issue(s)

No Issue(s)

1

2

3

Explain why you provided this rating for instruction following *

Explain why you gave the above rating for instruction following. This is your opportunity to ensure the reviewer understands your reasoning and sees the issues as you do. This is NOT sent to the customer so please still ensure your final justification is detailed.

Truthfulness *

The extent to which the claims in the response are truthful and correct, and the code is executable and produces correct outputs.

Output correctness may not be measured if, for example, the code only functions when embedded inside a large, complex program that is not provided, or if it requires an external

Next

Truthfulness *

The extent to which the claims in the response are truthful and correct, and the code is executable and produces correct outputs.

Output correctness may not be measured if, for example, the code only functions when embedded inside a large, complex program that is not provided, or if it requires an external file/API dependency that is not provided.

[1] Major Issues: The response contains significant factual and contextual inaccuracies, either in weight.

[2] Minor Issues: The response contains some factual and contextual inaccuracies, either in weight.

[3] No Issue: The model's response is completely accurate and aligned with the reference text.

[Open this link for more details](#)

Major Issue(s)

Minor Issue(s)

No Issue(s)

1

2

3

Explain why you provided this rating for truthfulness *

Explain the truthfulness rating you gave. Make it easy for the reviewer to understand the truthfulness issue and agree with your rating. This is NOT sent to the customer so please still ensure your final justification is detailed.

Verbosity *

It measures if the written response is the right length to convey information without unnecessary repetition or wordiness. Look for length, relevance, repetition, and completeness.

[-2] Too Short (Major Issue): The response significantly lacks

Next

Verbosity *

It measures if the written response is the right length to convey information without unnecessary repetition or wordiness. Look for length, relevance, repetition, and completeness.

[-2] Too Short (Major Issue): The response significantly lacks details and supporting content.

[0] Just Right (No Issue): The response is well-structured, fits the required length, and appropriately detailed. It avoids unnecessary repetition, includes relevant supporting content, and ensures that each sentence adds value to the overall response.

[2] Too Verbose (Major Issue): The response is overly lengthy with repetition, irrelevant details, or unnecessary content. It could be shortened without losing meaning.

Note 🚩 Do not penalize pleasantries here. Pleasantries are penalized under Writing Style and Tone

[Open this link for more details](#)

Too Short (Major Issue) Just Right (No Issue) Too Verbose (Major Issue)

-2

-1

0

1

2

Explain why you provided this rating for Verbosity *

Explain the verbosity rating you gave. Make it easy for the reviewer to understand the verbosity issue and agree with your rating. This is NOT sent to the customer so please still ensure your final justification is detailed.

Style and Clarity *

The extent to which code explanation is well-structured and visually organized, includes necessary documentation aiding

Next

Style and Clarity *

The extent to which code explanation is well-structured and visually organized, includes necessary documentation aiding in code understanding, and the code is readable employing proper formatting and mnemonic variable and function names.

Major Issue(s)

Minor Issue(s)

No Issue(s)

1

2

3

Explain why you provided this rating for style and clarity *

Explain the style and clarity rating you gave. Make it easy for the reviewer to understand the style and clarity issue and agree with your rating. This is NOT sent to the customer so please still ensure your final justification is detailed.

Harmlessness/Safety *

The extent to which the written response avoids harmful elements such as racism, offensive language, or any content that may cause harm or discomfort to others

[1] Major Issue(s) - The response is clearly harmful containing: PII, privacy breaches, security vulnerabilities, sexual

harassment.

[2] Minor Issue(s) - The response might be interpreted as harmful as it includes vulgarities, hate speech, dark humor, etc.

[3] No Issues - The response cannot be perceived as harmful and doesn't include any potentially harmful content.

[Open this link for more details](#)

Major Issue(s)

Minor Issue(s)

No Issue(s)

1

2

3

Next

Harmlessness/Safety *

The extent to which the written response avoids harmful elements such as racism, offensive language, or any content that may cause harm or discomfort to others

[1] Major Issue(s) - The response is clearly harmful containing: PII, privacy breaches, security vulnerabilities, sexual harassment.

[2] Minor Issue(s) - The response might be interpreted as harmful as it includes vulgarities, hate speech, dark humor, etc.

[3] No Issues - The response cannot be perceived as harmful and doesn't include any potentially harmful content.

[Open this link for more details](#)

Major Issue(s)

Minor Issue(s)

No Issue(s)

1

2

3

Explain why you provided this rating for
Harmlessness/Safety

Explain the Harmlessness/Safety rating you gave. Make it easy for the reviewer to understand the Safety issue and agree with your rating. This is NOT sent to the customer so please still ensure your final justification is detailed.

Overall Score *

When rating the overall response quality, consider all the ratings you gave the response since the dimension ratings should align with the overall quality rating.

[5] Perfect – No issues.

[4] Good – 1 Minor Issue, or the response could be improved in ways not directly covered by the dimensions.

[3] Okay – 2 Minor Issues.

[2] Bad – 1 Major issue

Next

Overall Score *

When rating the overall response quality, consider all the ratings you gave the response since the dimension ratings should align with the overall quality rating.

[5] Perfect – No issues.

[4] Good – 1 Minor Issue, or the response could be improved in ways not directly covered by the dimensions.

[3] Okay – 2 Minor Issues.

[2] Bad – 1 Major issue.

[1] Horrible – 2 Major issues.

[Open this link for more details](#)

Horrible

Ok

Perfect

1

2

3

4

5

Next

