

 iamSaikrishna143 / Last_Believe



[Code](#) [Issues](#) [Pull requests](#) [Actions](#) [Projects](#) [Wiki](#) [Security](#)

 [main](#) **Last_Believe / crud.jsx** 





iamSaikrishna143 all update

ce579bf · 9 hours ago



229 lines (203 loc) · 7.49 KB

```
1
2 import React, { useState, useEffect } from "react";
3
4 // Sample states and cities
5 const stateCityData = {
6   India: ["Telengana", "Odisha", "Maharashtra", "Tamilnadu"],
7   California: ["Los Angeles", "San Francisco", "San Diego"],
8   Texas: ["Houston", "Dallas", "Austin"],
9   Florida: ["Miami", "Orlando", "Tampa"],
10 };
11
12 // Sample departments
13 const departments = ["Engineering", "HR", "Marketing", "Sales"];
14
15 function CrudForm() {
16   const initialState = {
17     id: null,
18     name: "",
19     gender: "",
20     state: "",
21     city: "",
22     pincode: "",
23     email: "",
24     mobile: "",
25     department: "",
26     salary: "",
27     confirm: false,
28   };
29
30   const [formData, setFormData] = useState(initialState);
31   const [entries, setEntries] = useState([]);
32   const [cities, setCities] = useState([]);
33   const [editId, setEditId] = useState(null);
34   const [errors, setErrors] = useState({});
35
36   // Update cities when state changes
```

```

37     useEffect(() => {
38         if (formData.state) setCities(stateCityData[formData.state] || []);
39         else setCities([]);
40         setFormData({ ...formData, city: "" }); // reset city
41     }, [formData.state]);
42
43     // Handle input change
44     const handleChange = (e) => {
45         const { name, value, type, checked } = e.target;
46         setFormData({ ...formData, [name]: type === "checkbox" ? checked : value });
47     };
48
49     // Validate form
50     const validate = () => {
51         const newErrors = {};
52         if (!formData.name) newErrors.name = "Name is required";
53         if (!formData.gender) newErrors.gender = "Gender is required";
54         if (!formData.state) newErrors.state = "State is required";
55         if (!formData.city) newErrors.city = "City is required";
56         if (!/^d{5,6}$/.test(formData.pincode)) newErrors.pincode = "Invalid pincode";
57         if (!/^[^\\s@]+@[^\\s@]+\\.([^\\s@]+)$/.test(formData.email)) newErrors.email = "Invalid email";
58         if (!/^d{10}$/.test(formData.mobile)) newErrors.mobile = "Invalid mobile number";
59         if (!formData.department) newErrors.department = "Select a department";
60         if (!formData.salary) newErrors.salary = "Salary is required";
61         if (!formData.confirm) newErrors.confirm = "Please confirm the form";
62         setErrors(newErrors);
63         return Object.keys(newErrors).length === 0;
64     };
65
66     // Handle submit
67     const handleSubmit = (e) => {
68         e.preventDefault();
69         if (!validate()) return;
70
71         if (editId !== null) {
72             setEntries(
73                 entries.map((entry) => (entry.id === editId ? { ...formData, id: editId } : entry));
74             );
75             setEditId(null);
76         } else {
77             setEntries([...entries, { ...formData, id: Date.now() }]);
78         }
79         setFormData(initialFormState);
80     };
81
82     // Handle edit
83     const handleEdit = (id) => {
84         const entry = entries.find((e) => e.id === id);
85         setFormData(entry);
86         setEditId(id);
87     };
88

```

```

89 // Handle delete
90 const handleDelete = (id) => setEntries(entries.filter((e) => e.id !== id));
91
92 return (
93   <div style={styles.container}>
94     <h2>Employee Form</h2>
95     <form onSubmit={handleSubmit} style={styles.form}>
96       <label>
97         Name:
98         <input type="text" name="name" value={formData.name} onChange={handleChange} />
99         {errors.name && <span style={styles.error}>{errors.name}</span>}
100       </label>
101
102       <label>
103         Gender:
104         <select name="gender" value={formData.gender} onChange={handleChange}>
105           <option value="">Select Gender</option>
106           <option value="Male">Male</option>
107           <option value="Female">Female</option>
108         </select>
109         {errors.gender && <span style={styles.error}>{errors.gender}</span>}
110       </label>
111
112       <label>
113         State:
114         <select name="state" value={formData.state} onChange={handleChange}>
115           <option value="">Select State</option>
116           {Object.keys(stateCityData).map((state) => (
117             <option key={state} value={state}>{state}</option>
118           ))}
119         </select>
120         {errors.state && <span style={styles.error}>{errors.state}</span>}
121       </label>
122
123       <label>
124         City:
125         <select name="city" value={formData.city} onChange={handleChange}>
126           <option value="">Select City</option>
127           {cities.map((city) => (
128             <option key={city} value={city}>{city}</option>
129           ))}
130         </select>
131         {errors.city && <span style={styles.error}>{errors.city}</span>}
132       </label>
133
134       <label>
135         Pincode:
136         <input type="text" name="pincode" value={formData.pincode} onChange={handleChange} />
137         {errors.pincode && <span style={styles.error}>{errors.pincode}</span>}
138       </label>
139
140       <label>

```

```

141         Email:
142         <input type="email" name="email" value={formData.email} onChange={handleChange}
143         {errors.email && <span style={styles.error}>{errors.email}</span>}
144     </label>
145
146     <label>
147         Mobile:
148         <input type="text" name="mobile" value={formData.mobile} onChange={handleChange}
149         {errors.mobile && <span style={styles.error}>{errors.mobile}</span>}
150     </label>
151
152     <label>
153         Department:
154         <select name="department" value={formData.department} onChange={handleChange}>
155             <option value="">Select Department</option>
156             {departments.map((dept) => (
157                 <option key={dept} value={dept}>{dept}</option>
158             ))}
159         </select>
160         {errors.department && <span style={styles.error}>{errors.department}</span>}
161     </label>
162
163     <label>
164         Salary (USD):
165         <input type="number" name="salary" value={formData.salary} onChange={handleChange}
166         {errors.salary && <span style={styles.error}>{errors.salary}</span>}
167     </label>
168
169     <label>
170         <input type="checkbox" name="confirm" checked={formData.confirm} onChange={handleChange}
171         Confirm all information
172         {errors.confirm && <span style={styles.error}>{errors.confirm}</span>}
173     </label>
174
175     <button type="submit">{editId !== null ? "Update" : "Submit"}</button>
176 </form>
177
178 <h3>Employee List</h3>
179 {entries.length === 0 ? <p>No entries yet</p> : (
180     <table style={styles.table}>
181         <thead>
182             <tr>
183                 <th>Name</th>
184                 <th>Gender</th>
185                 <th>State</th>
186                 <th>City</th>
187                 <th>Pincode</th>
188                 <th>Email</th>
189                 <th>Mobile</th>
190                 <th>Department</th>
191                 <th>Salary</th>
192                 <th>Actions</th>

```

```
193         </tr>
194     </thead>
195     <tbody>
196         {entries.map((e) => (
197             <tr key={e.id}>
198                 <td>{e.name}</td>
199                 <td>{e.gender}</td>
200                 <td>{e.state}</td>
201                 <td>{e.city}</td>
202                 <td>{e.pincode}</td>
203                 <td>{e.email}</td>
204                 <td>{e.mobile}</td>
205                 <td>{e.department}</td>
206                 <td>${e.salary}</td>
207                 <td>
208                     <button onClick={() => handleEdit(e.id)}>Edit</button>
209                     <button onClick={() => handleDelete(e.id)}>Delete</button>
210                 </td>
211             </tr>
212         )]}
213     </tbody>
214 </table>
215     )}
216 </div>
217 );
218 }
219
220 // Simple styles
221 const styles = {
222     container: { margin: "20px", fontFamily: "Arial, sans-serif" },
223     form: { display: "flex", flexDirection: "column", gap: "10px", maxWidth: "400px" },
224     error: { color: "red", fontSize: "12px", marginLeft: "5px" },
225     table: { borderCollapse: "collapse", width: "100%", marginTop: "20px" },
226     tableCell: { border: "1px solid #ccc", padding: "5px" },
227 };
228
229 export default CrudForm;
```