



3 min. read

Polyfill Of Map, Filter & Reduce 100 In JavaScript

@AmaanAnsari



What is **Polyfill** ? 🤔

Polyfills in JavaScript add support for modern features in older browsers or environments that don't support them natively.

These snippets or libraries bring modern functionality to older browsers by emulating missing features and APIs. They act as a bridge between the latest web standards and browsers that do not natively support them. It enables developers to use modern syntax and techniques to write code when a polyfill is applied.



Polyfill of Map

```
const numbers = [1, 2, 3, 4];

const defaultMap = numbers.map((item, index) => {
  return item + index;
});

console.log("defaultMap: ", defaultMap);

Array.prototype.customMap = function (fn) {
  const arr = [];
  for (let i = 0; i < this.length; i++) {
    arr.push(fn(this[i], i, this));
  }
  return arr;
};

const customMap = numbers.customMap((item, index) => {
  return item + index;
});

console.log("customMap: ", customMap);
```

snappify.com



Polyfill of **Filter**

```
const numbers = [1, 2, 3, 4];

const defaultFilter = numbers.filter((item, index) => {
  return item > 2;
});

console.log("defaultFilter: ", defaultFilter);

Array.prototype.customFilter = function (fn) {
  const arr = [];
  for (let i = 0; i < this.length; i++) {
    if (fn(this[i], i, this)) arr.push(this[i]);
  }
  return arr;
};

const customFilter = numbers.customFilter((item, index) => {
  return item > 2;
});

console.log("customFilter: ", customFilter);
```

snappify.com



Polyfill of Reduce



```
const numbers = [1, 2, 3, 4];

const defaultReduce = numbers.reduce((acc, item, index, array) => {
  return (acc = [...acc, item * index]);
});

console.log("defaultReduce: ", defaultReduce);


Array.prototype.customReduce = function (fn, dependancy = null) {
  let temp = dependancy;
  for (let i = 0; i < this.length; i++) {
    temp = temp ? fn(temp, this[i], i, this) : this[i];
  }
  return temp;
};

const customReduce = numbers.customReduce((acc, item, index, array) => {
  return (acc = [...acc, item * index]);
});

console.log("customReduce: ", customReduce);
```

snappify.com





Amaan Ansari

@FullStackDeveloper

follow for more!



Repeat 