

Bachelor of Computer Applications (BCA) Programme

Project Report

BCA Sem V AY 2018-19

<Topic Title: iEdit(Image Editing Tool)>

by

Exam No.	Name of Student
104	Pandey Aadarsh H.

Project Guide by : Nidhi Desai



Sr. No	Description	Page No.
1	Introduction	
	1.1 Abstract	
	1.2 Scope & Objective	
2	Requirement Analysis	
	2.1 Requirement Gathering	
	2.2 Requirement Analysis	
	2.3 Software Model	
	2.4 Technology Details	
3	Designing	
	3.1 Data Flow Diagram	
	3.2 Database Design	
	3.3 User Interface	
4	Coding	
5	Testing	
	5.1 Navigation Testing	
	5.2 Environment Testing	
	5.3 Functional Testing	
6	Conclusion	
7	Bibliography	



1. Introduction

iEdit is online image editing tool which help user to edit their images online without downloading and installing any application to their device.

1.1 Abstract

iEdit is online image editing tool which help user to edit their images online without downloading and installing any application to their device.

iEdit gives user freedom to save their images on server otherwise just "Edit and Download" images.

iEdit provide following features.

- > Crop/Resize: Crop and resize your photos easily without any loading time.
- > Apply Effects on Image: Glorify image by applying different effects on image like changing seturation, greyscale, blur etc...
- > Cliparts: You can add interesting clipart from our clipart gallery where you can find lot of freely available clipart.
- Adding Frames
- > Adding Text

1.2 Scope & Objective

Scope:

Scope of this project is for users who want to edit their photos quickly and easily without installing any kind of software to their device.

Objective:

- 1. Provide User Convinet and easy way to edit their photos.
- 2. Allow user to devorate their images with cool Cliparts and frames.
- 3. Allow user to add text to their photos.
- 4. Provide Web based solution for editing photos.
- 5. Store photos edited by user's on server for further use.



2.Requirement Analysis

2.1 Requirement Gathering.

Following Requirements are gathered for Online image editing tool "iEdit".

- 1. System should allow user to upload their photo and then edit them.
- 2. It Should support all popular image formats like jpg,png,bmp etc.
- It should provide lightweight interface to user so it can save time of user.
 Website should work with most of web browsers.
- 5. User should be allowed to do following tasks.
 - a. Crop/Resize
 - b. Apply Effects on Image
 - c. Cliparts
 - d. Adding Frames
 - e. Adding Text
- 6. User should be able to save their photos on server for further use.
- 7. User should have security and privecy for their uploaded photos.

2.2 Requirement Analysis.


After Analyzing requirements gathered above We can satisfy all of above requirements.



2.3 Software Model.

As we have all requirements ready with us and there is no much risk in system so we will follow waterfall model for project development.

Waterfall model consists of 5/6 simple stages which are follow. where 2st stage is completed which is requirement analysis.





2.4 Technology Details.


Project Title	iEdit(Online Image Editing Tool)	
Project Objective	Allow user to edit their photos online on web based editor.	
Name Of College	SDJ International College	
Front-End Tool	ASP.NET	
Back-End Tool	Ms Access Database along with ADO.NET	
Operating System	Any Operating System with latest Browser Support. eg. Chrome, Firefox	
Internal Guide	Nidhi Desai	
Submitted By	Pandey Aadarsh H.	



iEdit Online Image Tool **3. Designing**


3.1 Data Flow Diagram.

3.1.1 Context Level DFD




Context Level Data Flow Diagram for iEdit






Level 1 Data Flow Diagram for iEdit






Level 2 Data Flow Diagram for iEdit (Users)





Level 2 Data Flow Diagram for iEdit (Assets)





Level 2 Data Flow Diagram for Accounts++ (Photos)



3.2 Database Design

Users

00010				
Column Name	Data Type	Description	Constraints	
Id	Number	Unique ID of Users	Primary Key	
Name	Text	Full Name of User	-	
Username	Text	Unique Username for all users	-	
Email	Text	Email of User	-	
Password	Text	Password for user Login	-	

Assets

Column Name	Data Type	Description	Constraints
Id	Number	Unique ID of Asset	Primary Key
Name	Text	Name of Asset	-
Type	Text	Asset type (clipart/frame)	-



iEdit Online Image Tool **User_Photos**

Column Name	Data Type	Description	Constraints
Id	Number	Unique ID of Photo	Primary Key
Name	Text	Name of Photos Provided by user	-
User_id	Number	Reference to User's id who created photo	Foreign Key
Status	Text	Status of Photo. Active or not	-
Path	Text	Path where photo is saved	-



3.2 User Interface

Note: Common CSS and Javascript files are included on later pages. Library used Bootstrap for styling Notie Plugin used for notification

Client Side Interfaces

Master Page Code:

```
<%@ Master Language="VB" CodeFile="Front.master.vb" Inherits="Front" %>
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"</pre>
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
<html xmlns="http://www.w3.org/1999/xhtml">
<head runat="server">
   <meta charset="utf-8">
    <meta name="viewport" content="width=device-width, initial-scale=1, shrink-to-</pre>
fit=no">
    <meta name="description" content="">
    <meta name="author" content="">
    <title>iEdit - Online Image Editing Tool</title>
    <!-- Bootstrap core CSS -->
    <link href="vendor/bootstrap/css/bootstrap.min.css" rel="stylesheet">
    <link href="vendor/font-awesome/css/all.css" rel="stylesheet">
    <link href="css/notie.min.css" rel="stylesheet">
    <!-- Custom styles for this template -->
    <link href="css/modern-business.css" rel="stylesheet">
    <link href="css/style.css" rel="stylesheet">
    <script src="js/notie.min.js"></script>
    <script src="vendor/jquery/jquery.min.js"></script>
    <script src="vendor/bootstrap/js/bootstrap.bundle.min.js"></script>
    <asp:ContentPlaceHolder id="head" runat="server">
    </asp:ContentPlaceHolder>
</head>
<body>
   <!-- Navigation -->
    <nav class="navbar fixed-top navbar-expand-lg navbar-dark bg-dark fixed-top">
      <div class="container">
        <a class="navbar-brand" href="Default.aspx">iEdit</a>
       <button class="navbar-toggler navbar-toggler-right" type="button" data-</pre>
toggle="collapse" data-target="#navbarResponsive" aria-controls="navbarResponsive"
aria-expanded="false" aria-label="Toggle navigation">
         <span class="navbar-toggler-icon"></span>
        <div class="collapse navbar-collapse" id="navbarResponsive">
          class="nav-item">
              <a class="nav-link" href="About.aspx">About</a>
            class="nav-item">
              <a class="nav-link" href="Features.aspx">Features</a>
```



```
class="nav-item">
            <a class="nav-link" href="PublicGallery.aspx">Public Gallery</a>
          class="nav-item">
            <a class="nav-link" href="iEditor.aspx">iEditor</a>
          <% If Session("userLogged") <> "" Then%>
              class="nav-item" >
                  <a class="nav-link" href="MyGallery.aspx">My Gallery</a>
                <a class="nav-link" href="dataModel.aspx?</pre>
userLogout=true">Logout</a>
                <% Else%>
                      class="nav-item">
                  <a class="nav-link" href="Login.aspx">Login</a>
                class="nav-item">
                  <a class="nav-link" href="Register.aspx">Register</a>
                <% End If%>
        </div>
     </div>
   </nav>
       <asp:ContentPlaceHolder id="ContentPlaceHolder1" runat="server">
       </asp:ContentPlaceHolder>
   <footer class="py-5 bg-dark">
     <div class="container">
       Copyright © iEdit.com 2018
     </div>
     <!-- /.container -->
   </footer>
</body>
</html>
Common Data Model For Ajax Requests:
Imports System.IO
Imports System.Data.SqlClient
Partial Class Admin_dataModel
   Inherits System.Web.UI.Page
```

```
If Request.Params("listAssets") <> "" Then
```

Dim db As New Database()

Handles Me.Load

Protected Sub Page Load(ByVal sender As Object, ByVal e As System.EventArgs)



```
Dim type = Request.Params("type")
Dim res = db.sqlQueryJson("select * from assets where type='" & type &
" ' " )
            Response.Write(res)
        ElseIf Request.Params("userRegister") <> "" Then
            Dim name = Request.Params("name")
            Dim username = Request.Params("username")
            Dim email = Request.Params("email")
            Dim password = Request.Params("password")
            Dim res = db.dbNonQuery("insert into users
(name, username, email, password) values ('" & name & "','" & username & "','" & email
& "','" & password & "')")
            If res = 1 Then
                Response.Write("success")
                Response.Write("problemInserting")
            End If
        ElseIf Request.Params("userLogin") <> "" Then
            Dim username = Request.Params("username")
            Dim password = Request.Params("password")
            Dim rc = db.dbScalar("select password from users where username='" &
username & "'")
            If rc <> "0" Then
                If String.Equals(rc, password) Then
                    Session("userLogged") = db.dbScalar("select id from users where
username='" & username & "'")
                    Response.Write("success")
                Else
                    Response.Write("passwordDoNotMatch")
                End If
            Else
                Response.Write("userNotFound")
        ElseIf Request.Params("userLogOut") <> "" Then
            Session("userLogged") = ""
            Response.Redirect("Default.aspx")
        ElseIf Request.Params("listCliparts") <> "" Then
            Dim res = db.sqlQueryJson("select * from assets where type='clipart'")
            Response.Write(res)
        ElseIf Request.Params("listFrames") <> "" Then
            Dim res = db.sqlQueryJson("select * from assets where type='frame'")
            Response.Write(res)
        ElseIf Request.Params("user_photo") <> "" Then
            Dim photoId = Request.Params("user photo")
            Dim imageData = Request.Params("image")
            Dim photoName = Request Params("user_photo_name")
            If photoId = -1 Then
                Dim nextId = db.nextId("user_photos", "id")
                photoId = nextId
            Dim idCount = db.dbScalar("select count(id) from user photos where id="
& photoId)
            Dim res
            If idCount = 0 Then
```




```
iEdit Online Image Tool
```

```
'Response.Write("insert into user_photos (id,name,user_id) values (" & photoId & ",'" & photoName & "'," & Session("userLogged") & ")")
res = db.dbNonQuery("insert into user_photos (id,name,user_id)
values (" & photoId & ",'" & photoName & "'," & Session("userLogged") & ")")
                  'Response.Write("update user photos set name='" & photoName & "'
where id=" & photoId)
                  res = db.dbNonQuery("update user photos set name='" & photoName & "'
where id=" & photoId)
             End If
             If res = 0 Then
                  Response.Write("dbError")
                  Return
             End If
             Dim path = HttpContext.Current.Server.MapPath("./user_photos")
             Dim filename = path & "/" & Str(photoId).Trim & ".png"
             If Not imageData = "" Then
                  If Not WriteFile(filename, imageData) Then
                      Response.Write("fileerror")
                      Return
                  End If
             End If
             Response.Write("success:" & photoId)
         End If
    End Sub
    Function WriteFile(ByVal filename As String, ByVal fileData As String) As
Boolean
         Try
             Dim fs As New FileStream(filename, FileMode.Create)
             Dim br As New BinaryWriter(fs)
             Dim data = Convert.FromBase64String(fileData)
             br.Write(data)
             br.Close()
             Return True
         Catch ex As Exception
             MsgBox(ex.Message)
             Return False
         End Try
    End Function
End Class
```



Home Page (Default.aspx)



Description:

Home page of website shown when user first time visit Website. It contains Menus to navigate through whole website.



<%@ Page Title="" Language="VB" MasterPageFile="~/Front.master"</pre> AutoEventWireup="false" CodeFile="Default.aspx.vb" Inherits=" Default" %> <asp:Content ID="Content1" ContentPlaceHolderID="head" Runat="Server"> </asp:Content> Runat="Server"> <header>

```
<asp:Content ID="Content2" ContentPlaceHolderID="ContentPlaceHolder1"</pre>
     <div id="carouselExampleIndicators" class="carousel slide" data-</pre>
ride="carousel">
       class="active">
         <div class="carousel-inner" role="listbox">
        <!-- Slide One - Set the background image for this slide in the line below
-->
        <div class="carousel-item active" style="background-image:</pre>
url('img/front photo 3.png')">
          <div class="carousel-caption d-none d-md-block">
            <h3>Want to edit your Photos?</h3>
            iEdit provide you facility to edit photos without installing any
app on your device.
          </div>
        </div>
        <!-- Slide Two - Set the background image for this slide in the line below
-->
        <div class="carousel-item" style="background-image:</pre>
url('img/front photo 2.png')">
          <div class="carousel-caption d-none d-md-block">
            <h3>Drag and get started.</h3>
            Just drag your photo to our <a href="ieditor.php">iEditor</a> and
start editing it.
          </div>
        </div>
        <!-- Slide Three - Set the background image for this slide in the line
below 1900 x 1080 -->
         <div class="carousel-item" style="background-image:</pre>
url('img/front_photo_1.png')">
          <div class="carousel-caption d-none d-md-block">
            <h3>Want some extra?</h3>
            We provide you free clipart that you can add to your photos and
make them funkey.
          </div>
         </div>
       </div>
       <a class="carousel-control-prev" href="#carouselExampleIndicators"</pre>
role="button" data-slide="prev">
        <span class="carousel-control-prev-icon" aria-hidden="true"></span>
        <span class="sr-only">Previous</span>
       </a>
       <a class="carousel-control-next" href="#carouselExampleIndicators"</pre>
role="button" data-slide="next">
         <span class="carousel-control-next-icon" aria-hidden="true"></span>
```



```
<span class="sr-only">Next</span>
     </div>
   </header>
   <!-- Page Content -->
   <div class="container">
     <hl class="my-4">Features of iEdit</hl>
     <!-- Marketing Icons Section -->
     <div class="row">
       <div class="col-lg-4 mb-4">
         <div class="card h-100">
           <h4 class="card-header">Crop/Resize Images</h4>
           <div class="card-body">
             Crop and resize your photos easily without any
loading time. 
           </div>
           <div class="card-footer">
             <a href="#" class="btn btn-primary">Get Started</a>
           </div>
         </div>
       </div>
       <div class="col-lg-4 mb-4">
         <div class="card h-100">
           <h4 class="card-header">Glorify image</h4>
           <div class="card-body">
             Glorify image by applying different effects on
image like changing seturation, greyscale, blur etc...
           </div>
           <div class="card-footer">
             <a href="#" class="btn btn-primary">Get Started</a>
         </div>
       </div>
       <div class="col-lg-4 mb-4">
         <div class="card h-100">
           <h4 class="card-header">Add Clipart</h4>
           <div class="card-body">
             You can add interesting clipart from our clipart
gallery where you can find lot of freely available clipart. 
           </div>
           <div class="card-footer">
             <a href="#" class="btn btn-primary">Get Started</a>
           </div>
         </div>
       </div>
     </div>
     <!-- /.row -->
     <!-- Portfolio Section -->
     <h2>User's picks</h2>
       <asp:Label ID="divPhotos" runat="server" CssClass="row" Text=""></asp:Label>
     <!-- /.row -->
```




```
<!-- Features Section -->
     <div class="row">
       <div class="col-lq-6">
         <h2>Try our first Edit with iEdit</h2>
         iEdit include following features:
         <l
          Crop/Resize
          Image Effects
          Cliparts
          Frames
          Text
         Drag your image to right side section and get started with your first
edit with iEdit
       </div>
       <div class="col-lg-6">
         <img class="img-fluid rounded" src="img/editor1.jpg" alt="">
       </div>
     </div>
     <!-- /.row -->
     <hr>
     <!-- Call to Action Section -->
     <div class="row mb-4">
       <div class="col-md-8">
         </div>
       <div class="col-md-4">
         <a class="btn btn-lg btn-secondary btn-block" href="ieditor.aspx">Open
iEditor</a>
       </div>
     </div>
   </div>
   <!-- /.container -->
</asp:Content>
```



Backend Code:





Description:

Features page describe all features of website. What kind of function website provides are written in this page.




```
<%@ Page Title="" Language="VB" MasterPageFile="~/Front.master"</pre>
AutoEventWireup="false" CodeFile="Features.aspx.vb" Inherits="Default2" %>
<asp:Content ID="Content1" ContentPlaceHolderID="head" Runat="Server">
</asp:Content>
<asp:Content ID="Content2" ContentPlaceHolderID="ContentPlaceHolder1"</pre>
Runat="Server">
<div class="container">
     <h1 class="my-4">Features of iEdit</h1>
     <!-- Marketing Icons Section -->
     <div class="row">
       <div class="col-lq-4 mb-4">
         <div class="card h-100">
           <h4 class="card-header">Crop/Resize Images</h4>
           <div class="card-body">
             Crop and resize your photos easily without any
loading time. 
           </div>
           <div class="card-footer">
             <a href="#" class="btn btn-primary">Get Started</a>
           </div>
         </div>
       </div>
       <div class="col-lg-4 mb-4">
         <div class="card h-100">
           <h4 class="card-header">Glorify image</h4>
           <div class="card-body">
             Glorify image by applying different effects on
image like changing seturation, greyscale, blur etc...
           </div>
           <div class="card-footer">
             <a href="#" class="btn btn-primary">Get Started</a>
           </div>
         </div>
       </div>
       <div class="col-lg-4 mb-4">
         <div class="card h-100">
           <h4 class="card-header">Add Clipart</h4>
           <div class="card-body">
             You can add interesting clipart from our clipart
gallery where you can find lot of freely available clipart. 
           </div>
           <div class="card-footer">
             <a href="#" class="btn btn-primary">Get Started</a>
           </div>
         </div>
       </div>
       <div class="col-lg-4 mb-4">
         <div class="card h-100">
           <h4 class="card-header">Add Text</h4>
           <div class="card-body">
             You can add interesting clipart from our clipart
gallery where you can find lot of freely available clipart.
```



```
</div>
           <div class="card-footer">
             <a href="#" class="btn btn-primary">Get Started</a>
           </div>
         </div>
       </div>
       <div class="col-lg-4 mb-4">
         <div class="card h-100">
           <h4 class="card-header">Add Frames</h4>
           <div class="card-body">
             You can add interesting clipart from our clipart
gallery where you can find lot of freely available clipart. 
           </div>
           <div class="card-footer">
             <a href="#" class="btn btn-primary">Get Started</a>
           </div>
         </div>
       </div>
     </div>
     <!-- /.row -->
</div>
</asp:Content>
```






Description:

About page gives information about website. It describe motive of having iEdit.



```
<%@ Page Title="" Language="VB" MasterPageFile="~/Front.master"</pre>
AutoEventWireup="false" CodeFile="About.aspx.vb" Inherits="Default3" %>
<asp:Content ID="Content1" ContentPlaceHolderID="head" Runat="Server">
</asp:Content>
<asp:Content ID="Content2" ContentPlaceHolderID="ContentPlaceHolder1"</pre>
Runat="Server">
<!-- Page Content -->
   <div class="container">
     <!-- Page Heading/Breadcrumbs -->
     <h1 class="mt-4 mb-3">About
       <small>iEdit</small>
     </h1>
     class="breadcrumb">
       <a href="index.php">Home</a>
       About
     <!-- Intro Content -->
     <div class="row">
       <div class="col-lg-6">
        <img class="img-fluid rounded mb-4" src="img/editor1.jpg" alt="">
       </div>
       <div class="col-lg-6">
        <h2>About iEdit</h2>
        iEdit is online image editing tool which help user to edit their images
online without downloading and installing any application to their device.
         iEdit gives user freedom to save their images on server otherwise just
"Edit and Download" images.
        iEdit provide following features.
        ul>
          Crop/Resize
          Apply Effects on Image
          Cliparts
          Adding Frames
          Adding Text
        </div>
     </div>
     <!-- /.row -->
</div>
</asp:Content>
```






Description:

Public gallery shows list of photos edited and then saved by users. It shows list al all photos.



```
<%@ Page Title="" Language="VB" MasterPageFile="~/Front.master"</pre>
AutoEventWireup="false" CodeFile="PublicGallery.aspx.vb" Inherits="Default5" %>
<asp:Content ID="Content1" ContentPlaceHolderID="head" Runat="Server">
</asp:Content>
<asp:Content ID="Content2" ContentPlaceHolderID="ContentPlaceHolder1"</pre>
Runat="Server">
<h2>User's picks</h2>
 <asp:Label ID="divPhotos" runat="server" CssClass="row" Text=""></asp:Label>
</asp:Content>
Backend Code:
Partial Class Default5
    Inherits System.Web.UI.Page
    Dim db As New Database()
    Protected Sub Page Load(ByVal sender As Object, ByVal e As System.EventArgs)
Handles Me.Load
        Dim ds As New Data.DataSet()
        db.FillDs("select * from user photos order by id desc", "user photos", ds)
        Dim tbl = ds.Tables("user photos")
        For Each dr As Data.DataRow In tbl.Rows
            divPhotos.Text &= "<div class='col-lg-4 col-sm-6 portfolio-item'><div
class='card h-100'><a href='#'><img class='card-img-top' src='user_photos/" &</pre>
dr.Item("id") & ".png' alt=''></a><div class='card-body'><h4 class='card-title'><a
href='#'>" & dr.Item("name") & "</a></h4></div></div>"</a></h4></div></div>
        Next
    End Sub
End Class
```





Description:

Login form using which user can login to their account.



Code:


```
%@ Page Title="" Language="VB" MasterPageFile="~/Front.master"
AutoEventWireup="false" CodeFile="Login.aspx.vb" Inherits="Default2" %>
<asp:Content ID="Content1" ContentPlaceHolderID="head" Runat="Server">
</asp:Content>
<asp:Content ID="Content2" ContentPlaceHolderID="ContentPlaceHolder1"</pre>
Runat="Server">
<div class="container">
      <h1 class="mt-4 mb-3">Login to iEdit
        <small></small>
      </h1>
      <div class="row">
        <div class="col-lg-8 mb-4">
          <form id="formLogin" method="POST">
            <div class="control-group form-group">
              <div class="controls">
                <label>Username:</label>
                <input type="text" class="form-control" name="username">
              </div>
            </div>
            <div class="control-group form-group">
              <div class="controls">
                <label>Password:</label>
                <input type="password" class="form-control" name="password">
              </div>
            </div>
            <!-- For success/fail messages -->
            <button type="submit" class="btn btn-primary">Login/button>
          </form>
        </div>
      </div>
</div>
<script type="text/javascript" src="js/jquery.validate.min.js"></script>
<script type="text/javascript">
    $(document).ready(function () {
        $("#formLogin").validate({
            rules: {
                username: {
                    required: true,
                    minlength: 8
                },
                password: {
                    required: true,
                    minlength: 8
                }
            },
```



```
messages: {
                 username: {
                     required: 'Username is Required',
                     minlength: "Username must be atleast 8 latters"
                 },
                 password: {
                     required: "Password is Required",
                     minlength: "Password must be atleast 8 latters"
                 }
             }
        });
$("#formLogin").submit(function () {
             var frm = this;
             if ($("#formLogin").valid()) {
                 $.ajax({
                     url: "dataModel.aspx",
                     type: "POST",
                     data: {
                         userLogin: "true",
                          username: frm.elements.username.value,
                          password: frm.elements.password.value
                     },
                     success: function (data) {
                          console.log(data)
                          if (data == "success") {
                              notie.alert({ text: "Successfully Logged In.....", type:
1 });
                              setTimeout(function ()
{ window.location.assign("MyGallery.aspx"); }, 1000)
                         }
                         else {
                              if (data == "userNotFound") {
                                  notie.alert({ text: "User dose not exist with
Username", type: 3 });
                              else if (data == "passwordDoNotMatch") {
    notie.alert({ text: "You have entered wrong
password. ", type: 3 });
                              }
                              else {
                                  notie.alert({ text: "Unexpected Error.", type: 3 });
                              }
                          }
                     },
                     error: function (err) {
                          document.write(err.responseText);
                          console.log(err.responseText);
                     }
                 });
            return false;
        });
    });
</script>
</asp:Content>
```







Description: This page is used to Register the Details of the Client who is new to the WebSite.



```
<%@ Page Title="" Language="VB" MasterPageFile="~/Front.master"</pre>
AutoEventWireup="false" CodeFile="Register.aspx.vb" Inherits="Default3" %>
<asp:Content ID="Content1" ContentPlaceHolderID="head" Runat="Server">
</asp:Content>
<asp:Content ID="Content2" ContentPlaceHolderID="ContentPlaceHolder1"</pre>
Runat="Server">
<div class="container">
      <h1 class="mt-4 mb-3">Register on iEdit
       <small></small>
      </h1>
      <div class="row">
       <div class="col-lg-8 mb-4">
         <form id="formRegister" method="POST">
           <div class="control-group form-group">
             <div class="controls">
               <label>Your Name:</label>
               <input type="text" class="form-control" name="name" >
               </div>
           </div>
           <div class="control-group form-group">
             <div class="controls">
               <label>Your Email:</label>
               <input type="text" class="form-control" name="email">
               </div>
           </div>
           <div class="control-group form-group">
             <div class="controls">
               <label>Username:</label>
               <input type="text" class="form-control" name="username" >
               </div>
           </div>
           <div class="control-group form-group">
             <div class="controls">
               <label>Password:</label>
               <input type="password" class="form-control" id="password"</pre>
name="password">
             </div>
           </div>
           <div class="control-group form-group">
             <div class="controls">
               <label>Retype Password:</label>
               <input type="password" class="form-control" name="repassword">
             </div>
           </div>
           <button type="submit" class="btn btn-primary" >Register/button>
         </form>
       </div>
      </div>
</div>
<script type="text/javascript" src="js/jquery.validate.min.js"></script>
```




```
<script type="text/javascript">
    $(document).ready(function () {
        $("#formRegister").validate({
            rules: {
                name: "required",
                 email: {
                     email: true,
                     required: true
                 },
                 username: {
                     required: true,
                     minlength: 8
                 repassword: {
                     required: true,
                     minlength: 8,
                     equalTo: "#password"
                 },
                password: "required"
            },
            messages: {
                name: "Enter Name",
                 email: {
                     required: "Email is Required",
                     email: "Enter Proper Email"
                 },
                 username: {
                     required: 'Username is Required',
                     minlength: "Username must be atleast 8 latters"
                 },
                 repassword: {
                     required: "Password is Required",
minlength: "Password must be atleast 8 latters",
                     equalTo: "Password and Retype password must match"
                 password: "Password is Required"
            }
        });
        $("#formRegister").submit(function () {
            var frm = this;
            if ($("#formRegister").valid()) {
                 $.ajax({
                     url: "dataModel.aspx",
                     type: "POST",
                     data: {
                         userRegister: "true",
                         name: frm.elements.name.value,
                         email: frm.elements.email.value,
                         username: frm.elements.username.value,
                         password: frm.elements.password.value
                     success: function (data) {
                         if (data == "success") {
                             notie.alert({ text: "You are registered. You will be
redirect to login page", type: 1 });
                             setTimeout(function () {
                                 window.location.assign("Login.aspx");
```



```
iEdit Online Image Tool
                                  }, 1000);
                            }
else {
   if (data == "missingData") {
      notie.alert({ text: "Please Fill up form properly",
type: 3 });
                                 }
else {
                                       notie.alert({ text: "Unexpected Error.", type: 3 });
                                  }
                             }
                        },
                        error: function (err) {
   notie.alert({ text: "Server error.", type: 3 });
                             console.log(err.responseText);
                   });
                   //notie.alert({ text: "here to submit form" });
              return false;
         });
    });
</script>
</asp:Content>
```





Description:

This is Main Editor which is called iEditor. It is core of iEdit website. It provides various function to users. Like user can upload their photo here and then he/she can add text,clipart,frame of resize and crop their photos. After doing this all things user can download their photo from here also.



```
<%@ Page Title="" Language="VB" MasterPageFile="~/Front.master"</pre>
AutoEventWireup="false" CodeFile="iEditor.aspx.vb" Inherits="Default4" %>
<asp:Content ID="Content1" ContentPlaceHolderID="head" Runat="Server">
<%
     If Request.Params("user_photo") = "" Then
           Response.Write("<script> window.user photo=-
1; window.user photo name='Untitled'; </script>")
     Else
           Response.Write("<script> window.user photo='" & Request.Params("user photo")
& "';window.user_photo_name='Untitled';</script>")
     End If
</asp:Content>
<asp:Content ID="Content2" ContentPlaceHolderID="ContentPlaceHolder1"</pre>
Runat="Server">
 <!-- Page Content -->
     <div class="container-flued ieditor-workspace">
                 <div class="row">
                          <div class="col-md-12 col-xs-12">
                                   <div class="edit-area" id="editArea">
                                            <div class="upload-btn">
                                                     <input type="file" id="uploadPhoto" >
                                            </div>
                                            <svg id="mainSvg" viewBox="0 0 1000 1000"</pre>
style="border:0px solid red"
                                          preserveAspectRatio="none">
                                            </svg>
                                   </div>
                          </div>
                          <div class="side-panel" id="sidePanel">
                                   <div class="effect-area">
                                            <img src="assets/5.png" alt="" class="effect-img">
                                            <img src="assets/5.png" alt="" class="effect-img">
                                            <img src="assets/5.png" alt="" class="effect-img">
                                            <img src="assets/5.png" alt="" class="effect-img">
<img src="assets/5.png" alt="" class="effect-img">
                                            <img src="assets/5.png" alt="" class="effect-img">
<img src="assets/5.png" alt="" class="effect-img">
                                           <img src="assets/5.png" alt="" class="effect-img">
<img src="assets/5.png" alt="" class="effect-img">
<img src="assets/5.png" alt="" class="effect-img">
<img src="assets/5.png" alt="" class="effect-img">
<img src="assets/5.png" alt="" class="effect-img">
<img src="assets/5.png" alt="" class="effect-img">
<img src="assets/5.png" alt="" class="effect-img">
<img src="assets/5.png" alt="" class="effect-img">
<img src="assets/5.png" alt="" class="effect-img">

                                   </div>
                          </div>
                 </div>
                  <div class="row">
                          <div class="tool-area container-flued">
```



```
iEdit Online Image Tool
                                 <div class="btn btn-info" onclick="actionCrop()"><i</pre>
class="fa fa-crop"></i><small class="d-none d-sm-block">Crop</small></div>
                                 <div class="btn btn-info"</pre>
onclick="actionResize()"><i class="fa fa-expand-arrows-alt"></i><small class="d-none</pre>
d-sm-block">Resize</small></div>
                                 <div class="btn btn-info" data-toggle="modal" data-</pre>
target="#clipartModel"><i class="fa fa-asterisk"></i><small class="d-none d-sm-
block">Clipart</small></div>
                                 <div class="btn btn-info" data-toggle="modal" data-</pre>
target="#frameModel"><i class="far fa-square"></i><small class="d-none d-sm-
block">Frame</small></div>
                                 <div class="btn btn-info" onclick="actionText()"><i</pre>
class="fa fa-font"></i><small class="d-none d-sm-block">Add Text</small></div>
                                 <div class="btn btn-success"</pre>
onclick="actionDownload()"><i class="fa fa-download"></i><small class="d-none d-sm-</pre>
block">Download</small></div>
                                 <div class="btn btn-success"
onclick="actionSave()"><i class="fa fa-save"></i><small class="d-none d-sm-
block">Save</small></div>
                   </div>
             </div>
         <!-- Modal -->
          <div class="modal fade" id="frameModel" role="dialog" style="width:100%;</pre>
height:600px;">
            <div class="modal-dialog" style="max-width:100%;">
              <!-- Modal content-->
              <div class="modal-content">
                 <div class="modal-header">
                  <h4 class="modal-title">Frames</h4>
                  <button type="button" class="close" data-dismiss="modal">&times;/
button>
                <div class="modal-body" id="frameBody">
                </div>
                 <div class="modal-footer">
                  <button type="button" class="btn btn-default" data-</pre>
dismiss="modal">Close</putton>
                 </div>
              </div>
            </div>
          </div>
          <!-- Modal -->
          <div class="modal fade" id="clipartModel" role="dialog"</pre>
style="width:100%; height:600px;">
            <div class="modal-dialog" style="max-width:100%;text-align:center;">
              <!-- Modal content-->
              <div class="modal-content">
                 <div class="modal-header">
```



```
<h4 class="modal-title">Cliparts</h4>
                  <button type="button" class="close" data-dismiss="modal">&times;
button>
                </div>
                <div class="modal-body" id="clipartBody">
                </div>
                <div class="modal-footer">
                  <button type="button" class="btn btn-default" data-</pre>
dismiss="modal">Close</button>
                </div>
              </div>
            </div>
          </div>
          <!-- Modal -->
          <div class="modal fade" id="resizeModel" role="dialog">
            <div class="modal-dialog" >
              <!-- Modal content-->
              <div class="modal-content">
                <div class="modal-header">
                  <h4 class="modal-title">Resize</h4>
                  <button type="button" class="close" data-dismiss="modal">&times;
button>
                </div>
                <div class="modal-body" >
                     <h2>0ld Height x Width:</h2>
                     <div class="row">
                         <div class="col-6">
                             <input class="form-control" type="number" id="oldHeight"</pre>
/>
                         </div>
                          <div class="col-6">
                             <input class="form-control" type="number" id="oldWidth"</pre>
/>
                         </div>
                     </div>
                     <h2>new Height x Width:</h2>
                     <div class="row">
                         <div class="col-6">
                             <input class="form-control" type="number" id="newHeight"</pre>
/>
                         </div>
                          <div class="col-6">
                             <input class="form-control" type="number" id="newWidth"</pre>
/>
                         </div>
                     </div>
                     <div class="row">
                         <div class="col">
                         <br />
                             <button class="btn btn-primary"</pre>
id="btnResizeNow">Resize</button>
```



</div>

```
</div>
                </div>
                <div class="modal-footer">
                   <button type="button" class="btn btn-default" data-</pre>
dismiss="modal">Close</button>
                </div>
              </div>
            </div>
          </div>
           <!-- Modal -->
          <div class="modal fade" id="cropModel" role="dialog">
            <div class="modal-dialog">
              <!-- Modal content-->
              <div class="modal-content">
                <div class="modal-header">
                  <h4 class="modal-title">Crop</h4>
                  <button type="button" class="close" data-dismiss="modal">&times;<//>
button>
                <div class="modal-body" id="Div3">
                      <h2>set values:</h2>
                     <div class="row">
                         <div class="col-6">
                             <input class="form-control" type="number" id="cropX1"</pre>
placeholder="Top Left"/>
                         </div>
                          <div class="col-6">
                             <input class="form-control" type="number" id="cropY1"</pre>
placeholder="Top Right" />
                         </div>
                     </div>
                     <div class="row">
                         <div class="col-6">
                             <input class="form-control" type="number" id="cropX2"</pre>
placeholder="Bottom Left" />
                         </div>
                          <div class="col-6">
                             <input class="form-control" type="number" id="cropY2"</pre>
placeholder="Bottom Right"/>
                         </div>
                     </div>
                     <div class="row">
                         <div class="col">
                             <button class="btn btn-primary"</pre>
id="btnCropNow">Crop</button>
                         </div>
                     </div>
                </div>
                <div class="modal-footer">
```



```
iEdit Online Image Tool <br/>
<button type="button" class="btn btn-default" data-
dismiss="modal">Close</putton>
                    </div>
                 </div>
               </div>
            </div>
       </div>
<script src="vendor/snap-svg/snap.svg.js"></script>
<script src="js/ieditor.js"></script>
</asp:Content>
```



```
Backend JS code: (js/ieditor.js)
window.mainSvg=document.getElementById("mainSvg");
window.sidePanel=document.getElementById("sidePanel");
window.editArea=document.getElementById("editArea");
$(document).ready(function(){
      window.ie=new iEditor($("#mainSvg")[0]);
      $("#uploadPhoto").change(onUploadPhoto);
      $("#sidePanelToggle").click(onSidePanelToggle);
    $("#btnResizeNow").click(btnResizeClick);
    $("#btnCropNow").click(btnCropClick);
    $("#cropModel").on('shown.bs.modal',modelCropShown);
    $("#resizeModel").on('shown.bs.modal',modelResizeShown);
    loadAssets();
});
function modelCropShown(){
}
function modelResizeShown(){
    $("#oldHeight").val(Snap(mainSvg).attr("height"))
    $("#oldWidth").val(Snap(mainSvg).attr("width"))
function btnCropClick(){
    crop($("#cropX1").val(),$("#cropY1").val(),$("#cropX2").val(),$
("#cropY2").val());
    $("#cropModel").modal("hide");
function btnResizeClick(){
    resize($("#newHeight").val(),$("#newWidth").val());
    $("#resizeModel").modal("hide");
/*action functions*/
function actionCrop(){
    $("#cropModel").modal("show");
function actionResize(){
    if(!isLoaded()){
        notie.alert({ text: "Choose photo first", type: 2 });
    $("#resizeModel").modal("show");
function actionClipart(){
    sidePanelOn();
function actionFrame(){
    sidePanelOn();
function actionText(){
    var pText=prompt("Text to insert");
    ie.addText(pText);
```



```
function actionDownload(){
   if(!isLoaded()){
        notie.alert({ text: "Choose photo first", type: 2 });
   getPngFromSvg($("#mainSvg")
[0], mainSvg.height.baseVal.value, mainSvg.width.baseVal.value, function(imgUri){
        triggerDownload(imgUri, "image-ieditor.png");
   });
function actionSave(){
   if(!isLoaded()){
        notie.alert({ text: "Choose photo first", type: 2 });
        return:
   window.user photo name=prompt("Enter Name: ",window.user photo name);
   getPngFromSvg($("#mainSvg")
[0], mainSvg.height.baseVal.value, mainSvg.width.baseVal.value, function(imgUri){
        $.aiax({
            url: "dataModel.aspx",
            type: "POSt",
            data:{
                image: imgUri.replace('data:image/png;base64,', ''),
                user_photo: window.user_photo,
                user_photo_name: window.user_photo_name
            },
            success:function(data){
                console.log(data);
                if(data.index0f("success") >=0){
                    window.user_photo=data.split(":")[1];
                    alert("saved successfully");
                else{
                    alert("problem in saving image");
            },
            error:function(err){
                console.log(err.responseText);
            }
       });
   });
/*action functions*/
function insertClipart(e){
   if(!isLoaded()){
        notie.alert({ text: "Choose photo first", type: 2 });
   $("#clipartModel").modal("hide");
   return;
   getDataUri(e.src, function(imgUri){
        //console.log(imgUri);
       window.tSvg=document.createElement("svg");
        Snap(tSvg).image(imgUri,0,0,200,150);
```



```
ie.addSvg(tSvg);
function insertFrame(e){
    if(!isLoaded()){
        notie.alert({ text: "Choose photo first", type: 2 });
        return:
    $("#frameModel").modal("hide");
    return;
    getDataUri(e.src, function(imgUri){
        //console.log(imgUri);
        window.tSvg=document.createElement("svg");
        Snap(tSvg).image(imgUri,0,0,200,150);
        Snap(tSvg).attr({height:500,width:500,viewBox:"0 0 500 500",x:0,y:0});
        ie.addSvg(tSvg);
    });
function isLoaded(){
    if($(mainSvg).data("loaded")=="1"){
        return true;
    return false;
}
function loadAssets(){
    $.ajax({
        url: "dataModel.aspx",
        data:{
            listCliparts: "true"
        success:function(data){
            window.allCliparts=JSON.parse(data);
            $("#clipartBody").empty();
            for(c of allCliparts){
                $("#clipartBody").append("<div class='asset-item'><img</pre>
src='assets/"+c.id+".png' onclick='insertClipart(this)' data-id='"+c.id+"'></div>");
            }
        },
        error:function(err){
            console.log(err.responseText);
        }
    });
    $.ajax({
        url: "dataModel.aspx",
        data:{
            listFrames: "true"
        success:function(data){
            window.allFrames=JSON.parse(data);
             $("#frameBody").empty();
            for(c of allFrames){
                $("#frameBody").append("<div class='asset-item'><img</pre>
src='assets/"+c.id+".png' onclick='insertFrame(this)' data-id='"+c.id+"'></div>");
            }
```



```
},
        error: function(err){
            console.log(err.responseText);
    });
function onSidePanelToggle(){
      if(!Boolean($(this).attr("data-on"))){
             sidePanelOn();
      else{
          sidePanelOff();
      }
function sidePanelOn(){
    sidePanel.style.right="0px";
   $(this).attr("data-on","true");
function sidePanelOff(){
    sidePanel.style.right="-300px";
      $(this).attr("data-on","");
function onUploadPhoto(){
      var r=new FileReader();
      r.readAsDataURL(this.files[0]);
      $(this).hide();
      r.onload=function(d){
             var img=document.createElement("img");
             img.src=d.target.result;
             img.onload=function(){
                    window.i=img;
             console.log(img.height,img.width)
             ie.addBackgroundImg(d.target.result,img.height,img.width);
             }
      }
function addText(){
      var pt=prompt("Insert Text");
      if(!pt){
             ie.addText(pt);
function addFrame(){
function crop(x1,y1,x2,y2){
    Snap(mainSvg).attr("viewBox",""+x1+" "+y1+" "+x2+" "+y2);
    resize(x2-x1,y2-y1);
function resize(h,w){
    Snap(mainSvg).attr("height",h);
```

```
iEdit Online Image Tool
    Snap(mainSvg).attr("width",w);
function getDataUri(url, callback) {
    var image = new Image();
    image.onload = function () {
        var canvas = document.createElement('canvas');
        canvas.width = this.naturalWidth; // or 'width' if you want a special/scaled
size
        canvas.height = this.naturalHeight; // or 'height' if you want a
special/scaled size
        canvas.getContext('2d').drawImage(this, 0, 0);
        // Get raw image data
        callback(canvas.toDataURL('image/png').replace(/^data:image\/(png|
ipg);base64,/, ''));
        // ... or get as Data URI
        callback(canvas.toDataURL('image/png'));
    };
    image.src = url;
function iEditor(currSvg){
      var snap=Snap(currSvg);
      var rectHmdVar=null;
      window.sn=snap;
      var config={addSvgSize: 200};
      var svgs=[];
      var selectedSvg=null;
      var resizing=false;
      var rotating=false;
      var mouseMoveElement=document;
      document.onmouseup=clearMoving;
      currSvg.onclick=currSvgClick;
      function createDivRect(x,y,height,width,isText){
            var rectXY=toRectXY(x,y);
            var rect=document.createElement("div");
            var lineRect=document.createElement("div");
            var roundRectHmd=document.createElement("div");
            var textRectHmd=document.createElement("input");
            rect.id="rectHmd";
            lineRect.id="lineRectHmd";
            roundRectHmd.id="roundRectHmd";
            textRectHmd.id="textRectHmd";
            lineRect.style="background-
color:#000000;height:10px;width:10px;position:absolute;bottom:-10px;right:-
10px; cursor: nwse-resize";
            rect.style="height: "+width+"px;width: "+height+"px;position:
absolute;top: "+rectXY.y+"px;left:"+rectXY.x+"px;border: 1px solid blue;background-
color:rgba(255,255,255,0.1)";
             roundRectHmd.style="background-
color:#000000;height:10px;width:10px;position:absolute; right:-15px;
top:49%;cursor:move;border-radius:10px;";
```



```
iEdit Online Image Tool
        textRectHmd.style="position:absolute; top:-26px;";
         rect.appendChild(lineRect);
        if(isText){
               rect.appendChild(textRectHmd);
        }
        rect.appendChild(roundRectHmd);
        //console.log(rect.style);
        currSvg.parentElement.appendChild(rect);
        return rect;
  function moveRect(x,y){
        var t=toRectXY(x,y);
        rectHmdVar.style.left=(rectHmdVar.offsetLeft+x)+"px";
        rectHmdVar.style.top=(rectHmdVar.offsetTop+y)+"px";
  function moveRectTo(x,y){
        var t=toRectXY(x,y);
         rectHmdVar.style.left=(t.x)+"px";
        rectHmdVar.style.top=(t.y)+"px";
  function resizeRect(height, width) {
        $(rectHmdVar).height($(rectHmdVar).height()+height);
        $(rectHmdVar).width($(rectHmdVar).width()+width);
  function resizeRectTo(height,width){
        $(rectHmdVar).height(height);
        $(rectHmdVar).width(width);
  function toRectXY(ax,ay){
        //var pos=currSvg.getBoundingClientRect();
        var cx=editArea.offsetLeft+5;
        var cy=editArea.offsetTop+20;
        return {x: cx +ax,y: cy+ay};
  function clearMoving(){
        this.onmousemove=null;
        resizing=false;
        rotating=false;
        mouseMoveElement.onmousemove=null;
        mouseMoveElement=document;
  function clearAllMouseEvents(){
        for(svg of svgs){
               svg.onmousedown=null;
        currSvg.onmousemove=null;
  function setAllMouseEvents(){
        for(svg of svgs){
               svg.onmousedown=svgClick;
               //svg.onmouseenter=svgClick;
        }
  function borderStroke(val){
    return (currSvg.viewBox.baseVal.height/500) * val;
function toViewBox(unit){
```



```
return unit:
        return
Math.ceil(currSvg.viewBox.baseVal.height*unit/currSvg.height.baseVal.value);
    function getCenter(){
      var cy=((selectedSvg.height.baseVal.value/2) + selectedSvg.y.baseVal.value);
      var cx=((selectedSvg.width.baseVal.value/2) + selectedSvg.x.baseVal.value);
      return{x: cx, y: cy};
    function angle(cx, cy, ex, ey) {
        var dy = ey - cy;
        var dx = ex - cx;
        var theta = Math.atan2(dy, dx); // range (-PI, PI]
        theta *= 180 / Math.PI; // rads to degs, range (-180, 180]
        if (theta < 0) theta = 360 + theta; // range [0, 360)</pre>
        return theta;
      function currSvaClick(){
      $(rectHmdVar).remove();
      selectedSvg=null;
      //textToolbar.disabled=false;
      currSvg.parentElement.removeAttribute("contenteditable");
    function svgClick(e){
      window.ee=e;
      window.th=this;
      selectedSvg=this;
      var isText=false;
      if(selectedSvg.getAttribute("data-type")!= "25"){
             //textToolbar.disabled=true;
      else{
             //textToolbar.disabled=false;
             isText=true;
             //currSvg.parentElement.setAttribute("contenteditable","");
      //selectedSvg.onmouseup=clearMoving;
        if($(this).find("#rectHmd").length==0){
             console.log("do");
             if(rectHmdVar){
                   $(rectHmdVar).remove();
            }
rectHmdVar=createDivRect(this.x.baseVal.value,this.y.baseVal.value,this.width.baseVa
l.value,this.height.baseVal.value,isText);
            if(selectedSvg.rt){
            //console.log("tt");
            rectHmdVar.style.transform="rotate("+selectedSvg.rt+"deg)";
            lineRectHmd=$(rectHmdVar).find("#lineRectHmd")[0];
            roundRectHmd=$(rectHmdVar).find("#roundRectHmd")[0];
            lineRectHmd.onmousedown=function(){
            resizing=true;
            }
```



```
iEdit Online Image Tool
            roundRectHmd.onmousedown=function(){
            rotating=true:
            mouseMoveElement=currSva:
            if(isText){
            var textRectHmd=$(rectHmdVar).find("#textRectHmd")[0];
            textRectHmd.oninput=textRectHmdInputEvent;
                         var t=$(selectedSvg).find("text");
                   textRectHmd.value=t.text();
            }
            rectHmdVar.onmousedown=rectHmdMouseDown;
        //currSvg.onmousemove=svgMouseMove;
    function rectHmdMouseDown(e){
      e.stopPropagation();
      selectedSvg.focus();
      mouseMoveElement.onmousemove=svgMouseMove;
    }
    function textRectHmdInputEvent(e){
      iEditor.prototype.setSelectedText(this.value);
    function svgMouseMove(e){
      var xNow=toViewBox(e.movementX);
      var yNow=toViewBox(e.movementY);
      //console.log(e);
      window.ee=e;
      var c=getCenter();
      //console.log(rectHmdVar);
        if(resizing){
            selectedSvg.height.baseVal.value+=yNow;
            selectedSvg.width.baseVal.value+=xNow;
resizeRectTo(selectedSvg.height.baseVal.value,selectedSvg.width.baseVal.value);
            if(selectedSvg.rt){
selectedSvg.parentElement.setAttribute("transform","rotate("+selectedSvg.rt+","+c.x+
","+c.y+")");
        else if(rotating){
            var c=getCenter();
            //console.log("deg",angle(c.x,c.y,e.offsetX,e.offsetY));
            var cx=editArea.offsetLeft;
            var cy=editArea.offsetTop;
            var rt=Math.ceil(angle(c.x,c.y,e.offsetX ,e.offsetY));
            iEditor.prototype.rotateSelected(rt);
        else{
            //console.log(toViewBox(e.movementX) + " "+ e.movementX);
            selectedSvg.x.baseVal.value+= Math.ceil(xNow);
            selectedSvg.y.baseVal.value+= Math.ceil(yNow);
            moveRectTo(selectedSvg.x.baseVal.value,selectedSvg.y.baseVal.value);
            if(selectedSvg.rt){
```



```
selectedSvg.parentElement.setAttribute("transform","rotate("+selectedSvg.rt+","+c.x+
',"+c.y+")");
        }
    }
      iEditor.prototype.addBackgroundImg=function(src,height,width){
             $(currSvg).data("loaded","1");
        window.te=snap.image(src,0,0,width,height);
             snap.attr({viewBox:"0 0 "+width+" "+height,height:height,width:width});
    iEditor.prototype.addImg=function(src,height,width){
             var g=Snap(currSvg).g();
        var te=snap.image(src,0,0,width,height);
      g.node.appendChild(te)
             svgs.push(te);
             setAllMouseEvents();
      iEditor.prototype.addSvg=function(svg){
      svg.removeAttribute("id");
svg.removeAttribute("xmlns");
      svg.setAttribute("preserveAspectRatio","none");
      var g=Snap(currSvg).g();
      g.node.appendChild(svg)
             svgs.push(svg);
             setAllMouseEvents();
    }
      iEditor.prototype.addText1=function(text){
             var cSvg=snap.svg(400,400,50,50,0,0,500,60);
            window.txt=cSvg.text(0,45,text).attr({"font-
size":"50","id":"txtHmd","font-family":"LKLUG"});
             txt.node.style.cursor="pointer";
             cSvg.node.width.baseVal.value=txt.getBBox().width;
             cSvg.node.height.baseVal.value=txt.getBBox().height;
             cSvg.attr({viewBox: "0 0 "+txt.getBBox().width+"
60", "preserveAspectRatio": "none", "data-type": "25"});
             svgs.push(cSvg.node);
             //setAllMouseEvents();
      }
      iEditor.prototype.allSvgs=function(){
             return svgs;
      iEditor.prototype.deleteSelected=function(){
             if(selectedSvg){
                   selectedSvg.remove();
             currSvgClick();
      iEditor.prototype.selected=function(){
             return selectedSvg;
      }
```



```
iEdit Online Image Tool
      iEditor.prototype.selectedMoveTop=function(){
             if(selectedSvg){
                   if($(currSvg).children("g").length >1){
    if($(selectedSvg).parent().next("g").length == 1){
                                 $(selectedSvg).parent().next("g").after($
(selectedSvg).parent());
             }
      iEditor.prototype.selectedMoveBottom=function(){
             if(selectedSvg){
                   if($(currSvg).children("g").length >1){
                          if($(selectedSvg).parent().prev("g").length == 1){
                                 $(selectedSvg).parent().prev("g").before($
(selectedSvg).parent());
                   }
      iEditor.prototype.rectHmdVar=function(){
             return rectHmdVar;
      }
    iEditor.prototype.addSvgData=function(svgData){
      var temp=document.createElement("div");
      temp.innerHTML=svgData;
      var svg=temp.getElementsByTagName("svg")[0];
      svq.removeAttribute("id");
      svg.removeAttribute("xmlns");
      svg.setAttribute("preserveAspectRatio", "none");
      var g=Snap(currSvg).g();
      g.node.appendChild(svg)
             //currSvg.appendChild(svg);
             svgs.push(svg);
             setAllMouseEvents();
    iEditor.prototype.clearEvents=function(){
      clearAllMouseEvents();
    iEditor.prototype.setEvents=function(){
      setAllMouseEvents();
    iEditor.prototype.rotateSelected=function(deg){
      if(!rectHmd){
             return;
      var c=getCenter();
      rectHmd.style.transform="rotate("+deg+"deg)";
selectedSvg.parentElement.setAttribute("transform","rotate("+deg+","+c.x+","+c.y+")"
);
      selectedSvg.rt=deg;
    iEditor.prototype.setSelectedText=function(text){
      var t=$(selectedSvg).find("text");
```




```
t.text(text);
      setTimeout(function(){
             var tp=t.parent()[0];
             tp.width.baseVal.value=t[0].getBBox().width;
             t.parent().attr({viewBox: "0 0 "+t[0].getBBox().width+" 60"});
resizeRectTo(selectedSvg.height.baseVal.value,selectedSvg.width.baseVal.value);
      },100);
    iEditor.prototype.addText=function(text){
      var g=Snap(currSvg).g();
      var cSvg=g.svg(0,0,50,50,0,0,500,60);
      window.txt=cSvg.text(0,45,text).attr({"font-size":"50","id":"txtHmd","font-
family":"LKLUG"});
      txt.node.style.cursor="pointer";
      cSvg.node.width.baseVal.value=txt.getBBox().width;
      cSvg.node.height.baseVal.value=txt.getBBox().height;
cSvg.attr({viewBox: "0 0 "+txt.getBBox().width+"
60","preserveAspectRatio":"none","data-type":"25"});
             svgs.push(cSvg.node);
             setAllMouseEvents();
    iEditor.prototype.addTextAsDiv=function(text){
txt=document.createElementNS("http://www.w3.org/2000/svg","foreignObject");
      txt.id="tHmd";
      var txtDiv=document.createElement("div");
      txtDiv.setAttribute("contenteditable","");
      txtDiv.style.fontSize="50px";
      txtDiv.innerHTML=text;
      txt.appendChild(txtDiv);
      var g=Snap(currSvg).g();
      //var cSvg=g.svg(400,400,50,50,0,0,500,60);
      //window.txt=cSvg.text(0,45,text).attr({"font-size":"50","id":"txtHmd","font-
family":"LKLUG"});
      //cSvg.node.appendChild(txt);
      txt.style.cursor="pointer";
      //cSvg.node.width.baseVal.value=txt.getBBox().width;
      //cSvg.node.height.baseVal.value=txt.getBBox().height;
      //cSvg.attr({viewBox: "0 0 "+txt.getBBox().width+"
60", "preserveAspectRatio": "none", "data-type": "25"});
      Snap(txt).attr({x:400,y:400,height:50,width:100});
      g.node.appendChild(txt);
             svqs.push(txt);
             setAllMouseEvents();
    iEditor.prototype.setSelectedFont=function(fontName){
      var t=Snap($(selectedSvg).find("text")[0]);
      t.attr("font-family", fontName);
      setTimeout(function(){
             t.parent().attr({viewBox: "0 0 "+t.getBBox().width+" 60"});
      }.100);
    iEditor.prototype.setOpacity=function(per){
      Snap(selectedSvg).attr("opacity",per/100);
    }
```

```
iEdit Online Image Tool
    iEditor.prototype.getOpacity=function(){
      return Snap(selectedSvg).attr("opacity")*100;
    iEditor.prototype.setSelectedColor=function(cl){
      var t=$(selectedSvg).find("text").attr("fill", cl);
    iEditor.prototype.makeCopy=function(){
      if(selectedSvq){
            window.t=selectedSvg.cloneNode(true);
             iEditor.prototype.addSvg(t);
            selectedSvg.x.baseVal.value+= 20;
            selectedSvg.y.baseVal.value+= 20;
    }
}
function getPngFromSvg(currSvg,h,w,onDone){
      var newSvg=currSvg.cloneNode(true);
      var pngCanvas=document.createElement("canvas");
      window.can=pngCanvas;
      newSvg.setAttribute("height",h+"px");
      newSvg.setAttribute("width", w+"px");
      pngCanvas.setAttribute("height",h+"px");
      pngCanvas.setAttribute("width",w+"px");
      var svgString = new XMLSerializer().serializeToString(newSvg);
    var ctx = pngCanvas.getContext("2d");
    var DOMURL = self.URL || self.webkitURL || self;
    var img = new Image();
    var svg = new Blob([svgString], {type: "image/svg+xml;charset=utf-8"});
    var url = DOMURL.createObjectURL(svg);
    img.src = url;
    img.onload=function(){
      ctx.drawImage(img, 0, 0);
      var png = pngCanvas.toDataURL("image/png");
      DOMURL.revokeObjectURL(url);
      onDone(png);
    }
}
function triggerDownload (imgURI,name) {
    var evt = new MouseEvent('click', {
        view: window,
        bubbles: false,
        cancelable: true
    });
    var a = document.createElement('a');
    a.setAttribute('download', name+'.png');
    a.setAttribute('href', imgURI);
    a.setAttribute('target', ' blank');
    a.dispatchEvent(evt);
```

}





Description:

My gallery shows photos edited by user who is loged in. It is user's gallery.



End Class

```
<%@ Page Title="" Language="VB" MasterPageFile="~/Front.master"</pre>
AutoEventWireup="false" CodeFile="MyGallery.aspx.vb" Inherits="Default5" %>
<asp:Content ID="Content1" ContentPlaceHolderID="head" Runat="Server">
</asp:Content>
<asp:Content ID="Content2" ContentPlaceHolderID="ContentPlaceHolder1"</pre>
Runat="Server">
    <form id="form1" runat="server">
<h2>Saved Photos</h2>
      <asp:Label ID="divPhotos" runat="server" CssClass="row" Text=""></asp:Label>
    </form>
</asp:Content>
Backend Code:
Partial Class Default5
    Inherits System.Web.UI.Page
    Dim db As New Database()
    Protected Sub Page_LoadComplete(ByVal sender As Object, ByVal e As
System.EventArgs) Handles Me.LoadComplete
        Dim ds As New Data.DataSet()
db.FillDs("select * from user_photos where user_id='" &
Session("userLogged") & "'", "user_photos", ds)
        Dim tbl = ds.Tables("user_photos")
         For Each dr As Data.DataRow In tbl.Rows
             divPhotos.Text &= "<div class='col-lg-4 col-sm-6 portfolio-item'><div</pre>
class='card h-100'><a href='#'><img class='card-img-top' src='user_photos/" & dr.Item("id") & ".png' alt=''></a><div class='card-body'><h4 class='card-title'><a
href='#'>" & dr.Item("name") & "</a></hd></div></div>"
        Next
    End Sub
```



AdminSide Interfaces

```
Master Page for Admin
<%@ Master Language="VB" CodeFile="Admin.master.vb" Inherits="Admin_Admin" %>
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"</pre>
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
<html xmlns="http://www.w3.org/1999/xhtml">
<head runat="server">
   <meta charset="utf-8">
   <meta name="viewport" content="width=device-width, initial-scale=1, shrink-to-</pre>
fit=no">
   <meta name="description" content="">
   <meta name="author" content="">
   <link rel="icon" href="../../../favicon.ico">
   <title>Admin-pEdit</title>
   <!-- Bootstrap core CSS -->
   <link href="../vendor/bootstrap/css/bootstrap.min.css" rel="stylesheet">
   <script src="../vendor/jquery/jquery.min.js"></script>
   <script src="../vendor/bootstrap/js/bootstrap.min.js"></script>
   <!-- Custom styles for this template -->
   <link href="dashboard.css" rel="stylesheet">
   <asp:ContentPlaceHolder id="head" runat="server">
   </asp:ContentPlaceHolder>
</head>
<body>
   <nav class="navbar navbar-dark sticky-top bg-dark flex-md-nowrap p-0">
     <a class="navbar-brand col-sm-3 col-md-2 mr-0" href="#">pEdit Admin Panel</a>
     <a class="nav-link" href="Logout.aspx">Sign out</a>
       </nav>
   <div class="container-fluid">
     <div class="row">
       <nav class="col-md-2 d-none d-md-block bg-light sidebar">
         <div class="sidebar-sticky">
           class="nav-item">
               <a class="nav-link" href="Default.aspx">
                Dashboard
               </a>
             class="nav-item">
               <a class="nav-link" href="Users.aspx">
                Users
               </a>
             class="nav-item">
```



```
iEdit Online Image Tool
               <a class="nav-link" href="UserPhotos.aspx">
                 User Photos
               </a>
             class="nav-item">
               <a class="nav-link" href="Cliparts.aspx">
                 Cliparts
               </a>
             class="nav-item">
               <a class="nav-link" href="Frames.aspx">
                 Frames
               </a>
             </div>
       </nav>
           <main role="main" class="col-md-9 ml-sm-auto col-lg-10 pt-3 px-4">
               <asp:ContentPlaceHolder id="ContentPlaceHolder1" runat="server">
               </asp:ContentPlaceHolder>
           </main>
       </div>
   </div>
</body>
</html>
```



Common Backend Page for Admin side(dataModel.aspx)

```
Imports System.IO
Partial Class Admin dataModel
    Inherits System.Web.UI.Page
    Dim db As New Database()
    Protected Sub Page Load(ByVal sender As Object, ByVal e As System.EventArgs)
Handles Me.Load
        If Request.Params("listAssets") <> "" Then
            Dim type = Request.Params("type")
            Dim res = db.sqlQueryJson("select * from assets where type='" & type &
"'")
            Response.Write(res)
        ElseIf Request.Params("addAsset") <> "" Then
            Dim type = Request.Params("type")
            Dim name = Request Params("name")
            Dim fileData = Request.Params("imageData")
            Dim nextId = db.nextId("assets", "id")
            Dim path = HttpContext.Current.Server.MapPath("../assets")
            Dim filename = path & "/" & Str(nextId).Trim & ".png"
            If Not WriteFile(filename, fileData) Then
                Response.Write("fileerror")
                Return
            End If
            Dim res = db.dbNonQuery("insert into assets (id,name,type) values (" &
nextId & ",'" & name & "','" & type & "')")
            If res Then
                Response.Write("success")
            Else
                Response.Write("error")
            End If
        ElseIf Request.Params("updateAsset") <> "" Then
            Dim type = Request.Params("type")
Dim name = Request.Params("name")
            Dim fileData = Request.Params("imageData")
            Dim id = Request.Params("id")
            Dim path = HttpContext.Current.Server.MapPath("../assets")
            Dim filename = path & "/" & id.Trim & ".png"
            If Not fileData = "no" Then
                If Not WriteFile(filename, fileData) Then
                    Response.Write("fileerror")
                    Return
                Fnd Tf
            Dim res = db.dbNonQuery("update assets set name='" & name & "', type='"
& type & "' where id=" & id)
            If res Then
                Response.Write("success")
                Response.Write("error")
            End If
        ElseIf Request.Params("deleteAsset") <> "" Then
```




End Class

```
iEdit Online Image Tool
            Dim id = Request.Params("id")
Dim res = db.dbNonQuery("delete from assets where id=" & id)
                 Response.Write("success")
            Else
                 Response.Write("error")
            End If
        ElseIf Request.Params("listUsers") <> "" Then
            Dim res = db.sqlQueryJson("select * from users")
            Response.Write(res)
        ElseIf Request.Params("listUserPhotos") <> "" Then
            Dim res = db.sqlQueryJson("select id,name,(select username from users
where id=user photos.user id) as username from user photos")
            Response.Write(res)
        ElseIf Request.Params("userStatusChange") <> "" Then
            Dim userId = Request.Params("userStatusChange")
            Dim status = Request.Params("status")
            Dim res = db.dbNonQuery("update users set status=" & status & " where
id=" & userId)
            If res Then
                Response.Write("success")
            Else
                 Response.Write("error")
            End If
        ElseIf Request.Params("deleteUserPhoto") <> "" Then
            Response.Write(db.dbNonQuery("delete from user photos where id=" &
Request.Params("deleteUserPhoto")))
        ElseIf Request.Params("deleteAsset") <> "" Then
        End If
    End Sub
    Function WriteFile(ByVal filename As String, ByVal fileData As String) As
Boolean
            Dim fs As New FileStream(filename, FileMode.Create)
            Dim br As New BinaryWriter(fs)
            Dim data = Convert.FromBase64String(fileData)
            br.Write(data)
            br.Close()
            Return True
        Catch ex As Exception
            MsgBox(ex.Message)
            Return False
        End Trv
    End Function
```



Users List



Description:

Here admin can see user's list and can change status of users.



```
<%@ Page Title="" Language="VB" MasterPageFile="~/Admin/Admin.master"</pre>
AutoEventWireup="false" CodeFile="Users.aspx.vb" Inherits="Admin Default" %>
<asp:Content ID="Content1" ContentPlaceHolderID="head" Runat="Server">
</asp:Content>
<asp:Content ID="Content2" ContentPlaceHolderID="ContentPlaceHolder1"</pre>
Runat="Server">
        <thead style="background:white">
                           # 
                                Name
                                Username
                                Email
                                Status
                                Action
                           </thead>
                       <div id="result"></div>
     <a class="page-link" href="#"</pre>
onclick="dataPrev()">Previous</a>
           <a class="page-link" href="#"</pre>
onclick="dataNext()">Next</a>
         <script src="../js/userManage.js"></script>
</asp:Content>
```



Backend JS Code(js/userManage.js):

```
window.listStart = 0;
window.listEnd = 20;
$(document).ready(function () {
    loadData();
});
function addDialog() {
    $("#addDialog").show(500);
$("#assetName").val("");
$("#inputFile").val("");
    $("#modelImage")[0].src="";
function updateDialog(e) {
    allTds = $(e).parents("tr").eq(0).children();
$("#id1").val(allTds[0].innerHTML);
    $("#name1").val(allTds[1].innerHTML);
    $("#modelImage1")[0].src = $(allTds[2]).find("img")[0].src;
    $("#updateDialog").show(500);
}
function loadIntoTable(jData,start,end) {
    $("#acListBody") empty();
    for (var i = start; i < end; i++) {</pre>
         if(i>=jData.length){
             break:
         }
         var status ;
         if (jData[i].status == 1) {
             status = "<button class='btn btn-info' style='margin-right:20px;' data-
status='"+jData[i].status+"' onclick='toggleRequest(this,"+jData[i].id+")
onmouseover='statusToggle(this)'>Active</button>";
        }
         else {
             status = "<button class='btn btn-info' style='margin-right:20px;' data-</pre>
status='" + jData[i].status + "' onclick='toggleRequest(this," + jData[i].id + ")'
onmouseover='statusToggle(this)'>Banned</button>";
         $("#acListBody").append(' \
                                          ' + jData[i].id + '\
' + jData[i].name + '\
' + jData[i].username + '\
                                          ' + jData[i].email + '\
' + status + '\
                                          '
                                          + "<a class='btn btn-info' style='margin-
right:20px; href='UserProfile.aspx?username=" + jData[i].username + "' >View
Profile</a>" +
                                          '\
                                   ');
```




```
function dataNext() {
   if (listEnd + 20 < jData.length) {</pre>
       $(".page-item").removeClass("active");
       listEnd += 20;
       listStart += 20;
       loadIntoTable(jData, listStart, listEnd);
       $(".page-item").eq((listStart / 20)+1).addClass("active");
   }
}
function dataPrev() {
   if (listStart - 20 >= 0) {
       $(".page-item").removeClass("active");
       listEnd -= 20;
       listStart -= 20:
       loadIntoTable(jData, listStart, listEnd);
       $(".page-item").eq((listStart / 20)+1).addClass("active");
function dataNum(num, e) {
   if (e) {
       $(".page-item").removeClass("active");
       $(e).parent().addClass("active");
   if (num * 20 >= 0 || num * 20 < jData.length) {
       listStart = num * 20;
       listEnd = listStart + 20;
       loadIntoTable(jData, listStart, listEnd);
   }
}
function applyPagination(len) {
   $("#pagination").empty();
   $("#pagination").append('<a class="page-link" href="#"</pre>
onclick="dataPrev()">Prev</a>');
   for (var i = 0; i < len; i += 20) {
$("#pagination").append('<a class="page-link" href="#"</pre>
onclick="dataNext()">Next</a>');
   $(".page-item").eq((listStart / 20) + 1).addClass("active");
function loadData() {
   $.ajax({
       url: "dataModel.aspx",
       type: "POST"
       data: { listUsers: "yes" },
       success: function (data) {
           window.jData = JSON.parse(data);
           loadIntoTable(jData, listStart, listEnd);
           applyPagination(jData.length);
```



```
error: function () {
            alert("Problem with request");
    });
}
function toggleRequest(e,id) {
    var st = parseInt($(e).attr("data-status"));
    $.ajax({
        url: "dataModel.aspx",
        type: "POST",
        data: { userStatusChange: id, status: (st + 1) % 2 },
        success: function (data) {
            if (data == "success") {
                loadData();
            else {
                alert("cant change status");
                console.log(data);
        },
        error: function () {
            alert("Problem with request");
        }
    });
}
function statusToggle(e) {
    e.onmouseout = statusToggleOut;
    var st = parseInt($(e).attr("data-status"));
    if (st == 0) {
        $(e).text("Active It");
    else {
        $(e).text("Ban It");
}
function statusToggleOut() {
    var st = parseInt($(this).attr("data-status"));
    if (st == 1) {
        $(this).text("Active");
    }
    else {
        $(this).text("Banned");
}
```





Description:

This is clipart management page. Here admin can add, update or delete cliparts easily using advance Ajax interface which provide better experience.



```
~%@ Page Title="" Language="VB" MasterPageFile="~/Admin/Admin.master"
AutoEventWireup="false" CodeFile="Cliparts.aspx.vb" Inherits="Admin Default" %>
<asp:Content ID="Content1" ContentPlaceHolderID="head" Runat="Server">
</asp:Content>
<asp:Content ID="Content2" ContentPlaceHolderID="ContentPlaceHolder1"</pre>
Runat="Server">
      <div class="row">
                          <div class="col">
                               <button class="btn btn-primary" type="button"</pre>
style="margin:10px;float:right;" onclick="addDialog()">Add Clipart</button>
                          </div>
                     </div>
          <thead style="background:white">
                               # 
                                     Name
                                     Image
                                     Action
                               </thead>
                          <div id="result"></div>
        <div class="container add-ac" id="addDialog" style="display:none">
                <div class="close-btn btn btn-primary" onclick="$</pre>
(this).parent().hide(500)" >
                     Χ
                </div>
                Name: 
                          <input type="text" name="name" class="form-
control" id="assetName"> 
                     Image:
                          <input type="file" name="file" class="form-</pre>
control" id="inputFile" />
                    <br /><br />
                    <img src="" id="modelImage" height=100 width=100/>
```



```
iEdit Online Image Tool
                      <input type="hidden" name="type" value="clipart" id="assetType">
                      <input type="button" name="add" value="Submit"
</div>
     <div class="container add-ac" id="updateDialog" style="display:none">
             <div class="close-btn btn btn-primary" onclick="$</pre>
(this).parent().hide(500)" >
             </div>
             Name: 
                      <input type="text" name="name" class="form-
Image:
                      <input type="file" name="file" class="form-</pre>
control" id="inputFile1" />
                 <br /><br />
                 <img src="" id="modelImagel" height=100 width=100/>
                      <input type="hidden" name="id" value="clipart" id="id1">
              <input type="hidden" name="type" value="clipart" id="type1">
                      <input type="button" name="add" value="Update"
</div>
     <a class="page-link" href="#"</pre>
onclick="dataPrev()">Previous</a>
           <a class="page-link" href="#"</pre>
onclick="dataNext()">Next</a>
         <script src="../js/assetManage.js"></script>
</asp:Content>
```



Backend JS Code:

```
window.listStart = 0;
window.listEnd = 20;
$(document).ready(function () {
    loadData();
    $("#addBtn").click(function () {
        addAssetFunction();
    $("#updateBtn").click(function () {
        updateAssetFunction();
    $("#inputFile").change(function () {
        loadModelImage(this);
    }):
    $("#inputFile1").change(function () {
        loadModelImage(this);
    });
});
function addDialog() {
    $("#addDialog").show(500);
    $("#assetName").val("");
    $("#inputFile").val("");
    $("#modelImage")[0].src="";
function updateDialog(e) {
    allTds = $(e).parents("tr").eq(0).children();
    $("#id1").val(allTds[0].innerHTML);
    $("#name1").val(allTds[1].innerHTML);
    $("#modelImage1")[0].src = $(allTds[2]).find("img")[0].src;
    $("#updateDialog").show(500);
}
function loadIntoTable(jData,start,end) {
    $("#acListBody").empty();
    for (var i = start; i < end; i++) {</pre>
        if(i>=jData.length){
            break;
        $("#acListBody").append(' \
                                      ' + jData[i].id + '\
' + jData[i].name + '\
                                       <img src="../assets/" + jData[i].id +
'.png?' + Date.now() + '" height=100> 
                                      '
                                      + "<button class='btn btn-info' style='margin-
right:20px; onclick='updateDialog(this)'>Update </button>"
                                      + "<button class='btn btn-danger'
onclick='deleteAssetFunction(" + jData[i].id + ")'>Delete </button>" +
                                       '\
                                ');
```



```
function dataNext() {
    if (listEnd + 20 < jData.length) {</pre>
        $(".page-item").removeClass("active");
        listEnd += 20;
        listStart += 20;
        loadIntoTable(jData, listStart, listEnd);
$(".page-item").eq((listStart / 20)+1).addClass("active");
}
function dataPrev() {
    if (listStart - 20 >= 0) {
        $(".page-item").removeClass("active");
        listEnd -= 20;
        listStart -= 20:
        loadIntoTable(jData, listStart, listEnd);
        $(".page-item").eq((listStart / 20)+1).addClass("active");
function dataNum(num, e) {
    if (e) {
        $(".page-item").removeClass("active");
        $(e).parent().addClass("active");
    if (num * 20 >= 0 || num * 20 < jData.length) {
        listStart = num * 20;
        listEnd = listStart + 20;
        loadIntoTable(jData, listStart, listEnd);
    }
}
function applyPagination(len) {
    $("#pagination").empty();
    $("#pagination").append('<a class="page-link" href="#"</pre>
onclick="dataPrev()">Prev</a>');
    for (var i = 0; i < len; i += 20) {
        $("#pagination").append('<a class="page-link" href="#"</pre>
onclick="dataNum(' + (i / 20) + ',this)">' + ((i / 20)+1) + '</a></li>');
    $("#pagination").append('<a class="page-link" href="#"</pre>
onclick="dataNext()">Next</a>');
    $(".page-item").eq((listStart / 20) + 1).addClass("active");
function loadData() {
    $.ajax({
        url: "dataModel.aspx",
        type: "POST",
        data: { listAssets: "yes", type: $("#assetType").val() },
        success: function (data) {
            window.jData = JSON.parse(data);
            loadIntoTable(jData, listStart, listEnd);
            applyPagination(jData.length);
        },
        error: function () {
            alert("Problem with request");
```




```
function addRequest(imgUri) {
    if ($("#assetName").val() == "") {
         alert("Enter Name");
         return;
    $.ajax({
         url: "dataModel.aspx",
         type: "POST",
         data: {
             "addAsset": "true",
             "name": $("#assetName").val(),
"type": $("#assetType").val(),
             "imageData": imgUri
         },
         success: function (data) {
             console.log(data);
             if (data == "success") {
                  loadData();
                  $("#addDialog").hide(500);
             }
             else {
                  alert("Error occured: ", data);
         },
        error: function (err) {
    console.log("er: ", err.responseText)
        }
    });
function deleteAssetFunction(id) {
    $.ajax({
         url: "dataModel.aspx",
         type: "POST",
         data: {
             "deleteAsset": true,
             id: id
         },
         success: function (data) {
             console.log(data);
             if (data == "success") {
                  loadData();
             }
             else {
                  alert("Error occured: ", data);
         },
        error: function (err) {
   console.log("er: ", err)
    });
function updateRequest(imgUri) {
```



```
iEdit Online Image Tool
    if ($("#name1").val() == "") {
        alert("Enter Name");
        return:
    $.ajax({
        url: "dataModel.aspx",
        type: "POST",
        data: {
            "updateAsset": "true",
            "name": $("#name1").val(),
            "type": $("#type1").val(),
            "imageData": imgUri,
            "id": $("#id1").val()
        success: function (data) {
            console.log(data);
            if (data == "success") {
                loadData();
                $("#updateDialog").hide(500);
            }
            else {
                alert("Error occured: "+ data);
        },
        error: function (err) {
            console.log("er: ", err)
        }
    });
function addAssetFunction() {
    var r = new FileReader();
    r.readAsDataURL($("#inputFile")[0].files[0]);
    $(this).hide();
    r.onload = function (d) {
        addRequest(d.target.result.replace('data:image/png;base64,', ''));
function loadModelImage(e) {
    var r = new FileReader();
    r.readAsDataURL(e.files[0]);
    r.onload = function (d) {
        $("#modelImage")[0].src = d.target.result;
        $("#modelImage1")[0].src = d.target.result;
    }
}
function updateAssetFunction() {
    if ($("#inputFile1").val()=="") {
        updateRequest("no");
        return;
    }
    var r = new FileReader();
    r.readAsDataURL($("#inputFile1")[0].files[0]);
    r.onload = function (d) {
        updateRequest(d.target.result.replace('data:image/png;base64,', ''));
    }
}
```





Description:

This is Frame management page. Here admin can add, update or delete Frame easily using advance Ajax interface which provide better experience.




```
<%@ Page Title="" Language="VB" MasterPageFile="~/Admin/Admin.master"</pre>
AutoEventWireup="false" CodeFile="Frames.aspx.vb" Inherits="Admin Default" %>
<asp:Content ID="Content1" ContentPlaceHolderID="head" Runat="Server">
</asp:Content>
<asp:Content ID="Content2" ContentPlaceHolderID="ContentPlaceHolder1"</pre>
Runat="Server">
      <div class="row">
                          <div class="col">
                               <button class="btn btn-primary" type="button"</pre>
style="margin:10px;float:right;" onclick="addDialog()">Add Frame</button>
                          </div>
                    </div>
          <thead style="background:white">
                               # 
                                    Name
                                    Image
                                    Action
                               </thead>
                          <div id="result"></div>
        <div class="container add-ac" id="addDialog" style="display:none">
               <div class="close-btn btn btn-primary" onclick="$</pre>
(this).parent().hide(500)" >
                    Χ
               </div>
               Name: 
                          <input type="text" name="name" class="form-
Image:
                          <input type="file" name="file" class="form-</pre>
control" id="inputFile" />
                    <br /><br />
                    <img src="" id="modelImage" height=100 width=100/>
```



```
iEdit Online Image Tool
               <input type="hidden" name="type" value="frame" id="assetType">
                        <input type="button" name="add" value="Submit"
</div>
      <div class="container add-ac" id="updateDialog" style="display:none">
              <div class="close-btn btn btn-primary" onclick="$</pre>
(this).parent().hide(500)" >
              </div>
              Name: 
                        <input type="text" name="name" class="form-
control" id="name1"> 
                   Image:
                        <input type="file" name="file" class="form-</pre>
control" id="inputFile1" />
                  <br /><br />
                  <img src="" id="modelImagel" height=100 width=100/>
                        <input type="hidden" name="id" id="id1">
               <input type="hidden" name="type" value="frame" id="type1">
                        <input type="button" name="add" value="Update"
</div>
      <a class="page-link" href="#"</pre>
onclick="dataPrev()">Previous</a>
            <a class="page-link" href="#"</pre>
onclick="dataNext()">Next</a>
         <script src="../js/assetManage.js"></script>
</asp:Content>
Backend JS Code:
Same file for clipart backend js code. (js/assetManage.js)
```

Already Included in this Document





Description:

Here admin can view photos edited by user. Admin can also delete their photos from here.



```
<%@ Page Title="" Language="VB" MasterPageFile="~/Admin/Admin.master"</pre>
AutoEventWireup="false" CodeFile="UserPhotos.aspx.vb" Inherits="Admin Default" %>
<asp:Content ID="Content1" ContentPlaceHolderID="head" Runat="Server">
</asp:Content>
<asp:Content ID="Content2" ContentPlaceHolderID="ContentPlaceHolder1"</pre>
Runat="Server">
         <thead style="background:white">
                              # 
                                   Name
                                   Username
                                   Photo
                                   Action
                              </thead>
                         <div id="result"></div>
      <a class="page-link" href="#"</pre>
onclick="dataPrev()">Previous</a>
            <a class="page-link" href="#"</pre>
onclick="dataNext()">Next</a>
          <script src="../js/userPhotosManage.js"></script>
</asp:Content>
Backend JS code: (js/userPhotosManage.js)
window.listStart = 0;
window.listEnd = 20;
$(document).ready(function () {
   loadData();
});
function addDialog() {
   $("#addDialog").show(500);
   $("#assetName").val("");
   $("#inputFile").val("");
```



```
$("#modelImage")[0].src="";
allTds = $(e).parents("tr").eq(0).children();
    $("#id1").val(allTds[0].innerHTML);
    $("#name1").val(allTds[1].innerHTML);
    $("#modelImage1")[0].src = $(allTds[2]).find("img")[0].src;
    $("#updateDialog").show(500);
}
function loadIntoTable(jData,start,end) {
    $("#acListBody").empty();
    for (var i = start; i < end; i++) {</pre>
        if(i>=jData.length){
            break:
        var status ;
        $("#acListBody").append(' \
                                      ' + jData[i].id + '\
                                      ' + jData[i].name + '\
                                      ' + jData[i].username + '\
                                      <img src="../user_photos/' + jData[i].id
+ '.png" height=100  
                                      '
                                      + "<a class='btn btn-info' style='margin-
right:20px; href='#' >View</a>"
                                     + "<a class='btn btn-danger' style='margin-
right:20px; href='#' onclick='deleteUserPhoto(" + jData[i].id + ")' >Delete</a>" +
                                      '\
                               ');
    }
}
function dataNext() {
    if (listEnd + 20 < jData.length) {</pre>
        $(".page-item").removeClass("active");
        listEnd += 20;
        listStart += 20;
        loadIntoTable(jData, listStart, listEnd);
        $(".page-item").eq((listStart / 20)+1).addClass("active");
    }
}
function dataPrev() {
    if (listStart - 20 >= 0) {
        $(".page-item").removeClass("active");
        listEnd -= 20;
        listStart -= 20:
        loadIntoTable(jData, listStart, listEnd);
$(".page-item").eq((listStart / 20)+1).addClass("active");
function dataNum(num, e) {
```



```
if (e) {
       $(".page-item").removeClass("active");
       $(e).parent().addClass("active");
   if (num * 20 >= 0 || num * 20 < jData.length) {
       listStart = num * 20;
       listEnd = listStart + 20;
       loadIntoTable(jData, listStart, listEnd);
   }
}
function applyPagination(len) {
   $("#pagination").empty();
   $("#pagination").append('<a class="page-link" href="#"</pre>
onclick="dataPrev()">Prev</a>');
   for (var i = 0; i < len; i += 20) {
       $("#pagination").append('<a class="page-link" href="#"</pre>
onclick="dataNum(' + (i / 20) + ',this)">' + ((i / 20)+1) + '</a></li>');
   $("#pagination").append('<a class="page-link" href="#"</pre>
onclick="dataNext()">Next</a>');
   $(".page-item").eq((listStart / 20) + 1).addClass("active");
function loadData() {
   $.ajax({
       url: "dataModel.aspx",
       type: "POST"
       data: { listUserPhotos: "yes" },
       success: function (data) {
           window.jData = JSON.parse(data);
           loadIntoTable(jData, listStart, listEnd);
           applyPagination(jData.length);
       },
       error: function () {
           alert("Problem with request");
       }
   });
}
function deleteUserPhoto(id) {
   $.ajax({
       url: "dataModel.aspx",
       type: "POST",
       data: { deleteUserPhoto: id },
       success: function (data) {
           loadData();
       error: function () {
           alert("Problem with request");
   });
}
```





iEdit Online Image Tool **5. Testing**

5.1 Navigation Testing

Link	Expected Page	Result of Page
HomePage	Main Home Page	Main Home Page
About	About Page	About Page
Features	Features Page	Features Page
Login	Login Page	Login Page
Register	Register Page	Register Page
leditor	Main Editor Page	Main Editor Page
Public Gallery	Public Gallery Page	Public Gallery Page
MyGallery	User's Gallery Page	User's gallery Page
Admin Side Navigation		
Dashboard	Admin welcome page	Admin welcome page
Users	User management page	User management Page
Cliparts	Clipart Management Page	Clipart Management Page
Frames	Frames management page	Frames management page
User Photos	User Photo Management page	User Photos Mangaement Page



5.2 Environment Testing

This application is built using MS ASP.NET technology.

It will run on MS IIS server.

Tested with following Environments

Google Chrome 59 on windows 8 It can work on following browsers Firefox version 40+ Internet Explorer 9+ Opera version 15+



5.3 Functional Testing

Following Functions are tested successfully.

- Login Function: Login function works perfectly It gives proper error on unsuccessful login.
- **Register Function:** Register function works perfectly It gives proper error on unsuccessful registration
- leditor Open Function: It opens photo selected by user correctly
 - o **Resize Function:** Resize Function works correctly
 - o **Crop Function:** Crop function crop photo correctly.
 - o **Text Function:** It adds Text to photo correctly.
 - o **Add Clipart Function:** There is some problem with javascript. ASP.net loads image list but Function can't insert clipart.
 - o **Frame Function:** Frame function is not working properly.
- **User Management Functions:** User management functions workes perfectly. Admin can change status of user.
- **User Photo Management Function:** This function works perfectly without any error.
- **Clipart Management:** It works perfectly, admin can insert,update or delete Clipart easily from same page without reaoading.
- **Frame Mangement :** It works perfectly, admin can insert, update or delete Frames easily from same page without reaoading.

•



6. Conclusion

iEdit Image editor is good platform for users to edit their photos online without any hassel. There are many functions and features which helps users to make their photos glory. Main Back bone of iEdit is iEditor which is built using javascript and SVG. In conclusion this website is very useful for users who like to edit their photos online.



7. Bibilography

Libraries used:

Jquery 3.3.3 => It provides Easier functions for dom manuplation.

Ref: jQuery

Bootstrap 3 => It provides responsive style for html pages.

Ref: Bootstrap

Jquery Validator => used for form validation

Ref: jQuery Validation Plugin

Snap Svg => Provides Svg manuplation functions

Ref: Snap.svg - Home



iEdit Online Image Tool **Login Details:**

Database Path: |DataDirectory|Database.mdf

Admin Panel Path: <Host>/admin

Admin Login:

Username: admin

Password: admin

User Login:

 $\label{lem:count_already_created} Account already created with username \quad iamadie 123 \quad but you can also signup for new account.$

Username: iamadie123

Password: iamadie123