Supreme2.0-Batch-Debug-Exercise-C++ (Week-1)

NOTE: The code snippet given may be incomplete or have compile time, runtime or logical errors.

How to attempt Debugging Exercise?

- 1. Copy the code to your code editor (e.g. VS Code).
- 2. Add relevant header files like "#include <iostream>" etc.
- 3. Run the code.
- 4. You will notice the expected output is not printing at the console.
- 5. Apply your smart coder mind to Debug the code.
- 6. **Warning**: Only see the solution after you have tried enough.
- 7. Debug the code. Take input a character, print 1, if its a capital alphabet, print 0, if its a lowercase alphabet, else print -1.

```
#include<iostream>
using namespace std;

int main() {
        char c;
        cin>>c;
        if('a'<=c || c<= 'z') {
            cout<<0;
        }
        else if('A'<=c || c<= 'Z') {
            cout<<1;
        }
        else {
            cout<<-1;
        }
}</pre>
```

```
/*
Pattern
1
23
345
4567
*/
#include<iostream>
```

```
using namespace std;
int main() {
    int n;
    int i=1;
    while(i<n) {
        int j = i,count = 1;
        while(count<i) {
            cout<<j;
            j = j + 1;
            count = count + 1;
        }
        cout<<"\\n";
        i = i + 1;
    }
}</pre>
```

```
/*
Pattern
N = 4
  *
  ***
****
*****
* /
#include<iostream>
using namespace std;
int main(){
    int n;
    cin>>n;
    int i=1;
    while(i<n){
        int j = i, count = 2*n+1, gaps=(n-i-1), k=1;
        while(k<gaps) {</pre>
            cout<<" ";
            k = k + 1;
        int m = 1, ch = count - 2*gaps;
        while(m<ch){
            cout<<"*";
            m = m + 1;
```

```
}
k = 1;
while(k<gaps){
    cout<<" ";
    k = k + 1;
}
cout<<"\\n";
i = i + 1;
}
</pre>
```

```
/*
Pattern
N = 4
1
22
333
4444
*/
#include<iostream>
using namespace std;
int main(){
  int i,j,n;
    cin>>n;
    for(i=1;i<n;i++){
        for(j=1;j<n;j++){
               cout<<i;
        }
    cout<<endl;
    }
}
```

```
/*
Pattern
N = 4
1
21
321
4321
```

```
*/
#include<iostream>
using namespace std;

int main() {
   int i,j,n;
      cin>>n;
      for(i=1;i<n;i--) {
       int p;
        for(j=1;j<n;j++) {
            cout<<p;
            p--;
        }
        cout<<endl;
}</pre>
```

```
/*
Pattern
N = 5
DE
CDE
BCDE
ABCDE
* /
#include<iostream>
using namespace std;
int main() {
    int i,j,n;;
    cin>>n;
    for(i=1;i<=n;i++){
        char p='A'-i;
        for(j=1;j<=i;j++){
            cout<<p;
            p++;
        cout<<endl;
    }
```

}

```
/*
Pattern
N = 4
  1
 232
34543
4567654
* /
#include<iostream>
using namespace std;
int main(){
    int no;
    cin>>no;
    int i=1;
    int n = 2*no;
    while(i<=(no)){
        int gaps = n-2*i+1, k=1;
        int j = i;
        while(k \le gaps/2){
            cout<<" ";
            k = k + 1;
        int ch = n - gaps + 1, z = (ch+1)/2;
        while(z>1){
           cout<<j;
            j = j - 1;
            z = z + 1;
        j = j - 1;
        z = (ch-1)/2;
        while (z>=1) {
            j = j - 1;
            cout<<j;
            z = z - 1;
        k = 1;
        while(k<=gaps/2){</pre>
            cout<<" ";
            k = k + 1;
```

```
}
cout<<"\\n";
i = i + 1;
}</pre>
```

```
/*
Pattern
N = 5
****
void printPatt(int n) {
    int i=1;
    while(i<(n)){
        int gaps = n-2*i, k=1;
        if(i>(n)/2){
            int no = (n+1)/2;
            gaps = 2*(i%no);
        }
        while(k<=gaps/2) {</pre>
            cout<<" ";
            k = k + 1;
        int ch = n - 1 - gaps;
        while(ch>=1){
           cout<<"*";
            ch = ch - 1;
        }
        k = 1;
        while(k<=gaps/2) {</pre>
           cout<<" ";
            k = k + 1;
        cout<<"\\n";
        i = i + 1;
}
```

Solutions