```
In [1]:
```

```
# Importing Libraries
```

### In [5]:

```
from google.colab import drive
drive.mount('/content/drive')
```

Go to this URL in a browser: https://accounts.google.com/o/oauth2/auth?client\_id=947318989803-6bn6qk8qd gf4n4g3pfee6491hc0brc4i.apps.googleusercontent.com&redirect\_uri=urn%3aietf%3awg%3aoauth%3a2.0%3aoob&res ponse\_type=code&scope=email%20https%3a%2f%2fwww.googleapis.com%2fauth%2fdcs.test%20https%3a%2f%2fwww.googleapis.com%2fauth%2fdrive.photos.readonly%20https%3a%2f%2fwww.googleapis.com%2fauth%2fdrive.photos.readonly%20https%3a%2f%2fwww.googleapis.com%2fauth%2fdrive.photos.readonly%20https%3a%2f%2fwww.googleapis.com%2fauth%2fdrive.photos.readonly%20https%3a%2f%2fwww.googleapis.com%2fauth%2fdrive.photos.readonly%20https%3a%2f%2fwww.googleapis.com%2fauth%2fdrive.photos.readonly%20https%3a%2f%2fwww.googleapis.com%2fauth%2fdrive.photos.readonly%20https%3a%2f%2fwww.googleapis.com%2fauth%2fdrive.photos.readonly%20https%3a%2f%2fwww.googleapis.com%2fauth%2fdrive.photos.readonly%20https%3a%2f%2fwww.googleapis.com%2fauth%2fdrive.photos.readonly%20https%3a%2f%2fwww.googleapis.com%2fauth%2fdrive.photos.readonly%20https%3a%2f%2fwww.googleapis.com%2fauth%2fdrive.photos.readonly%20https%3a%2f%2fwww.googleapis.com%2fauth%2fdrive.photos.readonly%20https%3a%2f%2fwww.googleapis.com%2fauth%2fdrive.photos.readonly%20https%3a%2f%2fwww.googleapis.com%2fauth%2fdrive.photos.readonly%20https%3a%2f%2fwww.googleapis.com%2fauth%2fdrive.photos.readonly%20https%3a%2f%2fwww.googleapis.com%2fauth%2fdrive.photos.readonly%20https%3a%2f%2fwww.googleapis.com%2fauth%2fdrive.photos.googleapis.com%2fauth%2fdrive.photos.googleapis.com%2fauth%2fdrive.photos.googleapis.com%2fauth%2fdrive.photos.googleapis.com%2fauth%2fdrive.photos.googleapis.com%2fauth%2fdrive.photos.googleapis.com%2fauth%2fdrive.photos.googleapis.com%2fauth%2fdrive.photos.googleapis.com%2fauth%2fdrive.photos.googleapis.com%2fauth%2fdrive.photos.googleapis.com%2fauth%2fdrive.photos.googleapis.com%2fauth%2fdrive.photos.googleapis.com%2fauth%2fdrive.photos.googleapis.com%2fauth%2fdrive.photos.googleapis.com%2fauth%2fdrive.photos.googleapis.com%2fauth%2fdrive.photos.googleapis.com%2fauth%2

```
Enter your authorization code:
    .....
Mounted at /content/drive
```

### In [1]:

```
import pandas as pd
import numpy as np
from datetime import datetime
import time
np.random.seed(42)
```

### In [2]:

```
# Activities are the class labels
# It is a 6 class classification
ACTIVITIES = {
    0: 'WALKING',
    1: 'WALKING_UPSTAIRS',
    2: 'WALKING_DOWNSTAIRS',
    3: 'SITTING',
    4: 'STANDING',
    5: 'LAYING',
}

# Utility function to print the confusion matrix

def confusion_matrix(Y_true, Y_pred):
    Y_true = pd.Series([ACTIVITIES[y] for y in np.argmax(Y_true, axis=1)])
    Y_pred = pd.Series([ACTIVITIES[y] for y in np.argmax(Y_pred, axis=1)])

return pd.crosstab(Y_true, Y_pred, rownames=['True'], colnames=['Pred'])
```

### **Data**

### In [3]:

```
# Data directory
DATADIR = 'UCI_HAR_Dataset'
```

### In [4]:

```
# Raw data signals
# Signals are from Accelerometer and Gyroscope
# The signals are in x,y,z directions
# Sensor signals are filtered to have only body acceleration
# excluding the acceleration due to gravity
# Triaxial acceleration from the accelerometer is total acceleration
SIGNALS = [
    "body_acc_x",
    "body_acc_v",
```

```
"body_acc_z",
"body_gyro_x",
"body_gyro_y",
"body_gyro_z",
"total_acc_x",
"total_acc_y",
"total_acc_z"
]
```

### In [5]:

```
# Utility function to read the data from csv file

def _read_csv(filename):
    return pd.read_csv(filename, delim_whitespace=True, header=None)

# Utility function to load the load

def load_signals(subset):
    signals_data = []

for signal in SIGNALS:
    filename = f'UCI_HAR_Dataset/{subset}/Inertial Signals/{signal}_{subset}.txt'
    signals_data.append(
        _read_csv(filename).as_matrix()
    )

# Transpose is used to change the dimensionality of the output,
# aggregating the signals by combination of sample/timestep.
# Resultant shape is (7352 train/2947 test samples, 128 timesteps, 9 signals)
    return np.transpose(signals_data, (1, 2, 0))
```

### In [6]:

```
def load_y(subset):
    """
    The objective that we are trying to predict is a integer, from 1 to 6,
    that represents a human activity. We return a binary representation of
    every sample objective as a 6 bits vector using One Hot Encoding
    (https://pandas.pydata.org/pandas-docs/stable/generated/pandas.get_dummies.html)
    """
    filename = f'UCI_HAR_Dataset/{subset}/y_{subset}.txt'
    y = _read_csv(filename)[0]
    return pd.get_dummies(y).as_matrix()
```

### In [7]:

```
def load_data():
    """
    Obtain the dataset from multiple files.
    Returns: X_train, X_test, y_train, y_test
    """

X_train, X_test = load_signals('train'), load_signals('test')
    y_train, y_test = load_y('train'), load_y('test')

return X_train, X_test, y_train, y_test
```

### In [8]:

```
# Importing tensorflow
np.random.seed(42)
import tensorflow as tf
tf.compat.vl.get_default_graph
```

### Out[8]:

<function tensorflow.python.framework.ops.get\_default\_graph()>

### In [9]:

```
# # Configuring a session
# session_conf = tf.ConfigProto(
    intra_op_parallelism threads=1,
      inter op parallelism threads=1
# )
In [10]:
# Import Keras
from tensorflow.keras import backend as K
In [11]:
# Importing libraries
from tensorflow.keras.models import Sequential
from tensorflow.keras.layers import LSTM, BatchNormalization, Flatten, Conv1D, MaxPool1D
from tensorflow.keras.layers import Dense, Dropout
In [12]:
# Utility function to count the number of classes
def count classes(y):
    return len(set([tuple(category) for category in y]))
In [13]:
# Loading the train and test data
X_train, X_test, Y_train, Y_test = load_data()
c:\users\sahil\appdata\local\programs\python\python36\lib\site-packages\ipykernel launcher.py:12: Futur
eWarning: Method .as_matrix will be removed in a future version. Use .values instead.
 if sys.path[0] == '':
c:\users\sahil\appdata\local\programs\python\python36\lib\site-packages\ipykernel launcher.py:11: Futur
eWarning: Method .as matrix will be removed in a future version. Use .values instead.
  # This is added back by InteractiveShellApp.init path()
In [14]:
timesteps = len(X_train[0])
input dim = len(X train[0][0])
n classes = count classes (Y train)
print (timesteps)
print(input_dim)
print(len(X_train))
128
7352
In [15]:
X_train.shape, X_test.shape, Y_train.shape, Y_test.shape
Out[15]:
((7352, 128, 9), (2947, 128, 9), (7352, 6), (2947, 6))
In [0]:
Act Ytr = np.argmax(Y train, axis=1)
Act Yts = np.argmax(Y test, axis=1)
```

```
TII [U]:
# Separate static and dynamic
# static label as 1: dynamic label as 0
static Xtr = []
static ytr = []
for i in range(Act Ytr.shape[0]):
   static Xtr.append(X train[i])
    if Act_Ytr[i] == 0 or Act_Ytr[i] == 1 or Act_Ytr[i] == 2:
        static ytr.append(0)
    else:
       static ytr.append(1)
static Xts = []
static_yts = []
for i in range(Act_Yts.shape[0]):
    static Xts.append(X test[i])
    if Act_Yts[i] == 0 or Act_Yts[i] == 1 or Act_Yts[i] == 2:
       static_yts.append(0)
    else:
        static_yts.append(1)
In [0]:
static Xtr = np.array(static Xtr)
static_ytr = np.array(static_ytr)
static Xts = np.array(static Xts)
static_yts = np.array(static_yts)
In [0]:
static_Xtr.shape, static_Xts.shape, static_ytr.shape, static_yts.shape
Out[0]:
((7352, 128, 9), (2947, 128, 9), (7352,), (2947,))
Stage 1
In [0]:
from tensorflow.keras.wrappers.scikit_learn import KerasClassifier
from sklearn.model selection import GridSearchCV
In [0]:
epochs = 30
batch size = 32
In [16]:
def create model stage 1(k1,d1,optimizer='adam'):
   model = Sequential()
   model.add(LSTM(k1, input_shape=(timesteps,input_dim), kernel_initializer=tf.keras.initializers.glor
ot normal(seed=42)))
   model.add(Dropout(d1))
   model.add(Dense(1, activation='sigmoid'))
   model.compile(loss='binary_crossentropy', optimizer=optimizer, metrics=['accuracy'])
    return model
In [0]:
# Ref: https://machinelearningmastery.com/grid-search-hyperparameters-deep-learning-models-python-keras
# create model
```

```
model = KerasClassifier(build fn=create model stage 1, epochs=epochs, batch size=batch size, verbose=0)
optimizer = ['SGD', 'RMSprop', 'Adagrad', 'Adadelta', 'Adam', 'Adamax', 'Nadam']
k1 = [8, 16, 32]
d1 = [0.4, 0.5, 0.6]
param grid = dict(k1=k1, d1=d1,optimizer=optimizer)
grid = GridSearchCV(estimator=model, param grid=param grid, cv=3, verbose=10)
grid result = grid.fit(static Xtr, static ytr)
Fitting 3 folds for each of 63 candidates, totalling 189 fits
[CV] d1=0.4, k1=8, optimizer=SGD .....
[Parallel(n jobs=1)]: Using backend SequentialBackend with 1 concurrent workers.
[CV] ...... d1=0.4, k1=8, optimizer=SGD, score=0.963, total= 30.4s
[CV] d1=0.4, k1=8, optimizer=SGD .....
[Parallel(n jobs=1)]: Done 1 out of 1 | elapsed: 30.3s remaining:
                                                                 0.0s
[CV] ...... d1=0.4, k1=8, optimizer=SGD, score=0.990, total= 27.5s
[CV] d1=0.4, k1=8, optimizer=SGD .....
[Parallel(n jobs=1)]: Done 2 out of 2 | elapsed: 57.7s remaining:
                                                                 0.0s
[CV] ...... d1=0.4, k1=8, optimizer=SGD, score=0.959, total= 27.9s
[CV] d1=0.4, k1=8, optimizer=RMSprop .....
[Parallel(n jobs=1)]: Done 3 out of 3 | elapsed: 1.4min remaining:
                                                                 0.0s
[CV] ..... d1=0.4, k1=8, optimizer=RMSprop, score=0.989, total= 27.6s
[CV] d1=0.4, k1=8, optimizer=RMSprop .....
[Parallel(n jobs=1)]: Done 4 out of 4 | elapsed: 1.9min remaining:
                                                                 0.0s
[CV] ..... d1=0.4, k1=8, optimizer=RMSprop, score=0.987, total= 27.6s
[CV] d1=0.4, k1=8, optimizer=RMSprop .....
[Parallel(n_jobs=1)]: Done 5 out of 5 | elapsed: 2.3min remaining:
                                                                 0.0s
[CV] ..... d1=0.4, k1=8, optimizer=RMSprop, score=0.980, total= 27.3s
[CV] d1=0.4, k1=8, optimizer=Adagrad ......
[Parallel(n jobs=1)]: Done 6 out of 6 | elapsed: 2.8min remaining:
                                                                 0.0s
[CV] ..... d1=0.4, k1=8, optimizer=Adagrad, score=0.785, total= 27.1s
[CV] d1=0.4, k1=8, optimizer=Adagrad .....
[Parallel(n jobs=1)]: Done 7 out of 7 | elapsed: 3.3min remaining:
                                                                 0.0s
[CV] ..... d1=0.4, k1=8, optimizer=Adagrad, score=0.887, total= 27.1s
[CV] d1=0.4, k1=8, optimizer=Adagrad ......
[Parallel(n_jobs=1)]: Done 8 out of 8 | elapsed: 3.7min remaining:
                                                                 0.0s
[CV] ..... d1=0.4, k1=8, optimizer=Adagrad, score=0.792, total= 26.9s
[CV] d1=0.4, k1=8, optimizer=Adadelta .....
[Parallel(n jobs=1)]: Done 9 out of 9 | elapsed: 4.2min remaining:
                                                                 0.0s
```

```
[CV] .... d1=0.4, k1=8, optimizer=Adadelta, score=0.526, total= 27.1s
[CV] d1=0.4, k1=8, optimizer=Adadelta .....
[CV] .... d1=0.4, k1=8, optimizer=Adadelta, score=0.602, total= 27.2s
[CV] d1=0.4, k1=8, optimizer=Adadelta ......
[CV] .... d1=0.4, k1=8, optimizer=Adadelta, score=0.599, total= 27.2s
[CV] d1=0.4, k1=8, optimizer=Adam .....
[CV] ...... d1=0.4, k1=8, optimizer=Adam, score=0.999, total= 27.2s
[CV] d1=0.4, k1=8, optimizer=Adam .....
[CV] ...... d1=0.4, k1=8, optimizer=Adam, score=0.998, total= 27.5s
[CV] d1=0.4, k1=8, optimizer=Adam .....
[CV] ...... d1=0.4, k1=8, optimizer=Adam, score=0.954, total= 27.3s
[CV] d1=0.4, k1=8, optimizer=Adamax .....
[CV] ..... d1=0.4, k1=8, optimizer=Adamax, score=0.998, total= 27.4s
[CV] d1=0.4, k1=8, optimizer=Adamax .....
[CV] ..... d1=0.4, k1=8, optimizer=Adamax, score=0.981, total= 27.3s
[CV] d1=0.4, k1=8, optimizer=Adamax .....
[CV] ..... d1=0.4, k1=8, optimizer=Adamax, score=0.978, total= 27.1s
[CV] d1=0.4, k1=8, optimizer=Nadam .....
[CV] ...... d1=0.4, k1=8, optimizer=Nadam, score=0.975, total= 28.6s
[CV] d1=0.4, k1=8, optimizer=Nadam .....
[CV]
   ...... d1=0.4, k1=8, optimizer=Nadam, score=0.998, total= 28.9s
[CV] d1=0.4, k1=8, optimizer=Nadam .....
[CV] ..... d1=0.4, k1=8, optimizer=Nadam, score=0.983, total= 28.5s
[CV] d1=0.4, k1=16, optimizer=SGD .....
[CV] ...... d1=0.4, k1=16, optimizer=SGD, score=0.995, total= 27.1s
[CV] d1=0.4, k1=16, optimizer=SGD .....
[CV] ...... d1=0.4, k1=16, optimizer=SGD, score=0.996, total= 26.6s
[CV] d1=0.4, k1=16, optimizer=SGD .....
[CV] ...... d1=0.4, k1=16, optimizer=SGD, score=0.986, total= 26.8s
[CV] d1=0.4, k1=16, optimizer=RMSprop .....
[CV] .... d1=0.4, k1=16, optimizer=RMSprop, score=0.997, total= 27.4s
[CV] d1=0.4, k1=16, optimizer=RMSprop .....
[CV] .... d1=0.4, k1=16, optimizer=RMSprop, score=0.992, total= 27.2s
[CV] d1=0.4, k1=16, optimizer=RMSprop .....
[CV] .... d1=0.4, k1=16, optimizer=RMSprop, score=0.984, total= 27.3s
[CV] d1=0.4, k1=16, optimizer=Adagrad ......
[CV] .... d1=0.4, k1=16, optimizer=Adagrad, score=0.986, total= 27.2s
[CV] d1=0.4, k1=16, optimizer=Adagrad ......
[CV] .... d1=0.4, k1=16, optimizer=Adagrad, score=0.978, total= 27.0s
[CV] d1=0.4, k1=16, optimizer=Adagrad .....
[CV] .... d1=0.4, k1=16, optimizer=Adagrad, score=0.848, total= 26.9s
[CV] d1=0.4, k1=16, optimizer=Adadelta .....
[CV] ... d1=0.4, k1=16, optimizer=Adadelta, score=0.459, total= 26.9s
[CV] d1=0.4, k1=16, optimizer=Adadelta .....
[CV] ... d1=0.4, k1=16, optimizer=Adadelta, score=0.552, total= 26.9s
[CV] d1=0.4, k1=16, optimizer=Adadelta ......
[CV] ... d1=0.4, k1=16, optimizer=Adadelta, score=0.653, total= 27.4s
[CV] d1=0.4, k1=16, optimizer=Adam .....
[CV] ...... d1=0.4, k1=16, optimizer=Adam, score=0.998, total= 29.5s
[CV] d1=0.4, k1=16, optimizer=Adam .....
[CV] ..... d1=0.4, k1=16, optimizer=Adam, score=0.980, total= 28.2s
[CV] d1=0.4, k1=16, optimizer=Adam .....
[CV] ..... d1=0.4, k1=16, optimizer=Adam, score=0.972, total= 28.5s
[CV] d1=0.4, k1=16, optimizer=Adamax .....
[CV] ..... d1=0.4, k1=16, optimizer=Adamax, score=0.997, total= 28.6s
[CV] d1=0.4, k1=16, optimizer=Adamax .....
[CV] ..... d1=0.4, k1=16, optimizer=Adamax, score=0.992, total= 28.6s
[CV] d1=0.4, k1=16, optimizer=Adamax .....
[CV] ..... d1=0.4, k1=16, optimizer=Adamax, score=0.975, total= 28.5s
[CV] d1=0.4, k1=16, optimizer=Nadam .....
[CV] ..... d1=0.4, k1=16, optimizer=Nadam, score=0.990, total= 30.0s
[CV] d1=0.4, k1=16, optimizer=Nadam .....
[CV] ..... d1=0.4, k1=16, optimizer=Nadam, score=0.991, total= 29.6s
[CV] d1=0.4, k1=16, optimizer=Nadam .....
[CV] ..... d1=0.4, k1=16, optimizer=Nadam, score=0.982, total= 30.2s
[CV] d1=0.4, k1=32, optimizer=SGD ......
[CV] ...... d1=0.4, k1=32, optimizer=SGD, score=0.980, total= 28.3s
[CV] d1=0.4, k1=32, optimizer=SGD .....
[CV] ...... d1=0.4, k1=32, optimizer=SGD, score=0.990, total= 29.3s
[CV] d1=0.4, k1=32, optimizer=SGD .....
[CV] ...... d1=0.4, k1=32, optimizer=SGD, score=0.978, total= 28.2s
[CV] d1=0.4, k1=32, optimizer=RMSprop .....
[CV] .... d1=0.4, k1=32, optimizer=RMSprop, score=0.987, total= 28.4s
[CV] d1=0.4, k1=32, optimizer=RMSprop .....
[CV] .... d1=0.4, k1=32, optimizer=RMSprop, score=0.987, total= 30.2s
[CV] d1=0.4, k1=32, optimizer=RMSprop .....
```

```
[CV] .... d1=0.4, k1=32, optimizer=RMSprop, score=0.969, total= 30.9s
[CV] d1=0.4, k1=32, optimizer=Adagrad .....
[CV] .... d1=0.4, k1=32, optimizer=Adagrad, score=0.989, total= 29.7s
[CV] d1=0.4, k1=32, optimizer=Adagrad .....
[CV] .... d1=0.4, k1=32, optimizer=Adagrad, score=0.972, total= 29.7s
[CV] d1=0.4, k1=32, optimizer=Adagrad .....
[CV] .... d1=0.4, k1=32, optimizer=Adagrad, score=0.978, total= 29.0s
[CV] d1=0.4, k1=32, optimizer=Adadelta .....
[CV] \dots d1=0.4, k1=32, optimizer=Adadelta, score=0.705, total= 28.8s
[CV] d1=0.4, k1=32, optimizer=Adadelta .....
    ... d1=0.4, k1=32, optimizer=Adadelta, score=0.396, total= 29.6s
[CV] d1=0.4, k1=32, optimizer=Adadelta .....
[CV] ... d1=0.4, k1=32, optimizer=Adadelta, score=0.415, total= 30.1s
[CV] d1=0.4, k1=32, optimizer=Adam .....
[CV] ..... d1=0.4, k1=32, optimizer=Adam, score=0.999, total= 29.3s
[CV] d1=0.4, k1=32, optimizer=Adam .....
[CV] ..... d1=0.4, k1=32, optimizer=Adam, score=0.985, total= 31.5s
[CV] d1=0.4, k1=32, optimizer=Adam .....
[CV] ...... d1=0.4, k1=32, optimizer=Adam, score=0.980, total= 32.0s
[CV] d1=0.4, k1=32, optimizer=Adamax .....
[CV] ..... d1=0.4, k1=32, optimizer=Adamax, score=0.996, total= 30.1s
[CV] d1=0.4, k1=32, optimizer=Adamax .....
[CV] .... d1=0.4, k1=32, optimizer=Adamax, score=0.996, total= 29.5s
[CV] d1=0.4, k1=32, optimizer=Adamax .....
[CV] .... d1=0.4, k1=32, optimizer=Adamax, score=0.982, total= 29.4s
[CV] d1=0.4, k1=32, optimizer=Nadam .....
[CV] ..... d1=0.4, k1=32, optimizer=Nadam, score=0.997, total= 30.3s
[CV] d1=0.4, k1=32, optimizer=Nadam .....
[CV] ..... d1=0.4, k1=32, optimizer=Nadam, score=0.997, total= 30.1s
[CV] d1=0.4, k1=32, optimizer=Nadam .....
[CV] ..... d1=0.4, k1=32, optimizer=Nadam, score=0.975, total= 29.9s
[CV] d1=0.5, k1=8, optimizer=SGD .....
       .... d1=0.5, k1=8, optimizer=SGD, score=0.995, total= 27.6s
[CV] d1=0.5, k1=8, optimizer=SGD .....
[CV] ........ d1=0.5, k1=8, optimizer=SGD, score=0.628, total= 27.9s
[CV] d1=0.5, k1=8, optimizer=SGD .....
[CV] ...... d1=0.5, k1=8, optimizer=SGD, score=0.986, total= 27.6s
[CV] d1=0.5, k1=8, optimizer=RMSprop .....
[CV] ..... d1=0.5, k1=8, optimizer=RMSprop, score=0.997, total= 29.4s
[CV] d1=0.5, k1=8, optimizer=RMSprop .....
[CV] ..... d1=0.5, k1=8, optimizer=RMSprop, score=0.996, total= 29.3s
[CV] d1=0.5, k1=8, optimizer=RMSprop .....
[CV] ..... d1=0.5, k1=8, optimizer=RMSprop, score=0.971, total= 27.7s
[CV] d1=0.5, k1=8, optimizer=Adagrad .....
[CV] .... d1=0.5, k1=8, optimizer=Adagrad, score=0.738, total= 27.2s
[CV] d1=0.5, k1=8, optimizer=Adagrad .....
[CV] .... d1=0.5, k1=8, optimizer=Adagrad, score=0.751, total= 27.8s
[CV] d1=0.5, k1=8, optimizer=Adagrad ......
[CV] ..... d1=0.5, k1=8, optimizer=Adagrad, score=0.787, total= 27.8s
[CV] d1=0.5, k1=8, optimizer=Adadelta .....
[CV] .... d1=0.5, k1=8, optimizer=Adadelta, score=0.647, total= 27.8s
[CV] d1=0.5, k1=8, optimizer=Adadelta .....
[CV] .... d1=0.5, k1=8, optimizer=Adadelta, score=0.624, total= 27.9s
[CV] d1=0.5, k1=8, optimizer=Adadelta .....
   .... d1=0.5, k1=8, optimizer=Adadelta, score=0.418, total= 28.1s
[CV] d1=0.5, k1=8, optimizer=Adam .....
[CV] ...... d1=0.5, k1=8, optimizer=Adam, score=0.996, total= 27.9s
[CV] d1=0.5, k1=8, optimizer=Adam .....
[CV] ...... d1=0.5, k1=8, optimizer=Adam, score=0.965, total= 28.5s
[CV] d1=0.5, k1=8, optimizer=Adam .....
[CV] ...... d1=0.5, k1=8, optimizer=Adam, score=0.966, total= 28.1s
[CV] d1=0.5, k1=8, optimizer=Adamax .....
[CV] ..... d1=0.5, k1=8, optimizer=Adamax, score=0.994, total= 27.5s
[CV] d1=0.5, k1=8, optimizer=Adamax .....
[CV] ..... d1=0.5, k1=8, optimizer=Adamax, score=0.980, total= 27.9s
[CV] d1=0.5, k1=8, optimizer=Adamax .....
[CV] ..... d1=0.5, k1=8, optimizer=Adamax, score=0.974, total= 27.6s
[CV] d1=0.5, k1=8, optimizer=Nadam .....
[CV] ...... d1=0.5, k1=8, optimizer=Nadam, score=0.998, total= 29.5s
[CV] d1=0.5, k1=8, optimizer=Nadam .....
[CV] ...... d1=0.5, k1=8, optimizer=Nadam, score=0.997, total= 29.9s
[CV] d1=0.5, k1=8, optimizer=Nadam .....
[CV] ...... d1=0.5, k1=8, optimizer=Nadam, score=0.973, total= 29.2s
[CV] d1=0.5, k1=16, optimizer=SGD .....
[CV] ...... d1=0.5, k1=16, optimizer=SGD, score=0.989, total= 27.5s
[CV] d1=0.5, k1=16, optimizer=SGD .....
[CV] ...... d1=0.5, k1=16, optimizer=SGD, score=0.962, total= 28.0s
```

```
[CV] d1=0.5, k1=16, optimizer=SGD .....
[CV] ...... d1=0.5, k1=16, optimizer=SGD, score=0.991, total= 27.4s
[CV] d1=0.5, k1=16, optimizer=RMSprop .....
[CV] .... d1=0.5, k1=16, optimizer=RMSprop, score=0.998, total= 28.5s
[CV] d1=0.5, k1=16, optimizer=RMSprop .....
[CV] .... d1=0.5, k1=16, optimizer=RMSprop, score=0.998, total= 28.1s
[CV] d1=0.5, k1=16, optimizer=RMSprop .....
[CV] .... d1=0.5, k1=16, optimizer=RMSprop, score=0.994, total= 29.2s
[CV] d1=0.5, k1=16, optimizer=Adagrad .....
[CV] \dots d1=0.5, k1=16, optimizer=Adagrad, score=0.984, total= 27.3s
[CV] d1=0.5, k1=16, optimizer=Adagrad .....
[CV]
   .... d1=0.5, k1=16, optimizer=Adagrad, score=0.967, total= 28.1s
[CV] d1=0.5, k1=16, optimizer=Adagrad .....
[CV] .... d1=0.5, k1=16, optimizer=Adagrad, score=0.973, total= 27.5s
[CV] d1=0.5, k1=16, optimizer=Adadelta .....
[CV] ... d1=0.5, k1=16, optimizer=Adadelta, score=0.366, total= 27.7s
[CV] d1=0.5, k1=16, optimizer=Adadelta .....
[CV] ... d1=0.5, k1=16, optimizer=Adadelta, score=0.627, total= 27.5s
[CV] d1=0.5, k1=16, optimizer=Adadelta .....
[CV] ... d1=0.5, k1=16, optimizer=Adadelta, score=0.357, total= 29.0s
[CV] d1=0.5, k1=16, optimizer=Adam .....
[CV] ..... d1=0.5, k1=16, optimizer=Adam, score=0.996, total= 27.9s
[CV] d1=0.5, k1=16, optimizer=Adam .....
[CV] ...... d1=0.5, k1=16, optimizer=Adam, score=0.984, total= 27.2s
[CV] d1=0.5, k1=16, optimizer=Adam .....
[CV] ..... d1=0.5, k1=16, optimizer=Adam, score=0.984, total= 27.4s
[CV] d1=0.5, k1=16, optimizer=Adamax .....
[CV] ..... d1=0.5, k1=16, optimizer=Adamax, score=0.990, total= 27.4s
[CV] d1=0.5, k1=16, optimizer=Adamax .....
[CV] ..... d1=0.5, k1=16, optimizer=Adamax, score=0.996, total= 28.2s
[CV] d1=0.5, k1=16, optimizer=Adamax .....
[CV] ..... d1=0.5, k1=16, optimizer=Adamax, score=0.980, total= 28.1s
[CV] d1=0.5, k1=16, optimizer=Nadam .....
[CV]
    ..... d1=0.5, k1=16, optimizer=Nadam, score=0.998, total= 29.5s
[CV] d1=0.5, k1=16, optimizer=Nadam .....
[CV] ..... d1=0.5, k1=16, optimizer=Nadam, score=0.908, total= 28.7s
[CV] d1=0.5, k1=16, optimizer=Nadam .....
[CV] ..... d1=0.5, k1=16, optimizer=Nadam, score=0.983, total= 28.7s
[CV] d1=0.5, k1=32, optimizer=SGD .....
[CV] ...... d1=0.5, k1=32, optimizer=SGD, score=0.954, total= 28.4s
[CV] d1=0.5, k1=32, optimizer=SGD .....
[CV] ...... d1=0.5, k1=32, optimizer=SGD, score=0.718, total= 27.9s
[CV] d1=0.5, k1=32, optimizer=SGD .....
[CV] ...... d1=0.5, k1=32, optimizer=SGD, score=0.876, total= 28.0s
[CV] d1=0.5, k1=32, optimizer=RMSprop .....
[CV] .... d1=0.5, k1=32, optimizer=RMSprop, score=0.998, total= 29.0s
[CV] d1=0.5, k1=32, optimizer=RMSprop .....
[CV] .... d1=0.5, k1=32, optimizer=RMSprop, score=0.985, total= 28.3s
[CV] d1=0.5, k1=32, optimizer=RMSprop .....
[CV] .... d1=0.5, k1=32, optimizer=RMSprop, score=0.980, total= 28.9s
[CV] d1=0.5, k1=32, optimizer=Adagrad .....
[CV] .... d1=0.5, k1=32, optimizer=Adagrad, score=0.989, total= 28.1s
[CV] d1=0.5, k1=32, optimizer=Adagrad .....
[CV] .... d1=0.5, k1=32, optimizer=Adagrad, score=0.971, total= 28.0s
[CV] d1=0.5, k1=32, optimizer=Adagrad .....
[CV] .... d1=0.5, k1=32, optimizer=Adagrad, score=0.973, total= 28.4s
[CV] d1=0.5, k1=32, optimizer=Adadelta .....
[CV] ... d1=0.5, k1=32, optimizer=Adadelta, score=0.531, total= 28.9s
[CV] d1=0.5, k1=32, optimizer=Adadelta .....
[CV] ... d1=0.5, k1=32, optimizer=Adadelta, score=0.689, total= 28.9s
[CV] d1=0.5, k1=32, optimizer=Adadelta .....
[CV] ... d1=0.5, k1=32, optimizer=Adadelta, score=0.656, total= 30.9s
[CV] d1=0.5, k1=32, optimizer=Adam .....
[CV] ...... d1=0.5, k1=32, optimizer=Adam, score=0.911, total= 29.0s
[CV] d1=0.5, k1=32, optimizer=Adam .....
[CV] ...... d1=0.5, k1=32, optimizer=Adam, score=0.992, total= 28.1s
[CV] d1=0.5, k1=32, optimizer=Adam .....
[CV] ...... d1=0.5, k1=32, optimizer=Adam, score=0.982, total= 28.1s
[CV] d1=0.5, k1=32, optimizer=Adamax .....
[CV] .... d1=0.5, k1=32, optimizer=Adamax, score=0.992, total= 28.9s
[CV] d1=0.5, k1=32, optimizer=Adamax .....
[CV] ..... d1=0.5, k1=32, optimizer=Adamax, score=0.998, total= 28.5s
[CV] d1=0.5, k1=32, optimizer=Adamax .....
[CV] ..... d1=0.5, k1=32, optimizer=Adamax, score=0.984, total= 28.3s
[CV] d1=0.5, k1=32, optimizer=Nadam .....
[CV] ..... d1=0.5, k1=32, optimizer=Nadam, score=0.992, total= 29.1s
[CV] d1=0.5, k1=32, optimizer=Nadam .....
```

```
[CV] ..... d1=0.5, k1=32, optimizer=Nadam, score=0.994, total= 29.2s
[CV] d1=0.5, k1=32, optimizer=Nadam .....
W0320 23:02:06.027496 4600 nn ops.py:4372] Large dropout rate: 0.6 (>0.5). In TensorFlow 2.x, dropout(
) uses dropout rate instead of keep prob. Please ensure that this is intended.
[CV] ..... d1=0.5, k1=32, optimizer=Nadam, score=0.984, total= 29.3s
[CV] d1=0.6, k1=8, optimizer=SGD .....
W0320 23:02:06.216981 4600 nn ops.py:4372] Large dropout rate: 0.6 (>0.5). In TensorFlow 2.x, dropout(
) uses dropout rate instead of keep prob. Please ensure that this is intended.
W0320 23:02:06.520184 4600 nn_ops.py:4372] Large dropout rate: 0.6 (>0.5). In TensorFlow 2.x, dropout(
) uses dropout rate instead of keep prob. Please ensure that this is intended.
W0320 23:02:32.969807 4600 nn_ops.py:4372] Large dropout rate: 0.6 (>0.5). In TensorFlow 2.x, dropout(
) uses dropout rate instead of keep prob. Please ensure that this is intended.
[CV] ...... d1=0.6, k1=8, optimizer=SGD, score=0.694, total= 26.9s
[CV] d1=0.6, k1=8, optimizer=SGD .....
W0320 23:02:33.161296 4600 nn ops.py:4372] Large dropout rate: 0.6 (>0.5). In TensorFlow 2.x, dropout(
) uses dropout rate instead of keep prob. Please ensure that this is intended.
[CV] ...... d1=0.6, k1=8, optimizer=SGD, score=0.824, total= 27.9s
[CV] d1=0.6, k1=8, optimizer=SGD .....
[CV] ...... d1=0.6, k1=8, optimizer=SGD, score=0.806, total= 28.0s
[CV] d1=0.6, k1=8, optimizer=RMSprop .....
[CV] ..... d1=0.6, k1=8, optimizer=RMSprop, score=0.995, total= 29.4s
[CV] d1=0.6, k1=8, optimizer=RMSprop ......
[CV] ..... d1=0.6, k1=8, optimizer=RMSprop, score=0.991, total= 29.2s
[CV] d1=0.6, k1=8, optimizer=RMSprop .....
[CV] .... d1=0.6, k1=8, optimizer=RMSprop, score=0.964, total= 28.9s
[CV] d1=0.6, k1=8, optimizer=Adagrad .....
[CV] .... d1=0.6, k1=8, optimizer=Adagrad, score=0.872, total= 28.7s
[CV] d1=0.6, k1=8, optimizer=Adagrad .....
[CV] ..... d1=0.6, k1=8, optimizer=Adagrad, score=0.795, total= 28.3s
[CV] d1=0.6, k1=8, optimizer=Adagrad .....
[CV] ..... d1=0.6, k1=8, optimizer=Adagrad, score=0.806, total= 28.5s
[CV] d1=0.6, k1=8, optimizer=Adadelta .....
[CV] .... d1=0.6, k1=8, optimizer=Adadelta, score=0.698, total= 28.6s
[CV] d1=0.6, k1=8, optimizer=Adadelta .....
[CV] .... d1=0.6, k1=8, optimizer=Adadelta, score=0.386, total= 28.3s
[CV] d1=0.6, k1=8, optimizer=Adadelta .....
[CV] .... d1=0.6, k1=8, optimizer=Adadelta, score=0.593, total= 27.7s
[CV] d1=0.6, k1=8, optimizer=Adam .....
[CV] ...... d1=0.6, k1=8, optimizer=Adam, score=0.979, total= 27.9s
```

[CV] d1=0.6, k1=8, optimizer=Adam ..... [CV] ...... d1=0.6, k1=8, optimizer=Adam, score=0.993, total= 27.8s [CV] d1=0.6, k1=8, optimizer=Adam ..... [CV] ...... d1=0.6, k1=8, optimizer=Adam, score=0.898, total= 27.6s [CV] d1=0.6, k1=8, optimizer=Adamax ...... [CV] ..... d1=0.6, k1=8, optimizer=Adamax, score=0.991, total= 28.3s [CV] d1=0.6, k1=8, optimizer=Adamax ..... [CV] ..... d1=0.6, k1=8, optimizer=Adamax, score=0.955, total= 28.8s [CV] d1=0.6, k1=8, optimizer=Adamax ..... [CV] ..... d1=0.6, k1=8, optimizer=Adamax, score=0.979, total= 28.6s [CV] d1=0.6, k1=8, optimizer=Nadam ..... [CV] ...... d1=0.6, k1=8, optimizer=Nadam, score=0.997, total= 29.2s [CV] d1=0.6, k1=8, optimizer=Nadam ..... [CV] ...... d1=0.6, k1=8, optimizer=Nadam, score=0.998, total= 30.2s [CV] d1=0.6, k1=8, optimizer=Nadam ..... [CV] ..... d1=0.6, k1=8, optimizer=Nadam, score=0.983, total= 29.4s [CV] d1=0.6, k1=16, optimizer=SGD ..... [CV] ...... d1=0.6, k1=16, optimizer=SGD, score=0.994, total= 27.7s [CV] d1=0.6, k1=16, optimizer=SGD ..... [CV] ...... d1=0.6, k1=16, optimizer=SGD, score=0.616, total= 28.1s [CV] d1=0.6, k1=16, optimizer=SGD ..... [CV] ...... d1=0.6, k1=16, optimizer=SGD, score=0.973, total= 28.4s [CV] d1=0.6, k1=16, optimizer=RMSprop ..... [CV] .... d1=0.6, k1=16, optimizer=RMSprop, score=0.998, total= 28.4s [CV] d1=0.6, k1=16, optimizer=RMSprop ..... [CV] .... d1=0.6, k1=16, optimizer=RMSprop, score=0.994, total= 27.4s

```
[CV] .... d1=0.6, k1=16, optimizer=RMSprop, score=0.983, total= 28.3s
[CV] d1=0.6, k1=16, optimizer=Adagrad .....
[CV] .... d1=0.6, k1=16, optimizer=Adagrad, score=0.957, total= 27.3s
[CV] d1=0.6, k1=16, optimizer=Adagrad .....
[CV] .... d1=0.6, k1=16, optimizer=Adagrad, score=0.915, total= 28.3s
[CV] d1=0.6, k1=16, optimizer=Adagrad .....
[CV] .... d1=0.6, k1=16, optimizer=Adagrad, score=0.950, total= 28.3s
[CV] d1=0.6, k1=16, optimizer=Adadelta .....
[CV] ... d1=0.6, k1=16, optimizer=Adadelta, score=0.365, total= 27.5s
[CV] d1=0.6, k1=16, optimizer=Adadelta .....
[CV] ... d1=0.6, k1=16, optimizer=Adadelta, score=0.358, total= 26.9s
[CV] d1=0.6, k1=16, optimizer=Adadelta .....
[CV] ... d1=0.6, k1=16, optimizer=Adadelta, score=0.496, total= 26.9s
[CV] d1=0.6, k1=16, optimizer=Adam .....
[CV] ...... d1=0.6, k1=16, optimizer=Adam, score=0.999, total= 27.0s
[CV] d1=0.6, k1=16, optimizer=Adam .....
[CV] ...... d1=0.6, k1=16, optimizer=Adam, score=0.998, total= 27.2s
[CV] d1=0.6, k1=16, optimizer=Adam .....
   ...... d1=0.6, k1=16, optimizer=Adam, score=0.989, total= 27.0s
[CV] d1=0.6, k1=16, optimizer=Adamax .....
[CV] ..... d1=0.6, k1=16, optimizer=Adamax, score=0.981, total= 27.5s
[CV] d1=0.6, k1=16, optimizer=Adamax .....
[CV] ..... d1=0.6, k1=16, optimizer=Adamax, score=0.983, total= 27.3s
[CV] d1=0.6, k1=16, optimizer=Adamax .....
[CV] ..... d1=0.6, k1=16, optimizer=Adamax, score=0.981, total= 27.5s
[CV] d1=0.6, k1=16, optimizer=Nadam .....
[CV] ..... d1=0.6, k1=16, optimizer=Nadam, score=0.992, total= 29.3s
[CV] d1=0.6, k1=16, optimizer=Nadam .....
[CV] ..... d1=0.6, k1=16, optimizer=Nadam, score=0.978, total= 29.9s
[CV] d1=0.6, k1=16, optimizer=Nadam .....
[CV] ..... d1=0.6, k1=16, optimizer=Nadam, score=0.979, total= 29.4s
[CV] d1=0.6, k1=32, optimizer=SGD .....
[CV] ...... d1=0.6, k1=32, optimizer=SGD, score=0.876, total= 28.1s
[CV] d1=0.6, k1=32, optimizer=SGD .....
[CV] ...... d1=0.6, k1=32, optimizer=SGD, score=0.831, total= 27.9s
[CV] d1=0.6, k1=32, optimizer=SGD .....
[CV] ...... d1=0.6, k1=32, optimizer=SGD, score=0.984, total= 28.2s
[CV] d1=0.6, k1=32, optimizer=RMSprop ......
[CV] .... d1=0.6, k1=32, optimizer=RMSprop, score=0.990, total= 28.6s
[CV] d1=0.6, k1=32, optimizer=RMSprop .....
   .... d1=0.6, k1=32, optimizer=RMSprop, score=0.987, total= 28.0s
[CV] d1=0.6, k1=32, optimizer=RMSprop .....
[CV] .... d1=0.6, k1=32, optimizer=RMSprop, score=0.978, total= 28.4s
[CV] d1=0.6, k1=32, optimizer=Adagrad .....
[CV] .... d1=0.6, k1=32, optimizer=Adagrad, score=0.986, total= 27.8s
[CV] d1=0.6, k1=32, optimizer=Adagrad .....
[CV] .... d1=0.6, k1=32, optimizer=Adagrad, score=0.978, total= 28.0s
[CV] d1=0.6, k1=32, optimizer=Adagrad ......
[CV] .... d1=0.6, k1=32, optimizer=Adagrad, score=0.959, total= 27.8s
[CV] d1=0.6, k1=32, optimizer=Adadelta ......
[CV] ... d1=0.6, k1=32, optimizer=Adadelta, score=0.705, total= 27.8s
[CV] d1=0.6, k1=32, optimizer=Adadelta .....
[CV] ... d1=0.6, k1=32, optimizer=Adadelta, score=0.581, total= 28.7s
[CV] d1=0.6, k1=32, optimizer=Adadelta .....
[CV] ... d1=0.6, k1=32, optimizer=Adadelta, score=0.654, total= 27.8s
[CV] d1=0.6, k1=32, optimizer=Adam .....
[CV] ..... d1=0.6, k1=32, optimizer=Adam, score=0.970, total= 27.7s
[CV] d1=0.6, k1=32, optimizer=Adam .....
[CV] ...... d1=0.6, k1=32, optimizer=Adam, score=0.987, total= 27.9s
[CV] d1=0.6, k1=32, optimizer=Adam .....
[CV] ..... d1=0.6, k1=32, optimizer=Adam, score=0.971, total= 27.9s
[CV] d1=0.6, k1=32, optimizer=Adamax .....
   ..... d1=0.6, k1=32, optimizer=Adamax, score=0.992, total= 27.9s
[CV] d1=0.6, k1=32, optimizer=Adamax ......
[CV] ..... d1=0.6, k1=32, optimizer=Adamax, score=0.991, total= 27.9s
[CV] d1=0.6, k1=32, optimizer=Adamax .....
[CV] .... d1=0.6, k1=32, optimizer=Adamax, score=0.980, total= 28.3s
[CV] d1=0.6, k1=32, optimizer=Nadam .....
[CV] ..... d1=0.6, k1=32, optimizer=Nadam, score=0.984, total= 29.8s
[CV] d1=0.6, k1=32, optimizer=Nadam .....
[CV] ..... d1=0.6, k1=32, optimizer=Nadam, score=0.993, total= 29.2s
[CV] d1=0.6, k1=32, optimizer=Nadam .....
[CV] ..... d1=0.6, k1=32, optimizer=Nadam, score=0.983, total= 29.3s
```


[UV] al=U.6, kl=16, optimizer=kMsprop .....

Wall time: 1h 29min 51s

```
# summarize results
print("Best: %f using %s" % (grid_result.best_score_, grid_result.best_params_))
means = grid_result.cv_results_['mean_test_score']
stds = grid_result.cv_results_['std_test_score']
params = grid_result.cv_results_['params']
for mean, stdev, param in zip(means, stds, params):
    print("%f (%f) with: %r" % (mean, stdev, param))
```

```
Best: 0.996463 using {'d1': 0.5, 'k1': 16, 'optimizer': 'RMSprop'} 0.970619 (0.013647) with: {'d1': 0.4, 'k1': 8, 'optimizer': 'SGD'}
0.985581 (0.003792) with: {'d1': 0.4, 'k1': 8, 'optimizer': 'RMSprop'}
0.821677 (0.046552) with: {'d1': 0.4, 'k1': 8, 'optimizer': 'Adagrad'}
0.575629 (0.035174) with: {'dl': 0.4, 'kl': 8, 'optimizer': 'Adadelta'}
0.983538 (0.020976) with: {'d1': 0.4, 'k1': 8, 'optimizer': 'Adam'} 0.985581 (0.008524) with: {'d1': 0.4, 'k1': 8, 'optimizer': 'Adamx'} 0.985310 (0.009604) with: {'d1': 0.4, 'k1': 8, 'optimizer': 'Nadam'}
0.992246 (0.004359) with: {'d1': 0.4, 'k1': 16, 'optimizer': 'SGD'}
0.991022 (0.005567) with: {'dl': 0.4, 'kl': 16, 'optimizer': 'RMSprop'}
0.937420 (0.063481) with: {'d1': 0.4, 'k1': 16, 'optimizer': 'Adagrad'}
0.554556 (0.079254) with: {'d1': 0.4, 'k1': 16, 'optimizer': 'Adadelta'} 0.983404 (0.011094) with: {'d1': 0.4, 'k1': 16, 'optimizer': 'Adam'}
0.987893 (0.009581) with: {'d1': 0.4, 'k1': 16, 'optimizer': 'Adamax'}
0.987758 (0.003787) with: {'dl': 0.4, 'kl': 16, 'optimizer': 'Nadam'}
0.982861 (0.005238) with: {'d1': 0.4, 'k1': 32, 'optimizer': 'SGD'}
0.980820 (0.008084) with: {'d1': 0.4, 'k1': 32, 'optimizer': 'RMSprop'}
0.979733 (0.007164) with: {'d1': 0.4, 'k1': 32, 'optimizer': 'Adagrad'}
0.505156 (0.141535) with: {'d1': 0.4, 'k1': 32, 'optimizer': 'Adadelta'}
0.988029 (0.008226) with: {'d1': 0.4, 'k1': 32, 'optimizer': 'Adam'}
0.991430 (0.006359) with: {'d1': 0.4, 'k1': 32, 'optimizer': 'Adamax'}
0.989525 (0.010488) with: {'d1': 0.4, 'k1': 32, 'optimizer': 'Nadam'}
0.869847 (0.170828) with: {'d1': 0.5, 'k1': 8, 'optimizer': 'SGD'}
0.988164 (0.011844) with: {'d1': 0.5, 'k1': 8, 'optimizer': 'RMSprop'}
0.758573 (0.020797) with: {'d1': 0.5, 'k1': 8, 'optimizer': 'Adagrad'}
0.562956 (0.103270) with: {'d1': 0.5, 'k1': 8, 'optimizer': 'Adadelta'}
0.975924 (0.014432) with: {'dl': 0.5, 'kl': 8, 'optimizer': 'Adam'}
0.982997 (0.008367) with: {'dl': 0.5, 'kl': 8, 'optimizer': 'Adamax'} 0.989388 (0.011550) with: {'dl': 0.5, 'kl': 8, 'optimizer': 'Nadam'} 0.980687 (0.013183) with: {'dl': 0.5, 'kl': 16, 'optimizer': 'SGD'}
0.996463 (0.001540) with: {'d1': 0.5, 'k1': 16, 'optimizer': 'RMSprop'}
0.974973 (0.006911) with: {'d1': 0.5, 'k1': 16, 'optimizer': 'Adagrad'}
0.450341 (0.125326) with: {'d1': 0.5, 'k1': 16, 'optimizer': 'Adadelta'} 0.988166 (0.005194) with: {'d1': 0.5, 'k1': 16, 'optimizer': 'Adam'} 0.988437 (0.006406) with: {'d1': 0.5, 'k1': 16, 'optimizer': 'Adamax'}
0.963278 (0.039431) with: {'dl': 0.5, 'kl': 16, 'optimizer': 'Nadam'}
0.849296 (0.097879) with: {'d1': 0.5, 'k1': 32, 'optimizer': 'SGD'}
0.987893 (0.007631) with: {'dl': 0.5, 'kl': 32, 'optimizer': 'RMSprop'}
0.977693 (0.007760) with: {'d1': 0.5, 'k1': 32, 'optimizer': 'Adagrad'} 0.625276 (0.067913) with: {'d1': 0.5, 'k1': 32, 'optimizer': 'Adadelta'}
0.961646 (0.036033) with: {'d1': 0.5, 'k1': 32, 'optimizer': 'Adam'}
0.991158 (0.005718) with: {'d1': 0.5, 'k1': 32, 'optimizer': 'Adamax'}
0.990070 (0.004599) with: {'d1': 0.5, 'k1': 32, 'optimizer': 'Nadam'}
0.774487 (0.057651) with: {'d1': 0.6, 'k1': 8, 'optimizer': 'SGD'}
0.983131 (0.013840) with: {'d1': 0.6, 'k1': 8, 'optimizer': 'RMSprop'}
0.824399 (0.034184) with: {'d1': 0.6, 'k1': 8, 'optimizer': 'Adagrad'}
0.559172 (0.129709) with: {'dl': 0.6, 'kl': 8, 'optimizer': 'Adadelta'}
0.956466 (0.042065) with: {'dl': 0.6, 'kl': 8, 'optimizer': 'Adam'}
0.975109 (0.015049) with: {'dl': 0.6, 'kl': 8, 'optimizer': 'Adamax'}
0.992654 (0.006641) with: {'d1': 0.6, 'k1': 8, 'optimizer': 'Nadam'}
0.861005 (0.173120) with: {'d1': 0.6, 'k1': 16, 'optimizer': 'SGD'}
0.991702 (0.006517) with: {'d1': 0.6, 'k1': 16, 'optimizer': 'RMSprop'}
0.940562 (0.018512) with: {'d1': 0.6, 'k1': 16, 'optimizer': 'Adagrad'}
0.406432 (0.063621) with: {'d1': 0.6, 'k1': 16, 'optimizer': 'Adadelta'}
0.994966 (0.004550) with: {'d1': 0.6, 'k1': 16, 'optimizer': 'Adam'}
0.981774 (0.001072) with: {'d1': 0.6, 'k1': 16, 'optimizer': 'Adamax'} 0.982861 (0.006383) with: {'d1': 0.6, 'k1': 16, 'optimizer': 'Nadam'}
0.897183 (0.064492) with: {'d1': 0.6, 'k1': 32, 'optimizer': 'SGD'}
0.984765 (0.005233) with: {'d1': 0.6, 'k1': 32, 'optimizer': 'RMSprop'}
0.974427 (0.011511) with: {'dl': 0.6, 'kl': 32, 'optimizer': 'Adagrad'}
0.646764 (0.050914) with: {'d1': 0.6, 'k1': 32, 'optimizer': 'Adadelta'}
```

```
0.975924 (0.008087) with: {'d1': 0.6, 'k1': 32, 'optimizer': 'Adam'} 0.988029 (0.005399) with: {'d1': 0.6, 'k1': 32, 'optimizer': 'Adamax'}
0.986806 (0.004476) with: {'dl': 0.6, 'kl': 32, 'optimizer': 'Nadam'}
In [0]:
%load ext tensorboard
logdir = log_dir="logs\\stage_1\\" + datetime.now().strftime("%Y%m%d-%H%M%S")
tensorboard callback = tf.keras.callbacks.TensorBoard(log dir=logdir)
In [0]:
model 1 = create model stage 1(k1=16,d1=0.5,optimizer='RMSprop')
history = model_1.fit(static_Xtr, static_ytr, epochs=epochs, batch_size=batch_size, validation_data=(st
atic Xts, static yts), callbacks=[tensorboard callback], verbose=0)
W0320 23:34:06.573614 4600 callbacks.py:248] Method (on_train_batch_end) is slow compared to the batch
update (0.159144). Check your callbacks.
In [0]:
model_1.evaluate(static_Xts, static_yts)
                        2947/2947 [======
Out[0]:
[0.03517710592085603, 0.99728537]
In [0]:
model 1.save weights('model stage 1.h5')
In [0]:
%tensorboard --logdir logs\\stage 1 --host localhost
ERROR: Timed out waiting for TensorBoard to start. It may still be running as pid 2528.
```



# Write a regex to filter runs ✓ ○ 20200320-233326\train ✓ ○ 20200320-233326\validation TOGGLE ALL RUNS logs\stage\_1

## epoch\_loss 0.4 0.3 0.2 0.1 0 5 10 15 20 25

### In [0]:

```
y_prob = np.array(model_1.predict(static_Xts).tolist()).ravel()
y_prob[:5]
```

epoch loss

### Out[0]:

array([0.99999976, 0.99999976, 0.99999976, 0.99999976])

### In [0]:

```
y_pred = []
for i in y_prob:
    if i > 0.5:
        y_pred.append(1)
    else:
        y_pred.append(0)
y_pred = np.array(y_pred)
y_pred.shape
```

### Out[0]:

(2947,)

### In [0]:

```
# ==== df_static =====

df_X_tr = []

df_y_tr = []

df_X_ts = []

df_y_ts = []

for i in range(static_ytr.shape[0]):
    if static_ytr[i] == 1:
        df_X_tr.append(X_train[i])
        df_y_tr.append(Y_train[i])

for i in range(static_yts.shape[0]):
    if y_pred[i] == 1:
        df_X_ts.append(X_test[i])
        df_y_ts.append(Y_test[i])
```

```
df_X_tr = np.array(df_X_tr)
df_X_ts = np.array(df_X_ts)
```

```
df y tr = np.array(df y tr)
df_y_ts = np.array(df_y_ts)
In [0]:
# Saving static df only
np.save('st X tr',df X tr)
np.save('st X ts', df X ts)
np.save('st_y_tr',df_y_tr)
np.save('st_y_ts',df_y_ts)
In [0]:
# ==== df_dynmic ==
df X tr = []
df y tr = []
df_X_ts = []
df_y_ts = []
for i in range(static_ytr.shape[0]):
    if static ytr[i] == 0:
        df X tr.append(X train[i])
        df y tr.append(Y train[i])
for i in range(static_yts.shape[0]):
    if y \text{ pred}[i] == 0:
        df X ts.append(X test[i])
        df_y_ts.append(Y_test[i])
In [0]:
df X tr = np.array(df X tr)
df_X_ts = np.array(df_X_ts)
df_y_tr = np.array(df_y_tr)
df_y_ts = np.array(df_y_ts)
In [0]:
# Saving static df only
np.save('dy_X_tr',df_X_tr)
np.save('dy_X_ts',df_X_ts)
np.save('dy_y_tr',df_y_tr)
np.save('dy_y_ts',df_y_ts)
Stage 2
Static
In [0]:
df_X_tr = np.load('st_X_tr.npy')
df X ts = np.load('st X ts.npy')
df_y_tr = np.load('st_y_tr.npy')
df_y_ts = np.load('st_y_ts.npy')
df X tr.shape, df X ts.shape, df y tr.shape, df y ts.shape
Out[0]:
((4067, 128, 9), (1552, 128, 9), (4067, 6), (1552, 6))
In [17]:
def create_model_stage_2(k1,k2,u1):
    model = Sequential()
    model.add(Conv1D(k1, 3, input shape=(timesteps,input dim), activation='relu', padding='same', \
                      kernel initializer=tf.keras.initializers.glorot normal))
```

### In [0]:

```
create_model_stage_2(30,50,40).summary()
```

### Model: "sequential"

Layer (type)	Output Shape	Param #
convld (ConvlD)	(None, 128, 30)	840
max_pooling1d (MaxPooling1D)	(None, 64, 30)	0
dropout (Dropout)	(None, 64, 30)	0
convld_1 (ConvlD)	(None, 64, 50)	4550
flatten (Flatten)	(None, 3200)	0
dense (Dense)	(None, 40)	128040
batch_normalization (BatchNo	(None, 40)	160
dropout_1 (Dropout)	(None, 40)	0
dense_1 (Dense)	(None, 6)	246

Total params: 133,836 Trainable params: 133,756 Non-trainable params: 80

......

[CV] ..... k1=20, k2=20, u1=20, score=0.880, total= 8.0s [CV] k1=20, k2=20, u1=20 .....

```
[Parallel(n jobs=1)]: Done 2 out of 2 | elapsed: 17.5s remaining:
[CV] ...... k1=20, k2=20, u1=20, score=0.896, total= 8.1s
[CV] k1=20, k2=20, u1=30 .....
[Parallel(n jobs=1)]: Done 3 out of 3 | elapsed: 25.6s remaining:
                                                   0.0s
[CV] ...... k1=20, k2=20, u1=30, score=0.910, total= 8.2s
[CV] k1=20, k2=20, u1=30 .....
[Parallel(n jobs=1)]: Done 4 out of 4 | elapsed: 33.8s remaining:
[CV] ...... k1=20, k2=20, u1=30, score=0.839, total= 8.0s
[CV] k1=20, k2=20, u1=30 .....
[Parallel(n jobs=1)]: Done 5 out of 5 | elapsed: 41.8s remaining:
                                                   0.0s
[CV] ...... k1=20, k2=20, u1=30, score=0.891, total= 8.3s
[CV] k1=20, k2=20, u1=40 .....
[Parallel(n jobs=1)]: Done 6 out of 6 | elapsed: 50.1s remaining:
[CV] ...... k1=20, k2=20, u1=40, score=0.915, total= 8.3s
[CV] k1=20, k2=20, u1=40 .....
[Parallel(n jobs=1)]: Done 7 out of 7 | elapsed: 58.5s remaining:
                                                   0.0s
[CV] ...... k1=20, k2=20, u1=40, score=0.845, total= 8.1s
[CV] k1=20, k2=20, u1=40 .....
[Parallel(n jobs=1)]: Done 8 out of 8 | elapsed: 1.1min remaining:
[CV] ...... k1=20, k2=20, u1=40, score=0.897, total= 8.5s
[CV] k1=20, k2=30, u1=20 .....
[Parallel(n jobs=1)]: Done 9 out of 9 | elapsed: 1.3min remaining:
                                                   0.0s
[CV] ...... k1=20, k2=30, u1=20, score=0.869, total= 8.9s
[CV] k1=20, k2=30, u1=20 .....
[CV] ..... k1=20, k2=30, u1=20, score=0.886, total= 8.3s
[CV] k1=20, k2=30, u1=20 .....
[CV] ..... k1=20, k2=30, u1=20, score=0.886, total= 8.3s
[CV] k1=20, k2=30, u1=30 .....
[CV] ..... k1=20, k2=30, u1=30, score=0.891, total= 8.1s
[CV] k1=20, k2=30, u1=30 .....
[CV] ...... k1=20, k2=30, u1=30, score=0.810, total= 8.5s
[CV] k1=20, k2=30, u1=30 .....
[CV] ...... k1=20, k2=30, u1=30, score=0.877, total= 8.0s
[CV] k1=20, k2=30, u1=40 .....
[CV] ..... k1=20, k2=30, u1=40, score=0.881, total= 8.2s
[CV] k1=20, k2=30, u1=40 .....
[CV] ..... k1=20, k2=30, u1=40, score=0.824, total= 8.1s
[CV] k1=20, k2=30, u1=40 .....
[CV] ..... k1=20, k2=30, u1=40, score=0.883, total= 8.0s
[CV] k1=20, k2=40, u1=20 .....
[CV] ..... k1=20, k2=40, u1=20, score=0.897, total= 8.8s
[CV] k1=20, k2=40, u1=20 .....
[CV] ..... k1=20, k2=40, u1=20, score=0.857, total= 8.5s
[CV] k1=20, k2=40, u1=20 .....
[CV] ..... k1=20, k2=40, u1=20, score=0.881, total= 8.9s
[CV] k1=20. k2=40. 111=30 ....
```

```
[OV] MI 20, M2 10, MI 00 ......
[CV] ..... k1=20, k2=40, u1=30, score=0.891, total= 8.7s
[CV] k1=20, k2=40, u1=30 .....
[CV] ...... k1=20, k2=40, u1=30, score=0.828, total= 8.1s
[CV] k1=20, k2=40, u1=30 .....
[CV] ...... k1=20, k2=40, u1=30, score=0.858, total= 8.4s
[CV] k1=20, k2=40, u1=40 .....
[CV] ..... k1=20, k2=40, u1=40, score=0.914, total= 8.6s
[CV] k1=20, k2=40, u1=40 .....
[CV] ..... k1=20, k2=40, u1=40, score=0.879, total= 7.9s
[CV] k1=20, k2=40, u1=40 .....
[CV]
  ..... k1=20, k2=40, u1=40, score=0.883, total= 8.4s
[CV] k1=30, k2=20, u1=20 .....
[CV] ...... k1=30, k2=20, u1=20, score=0.915, total= 8.8s
[CV] k1=30, k2=20, u1=20 .....
[CV] ...... k1=30, k2=20, u1=20, score=0.870, total= 8.3s
[CV] k1=30, k2=20, u1=20 .....
[CV]
  ..... k1=30, k2=20, u1=20, score=0.886, total= 8.3s
[CV] k1=30, k2=20, u1=30 .....
[CV] ...... k1=30, k2=20, u1=30, score=0.895, total= 8.0s
[CV] k1=30, k2=20, u1=30 .....
[CV] ..... k1=30, k2=20, u1=30, score=0.887, total=
[CV] k1=30, k2=20, u1=30 .....
[CV] ...... k1=30, k2=20, u1=30, score=0.894, total= 8.2s
[CV] k1=30, k2=20, u1=40 .....
[CV] ..... k1=30, k2=20, u1=40, score=0.897, total= 7.9s
[CV] k1=30, k2=20, u1=40 .....
[CV]
   ..... k1=30, k2=20, u1=40, score=0.835, total= 8.0s
[CV] k1=30, k2=20, u1=40 .....
[CV] ..... k1=30, k2=20, u1=40, score=0.908, total= 8.1s
[CV] k1=30, k2=30, u1=20 .....
[CV] ..... k1=30, k2=30, u1=20, score=0.908, total= 8.2s
[CV] k1=30, k2=30, u1=20 .....
[CV] ..... k1=30, k2=30, u1=20, score=0.889, total= 8.3s
[CV] k1=30, k2=30, u1=20 .....
[CV] ...... k1=30, k2=30, u1=20, score=0.889, total= 8.7s
[CV] k1=30, k2=30, u1=30 .....
  ..... k1=30, k2=30, u1=30, score=0.909, total= 8.1s
[CV]
[CV] k1=30, k2=30, u1=30 .....
[CV] ...... k1=30, k2=30, u1=30, score=0.830, total= 8.1s
[CV] k1=30, k2=30, u1=30 .....
[CV] ...... k1=30, k2=30, u1=30, score=0.879, total= 8.5s
[CV] k1=30, k2=30, u1=40 .....
[CV] ..... k1=30, k2=30, u1=40, score=0.920, total=
[CV] k1=30, k2=30, u1=40 .....
[CV] ...... k1=30, k2=30, u1=40, score=0.883, total= 8.6s
[CV] k1=30, k2=30, u1=40 .....
[CV] ..... k1=30, k2=30, u1=40, score=0.899, total= 8.1s
[CV] k1=30, k2=40, u1=20 .....
[CV]
   ..... k1=30, k2=40, u1=20, score=0.912, total= 8.7s
[CV] k1=30, k2=40, u1=20 .....
[CV] ..... k1=30, k2=40, u1=20, score=0.909, total= 8.1s
[CV] k1=30, k2=40, u1=20 .....
[CV] ..... k1=30, k2=40, u1=20, score=0.906, total= 8.6s
[CV] k1=30, k2=40, u1=30 .....
[CV] ..... k1=30, k2=40, u1=30, score=0.887, total= 8.6s
[CV] k1=30, k2=40, u1=30 .....
[CV] ...... k1=30, k2=40, u1=30, score=0.847, total= 8.6s
[CV] k1=30, k2=40, u1=30 .....
[CV] ...... k1=30, k2=40, u1=30, score=0.886, total= 8.7s
[CV] k1=30, k2=40, u1=40 .....
[CV] ..... k1=30, k2=40, u1=40, score=0.901, total= 8.2s
[CV] k1=30, k2=40, u1=40 .....
[CV] ...... k1=30, k2=40, u1=40, score=0.869, total= 8.6s
[CV] k1=30, k2=40, u1=40 .....
  ..... k1=30, k2=40, u1=40, score=0.887, total=
[CV] k1=40, k2=20, u1=20 .....
[CV] ...... k1=40, k2=20, u1=20, score=0.898, total= 8.6s
[CV] k1=40, k2=20, u1=20 .....
[CV] ...... k1=40, k2=20, u1=20, score=0.888, total= 8.1s
[CV] k1=40, k2=20, u1=20 .....
   ..... k1=40, k2=20, u1=20, score=0.885, total= 9.1s
[CV]
[CV] k1=40, k2=20, u1=30 .....
[CV] ...... k1=40, k2=20, u1=30, score=0.908, total= 8.5s
[CV] k1=40, k2=20, u1=30 .....
[CV] ..... k1=40, k2=20, u1=30, score=0.901, total= 8.5s
  k1=40, k2=20, u1=30 .....
              k1=40 k2=20 111=30 score=0.892 total= 8.4s
[[77]
```

```
[CV] ..... k1=40, k2=20, u1=40, score=0.902, total= 8.3s
[CV] k1=40, k2=20, u1=40 .....
[CV] ...... k1=40, k2=20, u1=40, score=0.826, total= 8.4s
[CV] k1=40, k2=20, u1=40 .....
[CV]
    ..... k1=40, k2=20, u1=40, score=0.894, total= 8.3s
[CV] k1=40, k2=30, u1=20 .....
[CV] ..... k1=40, k2=30, u1=20, score=0.906, total= 9.1s
[CV] k1=40, k2=30, u1=20 .....
[CV] ...... k1=40, k2=30, u1=20, score=0.892, total= 8.3s
[CV] k1=40, k2=30, u1=20 .....
[CV] ...... k1=40, k2=30, u1=20, score=0.886, total= 8.8s
[CV] k1=40, k2=30, u1=30 .....
[CV] ...... k1=40, k2=30, u1=30, score=0.917, total= 8.3s
[CV] k1=40, k2=30, u1=30 .....
[CV] ...... k1=40, k2=30, u1=30, score=0.896, total= 8.6s
[CV] k1=40, k2=30, u1=30 .....
[CV] ..... k1=40, k2=30, u1=30, score=0.890, total= 8.6s
[CV] k1=40, k2=30, u1=40 .....
[CV] ..... k1=40, k2=30, u1=40, score=0.893, total= 8.2s
[CV] k1=40, k2=30, u1=40 .....
[CV] ...... k1=40, k2=30, u1=40, score=0.875, total= 8.0s
[CV] k1=40, k2=30, u1=40 .....
[CV] ..... k1=40, k2=30, u1=40, score=0.885, total= 8.3s
[CV] k1=40, k2=40, u1=20 .....
[CV] ..... k1=40, k2=40, u1=20, score=0.899, total= 8.7s
[CV] k1=40, k2=40, u1=20 .....
[CV]
    ..... k1=40, k2=40, u1=20, score=0.912, total= 8.5s
[CV] k1=40, k2=40, u1=20 .....
[CV] ...... k1=40, k2=40, u1=20, score=0.883, total= 8.2s
[CV] k1=40, k2=40, u1=30 .....
[CV] ..... k1=40, k2=40, u1=30, score=0.903, total= 8.1s
[CV] k1=40, k2=40, u1=30 .....
[CV] ...... k1=40, k2=40, u1=30, score=0.868, total= 8.1s
[CV] k1=40, k2=40, u1=30 .....
[CV] ...... k1=40, k2=40, u1=30, score=0.906, total= 8.4s
[CV] k1=40, k2=40, u1=40 .....
[CV] ..... k1=40, k2=40, u1=40, score=0.931, total= 8.4s
[CV] k1=40, k2=40, u1=40 .....
[CV] ..... k1=40, k2=40, u1=40, score=0.895, total= 8.2s
[CV] k1=40, k2=40, u1=40 .....
[CV] ..... k1=40, k2=40, u1=40, score=0.890, total= 8.6s
[Parallel (n jobs=1)]: Done 81 out of 81 | elapsed: 11.3min finished
In [0]:
# summarize results
print("Best: %f using %s" % (grid_result.best_score_, grid_result.best_params_))
means = grid result.cv results ['mean test score']
stds = grid result.cv results ['std test score']
params = grid result.cv results_['params']
for mean, stdev, param in zip (means, stds, params):
   print("%f (%f) with: %r" % (mean, stdev, param))
Best: 0.909023 using {'k1': 30, 'k2': 40, 'u1': 20}
0.899188 (0.017314) with: {'k1': 20, 'k2': 20, 'u1': 20}
0.880012 (0.029888) with: {'k1': 20, 'k2': 20, 'u1': 30}
0.885668 (0.029642) with: {'k1': 20, 'k2': 20, 'u1': 40}
0.880257 (0.008154) with: {'k1': 20, 'k2': 30, 'u1': 20} 0.859360 (0.035512) with: {'k1': 20, 'k2': 30, 'u1': 30}
0.862557 (0.027449) with: {'k1': 20, 'k2': 30, 'u1': 40}
0.878289 (0.016386) with: {'k1': 20, 'k2': 40, 'u1': 20}
0.858864 (0.025607) with: {'k1': 20, 'k2': 40, 'u1': 30}
0.892056 (0.015906) with: {'k1': 20, 'k2': 40, 'u1': 40} 0.890582 (0.018608) with: {'k1': 30, 'k2': 20, 'u1': 20}
0.891813 (0.003301) with: {'k1': 30, 'k2': 20, 'u1': 30}
0.880017 (0.032240) with: {'k1': 30, 'k2': 20, 'u1': 40}
0.895499 (0.008710) with: {'k1': 30, 'k2': 30, 'u1': 20}
0.872389 (0.032548) with: {'k1': 30, 'k2': 30, 'u1': 30}
0.900663 (0.014805) with: {'kl': 30, 'k2': 30, 'u1': 40} 0.909023 (0.002144) with: {'kl': 30, 'k2': 40, 'u1': 20}
0.873374 (0.018416) with: {'k1': 30, 'k2': 40, 'u1': 30}
```

```
0.885665 (0.013285) with: {'k1': 30, 'k2': 40, 'u1': 40} 0.890336 (0.005718) with: {'k1': 40, 'k2': 20, 'u1': 20} 0.900416 (0.006378) with: {'k1': 40, 'k2': 20, 'u1': 30} 0.873868 (0.034041) with: {'k1': 40, 'k2': 20, 'u1': 40} 0.894515 (0.008129) with: {'k1': 40, 'k2': 30, 'u1': 20} 0.901153 (0.011748) with: {'k1': 40, 'k2': 30, 'u1': 30} 0.884436 (0.007232) with: {'k1': 40, 'k2': 30, 'u1': 40} 0.898201 (0.011789) with: {'k1': 40, 'k2': 40, 'u1': 20} 0.892307 (0.017255) with: {'k1': 40, 'k2': 40, 'u1': 30} 0.905332 (0.018536) with: {'k1': 40, 'k2': 40, 'u1': 40}
```

### In [0]:

```
logdir = log_dir="logs\\stage_2\\" + datetime.now().strftime("%Y%m%d-%H%M%S")
tensorboard_callback = tf.keras.callbacks.TensorBoard(log_dir=logdir)
```

### In [0]:

```
model_2 = create_model_stage_2(30,30,40)
history = model_2.fit(df_X_tr, df_y_tr, epochs=epochs, batch_size=16, validation_data=(df_X_ts,df_y_ts)
, verbose=1, callbacks=[tensorboard_callback])
```

Train on 4067 samples, validate on 1552 samples


W0321 02:49:10.813445 17388 summary\_ops\_v2.py:1132] Model failed to serialize as JSON. Ignoring... get\_config() missing 1 required positional argument: 'self'


W0321 02:49:12.042653 17388 callbacks.py:248] Method (on\_train\_batch\_end) is slow compared to the batch update (0.225256). Check your callbacks.

```
4067/4067 [============
                          ss: 0.3505 - val accuracy: 0.8872
Epoch 2/30
4067/4067 [=====
                               =====] - 1s 352us/sample - loss: 0.2832 - accuracy: 0.8903 - val lo
ss: 0.4066 - val accuracy: 0.8653
Epoch 3/30
4067/4067 [==
                                 ====] - 1s 357us/sample - loss: 0.2471 - accuracy: 0.8989 - val lo
ss: 0.3225 - val accuracy: 0.8782
Epoch 4/30
4067/4067 [==
                               =====] - 2s 369us/sample - loss: 0.2277 - accuracy: 0.9071 - val lo
ss: 0.2901 - val accuracy: 0.8763
Epoch 5/30
4067/4067 [====
                                =====] - 2s 371us/sample - loss: 0.2377 - accuracy: 0.9061 - val lo
ss: 0.3005 - val accuracy: 0.8872
Epoch 6/30
ss: 0.4315 - val accuracy: 0.8305
Epoch 7/30
4067/4067 [===
                                =====] - 2s 372us/sample - loss: 0.2092 - accuracy: 0.9157 - val lo
ss: 0.3105 - val accuracy: 0.8943
Epoch 8/30
4067/4067 [==
                                  ===] - 2s 370us/sample - loss: 0.2014 - accuracy: 0.9243 - val lo
ss: 0.2755 - val accuracy: 0.8834
Epoch 9/30
4067/4067 [===
                                =====] - 2s 370us/sample - loss: 0.2102 - accuracy: 0.9176 - val lo
ss: 0.2740 - val accuracy: 0.8808
Epoch 10/30
4067/4067 [==
                                =====] - 2s 375us/sample - loss: 0.1923 - accuracy: 0.9174 - val lo
ss: 0.3151 - val accuracy: 0.8789
Epoch 11/30
4067/4067 [==
                                =====] - 2s 373us/sample - loss: 0.2058 - accuracy: 0.9211 - val lo
ss: 0.2584 - val accuracy: 0.8963
Epoch 12/30
4067/4067 [=
                                =====] - 2s 372us/sample - loss: 0.1854 - accuracy: 0.9307 - val lo
ss: 0.2863 - val accuracy: 0.8860
Epoch 13/30
4067/4067 [=
                           ======== 1 - 1s 362us/sample - loss: 0.1736 - accuracv: 0.9289 - val lo
```

```
ss: 0.2604 - val accuracy: 0.8969
Epoch 14/30
4067/4067 [===
                              ======] - 2s 400us/sample - loss: 0.1663 - accuracy: 0.9324 - val lo
ss: 0.2671 - val accuracy: 0.9053
Epoch 15/30
                                 =====] - 2s 408us/sample - loss: 0.1658 - accuracy: 0.9331 - val lo
4067/4067 [==
ss: 0.2826 - val accuracy: 0.8898
Epoch 16/30
                                =====] - 2s 411us/sample - loss: 0.1523 - accuracy: 0.9363 - val lo
4067/4067 [==
ss: 0.2535 - val_accuracy: 0.9137
Epoch 17/30
                                =====] - 2s 403us/sample - loss: 0.1447 - accuracy: 0.9398 - val lo
4067/4067 [===
ss: 0.2237 - val_accuracy: 0.9117
Epoch 18/30
4067/4067 [====
                                =====] - 2s 408us/sample - loss: 0.1491 - accuracy: 0.9373 - val lo
ss: 0.2309 - val_accuracy: 0.9034
Epoch 19/30
4067/4067 [====
                                =====] - 2s 397us/sample - loss: 0.1418 - accuracy: 0.9444 - val lo
ss: 0.2609 - val accuracy: 0.9085
Epoch 20/30
                                =====] - 2s 405us/sample - loss: 0.1445 - accuracy: 0.9427 - val lo
4067/4067 [====
ss: 0.2577 - val accuracy: 0.9104
Epoch 21/30
4067/4067 [==
                                 =====] - 2s 397us/sample - loss: 0.1384 - accuracy: 0.9454 - val lo
ss: 0.2336 - val accuracy: 0.9182
Epoch 22/30
4067/4067 [===
                                 =====] - 2s 403us/sample - loss: 0.1350 - accuracy: 0.9479 - val lo
ss: 0.3144 - val accuracy: 0.8776
Epoch 23/30
4067/4067 [====
                                =====] - 2s 405us/sample - loss: 0.1355 - accuracy: 0.9464 - val lo
ss: 0.2444 - val accuracy: 0.9188
Epoch 24/30
4067/4067 [========
                          ss: 0.2412 - val accuracy: 0.9117
Epoch 25/30
4067/4067 [==
                                =====] - 2s 389us/sample - loss: 0.1312 - accuracy: 0.9511 - val lo
ss: 0.2445 - val accuracy: 0.9214
Epoch 26/30
                                 =====] - 2s 386us/sample - loss: 0.1359 - accuracy: 0.9481 - val lo
4067/4067 [==
ss: 0.2896 - val accuracy: 0.8814
Epoch 27/30
                                -----] - 1s 362us/sample - loss: 0.1240 - accuracy: 0.9489 - val lo
4067/4067 [==
ss: 0.2210 - val_accuracy: 0.9091
Epoch 28/30
                                =====] - 2s 373us/sample - loss: 0.1190 - accuracy: 0.9503 - val lo
4067/4067 [===
ss: 0.2491 - val_accuracy: 0.9233
Epoch 29/30
                                 =====] - 2s 389us/sample - loss: 0.1265 - accuracy: 0.9506 - val lo
4067/4067 [==
ss: 0.2293 - val_accuracy: 0.8930
Epoch 30/30
4067/4067 [===
                     ss: 0.2273 - val accuracy: 0.9175
In [0]:
model 2.evaluate(df X ts,df y ts)
1552/1552 [===
                             Out[0]:
[0.23882018205572939, 0.9265464]
In [0]:
model 2.save weights('model stage 2.h5')
```


- - - - - - - <u>-</u> - -





### epoch loss

epoch\_accuracy



### **Dynamic**

```
In [0]:
df_X_tr = np.load('dy_X_tr.npy')
df_X_ts = np.load('dy_X_ts.npy')
df_y_tr = np.load('dy_y_tr.npy')
df_y_ts = np.load('dy_y_ts.npy')
df X tr.shape, df X ts.shape, df y tr.shape, df y ts.shape
Out[0]:
((3285, 128, 9), (1395, 128, 9), (3285, 6), (1395, 6))
In [0]:
logdir = log_dir="logs\\stage_2_dy\\" + datetime.now().strftime("%Y%m%d-%H%M%S")
{\tt tensorboard\_callback = tf.keras.callbacks.TensorBoard(log\_dir=logdir)}
```

```
# create model
model = KerasClassifier(build_fn=create_model_stage_2, epochs=epochs, batch_size=batch_size, verbose=0)
k1 = [20, 30, 40]
k2 = [20, 30, 40]
u1 = [20, 30, 40]
```

```
param grid = dict(k1=k1, k2=k2, u1=u1)
grid = GridSearchCV(estimator=model, param_grid=param_grid, cv=3, verbose=10)
grid result = grid.fit(df X tr, df y tr)
Fitting 3 folds for each of 27 candidates, totalling 81 fits
[CV] k1=20, k2=20, u1=20 .....
[Parallel(n jobs=1)]: Using backend SequentialBackend with 1 concurrent workers.
[CV] ..... k1=20, k2=20, u1=20, score=0.924, total= 10.3s
[CV] k1=20, k2=20, u1=20 .....
[Parallel(n_jobs=1)]: Done 1 out of 1 | elapsed: 10.2s remaining: 0.0s
[CV] ...... k1=20, k2=20, u1=20, score=0.911, total= 6.4s
[CV] k1=20, k2=20, u1=20 .....
[Parallel(n jobs=1)]: Done 2 out of 2 | elapsed: 16.6s remaining:
                                                       0.0s
[CV] ..... k1=20, k2=20, u1=20, score=0.921, total= 6.5s
[CV] k1=20, k2=20, u1=30 .....
[Parallel(n_jobs=1)]: Done 3 out of 3 | elapsed: 23.1s remaining:
                                                       0.0s
[CV] ..... k1=20, k2=20, u1=30, score=0.924, total= 6.8s
[CV] k1=20, k2=20, u1=30 .....
[Parallel(n jobs=1)]: Done 4 out of 4 | elapsed: 30.0s remaining:
                                                       0.0s
[CV] ..... k1=20, k2=20, u1=30, score=0.953, total= 7.6s
[CV] k1=20, k2=20, u1=30 .....
[Parallel(n_jobs=1)]: Done 5 out of 5 | elapsed: 37.5s remaining:
                                                       0.0s
[CV] ..... k1=20, k2=20, u1=30, score=0.886, total= 7.4s
[CV] k1=20, k2=20, u1=40 .....
[Parallel(n jobs=1)]: Done 6 out of 6 | elapsed: 44.9s remaining: 0.0s
[CV] ...... k1=20, k2=20, u1=40, score=0.986, total= 8.6s
[CV] k1=20, k2=20, u1=40 .....
[Parallel(n_jobs=1)]: Done 7 out of 7 | elapsed: 53.5s remaining:
                                                       0.0s
[CV] ..... k1=20, k2=20, u1=40, score=0.894, total= 7.1s
[CV] k1=20, k2=20, u1=40 .....
[Parallel(n_jobs=1)]: Done 8 out of 8 | elapsed: 1.0min remaining:
                                                       0.0s
[CV] ..... k1=20, k2=20, u1=40, score=0.929, total= 7.0s
[CV] k1=20, k2=30, u1=20 .....
[Parallel(n jobs=1)]: Done 9 out of 9 | elapsed: 1.1min remaining: 0.0s
[CV] ..... k1=20, k2=30, u1=20, score=0.988, total= 7.0s
[CV] k1=20, k2=30, u1=20
```

		15.1 — 11.1						
	k1=20, k2=30,							
	1-1 20 1-2 20							
	k1=20, k2=30,							
	k1=20, k2=30,							
	k1=20, k2=30,							
	k1=20, k2=30,							
	K1=20, K2=30,							
	k1=20, k2=30,							
	k1=20, k2=30,							
	k1=20, k2=40,							
	k1=20, k2=40,							
[CV]	k1=20, k2=40,	u1=20						
	k1=20, k2=40,							
[CV]		k1=20,	k2=40,	u1=30,	score=0	.890,	total=	6.9s
	k1=20, k2=40,							
[CV]	k1=20, k2=40,	u1=30						
	k1=20, k2=40,	•	•					
[CV]		k1=20,	k2=40,	u1=40,	score=0	.997,	total=	6.7s
	k1=20, k2=40,							
	k1=20, k2=40,							
	k1=30, k2=20,							
	k1=30, k2=20,							
[CV]		k1=30,	k2=20,	u1=20,	score=0	.925,	total=	6.9s
	k1=30, k2=20,							
[CV]	k1=30, k2=20,	u1=30						
	k1=30, k2=20,							
	k1=30, k2=20,							
	K1-30, K2-20,							
	k1=30, k2=20,							
[CV]	k1=30, k2=20,	u1=40						
	k1=30, k2=20,							
[CV]		k1=30,	k2=20,	u1=40,	score=0	.838,	total=	6.8s
	k1=30, k2=30,							
[CV]	k1=30, k2=30,	u1=20						
[CV]	k1=30, k2=30,	u1=20						
	k1=30, k2=30,							
[CV]		k1=30,	k2=30,	u1=30,	score=0	.951,	total=	6.8s
	k1=30, k2=30,							
[CV]	k1=30, k2=30,	u1=30						
	k1=30, k2=30,							
[CV]		k1=30,	k2=30,	u1=40,	score=0	.994,	total=	6.9s
	k1=30, k2=30,							
[CV]	k1=30, k2=30,	u1=40						
[CV]	k1=30, k2=40,	u1=20						
	k1=30, k2=40,							
[CV]		k1=30,	k2=40,	u1=20,	score=0	.894,	total=	6.9s
	k1=30, k2=40,							
[CV]	k1=30, k2=40,	u1=30						
[CV]	14 00 10 40	k1=30,	κ∠=40 <b>,</b>	u1=30,	score=0	.985,	total=	/.5s

```
[CV] k1=30, k2=40, u1=30 .....
[CV] ..... k1=30, k2=40, u1=30, score=0.905, total= 7.0s
[CV] k1=30, k2=40, u1=30 .....
[CV] ..... k1=30, k2=40, u1=30, score=0.941, total= 6.9s
[CV] k1=30, k2=40, u1=40 .....
[CV] ..... k1=30, k2=40, u1=40, score=0.969, total= 7.2s
[CV] k1=30, k2=40, u1=40 .....
[CV] ..... k1=30, k2=40, u1=40, score=0.900, total= 6.8s
[CV] k1=30, k2=40, u1=40 .....
   ..... k1=30, k2=40, u1=40, score=0.966, total= 7.5s
[CV]
[CV] k1=40, k2=20, u1=20 .....
[CV] ..... k1=40, k2=20, u1=20, score=0.995, total= 7.6s
[CV] k1=40, k2=20, u1=20 .....
[CV] ..... k1=40, k2=20, u1=20, score=0.941, total= 7.0s
[CV] k1=40, k2=20, u1=20 .....
[CV] ..... k1=40, k2=20, u1=20, score=0.822, total= 7.0s
[CV] k1=40, k2=20, u1=30 .....
[CV] ...... k1=40, k2=20, u1=30, score=0.991, total= 6.9s
[CV] k1=40, k2=20, u1=30 .....
[CV] ...... k1=40, k2=20, u1=30, score=0.898, total= 7.0s
[CV] k1=40, k2=20, u1=30 .....
[CV] ..... k1=40, k2=20, u1=30, score=0.765, total= 6.9s
[CV] k1=40, k2=20, u1=40 .....
[CV] ...... k1=40, k2=20, u1=40, score=0.988, total= 6.9s
[CV] k1=40, k2=20, u1=40 .....
[CV] ...... k1=40, k2=20, u1=40, score=0.902, total=
[CV] k1=40, k2=20, u1=40 .....
[CV] ..... k1=40, k2=20, u1=40, score=0.855, total= 7.0s
[CV] k1=40, k2=30, u1=20 .....
[CV] ..... k1=40, k2=30, u1=20, score=0.997, total= 7.1s
[CV] k1=40, k2=30, u1=20 .....
[CV]
   ..... k1=40, k2=30, u1=20, score=0.904, total= 7.0s
[CV] k1=40, k2=30, u1=20 .....
[CV] ..... k1=40, k2=30, u1=20, score=0.968, total= 7.0s
[CV] k1=40, k2=30, u1=30 .....
[CV] ..... k1=40, k2=30, u1=30, score=0.971, total= 6.9s
[CV] k1=40, k2=30, u1=30 .....
[CV] ..... k1=40, k2=30, u1=30, score=0.887, total= 6.9s
[CV] k1=40, k2=30, u1=30 .....
[CV] ..... k1=40, k2=30, u1=30, score=0.961, total= 7.3s
[CV] k1=40, k2=30, u1=40 .....
[CV] ...... k1=40, k2=30, u1=40, score=0.990, total= 7.0s
[CV] k1=40, k2=30, u1=40 ......
[CV] ...... k1=40, k2=30, u1=40, score=0.923, total= 7.0s
[CV] k1=40, k2=30, u1=40 .....
[CV] ..... k1=40, k2=30, u1=40, score=0.884, total= 7.1s
[CV] k1=40, k2=40, u1=20 .....
  ..... k1=40, k2=40, u1=20, score=0.939, total= 7.1s
[CV] k1=40, k2=40, u1=20 .....
[CV] ..... k1=40, k2=40, u1=20, score=0.919, total= 6.9s
[CV] k1=40, k2=40, u1=20 .....
[CV] ..... k1=40, k2=40, u1=20, score=0.929, total= 6.9s
[CV] k1=40, k2=40, u1=30 .....
[CV]
     ..... k1=40, k2=40, u1=30, score=0.953, total= 6.9s
[CV] k1=40, k2=40, u1=30 .....
[CV] ..... k1=40, k2=40, u1=30, score=0.905, total= 7.2s
[CV] k1=40, k2=40, u1=30 .....
[CV] ..... k1=40, k2=40, u1=30, score=0.842, total= 7.0s
[CV] k1=40, k2=40, u1=40 .....
[CV] ..... k1=40, k2=40, u1=40, score=0.997, total= 7.0s
[CV] k1=40, k2=40, u1=40 .....
[CV] ...... k1=40, k2=40, u1=40, score=0.897, total= 7.1s
[CV] k1=40, k2=40, u1=40 .....
[CV] ..... k1=40, k2=40, u1=40, score=0.942, total= 6.9s
```

[Parallel(n\_jobs=1)]: Done 81 out of 81 | elapsed: 9.6min finished

```
# summarize results
print("Best: %f using %s" % (grid_result.best_score_, grid_result.best_params_))
means = grid_result.cv_results_['mean_test_score']
stds = grid_result.cv_results_['std_test_score']
params = grid_result.cv_results_['params']
for mean, stdev, param in zip(means, stds, params):
```

```
print("%f (%f) with: %r" % (mean, stdev, param))
Best: 0.960731 using {'k1': 30, 'k2': 30, 'u1': 20}
0.918417 (0.005792) with: {'k1': 20, 'k2': 20, 'u1': 20}
0.920852 (0.027319) with: {'k1': 20, 'k2': 20, 'u1': 30}
0.936377 (0.038038) with: {'k1': 20, 'k2': 20, 'u1': 40}
0.945205 (0.031539) with: {'k1': 20, 'k2': 30, 'u1': 20}
0.928463 (0.032005) with: {'k1': 20, 'k2': 30, 'u1': 30}
0.890411 (0.069562) with: {'k1': 20, 'k2': 30, 'u1': 40}
0.923896 (0.050849) with: {'k1': 20, 'k2': 40, 'u1': 20}
0.849011 (0.067791) with: {'k1': 20, 'k2': 40, 'u1': 30}
0.902283 (0.077924) with: {'kl': 20, 'k2': 40, 'ul': 40} 0.894064 (0.084910) with: {'kl': 30, 'k2': 20, 'ul': 20}
0.896804 (0.071057) with: {'k1': 30, 'k2': 20, 'u1': 30}
0.916286 (0.062308) with: {'k1': 30, 'k2': 20, 'u1': 40}
0.960731 (0.028715) with: {'k1': 30, 'k2': 30, 'u1': 20}
0.916895 (0.025927) with: {'kl': 30, 'k2': 30, 'u1': 30} 0.920852 (0.058913) with: {'kl': 30, 'k2': 30, 'u1': 40}
0.898021 (0.068285) with: {'k1': 30, 'k2': 40, 'u1': 20}
0.943683 (0.032880) with: {'k1': 30, 'k2': 40, 'u1': 30}
0.944901 (0.032092) with: {'k1': 30, 'k2': 40, 'u1': 40}
0.919026 (0.072103) with: {'k1': 40, 'k2': 20, 'u1': 20}
0.884627 (0.092553) with: {'k1': 40, 'k2': 20, 'u1': 30}
0.915068 (0.055179) with: {'k1': 40, 'k2': 20, 'u1': 40}
0.956469 (0.038898) with: {'k1': 40, 'k2': 30, 'u1': 20}
0.939422 (0.037464) with: {'k1': 40, 'k2': 30, 'u1': 30}
0.932420 (0.043728) with: {'k1': 40, 'k2': 30, 'u1': 40}
0.928767 (0.008202) with: {'k1': 40, 'k2': 40, 'u1': 20} 0.899848 (0.045261) with: {'k1': 40, 'k2': 40, 'u1': 30}
0.945205 (0.041092) with: {'k1': 40, 'k2': 40, 'u1': 40}
In [0]:
model 2 = create model stage 2(30,30,20)
history = model_2.fit(df_X_tr, df_y_tr, epochs=epochs, batch_size=16, validation_data=(df_X_ts,df_y_ts)
, verbose=1, callbacks=[tensorboard callback])
Train on 3285 samples, validate on 1395 samples
W0321 12:05:16.570020 1644 summary_ops_v2.py:1132] Model failed to serialize as JSON. Ignoring... get_
config() missing 1 required positional argument: 'self'
Epoch 1/30
  16/3285 [.....] - ETA: 1:31 - loss: 2.0718 - accuracy: 0.1250
W0321 12:05:17.769521 1644 callbacks.py:248] Method (on train batch end) is slow compared to the batch
update (0.229327). Check your callbacks.
3285/3285 [==
                                    =====] - 2s 680us/sample - loss: 1.4602 - accuracy: 0.4883 - val lo
ss: 1.2643 - val accuracy: 0.5290
Epoch 2/30
3285/3285 [==
                                    =====] - 1s 355us/sample - loss: 0.4966 - accuracy: 0.8658 - val lo
ss: 0.5873 - val accuracy: 0.8215
Epoch 3/30
3285/3285 [====
                                   ======] - 1s 396us/sample - loss: 0.2218 - accuracy: 0.9486 - val lo
ss: 0.2939 - val accuracy: 0.9262
Epoch 4/30
3285/3285 [====
                                 ss: 0.2218 - val accuracy: 0.9398
Epoch 5/30
                                    =====] - 1s 380us/sample - loss: 0.0955 - accuracy: 0.9747 - val lo
3285/3285 [==
ss: 0.4055 - val accuracy: 0.8609
Epoch 6/30
3285/3285 [===
                                    =====] - 1s 361us/sample - loss: 0.0805 - accuracy: 0.9790 - val lo
ss: 0.2480 - val accuracy: 0.9348
Epoch 7/30
3285/3285 [=
                                    =====] - 1s 373us/sample - loss: 0.0610 - accuracy: 0.9839 - val lo
ss: 0.1750 - val_accuracy: 0.9556
Epoch 8/30
3285/3285 [==
```

```
ss: 0.1898 - val accuracy: 0.9570
Epoch 9/30
3285/3285 [=
                                     ====] - 1s 394us/sample - loss: 0.0444 - accuracy: 0.9887 - val lo
ss: 0.3818 - val accuracy: 0.9004
Epoch 10/30
3285/3285 [=
                                      ====] - 1s 387us/sample - loss: 0.0458 - accuracy: 0.9860 - val lo
ss: 0.2089 - val accuracy: 0.9398
Epoch 11/30
3285/3285 [=
                                    =====] - 1s 370us/sample - loss: 0.0530 - accuracy: 0.9826 - val lo
ss: 0.2367 - val_accuracy: 0.9477
Epoch 12/30
3285/3285 [===
                                    =====] - 1s 387us/sample - loss: 0.0448 - accuracy: 0.9878 - val lo
ss: 0.3034 - val_accuracy: 0.9147
Epoch 13/30
3285/3285 [==
                                     ====] - 1s 417us/sample - loss: 0.0296 - accuracy: 0.9921 - val lo
ss: 0.3465 - val_accuracy: 0.9140
Epoch 14/30
3285/3285 [==
                                      ===] - 1s 390us/sample - loss: 0.0197 - accuracy: 0.9957 - val lo
ss: 0.2350 - val accuracy: 0.9591
Epoch 15/30
3285/3285 [=
                                     ====] - 1s 396us/sample - loss: 0.0533 - accuracy: 0.9814 - val lo
ss: 0.1908 - val accuracy: 0.9634
Epoch 16/30
3285/3285 [==
                                      ===] - 1s 356us/sample - loss: 0.0273 - accuracy: 0.9915 - val lo
ss: 0.2946 - val accuracy: 0.9527
Epoch 17/30
3285/3285 [==
                                     =====] - 1s 350us/sample - loss: 0.0307 - accuracy: 0.9921 - val lo
ss: 0.2653 - val accuracy: 0.9362
Epoch 18/30
3285/3285 [==
                                    =====] - 1s 377us/sample - loss: 0.0356 - accuracy: 0.9900 - val lo
ss: 0.2218 - val accuracy: 0.9599
Epoch 19/30
3285/3285 [==
                                    =====] - 1s 371us/sample - loss: 0.0343 - accuracy: 0.9909 - val lo
ss: 0.2209 - val accuracy: 0.9477
Epoch 20/30
3285/3285 [=
                                     ====] - 1s 420us/sample - loss: 0.0891 - accuracy: 0.9738 - val lo
ss: 0.1952 - val_accuracy: 0.9599
Epoch 21/30
3285/3285 [==
                                    =====] - 1s 390us/sample - loss: 0.0431 - accuracy: 0.9903 - val lo
ss: 0.2026 - val accuracy: 0.9584
Epoch 22/30
3285/3285 [==
                                    =====] - 1s 390us/sample - loss: 0.0312 - accuracy: 0.9915 - val lo
ss: 0.2518 - val_accuracy: 0.9455
Epoch 23/30
3285/3285 [==
                                    ====] - 1s 383us/sample - loss: 0.0227 - accuracy: 0.9939 - val lo
ss: 0.1681 - val accuracy: 0.9656
Epoch 24/30
3285/3285 [==
                                     ====] - 1s 421us/sample - loss: 0.0244 - accuracy: 0.9927 - val lo
ss: 0.2320 - val accuracy: 0.9548
Epoch 25/30
                                      ===] - 1s 414us/sample - loss: 0.0299 - accuracy: 0.9912 - val lo
3285/3285 [=
ss: 0.1470 - val accuracy: 0.9685
Epoch 26/30
                                    =====] - 1s 407us/sample - loss: 0.0149 - accuracy: 0.9967 - val lo
3285/3285 [==
ss: 0.1722 - val accuracy: 0.9670
Epoch 27/30
3285/3285 [==
                                    =====] - 1s 414us/sample - loss: 0.0223 - accuracy: 0.9933 - val lo
ss: 0.2529 - val accuracy: 0.9498
Epoch 28/30
3285/3285 [==
                                    =====] - 1s 357us/sample - loss: 0.0245 - accuracy: 0.9927 - val lo
ss: 0.2045 - val accuracy: 0.9606
Epoch 29/30
3285/3285 [==
                                    =====] - 1s 377us/sample - loss: 0.0397 - accuracy: 0.9872 - val lo
ss: 0.1736 - val accuracy: 0.9634
Epoch 30/30
3285/3285 [=
                                    =====] - 1s 377us/sample - loss: 0.0170 - accuracy: 0.9951 - val lo
ss: 0.2047 - val accuracy: 0.9642
```

```
model 2.save weights('model stage 2 dy.h5')
```

```
model_2.evaluate(df_X_ts,df_y_ts)
          1395/1395 [======
Out[0]:
```

**TensorBoard** SCALARS **GRAPHS** Show data download links epoch accuracy Ignore outliers in chart scaling epoch\_accuracy Tooltip sorting method: default 0.8 Smoothing 0.6 0.6 0.4 0.2 Horizontal Axis STEP RELATIVE WALL 10 15 20 25 Runs epoch\_loss Write a regex to filter runs 20200321-112312\train epoch\_loss ✓ ○ 20200321-112312\validation 1.6 **TOGGLE ALL RUNS** 1.2 .\logs\stage\_2\_dy 0.8 0.4

## Final Stage (Combined model 1 and model 2)

```
In [18]:
```

[0.20466780672641596, 0.9641577]

```
X_train.shape, X_test.shape, Y_train.shape, Y_test.shape
Out[18]:
((7352, 128, 9), (2947, 128, 9), (7352, 6), (2947, 6))
```

10

15

20

25

```
In [19]:
```

```
from sklearn.metrics import accuracy_score
import tqdm
```

### In [22]:

```
def create final(ts X, ts y):
    # To maintain number of correct classified
   count = 0
    # To store true y and predict y generate from model
   y true = []
   y pred = []
    # Instantiate model and load weights that was done hyperparameter in training stage
   # For Stage 1
   model 1 = create model stage 1(k1=16,d1=0.5,optimizer='RMSprop')
   model 1.load weights('model_stage_1.h5')
    # For stage 2: Static subpart model
   model_2_st = create_model_stage_2(30,30,40)
   model 2 st.load weights ('model stage 2.h5')
    # For stage 2: Dynamic subpart model
   model 2 dy = create model stage 2(30,30,20)
   model_2_dy.load_weights('model_stage_2_dy.h5')
    # iterating over Each test data point
   for i in tqdm.tqdm_notebook(range(ts_X.shape[0])):
        # Store the actual test label of y
       Act Yts = np.argmax(ts y[i])
        # Store the each test data
        stage Xts = np.array(ts X[i]).reshape(1,timesteps,input dim)
        # We considering that for static: we assigned label as 1
        # for dynamic: we assigned label as 0
        # If actual test label is 0 or 1 or 2, then it is dynamics -> implies label is 0
        # Otherwise label is 1
        if Act_Yts == 0 or Act_Yts == 1 or Act_Yts == 2:
           stage_yts = 0
        else:
           stage yts = 1
        # make them numpy to make compute faster in model
        stage yts = np.array(stage yts)
       # Predict test label from stage 1: {Either 0 or 1};
        # based on stage 1, we predicting that, on which subpart this data should passed to
        # Either static subpart or dynamic subpart
        y prob = np.array(model 1.predict(stage Xts).tolist())
        # if prediction is greater than or equal to 0.5; we pit label as 1
        # and for label 1 -> this test data pass to static subpart model (in stage 2)
        if y_prob >= 0.5:
            # Predict test data from static subpart model stage 2
            st_pred = np.argmax(model_2_st.predict(stage_Xts)).tolist()
            # And check whether it is equal to actual test label or not
            # If yes, the increment the count
            if Act Yts == st pred:
               count += 1
            # Store the true and predict y value (for printing confusion matrix)
            y true.append(Act Yts)
            y pred.append(st pred)
        else:
            # Predict test data from dynamic subpart model stage 2
            dy pred = np.argmax(model 2 dy.predict(stage Xts)).tolist()
            # And check whether it is equal to actual test label or not
            # If yes, the increment the count
            if Act_Yts == dy_pred:
```

```
# Store the true and predict y value (for printing confusion matrix)
y_true.append(Act_Yts)
y_pred.append(dy_pred)

# Print to show the progress of accuracy after 500 iteration
if i%500 == 0:
    print(count/(i+1))

print('Overall Accuracy',count/ts_y.shape[0])
return y_true, y_pred
```

### In [23]:

```
y_true, y_pred = create_final(X_test, Y_test)
```

- 1.0
- 0.9201596806387226
- 0.9330669330669331
- 0.9027315123251166
- 0.9230384807596201
- 0.9344262295081968

Overall Accuracy 0.9443501866304717

### In [24]:

```
np.save('final_ytrue',y_true)
np.save('final_ypred',y_pred)
```

### In [31]:



In [0]:		(0, 'WALKIN	(1, 'WALKING_UPSTAIF	(2, "WALKING_DOWNSTAIF	NILLIS, '8)	(4, 'STANDIN	(5, LAYIN		
	In [0]:								