Stake Engine Slot Development Costs and Revenue Share

https://gemini.google.com/app/e5ff0a5f59943ee1

User prompt: if u make a slot through stake engine do u have to pay out of your own pocket or stake does it and whats the revenue share

Response: If you build a slot using Stake Engine, **you are responsible for funding the development of the game out of your own pocket**, but Stake does not charge you to integrate or host it.

Here is how the costs and revenue breakdown works:

- **Development Costs (Your Pocket):** You must cover all costs associated with creating the game. This includes paying for the game design, math models, art, animation, and front-end coding. If you use a third-party development studio to build a "ready-to-launch" slot for you, you will pay them directly.
- **Integration Costs (Zero):** Stake Engine provides the back-end infrastructure, developer toolkit (SDK), and mathematical engine for free. There are no upfront fees, integration charges, or hidden hosting costs to deploy your game on their platform.
- **Revenue Share:** Developers receive a straightforward **10% of the Gross Gaming Revenue (GGR)** generated by their slot. This is a flat royalty model paid out monthly with no lockups. Stake retains the other 90% in exchange for providing the remote gaming server (RGS), marketing, and immediate access to their massive player base.

Note: Access to the Stake Engine SDK is currently invite-only, meaning you will need to apply and be accepted from their waitlist before you can begin building.

Sources

1. Stake Engine SDK Integration & Development | Gamix Labs
2. Everything You Need to Know About the Stake Engine - Roshtein.com
3. Stake released Engine, its new RGS for independant developers

---

User prompt: what are the chances of getting accepted

Response: Stake does not publish a specific acceptance rate. Getting accepted into the Stake Engine program and having your game published is based on meeting strict compliance, technical, and quality standards rather than a random selection process.

The acceptance process is broken into two phases:

1. Program Access

To gain access to the Stake Engine SDK, you must apply directly through their website. Acceptance at this stage depends on proving you have the technical capabilities—or are working with an experienced development studio—to execute a high-quality slot, rather than just pitching a raw concept.

2. Game Approval

Once you have SDK access and build your game, Stake reviews submissions on a case-by-case basis. If your game meets their guidelines, your chances of approval are very high, and the review process is remarkably fast—often completed within 24 hours.

To ensure your finished game is accepted, it must strictly adhere to Stake's publishing requirements:

- **Stateless Mechanics:** Every bet must be completely independent. Your game cannot include progressive jackpots, early cashout options, continuation features, or "gamble" mini-games.
- **100% Originality:** Pre-purchased games or licensed games ported from other third-party casino websites are automatically rejected.
- **Strict IP Compliance:** You cannot use copyrighted material, and your game must not feature any Stake™ branding or themes.
- **No Underage Appeal:** Themes, artistic styles, or characters that could appeal to minors (including depictions of children) are strictly prohibited.
- **Quality & Taste:** Stake explicitly reserves the right to reject games they deem to be of "insufficient quality," offensive, or in poor taste.

Sources

1. Stake Engine: A Game Developer's Dream - The Hendon Mob
2. Everything You Need to Know About the Stake Engine - Roshtein.com
3. General requirements - Engine Docs

User prompt: what website

Response: The official developer portal and documentation for Stake Engine can be found here:

https://stake-engine.com

From there, you can log in, access the SDK documentation, read their official publishing guidelines, and submit your games for approval.

User prompt: so if rtp is more than 100 percent i have to pay it out?

Response: If your game has a **theoretical RTP over 100%**, you will not have to pay it out because **Stake will instantly reject the game.**

Stake Engine requires developers to submit their mathematical models (the pre-calculated list of all possible game outcomes and payouts) before a game goes live. The RTP is defined as the expected payout divided by the cost. A casino relies on the house edge (which is 100% minus the RTP) to make money. If your game's RTP is mathematically over 100%, the house edge is negative, meaning the casino would be designed to lose money in the long run.

However, if your game has a normal RTP (e.g., 96%) but **players get lucky in the short term and win more than they bet** (pushing the *observed* payout over 100% for that month), whether you have to "pay" for those wins depends on which revenue model you selected:

1. The "Profit Share" Model (10% of Actual GGR)

If you choose this model, you are sharing in the actual performance of the game. You receive 10% of the Gross Gaming Revenue (the money players lose).

- **The Catch:** You carry the downside risk. If players run hot during a month and the game pays out more than it takes in, **your earnings can go negative**. You would owe Stake your share of the losses.

2. The "Guaranteed" Model (7.5% of Expected GGR)

If you do not want to carry the risk of players winning, you can choose the guaranteed payout model.

- **How it works:** You receive a flat 7.5% based on the *theoretical* math model and total wagered volume, completely regardless of whether the players win or lose in reality. This caps your maximum upside compared to the 10% model, but provides zero downside risk. You will never owe money if a player hits a massive jackpot.

Sources


1. Math SDK - Engine Docs
2. Math file format - Engine Docs
3. What Does 100% RTP Mean? House Edge, EV & Limits
4. How to Make Money Building Slots on Stake Engine

User prompt: i named the studio Ethereal Gold Studios .... make me a logo, make it extremely premium

Response: Here is a premium logo for **Ethereal Gold Studios**. I chose a design that blends elegant, custom typography with intricate, celestial, and organic gold embellishments to reflect the "ethereal" and "gold" elements. It is set against a dark, textured background to make the metallic gold embossing stand out, giving it a luxurious and prestigious feel. Let me know if you would like any adjustments to the style, typography, or elements!


User prompt: give logo without background

Response: Here is the premium **Ethereal Gold Studios** logo isolated on a transparent-style background, allowing you to easily place it over any backdrops, websites, or promotional materials while preserving its detailed metallic gold finish. Let me know if you need any other assets!



User prompt: white color please no background

Response: Here is the **Ethereal Gold Studios** logo in matte white with its original intricate details, isolated on a transparent-style grid background. Let me know if you need any other versions or branding assets for your studio!



User prompt: what does this mean

Response: This image shows the payment configuration screen for your studio, where you must choose how you want to earn revenue from your game. It outlines the two distinct financial models you can select:

- **Guaranteed (7.5% return):** This is a low-risk model where you are paid based purely on the total volume of bets placed (turnover). You will always receive a payout at the end of the month, regardless of whether the players win or lose, meaning there is zero risk of you going into debt.
- **Profit share (10% GGR):** This is a high-risk, high-reward model where you receive 10% of the Gross Gaming Revenue (the actual profit the casino makes after paying out wins). While the percentage is higher, you share the risk with the casino; if players win big and the game loses money overall, you carry the risk of going into debt.

User prompt: i dont understand

Response: Let's break it down using a simple example where players bet a total of **$1,000** on your game this month.

Scenario 1: You choose "Guaranteed"

- You get paid a guaranteed amount simply because players wagered that $1,000, which is called turnover.
- If a player gets incredibly lucky and wins a $10,000 jackpot, it does not affect your pay. You always get paid at the end of the month.
- **The benefit:** You have zero risk and will never go into debt. It is a safer, steady paycheck.

Scenario 2: You choose "Profit Share"

- You are partnering with the casino on the actual profit, which means the money players lose.
- If players bet $1,000 and lose all of it, the casino makes a $1,000 profit. You take a 10% cut of that profit, so you make $100.
- **The catch:** If a player hits a jackpot and wins $5,000, the game just lost $4,000 overall. Because you agreed to share the risk and reward, you are responsible for 10% of that loss. You would now be $400 in debt because the players won big.

User prompt: so for that 400 loss, i would need to pay therm? or would it be cleared automatically as somebody else loses big?

Response: You will never have to pay Stake out of your own pocket for that $400 loss.

Instead, Stake uses a "negative carryover" system. That $400 debt is simply logged on your account and carries forward into the next month. As future players lose money on your game and generate positive revenue, those new earnings will automatically go toward paying down the $400 debt until it is fully cleared.

You simply will not receive any payout checks from Stake until the balance is back in the positive.

User prompt: which one do u think i should use

Response: I would strongly recommend starting with the **Guaranteed (7.5%)** model, especially while you are building Ethereal Gold Studios from the ground up.

When running an independent venture or bootstrapping a new startup, predictable cash flow is your most valuable asset. The Guaranteed model ensures you receive a steady paycheck every month based purely on player volume. This allows you to reliably reinvest those earnings into better art, sound design, or developer tools for your next game without worrying about unexpected dry spells.

If you choose the 10% Profit Share and a player hits a massive multiplier in week one, your revenue could be frozen in negative carryover for months. Taking on the volatility risk of a casino is usually only beneficial for massive, established game studios that have a large portfolio of games to balance out the mathematical variance.

Since the settings screen mentions you can change this later, you can always switch to Profit Share once your studio has an established catalog of games to absorb the shocks.

What kind of theme or mathematical volatility are you planning for your first Ethereal Gold slot?

User prompt: so do i choose for each slot seperately?

Response: Based on the dashboard screen you shared, this is a **studio-wide setting**, not something you configure separately for each individual slot.

Because the prompt appears during your initial account onboarding (noting "Skip to dashboard" and "You can change this later in your settings"), the payout model you select applies to your entire developer account.

This means:

- If you select the **Guaranteed 7.5%** model, that rate will apply to the combined total turnover of *all* the games Ethereal Gold Studios publishes.
- If you decide to switch to the **Profit share (10%)** model later in your settings, it will update how your entire studio's revenue is calculated across your whole portfolio.

This is actually beneficial as your studio grows. If you eventually switch to the 10% profit share model, having multiple games helps balance out the volatility. If players win big on one slot, the losses from players on your other slots can help absorb the hit, keeping your overall studio revenue much more stable.

User prompt: ok for my first game what do u think i should do

Response: **Theme & Artistic Direction:** Lean into the prestige of the "Ethereal Gold" branding by designing an anime-inspired or visually narrative-driven slot. Incorporating celestial, poetic elements or a subtle, story-rich backdrop featuring introspective or even lighthearted romantic themes will

make the game stand out from standard casino fruit machines.

Mathematical Engine: Keep the core mechanics strictly stateless to ensure rapid approval from Stake. A classic 5x3 grid with a high-volatility free spins feature is a proven format. You can write the mathematical engine and run the millions of required Monte Carlo simulations to verify your RTP using Python or C++.

Front-End Architecture: Construct the game's interface utilizing a modern web stack. React and Tailwind CSS are excellent for building out the responsive UI components, menus, and paytables, while WebSockets can handle the real-time bet resolution communication with the Stake Engine backend.

Rapid Prototyping: Accelerate the development of the reel-spinning logic and state management by leveraging AI-assisted tooling like Cursor or GitHub Copilot to generate the boilerplate front-end integration code and API routing.

Do you have a specific mathematical volatility in mind for this first game, such as frequent small payouts to keep players engaged, or a highly volatile model with massive potential multipliers?

User prompt: is there any naruto inspired slot?

Response: Yes, in the broader online casino world, there are slots inspired by Naruto. For example, Good Fortune Gaming has a *Naruto* slot that features a ninja theme, medium volatility, and a 97% RTP. There is also a 5-reel video slot called *Shinobi Wars* developed by Dragon Gaming, which is heavily based on the Naruto anime.

However, since you are planning to build your game on **Stake Engine**, you must remember their strict rule regarding **IP Compliance**. You cannot use copyrighted material, which means you cannot use the name "Naruto," the Hidden Leaf village logo, or any of the actual characters (like Naruto, Sasuke, or Kakashi). If you submit a game using these copyrighted assets, Stake will automatically reject it.

If you want to tap into that audience for Ethereal Gold Studios' first game, you should build an **original ninja-themed anime slot**. You can heavily lean into the *aesthetic* of Naruto—using shuriken symbols, anime-style ninja characters, jutsu-like magical animations, and scroll bonuses—as long as the art and lore are 100% uniquely yours.

User prompt: what are the big 3 of anime

Response: The "Big 3" of anime refers to three specific, highly influential series:

- **One Piece**
- **Naruto**
- **Bleach**

The term originated in the 2000s to describe the three highest-selling and most popular manga series published in Weekly Shōnen Jump magazine at that time. These three series had long, overlapping runs and are widely credited with helping to popularize anime and manga to a global audience.

User prompt: what if i do a 3 mode game, one piece naruto and bleach, one with medium volatility, one with high and one with extreme

Response: The concept of a 3-mode selectable volatility slot is a brilliant mechanical idea, but using the actual *One Piece*, *Naruto*, and *Bleach* properties will guarantee an instant rejection from Stake.

To make this work and get approved, you have to create an **original Shōnen homage**. You can keep the exact aesthetic and mechanical structure you want, but you must make the assets legally distinct.

Here is how you can execute your vision safely and technically:

1. The Original Factions Instead of using copyrighted names, you create three original anime archetypes for the player to choose from on the home screen:

- **The Sea Raider (Medium Volatility):** Oceanic themes, treasure chests, pirate ships, and a protagonist with rubber-like stretching animations.
- **The Shadow Ninja (High Volatility):** Shuriken, scrolls, hand-signs, and flashy jutsu-style magical attacks.
- **The Spirit Reaper (Extreme Volatility):** Ghostly flames, massive swords, hollow masks, and dark underworld aesthetics.

2. Implementing the Volatility Toggle Stake requires all spins to be completely **stateless**. This means you cannot make players "level up," complete a storyline, or collect tokens to unlock the Extreme volatility mode.

To pass compliance, the mode selection must simply be a free UI toggle available before any spin. When a player clicks the "Spirit Reaper" button, your front-end simply changes the payload sent to the Stake Engine backend. You will actually submit three separate, pre-approved mathematical models to Stake, and the UI toggle just tells the engine which math model to run for the next spin.

This approach gives players the exact "Big 3" anime vibe you are aiming for while keeping Ethereal Gold Studios completely safe from copyright violations.

User prompt: no no i was thinking, the mechanics being similar, js volatality a bit diff and like the ui

Response: Ah, I understand! That is actually a much smarter and more efficient way to develop the game. In the industry, this is often called building a "multi-volatility skin."

You are essentially building **one** core game engine, and the player is simply choosing which math profile and visual wrapper to apply to it.

Here is how you can execute that seamlessly:

- **The Core Mechanic (Built Once):** You write the code for the game logic just one time. For example, it is always a 5x3 grid, it always has 20 paylines, and it always takes 3 Scatters to trigger the bonus.
- **The Volatility (Three Math Models):** You create three separate mathematical models for that exact same game structure.
    - *Mode 1 (Medium):* Smaller, more frequent base-game hits.
    - *Mode 2 (High):* Less frequent hits, but bigger multipliers in the bonus.
    - *Mode 3 (Extreme):* Dead spins most of the time, but a massive max-win cap.
    - You submit all three math models to Stake for approval.
- **The UI Swap (Dynamic Front-End):** When a player selects their mode on the home screen, your front-end code dynamically swaps out the asset folders. The "Pirate" mode loads ocean backgrounds and blue UI buttons; the "Ninja" mode loads sunset backgrounds and orange UI buttons. When they hit spin, your game just tells the Stake API which of the three approved math models to use for the outcome.

This approach saves you hundreds of hours of coding because you do not have to program three different types of bonus features or game mechanics. You just build one solid game, swap the art assets (keeping them legally distinct from the actual anime IPs), and switch the backend math.

What kind of core bonus feature are you thinking of using for this base mechanic? A standard free spins round with multipliers, or something like a "hold and spin" coin collect?

User prompt: what should i name the game

Response: Since you are building a flagship game for Ethereal Gold Studios that features three distinct legendary paths, the name should sound premium, epic, and instantly evoke that Shōnen anime feeling without stepping on any copyrights.

Here are a few naming angles you could take for the game:

The "Player Choice" Angle These names highlight the fact that the player gets to choose their destiny and volatility mode before they spin.

- **Path of the Three:** Simple, mysterious, and directly hints at the three modes.
- **Trinity Awakening:** "Awakening" is a massive anime trope for powering up, and trinity covers the three distinct skins.
- **Three Realms: Ascension:** Evokes the idea of traveling between the ocean realm, the shadow realm, and the spirit realm.

The "Shōnen Action" Angle These sound exactly like the title of a hit anime series and lean into the battle-focused energy of the three characters.

- **Clash of Fates:** Sounds action-packed and high-stakes.
- **Echoes of the Warrior:** A poetic, slightly ethereal name that fits perfectly with your studio's branding.
- **Seas, Shadows & Souls:** Directly tells the player exactly what the three modes are in a really catchy, alliterative way.

The "Studio Flagship" Angle If this is your first game, you might want to tie it directly to the Ethereal Gold brand to establish your studio's identity on Stake.

- **Ethereal Legends:** Clean, premium, and establishes that these three characters are mythical figures.
- **Ethereal Trinity:** Ties the three-mode mechanic directly into your studio name.

Trinity Awakening and **Seas, Shadows & Souls** are probably the strongest for a slot lobby because they immediately tell the player that this game has depth and action.

Which of these vibes feels closest to the vision you have in your head for the home screen?

User prompt: so i chose Echoes of the Warrior, how do i make the game

Response: **Echoes of the Warrior** is a massive, premium title. It immediately sounds like a flagship game and sets the exact right tone for Ethereal Gold Studios.

To bring this to life on Stake Engine, you are essentially building a high-performance web application that communicates with a remote gaming server in real time. We can break the development pipeline down into four core phases.

Phase 1: The Math & Probability Models

Before writing any frontend code, you must finalize the mathematical engine. Stake will require proof of your RTP (Return to Player) through millions of simulated spins. You can write these Monte Carlo simulations in Python or C++ to run the calculations efficiently.

You will design one core 5x3 reel mechanic, but generate three distinct math payloads for your volatility toggle:

Mode (Skin)	Theme	Volatility	Target RTP	Hit Frequency	Base Game Focus
Sea Raider	Oceanic / Pirates	Medium	96.50%	~30%	Steady, frequent small hits to sustain balance.
Shadow Ninja	Shadows / Jutsu	High	96.25%	~22%	Larger base wins, highly dependent on entering the bonus round.
Spirit Reaper	Underworld / Souls	Extreme	96.00%	~14%	Many dead spins, but massive multiplier potential in the bonus.

Phase 2: Frontend Architecture & UI

This is where the game actually looks and feels like a premium slot. You want an architecture that allows you to easily swap the visual assets when a player toggles between the three warriors.

- **Framework:** Utilize Next.js and React to build a component-based UI. You can create a single `<ReelGrid/>` component that dynamically accepts different symbol sets (e.g., shurikens vs. swords) based on the active mode.
- **Styling & Animation:** Use Tailwind CSS for the responsive layout, menus, and paytables so it scales perfectly on mobile and desktop. For the actual reel spinning and winning line animations, you will want to integrate a lightweight animation library (like Framer Motion or GSAP) or rely on heavily optimized CSS keyframes.
- **State Management:** Implement Redux to manage the global state of the game—tracking the user's current balance, active bet size, selected warrior mode, and whether the reels are currently spinning or idle.

Phase 3: Backend & Real-Time Communication

Stake Engine handles the actual wallet deductions and random number generation (RNG), but you need a secure layer to communicate with their API.

- **The Bridge:** Set up a Node.js and Express backend to act as the intermediary between your React frontend and the Stake SDK.
- **Real-Time Resolution:** Slot players expect zero latency. Integrate WebSockets so that the moment a player clicks "Spin," the payload is instantly transmitted, the RNG is calculated by Stake, and the result is piped directly back to your frontend to stop the reels on the correct symbols.

Phase 4: Rapid Prototyping & Assembly

You do not need to code the basic grid logic completely from scratch.

Fire up Cursor and utilize GitHub Copilot to rapidly generate the boilerplate math for a 5x3 2D array, the standard payline evaluation logic (e.g., checking for 3 consecutive symbols from left to right), and the WebSocket routing. This will free you up to focus on the complex polish—like the transition animations when a player switches from the Shadow Ninja screen to the Spirit Reaper screen.

Once you have a functional, unstyled wireframe where clicking "Spin" accurately hits your math model and returns a win/loss result, you will be in the perfect position to apply for Stake Engine SDK access and integrate their official endpoints.

What is your preferred approach for the visual assets—are you planning to design the symbols and backgrounds yourself, or will you be commissioning an illustrator?

User prompt: for math, i want the hit rate to be a lot for medium volatility, like hitting a bit more

Response: Pushing the hit frequency up to 40% or even 45% for the Sea Raider mode will create a highly kinetic base game where the player constantly experiences visual and audio feedback.

To make this work mathematically while maintaining a standard 96.50% RTP, you have to balance the high hit rate by adjusting the payout sizes. If the game pays out almost every other spin, the vast majority of those hits must be "fake wins" (where the player bets $1.00 but wins back $0.20 or $0.50) or exact break-evens. This creates a "drip-feed" experience that keeps the player's balance stable for a long time, contrasting perfectly with your extreme volatility mode.

Here is how your revised mathematical lineup looks:

Mode (Skin)	Volatility	Target RTP	Hit Frequency	Paytable Strategy
Sea Raider	Low-Medium	96.50%	**~42%**	Heavily weighted towards 3-of-a-kind hits on low-tier symbols. Top prize is capped relatively low to afford the frequent base game payouts.
Shadow Ninja	High	96.25%	~22%	Dead spins are common, but base game hits occasionally return 5x to 10x the bet. Heavily reliant on triggering the bonus.
Spirit Reaper	Extreme	96.00%	~14%	Brutal base game with massive dead spin streaks. All the mathematical RTP weight is allocated to a massive max-win cap in the bonus round.

When scripting your Monte Carlo simulations in Python or C++, you can achieve that 42% hit rate by artificially thickening the symbol strips on reels 1, 2, and 3. By placing high concentrations of your lowest-paying symbols (like a basic coin or anchor symbol) on those first three reels, you mathematically force frequent small connections on your 20 paylines.

Will the Sea Raider mode feature a traditional free spins bonus round, or were you thinking of a different feature to complement this high-hit-rate base game?

User prompt: for sea raider 5000x max win, for high, 20kx max win, and for spirit reaper 50ks

Response: Setting a 50,000x max win for the extreme mode puts Spirit Reaper in the same heavyweight tier as high-volatility titles from providers like Hacksaw Gaming or Nolimit City, while the 5,000x cap for Sea Raider perfectly balances its 42% hit rate.

To achieve these specific ceilings mathematically and pass Stake Engine's compliance, your game logic must incorporate strict "win truncation." If a player's bonus round hits the designated max win, the feature must instantly terminate and pay out exactly the capped amount.

Here is the updated mathematical blueprint for **Echoes of the Warrior**:

Mode (Skin)	Volatility	Max Win	Target RTP	Hit Freq	Mathematical Engine Strategy
Sea Raider	Low-Medium	**5,000x**	96.50%	~42%	Base game pays out constantly with micro-wins (0.2x to 1x). The 5,000x cap is achievable only through a rare bonus feature, like a full screen of top-tier pirate symbols combined with a fixed 10x multiplier.
Shadow Ninja	High	**20,000x**	96.25%	~22%	Standard high-variance math. Requires compounding mechanics in the bonus round, such as sticky wilds or an increasing multiplier track (e.g., each ninja scroll adds +1x to the global multiplier) to mathematically reach 20,000x.
Spirit Reaper	Extreme	**50,000x**	96.00%	~14%	Brutal base game. Reaching 50,000x requires intersecting or multiplicative multipliers (e.g., a 50x soul symbol multiplying against a 100x reaper symbol).

When running your Monte Carlo simulations in C++ or Python, the 50,000x cap will be the hardest to balance. Extreme max wins naturally skew the RTP upward if they happen too frequently in simulations. You will need to run at least 1 billion simulated spins to ensure the Spirit Reaper math model is stable and does not leak RTP over 100%.

For the 50,000x Spirit Reaper mode, are you thinking of using intersecting global multipliers to achieve that massive number, or a specialized bonus game like a hold-and-spin where jackpot values drop onto the grid?

User prompt: this is the approval: Readiness Every check below must pass before your game enters the rating queue. Incomplete submissions are sent back and push your go-live date out. Game tile (3:4) Design tile A 3:4 tile must be in the game's media library. No 3:4 tile has been added yet. Cover art (16:9) Design cover art A 16:9 cover art image must be in the game's media library. No 16:9 cover art has been added yet. Front version published Upload files At least one front-end version must be published. No front version has been published. Math version published Upload files At least one math version must be published. No math version has been published. Math validation All game modes must pass RTP, hit-rate and max-win checks. No math version to validate. Betlevel validation The game must have at least one valid betlevel template. No math version to validate. Open reviews First-time publishers can have one review open at a time. Once a game is live, the limit is five. 0 of 1 open reviews in use. AI review Run the review prompt against your game with a coding agent to check it is compliant before you submit. Copy for AI Download prompt How to run it Versions Reviewers see the latest published build of each stream. Publish again before submitting if either is stale. Front end Not published Math Not published Complete every check to continue. How it works 1. 1 2. Submit 3. Read the guidelines and meet every requirement first. The better prepared you are, the faster the process. 4. 2 5. Rating queue 6. Within 24 hours, three independent reviewers each rate your game without seeing one another's scores. Below 2 stars on average the game is not published, and you can resubmit within 3 days once the issues are addressed. 7. 3 8. Review 9. A reviewer works through outstanding issues with you. You are emailed on every comment. Test against the guidelines yourself before each resubmission. 10. 4 11. Go live 12. Once approved, your game is on Stake within 24 hours, usually within a couple of hours. Performance is on your dashboard, updated every 5 minutes. 13. 5 14. Payouts 15. Processed at the start of each month, closing at UTC midnight. An invoice appears on your payments page and funds reach your wallet within 12 hours. With no wallet set, the balance carries over to the next month. Incomplete submissions cause delays. Every round of feedback means changes and a resubmission, and each cycle pushes your go-live date back. Work through the submission checklist before you submit. First-time publishers get one open review. Until your first game is live you can have one review open at a time, so feedback from it can be applied to later submissions. After that the limit rises to five.

Response: This checklist outlines the exact technical and visual assets required before *Echoes of the Warrior* can enter the Stake Engine rating queue. Because you are a first-time publisher, the restriction of **"one open review at a time"** makes the single-game, multi-volatility UI toggle we discussed the perfect strategy—you can submit all three modes (Sea Raider, Shadow Ninja, Spirit Reaper) under one single game submission to bypass the limitation.

Here is what you need to prepare and upload based on this readiness checklist:

1. Media Assets

- **Game Tile (3:4):** A vertical thumbnail used in the Stake casino lobby for players scrolling on mobile.
- **Cover Art (16:9):** A horizontal banner used for the game's splash screen, desktop view, or promotional banners.
- *Action:* You will need high-quality, non-copyrighted artwork representing your three warriors to fill these slots.

2. The Code & Math Uploads

- **Front Version:** Your compiled frontend build (e.g., your React/Next.js repository).
- **Math Version & Validation:** You must upload the mathematical payload containing your 5,000x, 20,000x, and 50,000x max-win models. Stake's automated system will immediately run the "RTP, hit-rate, and max-win checks." If your 50,000x Spirit Reaper math leaks past its stated RTP in their simulations, it will fail this automated validation before human reviewers even see it.
- **Betlevel Validation:** You need to configure the specific bet sizes players are allowed to make (e.g., $0.10 minimum, $100.00 maximum).

3. The Approval Pipeline Once you clear the automated checks, the game enters the **Rating Queue**. Three independent Stake reviewers will test it within 24 hours. They are looking for strict adherence to guidelines (no copyrighted anime assets, no underage appeal, and high-quality UI/UX). You must score above 2 stars on average to proceed to the final review and go live.

4. The AI Pre-Check The checklist mentions an "AI review" step where you can copy an official prompt to check your game against their compliance rules before submitting, saving you from a multi-day rejection cycle.

You can click that **"Copy for AI"** button on your dashboard and paste the prompt here, along with any game logic or frontend code you have written so far. I can run Stake's official compliance check against your code to ensure it is completely stateless and ready for submission.

---

*User prompt: these are prompts: # Engine game review: self-check You are checking a game built for the Engine platform against Engine's approval guidelines before the studio submits it for review. You have this game's source code in front of you. Your job is to find everything a reviewer would raise, show the evidence, and say how to fix it. Work through the whole checklist below. Do not stop at the first problem, and do not skip a guideline because it looks fine at a glance. ## Ground rules - **Read-only until asked.** Don't edit, commit or push anything. Report first, then offer to fix the failures one at a time. - **Ask before installing anything** (Playwright, browsers, packages) or starting a long-running process. Put any helper scripts you write in a temporary folder outside the repo, or a folder the user approves, and tell them where. - **Evidence for every verdict.** Cite `file:line` for code findings, and quote the exact player-facing text for wording findings. If you ran the game, say which URL and what you saw or what the network showed. - **Don't guess.** If code reading can't decide a guideline and you couldn't run the game, mark it AT RISK or NEEDS A HUMAN and say exactly what to check. A wrong PASS costs the studio a review round. - **Check every path.** Many games have more than one place a thing happens: base game and bonus, desktop and mobile layouts, normal play and replay, the main UI and a settings menu. A guideline fails if any path fails. ## Verdicts | Verdict | Meaning | | --- | --- | | **PASS** | You found positive evidence the guideline is met. | | **FAIL** | You found evidence it is not met. A reviewer would raise it. | | **AT RISK** | Code suggests a problem, or you couldn't confirm it either way. Say what would settle it. | | **NEEDS A HUMAN** | Only a person can judge it (artwork, layout looking right, sound fully off). Give a short checklist. | | **N/A** | The feature isn't in the game (no free spins, no Mystery Mode). Say how you know. | --- ## Part 1: Platform facts you need ### Launch URL The game is served as static files and opened with query parameters: ``` https://{team}.live.engine.io/{game}/v{version}/?sessionID=…&rgs_url=… &lang=en&currency=USD&device=desktop&social=false&demo=false ``` | Param | Meaning | | --- | --- | | `sessionID` | Player session. Sent in the body of every wallet request. | | `rgs_url` | The RGS to call. **Must be used for every RGS request; never hardcode a host.** It may arrive as a bare host (`rgs.example.com`) with no `https://`; the game must add the scheme itself when missing. | | `lang` | ISO 639-1 language code. Unknown codes must fall back to English. | | `currency` | Currency code (see the table below). | | `device` | `mobile`, `desktop` or `tablet`. | | `social` | `true` for social-casino (Stake.US) mode. | | `demo` | Demo session flag. | ### Wallet API (all `POST`, JSON body, relative to `rgs_url`) | Endpoint | Body | Response (relevant fields) | | --- | --- | --- | | `/wallet/authenticate` | `{ sessionID }` | `balance.{amount,currency}`, `config. {minBet,maxBet,stepBet,defaultBetLevel,betLevels[],jurisdiction.{socialCasino,…}}`, `round` (only present while a round is unfinished) | | `/wallet/balance` | `{ sessionID }` | `balance.{amount,currency}` | | `/wallet/play` | `{ sessionID, amount, mode }` | `balance`, `round` (contains `amount`, `payoutMultiplier`, `active`, and the book's events in `state`) | | `/wallet/end-round` | `{ sessionID }` | `balance` | | `/bet/event` | `{ sessionID, event }` | Saves progress within a round, for resuming. | Errors return `{ error, message }` with one of: `ERR_VAL` (400, invalid request, including an unknown or unauthenticated session), `ERR_IPB` (400, insufficient balance), `ERR_GLE` (400, gambling limits exceeded), `ERR_ACT` (429, retry shortly) and `ERR_GEN` (500). **Money is in micro-units:** `1000000` = 1.00. A $1 bet sends `amount: 1000000`. ### Replay URL ``` …/index.html? replay=true&game={gameId}&version={mathVersion}&mode={mode}&event={eventId}&rgs_url=…&currency=…&amount=…&lang=…&device=… &social=… ``` The game fetches `GET {rgs_url}/bet/replay/{game}/{version}/{mode}/{event}`, which returns `{ payoutMultiplier, costMultiplier, state }`. A replay has **no session**: it must make no wallet calls and offer no way into real play. `amount` is the base bet in micro-units; the real cost is `amount × costMultiplier`. ### Currency display Test with **USD, EUR, CAD, MXN, JPY**, and **XSC / XGC** for social mode. (GBP is not supported on the platform; don't test it.) | Code | Shows as | Decimals | Code | Shows as | Decimals | | --- | --- | --- | --- | --- | --- | | USD | $10.00 | 2 | JPY | ¥10 | 0 | | EUR | €10.00 | 2 | XSC | 10.00 SC | 2 | | CAD | CA$10.00 | 2 | XGC | 10.00 GC | 2 | | MXN | MX$10.00 | 2 | XEC | 10.00 SC | 2 | The full list of supported currencies and their formats is in Engine's RGS docs. A game that formats with a fixed `$` or always 2 decimals will fail. ### Math files If the math publish files are in the repo (or the user can point you to them), use them as the source of truth for the rules checks: - `index.json` lists every mode: `name`, `cost` (multiplier of the base bet), `events` (books file), `weights` (lookup table). - A game can have at most **20 modes**. More needs an exception from Engine Support, so flag a game over the limit as AT RISK. - `lookUpTable_*.csv` rows are `id, weight, payoutMultiplier`, where **payoutMultiplier is ×100** (`1150` = 11.5x). - Per mode: **RTP = Σ(weight × payout/100) ÷ Σ(weight) ÷ cost**; **max win = max(payout)/100** (×bet). - `books_*.jsonl.zst` (zstd-compressed JSON lines) hold each round's `events`. These are also what you'd serve from a mock RGS. --- ## Part 2: How to work ### Step 1: Map the game Before checking anything, find and note: 1. Framework and build (Vite/Svelte/Pixi/Phaser/etc.), how to run it locally, and the dev server port.2. Where URL params are read (`sessionID`, `rgs_url`, `lang`, `currency`, `social`, `replay`…). 3. The RGS client: every place a URL is built and a wallet call is made. Search for `authenticate`, `wallet/play`, `end-round`,*

*`bet/replay`, `fetch(`, `axios`, and any hardcoded `http`/`https` hosts. 4. Bet state: where the bet amount, bet levels and default bet come from. 5. Every player-facing string: i18n/translation files, rules/info/paytable/help screens, buttons, modals, error messages. Note how text is chosen for `social=true`. 6. Input handling: keyboard (space bar), autoplay, bonus buy / feature modes, sound. 7. HTML entry (`index.html`): viewport meta, global CSS for `html`/`body`. 8. Loading screen and replay screens. 9. Math files, if present. ### Step 2: Static audit Go through every guideline in Part 3 and decide what you can from the code and text. Most guidelines can be decided, or at least narrowed down, this way. ### Step 3: Run it (optional, ask first) Running the game catches what code reading misses. Offer it to the user, and do it if they agree. Two ways, best first: **A. A real session plus request interception (preferred).** Ask the user to launch the game from their Studio dashboard and give you the game frame's URL, which carries a working `sessionID` and `rgs_url`. Serve the local build and open it with those params in headless Chromium (Playwright). Use `page.route()` to observe, block or rewrite RGS traffic. This needs no fake round data. If the RGS refuses calls from `localhost` (CORS), use the deployed build URL instead, or fall back to B. **B. A mock RGS.** A small local HTTP server (with CORS headers) that answers the wallet and replay endpoints. Round data must be real books from the game's math files (`books_*.jsonl.zst`) or the front end's own fixtures (Storybook stories, test data). Without real books, only launch and bet-config checks are meaningful. Interceptions that reproduce what reviewers test: | To test | Do | | --- | --- | | | Bet config is dynamic (#242) | Rewrite the authenticate response: `betLevels` cut to a short range (e.g. 1.00–2.00 in 4 steps), `minBet`/`maxBet` to match, `defaultBetLevel` in the middle. The game must open on that default and step only within those levels. | | Active round (#187) | Bet at a non-default stake until a round wins (`payoutMultiplier > 0`). Abort its `/wallet/end-round` so the round stays open, then reload. The relaunched game must show and bet the open round's `amount`, not `defaultBetLevel`. | | Zero-win end-round (#221) | Bet until a round pays 0x, then bet once more. No `/wallet/end-round` may be sent between the two. | | Insufficient balance (#222) | Launch with zero balance (or rewrite `balance.amount` to `0` in authenticate and balance responses). Try to bet. No `/wallet/play` may leave the browser, and the game should say why. | | Invalid rgs_url (#274) | Launch with `rgs_url=example.com`. The game must show a connection/auth error, and no RGS call may succeed anywhere else. | | Autoplay / bonus confirmation (#104, #31) | Abort `/wallet/play` at the network, press autoplay once, then a bonus buy once. Neither press alone may send a play request. | Viewports to use: **laptop 1024×576, popout S 400×225, popout L 800×450, mobile 425×812 (touch, `device=mobile`)**. Take a screenshot at each after one bet and look at it. Never place more bets than a check needs, and never leave autoplay running. ### Step 4: Report Use the format in Part 4. --- ## Part 3: The checklist Numbers in brackets are Engine's guideline IDs; use them in the report so the studio can match review feedback. ### Pre-checks **[181] Authenticates with the RGS on launch.** `/wallet/authenticate` is called on load against `rgs_url` with the URL's `sessionID`, returns 200, and the game carries on loading. Code: confirm the host comes only from `rgs_url` (with `https://` added when missing) and that no dev/staging host is left in. Any hardcoded RGS host is a FAIL here and in #274. **[274] Fails correctly with an invalid rgs_url.** With `rgs_url=example.com` the game must show a clear connection or authentication error and must not continue as if connected. FAIL: the game loads normally, sits on an endless spinner with no message, or reaches an RGS some other way (a fallback or hardcoded host). **[183] Pressing bet sends a successful play request.** The bet button sends `/wallet/play` to `rgs_url` with `{ sessionID, amount, mode }` and the game plays out the returned round. **[275] No Stake Engine loader.** The old "Powered By Stake engine" loader (an animated logo from earlier templates) must not appear at any point: launch, reload, replay, reconnect. The studio's own loader is fine. Code: search case-insensitively for `stake engine`, `stake-engine`, `stakeengine`, `powered by stake`, `engine-loader`, `engineLoader`, and for loader images, GIFs or Lottie files carrying that branding. Check replay mode too. Any hit that can show to a player is a FAIL. ### Compliance **[213] Title is unique and avoids restricted terms.** The game's title must not contain: Megaways, XWays (or any variation), Enhanced, Boosted (or synonyms), RTP or an RTP percentage, "Gates of…", "…Bonanza", Olympus, Rush, Kraken, Waylanders, or anything implying a tie to another publisher or series. Check the title in the code, the HTML `<title>`, the logo text and the loading screen. **[217] No offensive or inappropriate content.** NEEDS A HUMAN unless you can view the images. No hateful, discriminatory, sexual, gory, extremist or illegal content, and **no imagery of minors** (babies, children, teenagers). If you can view image assets, look through the symbols, backgrounds and characters and list anything doubtful. **[253] Distinct from existing titles.** NEEDS A HUMAN. Fails if two or more of these closely resemble an existing game or series: title, logo/tile, main character or symbols, theme and art style, core mechanic, overall presentation. Flag anything that resembles a well-known slot. ### Bet levels (RGS) **[242] Uses every bet parameter from authenticate.** `minBet`, `maxBet`, `stepBet`, `defaultBetLevel` and `betLevels` must all come from the authenticate response. The game opens on `defaultBetLevel`, steps through `betLevels` only, stops at both ends, and never shows or sends a value outside them. FAIL: a hardcoded bet list or default, a free-entry field allowing other values, a default that ignores `defaultBetLevel`, or levels that don't change when the response changes. Check every currency path; JPY levels differ from USD. **[187] An active round restores its bet amount.** If authenticate returns `round` with `active: true`, the game resumes that round and the selected bet becomes `round.amount`, not `defaultBetLevel`. The stake shown after the resumed round finishes, and the next bet, must still be that amount. With no active round, use `defaultBetLevel`. Code: find the authenticate handler and follow what happens when `round.active` is true. A game that resumes the round but then resets the bet to the default FAILS. ### Currency **[219] Supports and displays currencies correctly.** USD, EUR, CAD, MXN and JPY each load, bet and display with the right symbol or code, decimals and position (see the table). Balance, bet, win and any modal amounts all follow the currency. No clipping or overlap from longer symbols like `CA$` or `MX$`. Code: find the money formatter. FAIL if it hardcodes `$`, always uses 2 decimals (JPY has 0), or ignores `balance.currency` / the `currency` param. **[273] Sub-cent payouts display correctly.** A payout under 0.01 (e.g. 0.1x on a 0.05 bet) must show with enough decimals and not round to 0.00 or up to 0.01. The displayed value must match the RGS amount. Code: check how the formatter handles values below the currency's normal decimals. ### RGS requests **[221] Zero-win rounds send no end-round.** Send `/wallet/end-round` only for a round that is still open, which is any round paying more than 0x. A 0x round is closed by the RGS; sending end-round for it FAILS. A winning round that never sends end-round also FAILS. Code: find where end-round is called and confirm it is conditional on `payoutMultiplier > 0` (or `round.active`). **[222] Insufficient balance sends no play request.** When balance < bet, the game must not send `/wallet/play` and must tell the player (message, disabled button with explanation, etc.). Relying on the RGS's `ERR_IPB` reply is a FAIL: the request must not go out. Code: find the pre-bet check. Make sure it covers the space bar, autoplay and bonus buys too, and uses the mode's real cost (bet × cost multiplier). ### Front end **[228] Space bar places a bet.** Space does exactly what the bet button does when betting is available, and does nothing harmful in menus, modals or mid-animation. Call `preventDefault()` so the page doesn't scroll. Code: find the keydown handler. FAIL if space isn't bound, or only works after clicking into a canvas first. Check the listener is on `window`/`document`, not a focused element. **[227] Main frame doesn't scroll.** No scrollbars and no scrolling at any size: `html, body { margin: 0; overflow: hidden; height: 100%; }` or equivalent, with the canvas and UI sized to the viewport. Check at 1024×576, 400×225, 800×450 and 425×812. **[104] Autoplay needs a confirmation step.** Pressing autoplay must open a panel or menu where the player chooses or confirms settings. It must not start auto-betting from one press. **[31] High-cost modes need confirmation.** Any mode costing more than 2x the base bet (bonus buys, feature buys, boosted modes) must not place a bet from a single press. Either of these passes: - a confirmation dialog that states the cost, or - a press that only switches the mode on for the next bet, with the new cost clearly shown (e.g. "BONUS BOOST $10.00 per spin, Turn off"). FAIL: one press of a buy/activate button places the bet straight away, or the confirmation doesn't show the cost. Code: go through every mode in `index.json` with `cost > 2` and trace its button to the play call. **[107] Sound can be turned off.** A visible sound/music control mutes **all** audio: effects, music and ambient sounds, everywhere, including bonus rounds and big-win screens. Code: confirm every audio source goes through the setting (no sound played directly, bypassing the mute). ### Game rules (info / help screens) Read the full rules text for these, as the player sees it with `lang=en`. **[25] RTP and max win are stated.** The rules state the RTP and the maximum win, **per mode** wherever they differ (e.g. "Base: RTP 96.50%, max win 5,000x · Bonus: RTP 96.48%, max win 5,000x"). If you have the math files, compute both per mode and compare. A mismatch FAILS. **[24] Every symbol's payout is shown.** Every paying symbol is listed with its payouts (per count, cluster size, etc.), matching the math. Explain any mode or multiplier differences. **[26] Win combinations are explained.** How wins form: paylines and which lines pay, ways, cluster sizes, scatter counts, tumbles/cascades, multipliers, and any special conditions. It must match how the game actually pays. **[27] Every mode has a description and cost.** Every mode in `index.json` (other than the base game) appears in the rules with what it does and what it costs (e.g. "Bonus Buy: 100x bet"). A missing mode, or a cost that differs from `index.json`, FAILS. **[29] Free games and re-triggers are explained.** If there are free spins or bonus rounds: what triggers them, how many are awarded for each trigger, how re-triggers*

*work, and any difference by symbol count. N/A only if the game has no free games. **[235] Every control is explained.** An interaction guide in the rules covers every button the player can press: bet, bet +/−, autoplay, turbo/quick spin, bonus buy, sound, settings, info, fullscreen, menu, and anything game-specific. Compare the list of buttons in the UI code with the guide. Any button left out FAILS. **[185] General disclaimer is present.** The rules contain a disclaimer along these lines (wording may differ): > Malfunction voids all wins and plays. A consistent internet connection is required. In the event of a disconnection, reload the game to finish any uncompleted rounds. The expected return is calculated over many plays. The game display is not representative of any physical device and is for illustrative purposes only. Winnings are settled according to the amount received from the Remote Game Server and not from events within the web browser. TM and © 2026 Engine. No disclaimer at all FAILS. A disclaimer missing some points is AT RISK: list the missing points and recommend adding them. **[266] Mystery Mode chances are accurate.** If the game has a Mystery Mode (or any feature showing chances or odds), every displayed probability must match the math. Compute it from the lookup tables where possible. N/A if there's no such feature in the math, the bets or the rules. ### Responsive **[193] Laptop 1024×576, [195] Popout S 400×225 / L 800×450, [194] Mobile 425×812.** At each size the game loads, every control is visible, reachable and not overlapping, text is readable, and a bet can be placed. Mobile works by touch. Screenshot each size if you can run the game; otherwise look for layouts that assume a minimum size or a single aspect ratio. Usually NEEDS A HUMAN for the final look. **[223] Double-tap zoom is disabled on mobile.** The viewport meta must stop zooming, e.g. `<meta name="viewport" content="width=device-width, initial-scale=1, maximum-scale=1, user-scalable=no">`, and/or the game surface sets `touch-action: none` (or `manipulation`). **`width=device-width` alone FAILS**: iOS Safari still zooms on double-tap. ### Language **[239] English is supported.** With `lang=en`, all player-facing text is English. No translation keys (`ui.bet_button`), `undefined`, `NaN`, `{placeholder}` or missing glyphs. Check the rules and every modal. **[240] Invalid languages don't break the display.** With `lang=zz` (or any unsupported code) the game loads and falls back to English, with no keys, blanks or broken layout. Code: find the i18n loader and confirm a fallback to `en` for unknown codes and for keys missing in a partial translation. ### Social mode (Stake.US: `social=true`) When `social=true` (or `config.jurisdiction.socialCasino` is true), all player-facing text must use social wording. Restricted words are matched as whole words, case-insensitive, anywhere a player can see them: buttons, labels, rules, paytable, modals, confirmations, errors, autoplay menus, mode names, loading screens and the replay. | Restricted | Use instead | Restricted | Use instead | | --- | --- | --- | --- | | at the cost of | for | gamble | play | | be awarded to player's accounts | appear in player's accounts | money | coins | | bet / bets / bet/s | play / plays | paid | won | | betting | play / playing | paid out | win | | bonus buy | bonus / feature | pay | win | | bought | instantly triggered | pay out | win / won | | buy | play | payer | winner | | buy bonus | get bonus | pays | wins | | cash | coins | pays out | won | | cost of | can be played for | place your bets | come and play / join in the game | | credit | balance | purchase | play | | currency | token | rebet | respin | | deposit | get coins | stake | play amount | | fund | balance | total bet | total play | | withdraw | redeem | wager | play | | win feature | play feature | | | Common misses: "Bet" on the main button, "Bet Amount", "Auto Bet", "Number of Bets", "Total Bet", "Buy" on bonus buttons and confirmations, insufficient-funds errors, and **"Pay table" / "Paytable"** (not allowed: "pay" is restricted; use e.g. "Win table" or "Symbol wins"). **[77] All text uses social wording.** List every restricted word you find in one finding, as the word only (e.g. "BET", "BUY", "PAYTABLE"). Code: diff the social string set against the table; check for strings that skip the social switch (hardcoded labels, text baked into images, mode names shown as-is). **[78] SC and GC currencies, no "$".** With `currency=XSC` and `currency=XGC` the game loads and bets, amounts read "10.00 SC" / "10.00 GC", and no `$` appears anywhere. **[225] Mode names use social wording.** Mode names shown in the game, the rules and the replay must avoid restricted words ("BONUS BUY", "BUY FEATURE", "SUPER BET" all fail) and be consistent everywhere. Mode names in `index.json` that the game displays as-is count too. **[188] The replay has no restricted words.** Open a replay with `social=true&currency=XSC` and check all its text. ### Replay Check replay handling end to end. Reviewers open replays for several modes, including wins, big wins, max wins, losses and bonus triggers. **[171] Replay URLs load and play the event.** With `replay=true` the game calls `GET {rgs_url}/bet/replay/{game}/{version}/{mode}/{event}`, makes **no** wallet calls, loads automatically, shows a Play/Start button, plays the round exactly as it happened, and leaves the result on screen. All betting controls are hidden or disabled, and there's no way into normal play. A fetch failure shows an error message. **[172] Optional parameters are applied.** `currency`, `lang` and `amount` are used: e.g. `currency=EUR&lang=fr&amount=5000000` shows €5.00 as the bet. Missing or invalid values don't break it. **A replay showing no bet amount anywhere FAILS.** **[173] The replay can be watched again.** After it ends, a Replay / Play Again control restarts the same event. **[174] Bet cost and multiplier are shown.** The replay shows the bet and, for a mode costing more than 1x, the multiplier and the real cost (`amount × costMultiplier`), e.g. "BONUS: 1.00 SC · REAL COST: 100.00 SC". **No amount anywhere FAILS.** **[243] Replays work at popout S (400×225).** The replay loads, plays and fits at 400×225 with its controls usable. ### Also worth checking Not numbered guidelines, but causes of failed reviews: - **Static files only.** The build must not load anything from external hosts (Google Fonts, CDNs, analytics); a strict content policy blocks them and the console fills with errors. Search the build for `http://` and `https://` URLs that aren't the RGS. - **Wins match the rules.** If you can run the game, play a few wins in each mode and check the displayed win equals `bet × payoutMultiplier` and agrees with the paytable. - **Console errors** during launch, play and replay. --- ## Part 4: Report format Reply with: 1. **Summary.** One line per verdict count, e.g. "31 PASS · 4 FAIL · 3 AT RISK · 5 NEEDS A HUMAN · 2 N/A", and whether you ran the game or only read code.2. **Failures first.** For each FAIL, then each AT RISK: - `[id] Guideline title`: verdict - **Found:** the evidence (`file:line`, quoted text, network observation) - **Fix:** the concrete change, with the file to change 3. **Full table** in checklist order: | ID | Guideline | Verdict | Evidence | | --- | --- | --- | --- | 4. **For a person to check:** a short, practical list for each NEEDS A HUMAN item (which screen, which size, what to look for). 5. **Next step:** offer to fix the FAIL items, one guideline at a time, re-checking each after the change. Keep it plain and specific. One finding per distinct problem (e.g. a currency failing in two currencies is two findings), except social wording: list all restricted words for one guideline in a single finding. Full guideline text and examples: https://studio.engine.io/docs/approval-guidelines claude "Read https://studio.engine.io/docs-content/prompt.md and follow its instructions to review this game against Engine's approval guidelines."*

Response: I have received and understood the complete "Engine game review: self-check" instructions and the Stake Engine compliance checklist. I am ready to act as your technical reviewer.

To begin the review process, I need the source code for the game. Please provide the relevant files from your repository, specifically:

- **RGS Client / Network Layer:** The files where `wallet/authenticate`, `wallet/play`, `end-round`, and replay endpoints are called, and where `rgs_url` is parsed.
- **Core UI & Game Logic:** The components handling bet sizing, autoplay limits, balance checks, keyboard inputs (space bar), and the main game loop.
- **Translations / i18n:** The language files to audit for Stake.US social wording compliance and currency formatting logic.
- **HTML & Configs:** The `index.html` file (for viewport checks) and any setup files (Vite/Next configs).
- **Math Files (If available):** `index.json` or lookup tables to verify RTP, max wins, and bet multipliers.

Once you paste or upload the code, I will map the game, run the static audit, and generate the prioritized failure report exactly as requested in Part 4 of your prompt.

How would you like to provide the project files?

User prompt: i havent done anything yet

Response: That is actually the perfect position to be in. Having the official Stake Engine compliance checklist *before* you write a single line of code means you will not have to rip apart your architecture later to fix a rule violation.

Since you are starting at day zero for *Echoes of the Warrior*, here is the most efficient sequence to get the foundation built:

1. Prime Your AI Workspace Drop that massive Stake Engine review prompt directly into Cursor or Claude right now as a project-level instruction or context file. Instruct the AI: "This is the compliance rulebook. Every component we build for this game must pass these checks." This ensures your generated boilerplate will automatically handle strict requirements—like the `rgs_url` parsing and the spacebar-to-bet binding—from the very first prompt.

2. Scaffold the Frontend Architecture Spin up a fresh Next.js project with Tailwind CSS. Before worrying about the spinning reels or ninja animations, build the rigid UI containers Stake requires:

- Set up the global CSS to completely prevent scrolling (`overflow: hidden; height: 100%;`).
- Create responsive wrappers to test the required Stake resolutions immediately (1024x576 for laptop, 400x225 for popout, 425x812 for mobile touch).
- Build a centralized Redux store to manage the game's state: the player's session balance, the current bet level, and a toggle for which of the three warrior modes is currently active.

3. Draft the Math Simulator The visual slot is just a shell; the math is the actual product. Write a quick Python script to simulate a 5x3 grid using standard arrays. Start with the **Sea Raider (Medium Volatility)** mode. Program a loop to run 1 million simulated spins to test if your symbol weights actually hit that ~42% win frequency while staying under your 5,000x max win cap.

Which piece feels like the most natural starting block for you today—getting the Next.js UI locked in, or scripting the initial math model in Python?

User prompt: dont i need to create frontend first or do i need to create math first?

Response: **You must build the math first.** In slot game development, the math engine is the absolute foundation of the game. The frontend is simply a "dummy" visual layer that animates whatever the math engine tells it to.

If you build the frontend first, you will inevitably have to tear it down and rewrite it once the math is finalized. Here is why the math must come before the visuals:

- **Stake's Mock RGS Requires It:** If you look at Step 3B in the Stake review prompt you shared, it mentions testing your frontend against a "mock RGS" (Remote Gaming Server). To do this, you need the real data books (`books_*.jsonl.zst`) generated by your math model. Without the math files, your frontend has no spin results to animate.
- **The Math Dictates the Art:** If your math model dictates that the Extreme Volatility *Spirit Reaper* mode only triggers a bonus round once every 400 spins, you know not to waste time building complex base-game animations. Instead, you focus all your frontend development time on an explosive, high-fidelity bonus round sequence.
- **Reel Strips Drive the Logic:** The mathematical layout of your virtual reels (e.g., how many blank spaces versus how many high-paying symbols exist on Reel 1) determines how your frontend grid renders.

Your immediate next step: Open Python (or your preferred language) and define your **Paytable** and **Reel Strips** for the *Sea Raider* mode.

1. **The Paytable:** Assign a monetary value to every symbol (e.g., 3 Anchors = 0.5x bet, 5 Pirate Captains = 10x bet).
2. **The Reel Strips:** Create five arrays (representing your 5 reels) and fill them with those symbols. To hit your target of a 42% win rate, you will pack the arrays for Reels 1, 2, and 3 heavily with low-paying symbols so they connect frequently.

Once you can simulate a spin in a text console and verify it pays out correctly according to your rules, building the Next.js frontend to slap pretty pictures onto those text results becomes incredibly easy.

User prompt: is making them 3 modes a good idea or 3 different games?

Response: Making it **one single game with three selectable modes** is a significantly better idea, especially for your first release on Stake Engine.

Since you are keeping the core mechanics the same and only swapping the math models and the UI assets, combining them into one flagship title gives you three massive advantages:

- **Bypassing the Approval Bottleneck:** As the Stake Engine checklist explicitly warned, first-time publishers are restricted to **only one open review at a time**. If you build three separate games, you have to submit Sea Raider, wait weeks for the back-and-forth approval process, then submit Shadow Ninja, wait again, and finally submit Spirit Reaper. By packaging them as one game, you get all three math models reviewed and approved simultaneously in a single submission.
- **Player Retention (The "Lobby" Effect):** In online casinos, once a player gets bored or frustrated and clicks the "X" to leave your game, they usually go play a game from a competing studio. If *Echoes of the Warrior* has a built-in toggle, a player getting chewed up by the brutal variance of the Spirit Reaper mode doesn't have to leave your game—they can just click a button to switch to the low-volatility Sea Raider mode to rebuild their balance. You keep the player inside your studio's ecosystem.

- **Codebase Management:** Maintaining one Next.js repository is infinitely easier than managing three. If Stake updates their SDK or changes a compliance rule in six months, you only have to update and redeploy one codebase instead of fixing three separate games.

The only time you should ever split concepts into separate games is if the underlying mechanics are completely different—for example, if the pirate game was a 5x3 grid, but the ninja game was a cascading Megaways-style grid. Since your core engine is identical across all three, the multi-mode approach is the optimal path.

Are you ready to start mapping out the symbol values for that Sea Raider paytable in Python, or do you want to define the specific bonus round triggers first?

User prompt:
==========
MASTER SIMULATION EXECUTIVE SUMMARY
========== Mode / Feature | Vol | Spins | RTP | Avg Return | Hit Rate | Max Win ---------- Sea Raider (Base) | Low-Med | 1,000,000 | 114.97% | 1.1x | 42.20% | 304.44x Sea Raider (Normal Enhancer 1.5x) | Low-Med | 500,000 | 96.49% | 1.4x | 41.83% | 5,000.00x Sea Raider (Feature Spin 10x) | Low-Med | 100,000 | 155.77% | 15.6x | 100.00% | 599.20x Sea Raider (Bonus - 3 Scat) | Low-Med | 100,000 | 93.95% | 23.5x | 100.00% | 71.00x Sea Raider (Super Bonus - 4 Scat) | Low-Med | 100,000 | 96.51% | 57.9x | 100.00% | 95.80x Shadow Ninja (Base) | High | 1,000,000 | 119.40% | 1.2x | 24.56% | 828.72x Shadow Ninja (Normal Enhancer 1.5x) | High | 500,000 | 500.72% | 7.5x | 25.81% | 20,000.00x Shadow Ninja (Feature Spin 20x) | High | 100,000 | 154.77% | 31.0x | 100.00% | 888.25x Shadow Ninja (Max Win Spin 200x) | Extreme | 100,000 | 100.33% | 200.7x | 100.00% | 20,000.00x Shadow Ninja (Bonus - 3 Scat) | High | 100,000 | 96.50% | 77.2x | 100.00% | 144.00x Shadow Ninja (Super Bonus - 4 Scat) | High | 100,000 | 96.02% | 432.1x | 100.00% | 801.00x Shadow Ninja (Unknown Bonus) | High | 100,000 | 98.25% | 736.9x | 100.00% | 20,000.00x Shadow Ninja (Unknown Extreme) | Extreme | 100,000 | 94.91% | 569.5x | 19.79% | 20,000.00x Spirit Reaper (Base) | Extreme | 1,000,000 | 127.83% | 1.3x | 23.68% | 572.23x Spirit Reaper (Normal Enhancer 2.0x) | Extreme | 500,000 | 295.67% | 5.9x | 24.24% | 34,430.80x Spirit Reaper (25x Extreme Enhancer) | Extreme | 250,000 | 2369.63% | 592.4x | 60.47% | 50,000.00x Spirit Reaper (Feature Spin 50x) | Extreme | 100,000 | 60.72% | 30.4x | 100.00% | 4,000.00x Spirit Reaper (Extreme Feature Spin 300x) | Extreme | 100,000 | 89.05% | 267.2x | 100.00% | 50,000.00x Spirit Reaper (Bonus - 3 Scat) | Extreme | 100,000 | 95.90% | 76.7x | 100.00% | 149.60x Spirit Reaper (Super Bonus - 4 Scat) | Extreme | 100,000 | 95.88% | 306.8x | 100.00% | 584.40x Spirit Reaper (Unknown Extreme) | Extreme | 100,000 | 107.16% | 1500.3x | 10.17% | 50,000.00x
==========

Response: Your math model is currently leaking massive amounts of RTP and will trigger an automatic rejection from Stake Engine's validation system. Any mode with an RTP over 100% means the casino is mathematically guaranteed to lose money on it.

The Critical Math Breaks:

- **Base Game Leaks:** All three base games are broken. Sea Raider (114.97%), Shadow Ninja (119.40%), and Spirit Reaper (127.83%) are paying out significantly more than they take in.
- **The Cost Multiplier Error:** Your Spirit Reaper "25x Extreme Enhancer" shows an RTP of 2369.63% and an average return of 592.4x. This indicates a fatal flaw in your Python simulation's RTP formula. You are likely calculating RTP against a 1x base bet instead of the 25x cost of the mode. (592.4 divided by 25 equals 23.69, which perfectly matches your 2369% RTP).
- **Feature Buys:** Your Shadow Ninja 1.5x Enhancer is hitting 500.72% RTP for the exact same formula error.

How to Fix the Engine:

- **Correct the Simulation Formula:** In your Python script, ensure the RTP calculation for premium modes follows Stake's exact formula: `RTP = Σ(weight × payout/100) ÷ Σ(weight) ÷ cost`. If a player buys a 20x Feature Spin, the total simulated payouts must be divided by 20 to get the true RTP.
- **Dilute the Reel Strips:** To fix the base games, you must heavily increase the concentration of "dead" spaces or your lowest-tier symbols on Reels 1, 2, and 3. Your hit rates (like Sea Raider's 42.20%) are perfectly on target, but the actual monetary *size* of those hits is currently too large for the base game to sustain a ~96% RTP.
- **Nerf the Paytable:** If adjusting the reel strips ruins the visual flow of the game, you need to lower the base paytable values for 3-of-a-kind connections so the frequent hits just recycle the player's money rather than profiting them.

Fix the cost division math in your script for the enhancer modes first. Once those numbers recalculate, you will have a much clearer picture of how much you need to dilute your base game reel strips.

User prompt: give guidance on making frontend

Response: Build the Next.js frontend by focusing on strict Stake Engine compliance rules and a modular component architecture that supports your three distinct volatility modes.

- **Stake-Compliant Layout:** Stake requires the game frame to be completely static. Set your global CSS to `html, body { margin: 0; overflow: hidden; height: 100%; }`. On the main game surface, apply `touch-action: none` to disable the default iOS double-tap zoom.
- **Dynamic Theming Architecture:** Create a parent `<GameContainer>` that reads the active state from your Redux store. When the player toggles between Sea Raider, Shadow Ninja, and Spirit Reaper, the parent component should instantly swap the asset paths passed to the `<Background>`, `<ReelGrid>`, and `<Paytable>` child components while leaving the underlying grid logic untouched.

- **High-Performance Reel Rendering:** Standard React DOM updates are too slow for spinning slot reels. Use a 2D WebGL library like PixiJS (industry standard for slots) or highly optimized CSS transforms managed by GSAP. Your frontend must receive the math payload from the API, spin the reels smoothly at 60fps, and snap the correct symbols into the 5x3 viewport.
- **Mandatory Input Bindings:** Bind the Spacebar to trigger a bet by attaching a listener to the `window` object. You must include `event.preventDefault()` inside this listener so the spacebar does not trigger browser scrolling.
- **Two-Step Confirmations:** To pass the compliance audit, build a confirmation modal for Autoplay and any mode that costs more than a 2x base bet (like your Feature Spins). A single click on a "Buy Bonus" button cannot instantly deduct balance and start a spin.
- **URL Parameter Parsing:** The frontend must parse the launch URL on mount to extract `sessionID`, `rgs_url`, `currency`, and `lang`. Store these globally. Every fetch request to Stake's wallet API must route strictly to the provided `rgs_url` rather than a hardcoded backend address.

User prompt: i want it to go crazy, like there should be a great feeling playing this game, very unique, and u just know when it will pay big

Response: To get that visceral, heart-pounding game feel where the player just *knows* something massive is about to happen, you have to master the art of the "tease." Because your frontend receives the complete math result from the Stake API the millisecond the player clicks spin, your React code already knows if a 50,000x win is about to hit long before the visual reels stop spinning. You can use that microsecond advantage to hijack the UI and build crazy anticipation.

The Pre-Roll Cinematic Delay is your best tool for telegraphing a massive hit. If the API returns a huge payout for the Spirit Reaper mode, do not just stop the reels normally. Instead, trigger a global state change that blacks out the background, drops the music to a dead silence, and plays a 3-second shadowy animation—like a scythe slicing across the grid—right before the winning symbols slam into place. The player will quickly learn that seeing the screen glitch or go dark means their life is about to change.

The Heartstopper Spin is essential for your high-volatility modes. When a player lands two out of the three Scatters needed for a bonus round, the final reel should not stop at its normal speed. You program the frontend to keep that last reel spinning for an extra four seconds, accompanied by a rising audio swell and a heavy screen shake. It forces the player to hold their breath.

Weight and Impact Mechanics make the game feel tactile and explosive. When a massive multiplier drops, it should not just quietly appear on the grid. The symbol should scale up rapidly, flash violently, and trigger a deep, distorted bass drop that practically rattles the player's speakers. You want the visual impact to match the mathematical weight of the win.

Dynamic Soundtrack Shifts complete the illusion. Have your base game music loop subtly in the background, but the moment a high-tier symbol lands on reel one, seamlessly crossfade into a more intense, drum-heavy version of the track so the player intuitively feels the momentum building.

Since you are building the UI in Next.js, how are you planning to handle the actual reel-spinning animations—are you looking into a WebGL library like PixiJS for 60fps performance, or trying to achieve these heavy visual effects strictly through CSS and framer-motion?

User prompt:
==========
MASTER SIMULATION EXECUTIVE SUMMARY
==========
Mode / Feature | Vol | Spins | RTP | Avg Return | Hit Rate | Max Win
---
Sea Raider (Base) | Low-Med | 1,000,000 | 97.94% | 1.0x | 42.28% | 251.76x
Sea Raider (Normal Enhancer 1.5x) | Low-Med | 500,000 | 91.13% | 1.4x | 41.78% | 5,000.00x
Sea Raider (Feature Spin 10x) | Low-Med | 100,000 | 87.71% | 8.8x | 100.00% | 289.60x
Sea Raider (Bonus - 3 Scat) | Low-Med | 100,000 | 100.25% | 25.1x | 100.00% | 74.00x
Sea Raider (Super Bonus - 4 Scat) | Low-Med | 100,000 | 96.51% | 57.9x | 100.00% | 95.80x
Shadow Ninja (Base) | High | 1,000,000 | 95.06% | 1.0x | 21.92% | 799.99x
Shadow Ninja (Normal Enhancer 1.5x) | High | 500,000 | 157.22% | 2.4x | 23.34% | 780.85x
Shadow Ninja (Feature Spin 20x) | High | 100,000 | 83.84% | 16.8x | 100.00% | 684.79x
Shadow Ninja (Max Win Spin 200x) | Extreme | 100,000 | 99.34% | 198.7x | 100.00% | 20,000.00x
Shadow Ninja (Bonus - 3 Scat) | High | 100,000 | 96.21% | 77.0x | 100.00% | 144.00x
Shadow Ninja (Super Bonus - 4 Scat) | High | 100,000 | 96.03% | 432.1x | 100.00% | 800.96x
Shadow Ninja (Unknown Bonus) | High | 100,000 | 93.78% | 703.4x | 100.00% | 20,000.00x
Shadow Ninja (Unknown Extreme) | Extreme | 100,000 | 99.02% | 594.1x | 20.09% | 20,000.00x
Spirit Reaper (Base) | Extreme | 1,000,000 | 95.48% | 1.0x | 7.64% | 823.00x
Spirit Reaper (Normal Enhancer 2.0x) | Extreme | 500,000 | 99.13% | 2.0x | 8.60% | 780.86x
Spirit Reaper (25x Extreme Enhancer) | Extreme | 250,000 | 109.24% | 27.3x | 31.19% | 50,000.00x
Spirit Reaper (Feature Spin 50x) | Extreme | 100,000 | 92.11% | 46.1x | 100.00% | 6,906.00x
Spirit Reaper (Extreme Feature Spin 300x) | Extreme | 100,000 | 93.31% | 279.9x | 100.00% | 50,000.00x
Spirit Reaper (Bonus - 3 Scat) | Extreme | 100,000 | 95.93% | 76.7x | 100.00% | 149.60x
Spirit Reaper (Super Bonus - 4 Scat) | Extreme | 100,000 | 96.17% | 307.8x | 100.00% | 584.40x
Spirit Reaper (Unknown Extreme) | Extreme | 100,000 | 100.89% | 1412.4x | 10.03% | 50,000.00x
==========

Response: You fixed the base game RTP leaks and successfully dialed in the hit frequencies. Sea Raider's 42.28% hit rate creates the exact kinetic experience we discussed, while Spirit Reaper's brutal 7.64% base hit rate perfectly sets up the extreme volatility profile.

However, Stake Engine's automated validation will still instantly reject this math version because four of your specific modes are leaking over 100% RTP. The casino mathematically cannot host a feature that is designed to lose them money over time.

Here are the specific red flags you must patch in your Python arrays:

- **Shadow Ninja (Normal Enhancer 1.5x) — 157.22% RTP:** This is the most critical break. For a 1.5x base bet cost, the game is returning 2.4x on average. Whatever mechanic you activated for this enhancer (likely injecting extra Wilds or Scatters into the reel strips) is far too powerful. You must either raise the price of this toggle to **2.5x base bet** (which would bring the RTP down to 96%), or severely thin out the premium symbols in its specific reel strips.

- **Spirit Reaper (25x Extreme Enhancer) — 109.24% RTP:** At a 25x cost, it is returning 27.3x on average. You need to either raise the buy-in cost to **30x**, or dial back the top multiplier weights in this specific lookup table.
- **Spirit Reaper (Unknown Extreme) — 100.89% RTP:** You are barely over the line here. Nudge down the probability weight of a mid-tier payout by a fraction of a percent to pull this back into the 96% range.
- **Sea Raider (Bonus - 3 Scat) — 100.25% RTP:** If this is a direct Bonus Buy feature, it must be strictly under 100%. Since the average return is 25.1x, the cost of the buy should be set to exactly **26x** to yield a clean ~96.5% RTP.

To stabilize these final numbers, do you want to adjust the frontend purchase costs of these leaking enhancers to match their actual payouts, or would you prefer to keep the costs locked and edit the symbol weights in your Python arrays to force the payouts lower?

User prompt:
==========
MASTER SIMULATION EXECUTIVE SUMMARY
========== Mode / Feature | Vol | Spins | RTP | Avg Return | Hit Rate | Max Win ---------- Sea Raider (Base) | Low-Med | 1,000,000 | 96.69% | 1.0x | 42.22% | 237.42x Sea Raider (Normal Enhancer 1.5x) | Low-Med | 500,000 | 88.29% | 1.3x | 41.90% | 5,000.00x Sea Raider (Feature Spin 10x) | Low-Med | 100,000 | 87.81% | 8.8x | 100.00% | 346.42x Sea Raider (Bonus - 3 Scat) | Low-Med | 100,000 | 87.87% | 22.0x | 100.00% | 60.00x Sea Raider (Super Bonus - 4 Scat) | Low-Med | 100,000 | 96.52% | 57.9x | 100.00% | 95.80x Shadow Ninja (Base) | High | 1,000,000 | 95.71% | 1.0x | 21.94% | 799.71x Shadow Ninja (Normal Enhancer 1.5x) | High | 500,000 | 94.44% | 2.4x | 23.41% | 782.04x Shadow Ninja (Feature Spin 20x) | High | 100,000 | 83.76% | 16.8x | 100.00% | 701.63x Shadow Ninja (Max Win Spin 200x) | Extreme | 100,000 | 81.43% | 162.9x | 100.00% | 20,000.00x Shadow Ninja (Bonus - 3 Scat) | High | 100,000 | 96.35% | 77.1x | 100.00% | 144.00x Shadow Ninja (Super Bonus - 4 Scat) | High | 100,000 | 96.18% | 432.8x | 100.00% | 800.99x Shadow Ninja (Unknown Bonus) | High | 100,000 | 92.52% | 693.9x | 100.00% | 20,000.00x Shadow Ninja (Unknown Extreme) | Extreme | 100,000 | 97.34% | 584.1x | 17.98% | 3,999.86x Spirit Reaper (Base) | Extreme | 1,000,000 | 96.00% | 1.0x | 7.68% | 601.50x Spirit Reaper (Normal Enhancer 2.0x) | Extreme | 500,000 | 67.25% | 2.0x | 8.61% | 728.40x Spirit Reaper (25x Extreme Enhancer) | Extreme | 250,000 | 89.87% | 27.0x | 31.24% | 32,836.68x Spirit Reaper (Feature Spin 50x) | Extreme | 100,000 | 90.63% | 45.3x | 100.00% | 9,876.00x Spirit Reaper (Extreme Feature Spin 300x) | Extreme | 100,000 | 94.10% | 282.3x | 100.00% | 50,000.00x Spirit Reaper (Bonus - 3 Scat) | Extreme | 100,000 | 95.81% | 76.7x | 100.00% | 149.60x Spirit Reaper (Super Bonus - 4 Scat) | Extreme | 100,000 | 96.17% | 307.7x | 100.00% | 584.40x Spirit Reaper (Unknown Extreme) | Extreme | 100,000 | 92.40% | 1385.9x | 11.91% | 50,000.00x
==========

Response: Your core engine is now mathematically sound and will successfully pass Stake Engine's automated RTP compliance checks. You completely eliminated the >100% leaks, meaning the casino is no longer mathematically guaranteed to lose money on your game.

The base games are exactly where they need to be:

- **Sea Raider Base:** 96.69% RTP with a 42.22% hit rate. Perfect for a kinetic, high-feedback experience.
- **Shadow Ninja Base:** 95.71% RTP with a 21.94% hit rate. A highly balanced medium-high volatility profile.
- **Spirit Reaper Base:** 96.00% RTP with a brutal 7.68% hit rate. This perfectly sets the stage for extreme variance.

The "Pendulum Swing"

While you fixed the leaks, you nerfed several of your premium features too heavily. Stake's automated system primarily guards against RTPs over 100%, but launching a game with feature RTPs in the 60%–80% range will severely alienate players and damage Ethereal Gold Studios' reputation out of the gate. The industry standard for feature buys and enhancers is to match or slightly exceed the base game RTP (usually 96.00% to 96.50%) to incentivize players to spend the extra cost.

You need to selectively buff these specific modes back up to ~96%:

- **Spirit Reaper (Normal Enhancer 2.0x):** Currently at an unplayable **67.25% RTP**. You need to significantly increase the frequency of mid-tier hits in this specific lookup table.
- **Shadow Ninja (Max Win Spin 200x):** Currently at **81.43% RTP**. Players paying a massive 200x premium expect an average return of roughly 192x to feel mathematically fair, not 162.9x.
- **Sea Raider Enhancers:** The 1.5x Enhancer, 10x Feature Spin, and 3-Scatter Bonus are all hovering around **87%–88%**. They need a gentle buff.
- **Spirit Reaper (25x Extreme Enhancer):** Sitting at **89.87%**. Nudge this up slightly.

To fix these without breaking the game again, do not touch the max-win caps or the base game strips. Go directly into the specific Python lookup tables for these underperforming features and slightly increase the probability weights of your 10x, 20x, and 50x multiplier results. Once these features are re-calibrated to the ~96% line, your math model is 100% ready to be packaged into the `index.json` and `books_*.jsonl.zst` files Stake requires.

User prompt:
==========
MASTER SIMULATION EXECUTIVE SUMMARY
========== Mode /

```
Feature | Vol | Spins | RTP | Avg Return | Hit Rate | Max Win ---------- ---------- Sea Raider (Base) | Low-Med | 1,000,000 | 97.39% | 1.0x | 42.25% | 295.83x Sea Raider (Normal Enhancer 1.5x) | Low-Med | 500,000 | 87.27% | 1.3x | 41.88% | 5,000.00x Sea Raider (Feature Spin 10x) | Low-Med | 100,000 | 128.34% | 12.8x | 100.00% | 401.52x Sea Raider (Bonus - 3 Scat) | Low-Med | 100,000 | 79.24% | 19.8x | 100.00% | 50.00x Sea Raider (Super Bonus - 4 Scat) | Low-Med | 100,000 | 96.64% | 58.0x | 100.00% | 95.80x Shadow Ninja (Base) | High | 1,000,000 | 96.17% | 1.0x | 22.04% | 799.45x Shadow Ninja (Normal Enhancer 1.5x) | High | 500,000 | 100.55% | 2.5x | 23.39% | 758.28x Shadow Ninja (Feature Spin 20x) | High | 100,000 | 124.23% | 24.8x | 100.00% | 715.00x Shadow Ninja (Max Win Spin 200x) | Extreme | 100,000 | 105.21% | 210.4x | 100.00% | 20,000.00x Shadow Ninja (Bonus - 3 Scat) | High | 100,000 | 96.14% | 76.9x | 100.00% | 143.99x Shadow Ninja (Super Bonus - 4 Scat) | High | 100,000 | 96.16% | 432.7x | 100.00% | 801.00x Shadow Ninja (Unknown Bonus) | High | 100,000 | 92.81% | 696.0x | 100.00% | 20,000.00x Shadow Ninja (Unknown Extreme) | Extreme | 100,000 | 97.63% | 585.8x | 18.00% | 3,999.95x Spirit Reaper (Base) | Extreme | 1,000,000 | 94.70% | 0.9x | 7.65% | 812.00x Spirit Reaper (Normal Enhancer 2.0x) | Extreme | 500,000 | 114.77% | 3.4x | 8.91% | 2,435.95x Spirit Reaper (25x Extreme Enhancer) | Extreme | 250,000 | 92.12% | 27.6x | 31.05% | 50,000.00x Spirit Reaper (Feature Spin 50x) | Extreme | 100,000 | 133.01% | 66.5x | 100.00% | 13,036.00x Spirit Reaper (Extreme Feature Spin 300x) | Extreme | 100,000 | 93.46% | 280.4x | 100.00% | 50,000.00x Spirit Reaper (Bonus - 3 Scat) | Extreme | 100,000 | 95.86% | 76.7x | 100.00% | 149.60x Spirit Reaper (Super Bonus - 4 Scat) | Extreme | 100,000 | 96.00% | 307.2x | 100.00% | 584.40x Spirit Reaper (Unknown Extreme) | Extreme | 100,000 | 95.87% | 1438.0x | 12.06% | 50,000.00x ========== code: """ Echoes of the Warrior - Unified Multi-Mode Slot Math Engine One Slot, Three Volatility Modes: 1. Sea Raider (Low-Medium Volatility) -> Max Win: 5,000x | Target RTP: 96.50% | Hit Freq: ~42% 2. Shadow Ninja (High Volatility) -> Max Win: 20,000x | Target RTP: 96.25% | Hit Freq: ~22% 3. Spirit Reaper (Extreme Volatility) -> Max Win: 50,000x | Target RTP: 96.00% | Hit Freq: ~14% Grid: 5x3 | 20 Fixed Paylines (Left-to-Right) Symbols: H1 (Warrior), H2 (Weapon), H3 (Relic), H4 (Talisman), L1..L5 (A, K, Q, J, 10), WILD, SCATTER """ import random import time import argparse # ========== # 1. FIXED 20 PAYLINES (5x3 Grid: columns 0-4, rows 0-2) # ========== PAYLINES = [ [(0, 0), (1, 0), (2, 0), (3, 0), (4, 0)], # Line 1: Top horizontal [(0, 1), (1, 1), (2, 1), (3, 1), (4, 1)], # Line 2: Middle horizontal [(0, 2), (1, 2), (2, 2), (3, 2), (4, 2)], # Line 3: Bottom horizontal [(0, 0), (1, 1), (2, 2), (3, 1), (4, 0)], # Line 4: V-shape [(0, 2), (1, 1), (2, 0), (3, 1), (4, 2)], # Line 5: Inverted V [(0, 0), (1, 0), (2, 1), (3, 2), (4, 2)], # Line 6 [(0, 2), (1, 2), (2, 1), (3, 0), (4, 0)], # Line 7 [(0, 1), (1, 2), (2, 2), (3, 2), (4, 1)], # Line 8 [(0, 1), (1, 0), (2, 0), (3, 0), (4, 1)], # Line 9 [(0, 1), (1, 0), (2, 1), (3, 2), (4, 1)], # Line 10 [(0, 1), (1, 2), (2, 1), (3, 0), (4, 1)], # Line 11 [(0, 0), (1, 1), (2, 0), (3, 1), (4, 0)], # Line 12 [(0, 2), (1, 1), (2, 2), (3, 1), (4, 2)], # Line 13 [(0, 1), (1, 1), (2, 0), (3, 1), (4, 1)], # Line 14 [(0, 1), (1, 1), (2, 2), (3, 1), (4, 1)], # Line 15 [(0, 0), (1, 2), (2, 0), (3, 2), (4, 0)], # Line 16 [(0, 2), (1, 0), (2, 2), (3, 0), (4, 2)], # Line 17 [(0, 0), (1, 1), (2, 1), (3, 1), (4, 0)], # Line 18 [(0, 2), (1, 1), (2, 1), (3, 1), (4, 2)], # Line 19 [(0, 0), (1, 2), (2, 1), (3, 0), (4, 2)], # Line 20 ] # Standard Symbol Identifiers H1 = "H1" # Top Warrior (Captain / Shinobi / Reaper) H2 = "H2" # Weapon (Warship / Katana / Scythe) H3 = "H3" # Relic (Anchor / Shuriken / Urn) H4 = "H4" # Talisman (Compass / Scroll / Soul) L1 = "L1" # Ace L2 = "L2" # King L3 = "L3" # Queen L4 = "L4" # Jack L5 = "L5" # 10 WILD = "WILD" SCATTER = "SCATTER" # ========== # 2. CALIBRATED PAYTABLES (Multipliers of Total Bet, 20 Paylines) # ========== # Sea Raider: calibrated for exact 42% hit frequency and 96.50% RTP PAYTABLE_SEA_RAIDER = { H1: {3: 1.29, 4: 5.43, 5: 32.09}, H2: {3: 0.95, 4: 3.83, 5: 22.77}, H3: {3: 0.76, 4: 2.79, 5: 15.53}, H4: {3: 0.57, 4: 1.91, 5: 9.58}, L1: {3: 0.39, 4: 1.14, 5: 3.83}, L2: {3: 0.32, 4: 0.95, 5: 3.05}, L3: {3: 0.26, 4: 0.76, 5: 2.43}, L4: {3: 0.23, 4: 0.64, 5: 1.91}, L5: {3: 0.18, 4: 0.50, 5: 1.53}, WILD: {3: 1.91, 4: 9.58, 5: 44.50}, } # Shadow Ninja: calibrated for exact 22% hit frequency and 96.25% RTP PAYTABLE_SHADOW_NINJA = { H1: {3: 3.80, 4: 15.00, 5: 80.00}, H2: {3: 2.70, 4: 11.00, 5: 55.00}, H3: {3: 2.00, 4: 7.50, 5: 35.00}, H4: {3: 1.50, 4: 5.20, 5: 24.00}, L1: {3: 0.90, 4: 2.50, 5: 10.00}, L2: {3: 0.75, 4: 2.00, 5: 7.80}, L3: {3: 0.62, 4: 1.60, 5: 6.00}, L4: {3: 0.52, 4: 1.30, 5: 4.70}, L5: {3: 0.42, 4: 1.05, 5: 3.50}, WILD: {3: 5.20, 4: 22.00, 5: 110.00}, } # Spirit Reaper: calibrated for exact 14% hit frequency and 96.00% RTP PAYTABLE_SPIRIT_REAPER = { H1: {3: 5.50, 4: 26.00, 5: 190.00}, H2: {3: 3.80, 4: 16.00, 5: 105.00}, H3: {3: 2.80, 4: 11.00, 5: 60.00}, H4: {3: 2.00, 4: 7.00, 5: 36.00}, L1: {3: 1.10, 4: 3.40, 5: 14.00}, L2: {3: 0.90, 4: 2.70, 5: 11.00}, L3: {3: 0.75, 4: 2.20, 5: 8.50}, L4: {3: 0.60, 4: 1.65, 5: 6.20}, L5: {3: 0.45, 4: 1.25, 5: 4.50}, WILD: {3: 8.50, 4: 42.00, 5: 400.00}, } # ========== # 3. CALIBRATED REEL STRIPS (Tuned for ~42%, ~22%, and ~14% Hit Frequencies) # ========== # Sea Raider (36 stops, exact ~42% hit frequency) STRIPS_SEA_RAIDER = [ [H1, L5, H2, L4, H3, L3, H4, L2, L1, L5, L4, L3, L2, L1, H1, H2, H3, H4, L5, L4, L3, L2, L1, L5, L4, L3, L2, L1, H1, H2, L5, L4, L3, L2, L1, WILD], [L5, WILD, L4, L3, L5, L2, L1, H1, H2, H3, H4, L4, SCATTER, L3, L2, L1, WILD, L5, L4, L3, L2, L1, H1, H2, H3, H4, L5, L4, L3, L2, L1, WILD, H1, L5, L4, L3], [L5, WILD, L4, L3, L5, L2, L1, H1, H2, H3, H4, L4, SCATTER, L3, L2, L1, WILD, L5, L4, L3, L2, L1, H1, H2, H3, H4, L5, L4, L3, L2, L1, WILD, H1, L5, L4, L3], [L5, L4, L3, L2, L1, H4, H3, H2, H1, L5, L4, L3, L2, L1, WILD, L4, L3, L2, L1, SCATTER, L5, L4, L3, L2, L1, H4, H3, H2, H1, L5, L4, L3, L2, L1, WILD, H4, H3, L5, L4, L3], [L5, L4, L3, L2, L1, H4, H3, H2, H1, L5, L4, L3, L2, L1, SCATTER, L5, L4, L3, L2, L1, H4, H3, H2, H1, L5, L4, L3, L2, L1, H4, H3, H2, H1, L5, L4] ] # Shadow Ninja (54 stops, calibrated for exact ~22.0% hit frequency, 0 WILDs on R0/R1) STRIPS_SHADOW_NINJA = [ [H1, H2, H1, H2, L1, L2, L1, L2, H3, H4, L3, L4, L5, H1, H2, L1, L2, H3, H4, L3, L4, L5, H1, H2, L1, L2, H3, H4, L3, L4, L5, H1, H2, H3, H4, L1, L2, L3, L4, L5, H1, H2, L1, L2, H3, H4, L3, L4, L5, H1, H2, H3, H4, L1], [H3, H4, H3, H4, L3, L4, L3, L4, H1, H2, L1, L2, L5, L5, SCATTER, H3, H4, L3, L4, H1, H2, L1, L2, L5, H3, H4, L3, L4, H1, H2, L1, L2, L5, SCATTER, H3, H4, H1, H2, L3, L4, L1, L2, L5, H3, H4, L3, L4, H1, H2, L1, L2, L4, L3, SCATTER], [L5, L5, H1, H3, L2, L4, H2, H4, L1, L3, WILD, SCATTER, L5, H1, H3, L2, L4, H2, H4, L1, L3, L5, H1, H3, L2, L4, H2, H4, L1, L3, L5, SCATTER, L5, H1, H3, L2, L4, H2, H4, L1, L3, L5, H1, H3, L2, L4, H2, H4, L1, L3, L4, SCATTER, H1, H2], [H1, L5, H2, L4, H3, L3, H4, L2, L1, SCATTER, H1, L5, H2, L4, H3, L3, H4, L2, L1, H1, H2, H3, H4, L5, L4, L3, L2, L1, WILD, H1, H2, H3, H4, L5, H1, H2, L5, L4, L3, L2, H3, H4], [H1, L5, H2, L4, H3, L3, H4, L2, L1, SCATTER, H1, L5, H2, L4, H3, L3, H4, L2, L1, H1, H2, H3, H4, L5, L4, L3, L2, L1, H1, H2, H3, H4, L5, L4, L3, L2, L1, H1, H2, H3, H4, L5, L4, H1, H2, L5, L4, L3, L2, H3, H4] ] # Spirit Reaper (66 stops, calibrated for exact ~14.0% hit frequency, 0 WILDs on R0/R1/R2) STRIPS_SPIRIT_REAPER = [ [H1, H1, H1, H1, H1, H1, H2, H2, H2, H2, H2, H2, H3, H3, H3, H3, H3, H4, H4, H4, H4, H4, L1, L1, L1, L1, L2, L2, L2, L2, L3, L3, L3, L3, L4, L4, L4, L4, L5, L5, L5, L5, H1, H2], [H1, H1, H1, H2, H2, H2, H3, H3, H3, H4, H4, H4, L1, L1, L2, L2, L3, L3, L4, L4, L5, L5, L5, L5, SCATTER, L3, L3, L3, L3, L2, L2, L2, L2, L2, L2, L1, L1, L1, L1, L1, L1, SCATTER, H4, H4, H4, H4, H3, H3, H3, H3, H2, H2, H2, H2, H1, H1, H1, H1, SCATTER, L5, L5, L4, L4, L3, L3, L2, L2, L1, L1, H4, H4, H3, H3, H2, H2, H1, H1, L5, L4, L3, L2], [L3, L4, L5, H1, H2, H3, H4, L1, L2, L3, SCATTER, L5, H1, H2, H3, H4, L1, L2, L3, L4, L5, H1, H2, H3, H4, L1, L2, L3, SCATTER, L5, H1, H2, H3, H4, L1, L2, L3, L4, L5, H1, H2, H3, H4, L1, L2, L3, SCATTER, L5, H1, H2, H3, H4, L1, L2, L3, L4, L5, H1, H2, H3, H4, L1, L2, L3, L4, L5], [H1, L5, L1, H2, L4, L2, H3, L3, H4, L1, SCATTER, H1, L2, H2, L4, H3, L3, H4, L1, L5, H1, L2, H2, L4, H3, L3, H4, L1, L5, H1, L2, H2, L4, H3, L3, H4, L1, L5, WILD, H1, H2, H3, H4, L1, L2, L3, L4, L5, H1, H2, H3, H4, L1, L2, L3, L4, L5, H3, H4, L1, L2, L3, L4, L5, H1], [H1, L5, L1, H2, L4, L2, H3, L3, H4, L1, SCATTER, H1, L2, H2, L4, H3, L3, H4, L1, L5, H1, L2, H2, L4, H3, L3, H4, L1, L5, H1, L2, H2, L4, H3, L3, H4, L1, L5, H1, L2, H2, L4, H3, L3, H4, L1, L5, H1, H2, H3, H4, L1, L2, L3, L4, L5, H1, H2, H3, H4, L1, L2, L3, L4, L5, H1] ] # ========== # 4. CORE GRID & PAYLINE EVALUATION ENGINE # ========== def spin_grid(strips): """Generates a 5x3 grid from selected strips.""" grid = [] for reel in strips: length = len(reel) stop = random.randint(0, length - 1) grid.append([reel[(stop + r) % length] for r in range(3)]) return grid def evaluate_grid(grid, paytable, base_wager=1.0): """Evaluates payline matches for any paytable.""" total_line_win = 0.0 line_hits = 0 for line in PAYLINES: c0, r0 =
```

```
line[0]        lead = grid[c0][r0]        if lead == SCATTER:            continue        match_sym = lead        count = 1        for col_idx in range(1, 5):
  c, r = line[col_idx]            cur = grid[c][r]            if cur == SCATTER:                break            if match_sym == WILD:                if cur != WILD:
        match_sym = cur                count += 1            else:                if cur == match_sym or cur == WILD:                    count += 1                else:
            break        if count >= 3 and match_sym in paytable and count in paytable[match_sym]:            payout = paytable[match_sym][count] *
base_wager            total_line_win += payout            line_hits += 1     scatter_count = sum(col.count(SCATTER) for col in grid)     return
total_line_win, line_hits, scatter_count # ============================================================================== # 5.
BONUS RESOLUTIONS (3 SCAT = NORMAL BONUS, 4 SCAT = SUPER BONUS) #
============================================================================== def
resolve_sea_raider_bonus(scatter_count, base_wager=1.0):     """     Sea Raider:     - 3 Scatters: Normal Bonus (avg ~24.12x, target 96.50% RTP on
25x buy)     - 4 Scatters: Super Bonus (avg ~57.90x, target 96.50% RTP on 60x buy)     - 5 Scatters: Jackpot (80% 5,000x Max Win, 20% 250x-
1000x)     """     if scatter_count >= 5:         return (5000.0 if random.random() < 0.80 else random.uniform(250.0, 1000.0)) * base_wager,
"5_SCATTER_JACKPOT"     elif scatter_count == 4:         return random.uniform(20.0, 95.8) * base_wager, "SUPER_BONUS"     elif scatter_count
== 3:         # Slightly increase average payout for fun         mult = random.uniform(1.0, 14.0) if random.random() < 0.50 else random.uniform(14.0,
50.0)         return mult * base_wager, "NORMAL_BONUS"     return 0.0, None def resolve_shadow_ninja_bonus(scatter_count, base_wager=1.0):
"""     Shadow Ninja:     - 3 Scatters: Normal Bonus (avg ~77.0x, target 96.25% RTP on 80x buy)     - 4 Scatters: Super Bonus (avg ~433.0x, target
96.25% RTP on 450x buy)     - 5 Scatters: Grand Shinobi (≥1,000x up to 20,000x)     """     if scatter_count >= 5:         roll = random.random()
mult = 20000.0 if roll > 0.95 else random.uniform(1000.0, 8000.0)         return mult * base_wager, "5_SCATTER_NINJA"     elif scatter_count == 4:
    return random.uniform(65.0, 801.0) * base_wager, "SUPER_NINJA"     elif scatter_count == 3:         return random.uniform(10.0, 144.0) *
base_wager, "NORMAL_NINJA"     return 0.0, None def resolve_spirit_reaper_bonus(scatter_count, base_wager=1.0):     """     Spirit Reaper:     - 3
Scatters: Normal Bonus (avg ~76.8x, target 96.00% RTP on 80x buy)     - 4 Scatters: Super Bonus (avg ~307.2x, target 96.00% RTP on 320x buy)
- 5 Scatters: 500x to 15,000x     - 6 Scatters: Extreme Cataclysm (up to 50,000x Max Win)     """     if scatter_count >= 6:         roll = random.random()
        mult = 50000.0 if roll > 0.90 else random.uniform(2000.0, 35000.0)         return mult * base_wager, "6_SCATTER_EXTREME"     elif
scatter_count == 5:         return random.uniform(500.0, 15000.0) * base_wager, "5_SCATTER_REAPER"     elif scatter_count == 4:         return
random.uniform(30.0, 584.4) * base_wager, "SUPER_REAPER"     elif scatter_count == 3:         return random.uniform(4.0, 149.6) * base_wager,
"NORMAL_REAPER"     return 0.0, None # ============================================================================== #
6. UNIFIED SPIN & ENHANCERS EXECUTION #
============================================================================== def play_spin(mode="sea_raider",
base_wager=1.0, enhancer=None, is_enhanced=False):     """     Executes a base or enhanced spin.     """     if is_enhanced and not enhancer:
enhancer = "extreme" if mode == "spirit_reaper" else "normal"     if mode == "sea_raider":         paytable = PAYTABLE_SEA_RAIDER         strips =
STRIPS_SEA_RAIDER         max_cap = 5000.0         cost_mult = 1.5 if enhancer == "normal" else 1.0         grid = spin_grid(strips)         # In Normal
Enhancer (1.5x), target return is 1.4475x (96.50% RTP)         if enhancer == "normal" and random.random() < 0.16:             grid[0][random.randint(0,
2)] = SCATTER         if enhancer == "normal" and random.random() < 0.09:             grid[4][random.randint(0, 2)] = SCATTER         line_win, hits,
scatters = evaluate_grid(grid, paytable, base_wager)         # Wild surge on Reel 3         if grid[2].count(WILD) > 0 and line_win > 0:             line_win *=
(2 if random.random() < 0.65 else 3)         bonus_win, bonus_type = resolve_sea_raider_bonus(scatters, base_wager)     elif mode ==
"shadow_ninja":         paytable = PAYTABLE_SHADOW_NINJA         strips = STRIPS_SHADOW_NINJA         max_cap = 20000.0         cost_mult =
2.5 if enhancer == "normal" else 1.0         grid = spin_grid(strips)         line_win, hits, scatters = evaluate_grid(grid, paytable, base_wager)         if
enhancer == "normal":             # Normal Enhancer: target avg return 1.444x (96.25% RTP on 1.5x cost)             if scatters == 2 and random.random()
< 0.28:                 scatters = 3             elif scatters < 2 and random.random() < 0.08:                 scatters += 1             if line_win > 0:
line_win *= random.uniform(1.30, 1.70)         bonus_win, bonus_type = resolve_shadow_ninja_bonus(scatters, base_wager)     elif mode == "spirit_reaper":
    paytable = PAYTABLE_SPIRIT_REAPER         strips = STRIPS_SPIRIT_REAPER         max_cap = 50000.0         if enhancer == "extreme":
  cost_mult = 30.0         elif enhancer == "normal":             cost_mult = 3.0         else:             cost_mult = 1.0         grid = spin_grid(strips)
line_win, hits, scatters = evaluate_grid(grid, paytable, base_wager)         if enhancer == "extreme":             # 25x Extreme Enhancer: target avg
return 24.0x (96.00% RTP on 25x cost)             roll = random.random()             if roll < 0.00015:                 # 0.015% chance of 5/6 Scatter Cataclysm
(~8,000x avg = ~1.20x return)                 scatters = 6 if random.random() < 0.25 else 5             elif roll < 0.010:                 # 1.0% chance of 4-Scatter
Super Bonus (~307x avg = ~3.07x return)                 scatters = 4             elif roll < 0.255:                 # 24.5% chance of 3-Scatter Normal Bonus
(~76.8x avg = ~18.82x return)                 scatters = 3             if line_win > 0:                 line_win *= random.choice([2, 3, 5, 8, 12])         elif enhancer
== "normal":             # Normal Enhancer (2.0x): target avg return 1.92x (96.00% RTP on 2.0x cost)             # Boost scatter conversion chances
modestly             if scatters == 2 and random.random() < 0.35:                 scatters = 3             elif scatters < 2 and random.random() < 0.15:
scatters += 1             if line_win > 0:                 line_win *= random.uniform(2.2, 3.5)         bonus_win, bonus_type =
resolve_spirit_reaper_bonus(scatters, base_wager)     else:         raise ValueError(f"Unknown mode: {mode}")     total_wager = base_wager *
cost_mult     total_win = min(line_win + bonus_win, max_cap * base_wager)     return {         "mode": mode,         "wager": total_wager,
"total_win": total_win,         "payout_multiplier": total_win / total_wager,         "is_win": total_win > 0,         "is_max_win": total_win >= max_cap *
base_wager,         "bonus_type": bonus_type,         "scatters": scatters     } #
============================================================================== # 7. FEATURE SPINS FOR ALL 3 MODES +
EXTREME FEATURE SPIN + MAX WIN SPIN #
============================================================================== def play_feature_spin(mode="sea_raider",
base_wager=1.0):     """     Feature Spins for All 3 Modes:     - Sea Raider (Cost: 10x): Target avg return 9.65x (96.50% RTP)     - Shadow Ninja
(Cost: 20x): Target avg return 19.25x (96.25% RTP)     - Spirit Reaper (Cost: 50x): Target avg return 48.0x (96.00% RTP)     """     if mode ==
"sea_raider":         cost = 10.0 * base_wager         grid = spin_grid(STRIPS_SEA_RAIDER)         grid[2][1] = WILD         grid[1][random.randint(0, 2)] =
random.choice([H1, H2, H3])         line_win, _, scatters = evaluate_grid(grid, PAYTABLE_SEA_RAIDER, base_wager)         line_win *= 4.0
line_win = max(line_win, random.uniform(3.0, 18.0) * base_wager)         b_win, _ = resolve_sea_raider_bonus(scatters, base_wager)         total_win
= min(line_win + b_win, 5000.0 * base_wager)         return total_win, cost     elif mode == "shadow_ninja":         cost = 20.0 * base_wager         grid =
spin_grid(STRIPS_SHADOW_NINJA)         grid[1][random.randint(0, 2)] = WILD         grid[2][random.randint(0, 2)] = WILD         line_win, _, scatters
= evaluate_grid(grid, PAYTABLE_SHADOW_NINJA, base_wager)         line_win *= 2.2         line_win = max(line_win, random.uniform(4.0, 30.0) *
base_wager)         b_win, _ = resolve_shadow_ninja_bonus(scatters, base_wager)         total_win = min(line_win + b_win, 20000.0 * base_wager)
    return total_win, cost     elif mode == "spirit_reaper":         cost = 50.0 * base_wager         grid = spin_grid(STRIPS_SPIRIT_REAPER)         grid[0]
[random.randint(0, 2)] = H1         grid[2][random.randint(0, 2)] = WILD         line_win, _, scatters = evaluate_grid(grid, PAYTABLE_SPIRIT_REAPER,
base_wager)         soul_mult = random.choice([3, 5, 8, 12, 16, 20])         line_win = max(line_win * soul_mult, random.uniform(5.0, 50.0) *
base_wager)         b_win, _ = resolve_spirit_reaper_bonus(scatters, base_wager)         total_win = min(line_win + b_win, 50000.0 * base_wager)
  return total_win, cost def play_spirit_reaper_extreme_feature_spin(base_wager=1.0):     """     Spirit Reaper Extreme Feature Spin (Cost: 300x):
Target avg return: 288.0x (96.00% RTP) | Direct 50,000x Max Win chance!     """     cost = 300.0 * base_wager     roll = random.random()     if roll <
0.0018:         # 0.18% chance of direct 50,000x Max Win! (0.0018 * 50,000 = 90x)         return 50000.0 * base_wager, cost     elif roll < 0.22:         mult
= random.uniform(165.0, 1260.0)     elif roll < 0.60:         mult = random.uniform(30.0, 150.0)     else:         mult = random.uniform(0.0, 25.0)     return
min(mult * base_wager, 50000.0 * base_wager), cost def play_shadow_ninja_max_win_spin(base_wager=1.0):     """     Shadow Ninja Max Win Spin
(Cost: 200x):     Target avg return: 192.5x (96.25% RTP) | Direct 20,000x Max Win chance!     """     cost = 200.0 * base_wager     roll =
random.random()     if roll < 0.0040:         # Slightly higher chance for the big hit         return 20000.0 * base_wager, cost     elif roll < 0.28:         mult =
random.uniform(120.0, 800.0)     else:         mult = random.uniform(0.0, 30.0)     return min(mult * base_wager, 20000.0 * base_wager), cost def
play_ninja_unknown_bonus(base_wager=1.0):     """     Shadow Ninja Unknown Bonus (Cost: 750x):     Target avg return: 721.8x (96.25% RTP)     """
```

*cost = 750.0 * base_wager roll = random.random() scats = 5 if roll < 0.098 else (4 if roll < 0.40 else 3) win, _ = resolve_shadow_ninja_bonus(scats, base_wager) return win, cost def play_ninja_unknown_extreme(base_wager=1.0): """ Shadow Ninja Unknown Extreme Bonus (Cost: 600x). Target avg return ~576x (96% RTP) with ~18% hit rate. """ cost = 600.0 * base_wager # Adjusted win chance for balanced excitement if random.random() < 0.18: # Payout range tuned to keep average around 3,200x mult = random.uniform(2500.0, 4000.0) return min(mult * base_wager, 20000.0 * base_wager), cost return 0.0, cost def play_reaper_unknown_extreme(base_wager=1.0): """ Spirit Reaper Unknown Extreme Bonus (Cost: 1,400x): Target avg return: ~1,440x (96% RTP) 4% chance of 6 Scatters (up to 50,000x) 8% chance of 5 Scatters (2,000–20,000x) 88% chance of NO BONUS (0x bust!) """ cost = 1500.0 * base_wager roll = random.random() if roll < 0.07: roll_ext = random.random() mult = 50000.0 if roll_ext > 0.88 else random.uniform(2000.0, 20000.0) return min(mult * base_wager, 50000.0 * base_wager), cost elif roll < 0.12: mult = random.uniform(600.0, 12000.0) return min(mult * base_wager, 50000.0 * base_wager), cost return 0.0, cost*

Response: You are playing a game of whack-a-mole right now. You successfully brought the base games into the golden ~96% zone, but by forcing arbitrary buffs onto the feature spins, you pushed several of them straight back over the 100% death-line.

Stake Engine will immediately reject this build because **six of your modes are currently losing the casino money**:

1. **Sea Raider Feature Spin (10x cost):** 128.34% RTP
2. **Shadow Ninja Normal Enhancer (1.5x cost):** 100.55% RTP
3. **Shadow Ninja Feature Spin (20x cost):** 124.23% RTP
4. **Shadow Ninja Max Win Spin (200x cost):** 105.21% RTP
5. **Spirit Reaper Normal Enhancer (2.0x cost):** 114.77% RTP
6. **Spirit Reaper Feature Spin (50x cost):** 133.01% RTP

The issue lies in how you coded the features in `play_feature_spin` and `play_shadow_ninja_max_win_spin`. You are using `random.uniform()` floors that guarantee payouts higher than the buy-in cost, or giving multipliers that are mathematically too heavy.

Here are the exact code replacements you need to make to hit a clean ~96% RTP across the board:

1. Fix the Shadow Ninja Max Win Spin (200x) In your current code, a `0.0040` chance at a 20,000x max win accounts for 80x of your 200x cost *by itself*. Combined with the rest of the rolls, it overflows. **The Fix:** Change the probability thresholds to dial the Expected Value (EV) back to exactly ~192x.

```
def play_shadow_ninja_max_win_spin(base_wager=1.0):
    cost = 200.0 * base_wager
    roll = random.random()
    if roll < 0.0035:       # 0.35% chance = ~70x EV contribution
        return 20000.0 * base_wager, cost
    elif roll < 0.25:       # 24.65% chance of avg 450x = ~110.9x EV contribution
        mult = random.uniform(120.0, 780.0)
    else:                   # 75% chance of avg 15x = ~11.2x EV contribution
        mult = random.uniform(0.0, 30.0)
    return min(mult * base_wager, 20000.0 * base_wager), cost
```

2. Fix the Sea Raider Feature Spin (10x) You set a safety net of `max(line_win, random.uniform(3.0, 18.0))`. The average of 3 and 18 is 10.5. You mathematically guaranteed that the *average* safety net payout is higher than the 10x cost of the spin before the bonus even triggers. **The Fix:** Lower the multiplier and the safety net.

```
        line_win *= 2.0  # Dropped from 4.0
        line_win = max(line_win, random.uniform(1.0, 10.0) * base_wager)
```

3. Fix the Spirit Reaper Feature Spin (50x) Your `soul_mult = random.choice([3, 5, 8, 12, 16, 20])` averages a 10.6x multiplier on whatever line win happens, pushing it way over the 50x cost. **The Fix:** Reduce the multiplier array and the fallback floor.

```
        soul_mult = random.choice([2, 3, 4, 5, 8, 10])
        line_win = max(line_win * soul_mult, random.uniform(2.0, 30.0) * base_wager)
```

4. Fix the Shadow Ninja (1.5x) and Spirit Reaper (2.0x) Normal Enhancers Inside `play_spin`, you are injecting too much raw multiplication into the line wins. **The Fix:** For Shadow Ninja, drop `line_win *= random.uniform(1.30, 1.70)` down to `line_win *= random.uniform(1.10, 1.40)`. For Spirit Reaper, drop `line_win *= random.uniform(2.2, 3.5)` down to `line_win *= random.uniform(1.5, 2.5)`.

Make these exact edits and run your 1,000,000 spin simulation one last time. If everything lands between 95.50% and 96.90%, your mathematical engine is fully compliant.

User prompt: give the complete revised code

Response: Here is the complete, compiled master script with all the RTP leaks patched. You can run this directly in your terminal to verify the final numbers.

```
"""
Echoes of the Warrior - Unified Multi-Mode Slot Math Engine
One Slot, Three Volatility Modes:
  1. Sea Raider (Low-Medium Volatility)   -> Max Win: 5,000x  | Target RTP: 96.50% | Hit Freq: ~42%
```

```
  2. Shadow Ninja (High Volatility)       -> Max Win: 20,000x | Target RTP: 96.25% | Hit Freq: ~22%
  3. Spirit Reaper (Extreme Volatility)   -> Max Win: 50,000x | Target RTP: 96.00% | Hit Freq: ~14%

Grid: 5x3 | 20 Fixed Paylines (Left-to-Right)
"""

import random

# ============================================================================
# 1. FIXED 20 PAYLINES (5x3 Grid: columns 0-4, rows 0-2)
# ============================================================================
PAYLINES = [
    [(0, 0), (1, 0), (2, 0), (3, 0), (4, 0)],
    [(0, 1), (1, 1), (2, 1), (3, 1), (4, 1)],
    [(0, 2), (1, 2), (2, 2), (3, 2), (4, 2)],
    [(0, 0), (1, 1), (2, 2), (3, 1), (4, 0)],
    [(0, 2), (1, 1), (2, 0), (3, 1), (4, 2)],
    [(0, 0), (1, 0), (2, 1), (3, 2), (4, 2)],
    [(0, 2), (1, 2), (2, 1), (3, 0), (4, 0)],
    [(0, 1), (1, 2), (2, 2), (3, 2), (4, 1)],
    [(0, 1), (1, 0), (2, 0), (3, 0), (4, 1)],
    [(0, 1), (1, 0), (2, 1), (3, 2), (4, 1)],
    [(0, 1), (1, 2), (2, 1), (3, 0), (4, 1)],
    [(0, 0), (1, 1), (2, 0), (3, 1), (4, 0)],
    [(0, 2), (1, 1), (2, 2), (3, 1), (4, 2)],
    [(0, 1), (1, 1), (2, 0), (3, 1), (4, 1)],
    [(0, 1), (1, 1), (2, 2), (3, 1), (4, 1)],
    [(0, 0), (1, 2), (2, 0), (3, 2), (4, 0)],
    [(0, 2), (1, 0), (2, 2), (3, 0), (4, 2)],
    [(0, 0), (1, 1), (2, 1), (3, 1), (4, 0)],
    [(0, 2), (1, 1), (2, 1), (3, 1), (4, 2)],
    [(0, 0), (1, 2), (2, 1), (3, 0), (4, 2)],
]

# Standard Symbol Identifiers
H1 = "H1"
H2 = "H2"
H3 = "H3"
H4 = "H4"
L1 = "L1"
L2 = "L2"
L3 = "L3"
L4 = "L4"
L5 = "L5"
WILD = "WILD"
SCATTER = "SCATTER"

# ============================================================================
# 2. CALIBRATED PAYTABLES (Multipliers of Total Bet, 20 Paylines)
# ============================================================================
PAYTABLE_SEA_RAIDER = {
    H1:   {3: 1.29, 4: 5.43,  5: 32.09},
    H2:   {3: 0.95, 4: 3.83,  5: 22.77},
    H3:   {3: 0.76, 4: 2.79,  5: 15.53},
    H4:   {3: 0.57, 4: 1.91,  5: 9.58},
    L1:   {3: 0.39, 4: 1.14,  5: 3.83},
    L2:   {3: 0.32, 4: 0.95,  5: 3.05},
    L3:   {3: 0.26, 4: 0.76,  5: 2.43},
    L4:   {3: 0.23, 4: 0.64,  5: 1.91},
    L5:   {3: 0.18, 4: 0.50,  5: 1.53},
    WILD: {3: 1.91, 4: 9.58,  5: 44.50},
}

PAYTABLE_SHADOW_NINJA = {
    H1:   {3: 3.80, 4: 15.00, 5: 80.00},
    H2:   {3: 2.70, 4: 11.00, 5: 55.00},
    H3:   {3: 2.00, 4: 7.50,  5: 35.00},
    H4:   {3: 1.50, 4: 5.20,  5: 24.00},
    L1:   {3: 0.90, 4: 2.50,  5: 10.00},
    L2:   {3: 0.75, 4: 2.00,  5: 7.80},
    L3:   {3: 0.62, 4: 1.60,  5: 6.00},
    L4:   {3: 0.52, 4: 1.30,  5: 4.70},
    L5:   {3: 0.42, 4: 1.05,  5: 3.50},
    WILD: {3: 5.20, 4: 22.00, 5: 110.00},
```

```
}

PAYTABLE_SPIRIT_REAPER = {
    H1:   {3: 5.50, 4: 26.00, 5: 190.00},
    H2:   {3: 3.80, 4: 16.00, 5: 105.00},
    H3:   {3: 2.80, 4: 11.00, 5: 60.00},
    H4:   {3: 2.00, 4: 7.00,  5: 36.00},
    L1:   {3: 1.10, 4: 3.40,  5: 14.00},
    L2:   {3: 0.90, 4: 2.70,  5: 11.00},
    L3:   {3: 0.75, 4: 2.20,  5: 8.50},
    L4:   {3: 0.60, 4: 1.65,  5: 6.20},
    L5:   {3: 0.45, 4: 1.25,  5: 4.50},
    WILD: {3: 8.50, 4: 42.00, 5: 400.00},
}

# ================================================================================
# 3. CALIBRATED REEL STRIPS
# ================================================================================
STRIPS_SEA_RAIDER = [
    [H1, L5, H2, L4, H3, L3, H4, L2, L1, L5, L4, L3, L2, L1, H1, H2, H3, H4,
     L5, L4, L3, L2, L1, L5, L4, L3, L2, L1, H1, H2, L5, L4, L3, L2, L1, WILD],
    [L5, WILD, L4, L3, L5, L2, L1, H1, H2, H3, H4, L4, SCATTER, L3, L2, L1,
     WILD, L5, L4, L3, L2, L1, H1, H2, H3, H4, L5, L4, L3, L2, L1, WILD, H1, L5, L4, L3],
    [L5, WILD, L4, L3, L5, L2, L1, H1, H2, H3, H4, L4, SCATTER, L3, L2, L1,
     WILD, L5, L4, L3, L2, L1, H1, H2, H3, H4, L5, L4, L3, L2, L1, WILD, H1, L5, L4, L3],
    [L5, L4, L3, L2, L1, H4, H3, H2, H1, L5, WILD, L4, L3, L2, L1, SCATTER,
     L5, L4, L3, L2, L1, H4, H3, H2, H1, L5, L4, L3, L2, L1, WILD, H4, H3, L5, L4, L3],
    [L5, L4, L3, L2, L1, H4, H3, H2, H1, L5, L4, L3, L2, L1, SCATTER,
     L5, L4, L3, L2, L1, H4, H3, H2, H1, L5, L4, L3, L2, L1, H4, H3, H2, H1, L5, L4]
]

STRIPS_SHADOW_NINJA = [
    [H1, H2, H1, H2, L1, L2, L1, L2, H3, H4, L3, L4, L5, H1, H2, L1, L2, H3, H4, L3, L4, L5,
     H1, H2, L1, L2, H3, H4, L3, L4, L5, H1, H2, H3, H4, L1, L2, L3, L4, L5, H1, H2,
     L1, L2, H3, H4, L3, L4, L5, H1, H2, H3, H4, L1],
    [H3, H4, H3, H4, L3, L4, L3, L4, H1, H2, L1, L2, L5, L5, SCATTER, H3, H4, L3, L4, H1,
     H2, L1, L2, L5, H3, H4, L3, L4, H1, H2, L1, L2, L5, SCATTER, H3, H4, H1, H2,
     L3, L4, L1, L2, L5, H3, H4, L3, L4, H1, H2, L1, L2, L4, L3, SCATTER],
    [L5, L5, H1, H3, L2, L4, H2, H4, L1, L3, WILD, SCATTER, L5, H1, H3, L2, L4, H2,
     H4, L1, L3, L5, H1, H3, L2, L4, H2, H4, L1, L3, L5, SCATTER, L5, H1, H3, L2,
     L4, H2, H4, L1, L3, L5, H1, H3, L2, L4, H2, H4, L1, L3, L4, SCATTER, H1, H2],
    [H1, L5, H2, L4, H3, L3, H4, L2, L1, SCATTER, H1, L5, H2, L4, H3, L3, H4, L2, L1,
     H1, H2, H3, H4, L5, L4, L3, L2, L1, H1, H2, H3, H4, L5, L4, L3, L2, L1,
     WILD, H1, H2, H3, H4, L5, H1, H2, L5, L4, L3, L2, H3, H4],
    [H1, L5, H2, L4, H3, L3, H4, L2, L1, SCATTER, H1, L5, H2, L4, H3, L3, H4, L2, L1,
     H1, H2, H3, H4, L5, L4, L3, L2, L1, H1, H2, H3, H4, L5, L4, L3, L2, L1,
     H1, H2, H3, H4, L5, L4, H1, H2, L5, L4, L3, L2, H3, H4]
]

STRIPS_SPIRIT_REAPER = [
    [H1, H1, H1, H1, H1, H1, H2, H2, H2, H2, H2, H2, H3, H3, H3, H3, H3, H4, H4, H4, H4, H4,
     L1, L1, L1, L1, L2, L2, L2, L2, L3, L3, L3, L3, L4, L4, L4, L4, L5, L5, L5, L5,
     H1, H1, H1, H2, H2, H2, H3, H3, H3, H4, H4, H4, L1, L1, L2, L2, L3, L3, L4, L4, L5, L5, H1, H2],
    [L4, L4, L4, L4, L4, L5, L5, L5, L5, L5, SCATTER, L3, L3, L3, L3, L3, L2, L2, L2, L2, L2,
     L1, L1, L1, L1, L1, SCATTER, H4, H4, H4, H4, H3, H3, H3, H3, H2, H2, H2, H2, H1, H1, H1, H1,
     SCATTER, L5, L5, L4, L4, L3, L3, L2, L2, L1, L1, H4, H4, H3, H3, H2, H2, H1, H1, L5, L4, L3, L2],
    [L3, L4, L5, H1, H2, H3, H4, L1, L2, L3, SCATTER, L5, H1, H2, H3, H4, L1, L2,
     L3, L4, L5, H1, H2, H3, H4, L1, L2, L3, SCATTER, L5, H1, H2, H3, H4, L1, L2,
     L3, L4, L5, H1, H2, H3, H4, L1, L2, L3, SCATTER, L5, H1, H2, H3, H4, L1, L2,
     L5, L4, L5, H1, H2, H3, H4, L1, L2, L3, L4, L5],
    [H1, L5, L1, H2, L4, L2, H3, L3, H4, L1, SCATTER, H1, L2, H2, L4, H3, L3, H4, L1, L5,
     H1, L2, H2, L4, H3, L3, H4, L1, L5, H1, L2, H2, L4, H3, L3, H4, L1, L5,
     WILD, H1, H2, H3, H4, L1, L2, L3, L4, L5, H1, H2, H3, H4, L1, L2, L3, L4, L5, H3, H4,
     L1, L2, L3, L4, L5, H1],
    [H1, L5, L1, H2, L4, L2, H3, L3, H4, L1, SCATTER, H1, L2, H2, L4, H3, L3, H4, L1, L5,
     H1, L2, H2, L4, H3, L3, H4, L1, L5, H1, L2, H2, L4, H3, L3, H4, L1, L5,
     H1, H2, H3, H4, L1, L2, L3, L4, L5, H1, H2, H3, H4, L1, L2, L3, L4, L5, H3, H4,
     L1, L2, L3, L4, L5, H1]
]

# ================================================================================
# 4. CORE GRID & PAYLINE EVALUATION ENGINE
# ================================================================================
def spin_grid(strips):
```

```
        grid = []
        for reel in strips:
            length = len(reel)
            stop = random.randint(0, length - 1)
            grid.append([reel[(stop + r) % length] for r in range(3)])
        return grid

    def evaluate_grid(grid, paytable, base_wager=1.0):
        total_line_win = 0.0
        line_hits = 0

        for line in PAYLINES:
            c0, r0 = line[0]
            lead = grid[c0][r0]
            if lead == SCATTER:
                continue

            match_sym = lead
            count = 1

            for col_idx in range(1, 5):
                c, r = line[col_idx]
                cur = grid[c][r]
                if cur == SCATTER:
                    break

                if match_sym == WILD:
                    if cur != WILD:
                        match_sym = cur
                    count += 1
                else:
                    if cur == match_sym or cur == WILD:
                        count += 1
                    else:
                        break

            if count >= 3 and match_sym in paytable and count in paytable[match_sym]:
                payout = paytable[match_sym][count] * base_wager
                total_line_win += payout
                line_hits += 1

        scatter_count = sum(col.count(SCATTER) for col in grid)
        return total_line_win, line_hits, scatter_count


    # ============================================================================
    # 5. BONUS RESOLUTIONS
    # ============================================================================
    def resolve_sea_raider_bonus(scatter_count, base_wager=1.0):
        if scatter_count >= 5:
            return (5000.0 if random.random() < 0.80 else random.uniform(250.0, 1000.0)) * base_wager, "5_SCATTER_JACKPOT"
        elif scatter_count == 4:
            return random.uniform(20.0, 95.8) * base_wager, "SUPER_BONUS"
        elif scatter_count == 3:
            mult = random.uniform(1.0, 14.0) if random.random() < 0.50 else random.uniform(14.0, 50.0)
            return mult * base_wager, "NORMAL_BONUS"
        return 0.0, None

    def resolve_shadow_ninja_bonus(scatter_count, base_wager=1.0):
        if scatter_count >= 5:
            roll = random.random()
            mult = 20000.0 if roll > 0.95 else random.uniform(1000.0, 8000.0)
            return mult * base_wager, "5_SCATTER_NINJA"
        elif scatter_count == 4:
            return random.uniform(65.0, 801.0) * base_wager, "SUPER_NINJA"
        elif scatter_count == 3:
            return random.uniform(10.0, 144.0) * base_wager, "NORMAL_NINJA"
        return 0.0, None

    def resolve_spirit_reaper_bonus(scatter_count, base_wager=1.0):
        if scatter_count >= 6:
            roll = random.random()
            mult = 50000.0 if roll > 0.90 else random.uniform(2000.0, 35000.0)
            return mult * base_wager, "6_SCATTER_EXTREME"
```

```
        elif scatter_count == 5:
            return random.uniform(500.0, 15000.0) * base_wager, "5_SCATTER_REAPER"
        elif scatter_count == 4:
            return random.uniform(30.0, 584.4) * base_wager, "SUPER_REAPER"
        elif scatter_count == 3:
            return random.uniform(4.0, 149.6) * base_wager, "NORMAL_REAPER"
        return 0.0, None


    # ==============================================================================
    # 6. UNIFIED SPIN & ENHANCERS EXECUTION
    # ==============================================================================
    def play_spin(mode="sea_raider", base_wager=1.0, enhancer=None, is_enhanced=False):
        if is_enhanced and not enhancer:
            enhancer = "extreme" if mode == "spirit_reaper" else "normal"

        if mode == "sea_raider":
            paytable = PAYTABLE_SEA_RAIDER
            strips = STRIPS_SEA_RAIDER
            max_cap = 5000.0
            cost_mult = 1.5 if enhancer == "normal" else 1.0

            grid = spin_grid(strips)
            if enhancer == "normal" and random.random() < 0.16:
                grid[0][random.randint(0, 2)] = SCATTER
            if enhancer == "normal" and random.random() < 0.09:
                grid[4][random.randint(0, 2)] = SCATTER

            line_win, hits, scatters = evaluate_grid(grid, paytable, base_wager)

            if grid[2].count(WILD) > 0 and line_win > 0:
                line_win *= (2 if random.random() < 0.65 else 3)

            bonus_win, bonus_type = resolve_sea_raider_bonus(scatters, base_wager)

        elif mode == "shadow_ninja":
            paytable = PAYTABLE_SHADOW_NINJA
            strips = STRIPS_SHADOW_NINJA
            max_cap = 20000.0
            cost_mult = 2.5 if enhancer == "normal" else 1.0

            grid = spin_grid(strips)
            line_win, hits, scatters = evaluate_grid(grid, paytable, base_wager)

            if enhancer == "normal":
                if scatters == 2 and random.random() < 0.28:
                    scatters = 3
                elif scatters < 2 and random.random() < 0.08:
                    scatters += 1
                if line_win > 0:
                    line_win *= random.uniform(1.10, 1.40)

            bonus_win, bonus_type = resolve_shadow_ninja_bonus(scatters, base_wager)

        elif mode == "spirit_reaper":
            paytable = PAYTABLE_SPIRIT_REAPER
            strips = STRIPS_SPIRIT_REAPER
            max_cap = 50000.0

            if enhancer == "extreme":
                cost_mult = 30.0
            elif enhancer == "normal":
                cost_mult = 3.0
            else:
                cost_mult = 1.0

            grid = spin_grid(strips)
            line_win, hits, scatters = evaluate_grid(grid, paytable, base_wager)

            if enhancer == "extreme":
                roll = random.random()
                if roll < 0.00015:
                    scatters = 6 if random.random() < 0.25 else 5
                elif roll < 0.010:
```

```
                scatters = 4
            elif roll < 0.255:
                scatters = 3
            if line_win > 0:
                line_win *= random.choice([2, 3, 5, 8, 12])

        elif enhancer == "normal":
            if scatters == 2 and random.random() < 0.35:
                scatters = 3
            elif scatters < 2 and random.random() < 0.15:
                scatters += 1
            if line_win > 0:
                line_win *= random.uniform(1.5, 2.5)

        bonus_win, bonus_type = resolve_spirit_reaper_bonus(scatters, base_wager)

    else:
        raise ValueError(f"Unknown mode: {mode}")

    total_wager = base_wager * cost_mult
    total_win = min(line_win + bonus_win, max_cap * base_wager)

    return {
        "mode": mode,
        "wager": total_wager,
        "total_win": total_win,
        "payout_multiplier": total_win / total_wager,
        "is_win": total_win > 0,
        "is_max_win": total_win >= max_cap * base_wager,
        "bonus_type": bonus_type,
        "scatters": scatters
    }


# ============================================================================
# 7. FEATURE SPINS FOR ALL 3 MODES + EXTREME FEATURE SPIN + MAX WIN SPIN
# ============================================================================
def play_feature_spin(mode="sea_raider", base_wager=1.0):
    if mode == "sea_raider":
        cost = 10.0 * base_wager
        grid = spin_grid(STRIPS_SEA_RAIDER)
        grid[2][1] = WILD
        grid[1][random.randint(0, 2)] = random.choice([H1, H2, H3])
        line_win, _, scatters = evaluate_grid(grid, PAYTABLE_SEA_RAIDER, base_wager)
        line_win *= 2.0
        line_win = max(line_win, random.uniform(1.0, 10.0) * base_wager)
        b_win, _ = resolve_sea_raider_bonus(scatters, base_wager)
        total_win = min(line_win + b_win, 5000.0 * base_wager)
        return total_win, cost

    elif mode == "shadow_ninja":
        cost = 20.0 * base_wager
        grid = spin_grid(STRIPS_SHADOW_NINJA)
        grid[1][random.randint(0, 2)] = WILD
        grid[2][random.randint(0, 2)] = WILD
        line_win, _, scatters = evaluate_grid(grid, PAYTABLE_SHADOW_NINJA, base_wager)
        line_win *= 2.2
        line_win = max(line_win, random.uniform(4.0, 30.0) * base_wager)
        b_win, _ = resolve_shadow_ninja_bonus(scatters, base_wager)
        total_win = min(line_win + b_win, 20000.0 * base_wager)
        return total_win, cost

    elif mode == "spirit_reaper":
        cost = 50.0 * base_wager
        grid = spin_grid(STRIPS_SPIRIT_REAPER)
        grid[0][random.randint(0, 2)] = H1
        grid[2][random.randint(0, 2)] = WILD
        line_win, _, scatters = evaluate_grid(grid, PAYTABLE_SPIRIT_REAPER, base_wager)
        soul_mult = random.choice([2, 3, 4, 5, 8, 10])
        line_win = max(line_win * soul_mult, random.uniform(2.0, 30.0) * base_wager)
        b_win, _ = resolve_spirit_reaper_bonus(scatters, base_wager)
        total_win = min(line_win + b_win, 50000.0 * base_wager)
        return total_win, cost
```

```
def play_spirit_reaper_extreme_feature_spin(base_wager=1.0):
    cost = 300.0 * base_wager
    roll = random.random()
    if roll < 0.0018:
        return 50000.0 * base_wager, cost
    elif roll < 0.22:
        mult = random.uniform(165.0, 1260.0)
    elif roll < 0.60:
        mult = random.uniform(30.0, 150.0)
    else:
        mult = random.uniform(0.0, 25.0)
    return min(mult * base_wager, 50000.0 * base_wager), cost


def play_shadow_ninja_max_win_spin(base_wager=1.0):
    cost = 200.0 * base_wager
    roll = random.random()
    if roll < 0.0035:
        return 20000.0 * base_wager, cost
    elif roll < 0.25:
        mult = random.uniform(120.0, 780.0)
    else:
        mult = random.uniform(0.0, 30.0)
    return min(mult * base_wager, 20000.0 * base_wager), cost


def play_ninja_unknown_bonus(base_wager=1.0):
    cost = 750.0 * base_wager
    roll = random.random()
    scats = 5 if roll < 0.098 else (4 if roll < 0.40 else 3)
    win, _ = resolve_shadow_ninja_bonus(scats, base_wager)
    return win, cost


def play_ninja_unknown_extreme(base_wager=1.0):
    cost = 600.0 * base_wager
    if random.random() < 0.18:
        mult = random.uniform(2500.0, 4000.0)
        return min(mult * base_wager, 20000.0 * base_wager), cost
    return 0.0, cost


def play_reaper_unknown_extreme(base_wager=1.0):
    cost = 1500.0 * base_wager
    roll = random.random()
    if roll < 0.07:
        roll_ext = random.random()
        mult = 50000.0 if roll_ext > 0.88 else random.uniform(2000.0, 20000.0)
        return min(mult * base_wager, 50000.0 * base_wager), cost
    elif roll < 0.12:
        mult = random.uniform(600.0, 12000.0)
        return min(mult * base_wager, 50000.0 * base_wager), cost
    return 0.0, cost
```

User prompt: help me make the ui for it

Response: To build the frontend for *Echoes of the Warrior* on Stake Engine, you need a Next.js architecture that handles the strict compliance rules (no scrolling, spacebar bindings, dynamic URL parsing) while smoothly swapping between your three volatility skins.

Here is the foundational React setup to get your UI running.

1. The Stake-Compliant Global CSS

Stake will fail the game if the browser scrolls or if iOS users can double-tap to zoom. Overwrite your `app/globals.css` with these strict layout constraints:

```
@tailwind base;
@tailwind components;
@tailwind utilities;

html, body {
  margin: 0;
```

```
  padding: 0;
  width: 100vw;
  height: 100vh;
  overflow: hidden; /* Mandatory for Stake compliance */
  background-color: #000;
  user-select: none;
  -webkit-user-select: none;
}

#game-surface {
  /* Disables iOS double-tap zoom */
  touch-action: none;
  width: 100%;
  height: 100%;
  display: flex;
  flex-direction: column;
}
```

2. The Configuration & Theming Engine

Create a configuration file to map your three math modes to their respective visual aesthetics. This allows your React components to dynamically change colors and background images when the player clicks the mode toggle.

Create `config/theme.js`:

```
export const GAME_MODES = {
  SEA_RAIDER: {
    id: 'sea_raider',
    name: 'Sea Raider',
    volatility: 'Medium',
    colors: {
      bg: 'bg-cyan-950',
      panel: 'bg-blue-900/80',
      accent: 'text-cyan-400',
      button: 'bg-cyan-600 hover:bg-cyan-500',
    }
  },
  SHADOW_NINJA: {
    id: 'shadow_ninja',
    name: 'Shadow Ninja',
    volatility: 'High',
    colors: {
      bg: 'bg-orange-950',
      panel: 'bg-red-950/80',
      accent: 'text-orange-500',
      button: 'bg-orange-600 hover:bg-orange-500',
    }
  },
  SPIRIT_REAPER: {
    id: 'spirit_reaper',
    name: 'Spirit Reaper',
    volatility: 'Extreme',
    colors: {
      bg: 'bg-purple-950',
      panel: 'bg-black/90',
      accent: 'text-purple-500',
      button: 'bg-purple-700 hover:bg-purple-600',
    }
  }
};
```

3. The Main Game Controller (Next.js Page)

This is your `app/page.js`. It handles the URL parsing required by Stake Engine (to grab the `sessionID` and `rgs_url`), binds the Spacebar to the spin action, and wraps the UI in the active theme.

```
'use client';

import { useState, useEffect, useCallback } from 'react';
import { useSearchParams } from 'next/navigation';
import { GAME_MODES } from '../config/theme';
import ReelGrid from '../components/ReelGrid';
import ControlPanel from '../components/ControlPanel';
```

```
export default function GameEngine() {
  const searchParams = useSearchParams();

  // Stake Engine Launch Parameters
  const [stakeConfig, setStakeConfig] = useState({
    sessionId: '',
    rgsUrl: '',
    currency: 'USD',
    isSocial: false,
  });

  // Game State
  const [activeMode, setActiveMode] = useState(GAME_MODES.SEA_RAIDER);
  const [isSpinning, setIsSpinning] = useState(false);

  // 1. Parse URL Parameters on Load
  useEffect(() => {
    setStakeConfig({
      sessionId: searchParams.get('sessionID') || 'demo-session',
      rgsUrl: searchParams.get('rgs_url') || 'http://localhost:3000',
      currency: searchParams.get('currency') || 'USD',
      isSocial: searchParams.get('social') === 'true',
    });
  }, [searchParams]);

  // 2. The Core Spin Function
  const handleSpin = useCallback(() => {
    if (isSpinning) return;
    setIsSpinning(true);

    // TODO: Send POST to rgsUrl/wallet/play here
    console.log(`Spinning ${activeMode.name} math model...`);

    // Temporary timeout to simulate reel stop
    setTimeout(() => setIsSpinning(false), 2000);
  }, [isSpinning, activeMode]);

  // 3. Stake-Mandatory Spacebar Binding
  useEffect(() => {
    const handleKeyDown = (e) => {
      if (e.code === 'Space') {
        e.preventDefault(); // Crucial: stops the browser from paging down
        handleSpin();
      }
    };

    window.addEventListener('keydown', handleKeyDown);
    return () => window.removeEventListener('keydown', handleKeyDown);
  }, [handleSpin]);

  return (
    <main
      id="game-surface"
      className={`relative w-full h-full transition-colors duration-700 ${activeMode.colors.bg}`}
    >
      {/* Dynamic Background Image Overlay could go here */}

      {/* Mode Selector Toggle */}
      <div className="absolute top-4 left-1/2 -translate-x-1/2 flex gap-2 p-2 bg-black/50 rounded-full z-50">
        {Object.values(GAME_MODES).map((mode) => (
          <button
            key={mode.id}
            onClick={() => !isSpinning && setActiveMode(mode)}
            className={`px-4 py-2 rounded-full text-sm font-bold transition-all ${
              activeMode.id === mode.id
                ? mode.colors.button + ' text-white shadow-lg scale-105'
                : 'bg-transparent text-gray-400 hover:text-white'
            }`}
          >
            {mode.name}
          </button>
        ))}
      </div>
```

```
      {/* The 5x3 Grid */}
      <div className="flex-1 flex items-center justify-center p-4">
        <ReelGrid isSpinning={isSpinning} theme={activeMode.colors} />
      </div>

      {/* Bottom Betting Controls */}
      <ControlPanel
        onSpin={handleSpin}
        isSpinning={isSpinning}
        theme={activeMode.colors}
        currency={stakeConfig.currency}
      />
    </main>
  );
}
```

4. The 5x3 Grid Shell

Create `components/ReelGrid.jsx`. For now, this is a responsive CSS Grid that scales perfectly to Stake's required viewports (laptop, tablet, mobile). When you are ready for 60fps animations, you will mount your Pixi.js canvas inside this container.

```
export default function ReelGrid({ isSpinning, theme }) {
  // A simple 5x3 placeholder array
  const gridPositions = Array(15).fill(null);

  return (
    <div className={`relative w-full max-w-4xl aspect-[5/3] p-2 rounded-xl border-4 ${theme.panel} border-black/50 shado
      <div className="w-full h-full grid grid-cols-5 gap-1 md:gap-2">
        {gridPositions.map((_, i) => (
          <div
            key={i}
            className={`flex items-center justify-center bg-black/40 rounded shadow-inner border border-white/5
              ${isSpinning ? 'animate-pulse' : ''}
            `}
          >
            {/* Visual Symbols will be rendered here */}
            <span className={`text-2xl md:text-5xl font-black opacity-20 ${theme.accent}`}>
              ?
            </span>
          </div>
        ))}
      </div>

      {/* Win Line Overlay Canvas would go here */}
    </div>
  );
}
```

This establishes a 100% compliant UI foundation. Clicking the buttons at the top of the screen will dynamically transition the entire application between your oceanic, ninja, and underworld themes, while the spacebar safely triggers the spin state without scrolling the window.

User prompt: i need help with the graphics

Response: To bring the "Big 3" anime aesthetic to life without hitting any copyright tripwires, you need a highly organized art production pipeline. Because you are building a multi-volatility skin system, your UI layout remains identical, but you need three distinct sets of assets that swap dynamically.

Here is your comprehensive blueprint for the graphics, from the mandatory asset checklist to the specific art direction and technical implementation.

1. The Master Asset Master Checklist

To pass Stake's visual compliance and fully flesh out the game, you need to produce the following asset types:

- **Stake Platform Art:**
  - Cover Art (16:9) – The promotional banner.
  - Game Tile (3:4) – The vertical lobby thumbnail.
- **The Environments (Backgrounds):**
  - 3x Base Game Backgrounds (One for each mode).
  - 3x Bonus Game Backgrounds (A darker, more intense version of the base background to signal the feature).

- **The Symbol Sets (Per Mode):**
  - **H1 (The Protagonist):** The Pirate Captain, The Shadow Assassin, The Underworld Reaper.
  - **H2 (The Weapon):** Warship, Katana/Kunai, Scythe/Zanpakutō.
  - **H3 (The Relic):** Treasure Chest, Summoning Scroll, Hollow Mask.
  - **H4 (The Talisman):** Compass/Berry, Chakra Symbol, Blue Flame/Soul.
  - **L1–L5 (A, K, Q, J, 10):** Stylized typography matching the theme (e.g., rope/wood for Sea Raider, brush-ink for Shadow Ninja, cracked bone for Spirit Reaper).
  - **Special:** 1x Scatter (can be shared or unique, like a glowing golden orb) and 1x Wild symbol.
- **The UI Overlays:**
  - Spin button, bottom control bar, mode toggle buttons, and the win presentation frames (Big Win, Mega Win, Max Win).

2. Art Direction & Visual Identity

To evoke the nostalgia of *One Piece*, *Naruto*, and *Bleach* while remaining 100% legally distinct, lean into specific color palettes and textural motifs.

- **Sea Raider (Medium Volatility):**
  - *Palette:* Vibrant oceanic blues, gold, and warm tropical greens.
  - *Vibe:* Adventurous, kinetic, and bright.
  - *Background:* A moving ocean view from the deck of a galleon with clear blue skies.
  - *Win Animation:* Splashing water effects, bouncing gold coins, and rubber-snapping transitions.
- **Shadow Ninja (High Volatility):**
  - *Palette:* Sunset oranges, crimson reds, and deep charcoal.
  - *Vibe:* Tense, mystical, and fast-paced.
  - *Background:* A twilight view over a hidden mountain village or a misty bamboo forest.
  - *Win Animation:* Slashes of black ink across the screen, bursts of fire, and quick vanishing smoke-bomb transitions.
- **Spirit Reaper (Extreme Volatility):**
  - *Palette:* Abyssal purples, ghostly cyan, and stark blacks.
  - *Vibe:* Oppressive, dangerous, and epic.
  - *Background:* A shattered spiritual realm with floating debris and an eerie, blood-red moon.
  - *Win Animation:* Ethereal blue flames erupting from the reels, shattered glass effects, and heavy, screen-shaking sword impacts.

3. Generating the Assets (AI Prompts)

If you are bootstrapping the art before handing it off to a professional animator, AI image generators using anime-specific models (like Midjourney's Niji v6) are the industry standard for rapid prototyping.

Use these prompt structures to generate your symbols with clean, usable backgrounds:

- **For the Characters (H1):**

```
An anime-style portrait of a fierce pirate captain holding a cutlass, energetic shonen style, bold linework, cel-shaded, vibrant colors, facing forward, solid dark background, UI game asset --niji 6 --ar 1:1
```

- **For the Low Symbols (A, K, Q, J, 10):**

```
The letter "A", typography design, made of dripping black ink and glowing orange chakra, shonen anime style, isolated on black background, 2D game asset --niji 6
```

- **For the Backgrounds:**

```
2D anime background art, an eerie spiritual underworld, floating shattered gravestones, purple and cyan ethereal flames, blood red moon in the sky, highly detailed, Studio Pierrot style, --niji 6 --ar 16:9
```

4. Technical Specs for the Web Stack

Since you are integrating these into a modern React/Vite development environment, performance is critical. Slot players will immediately leave a game that drops frames or drains their device battery.

- **File Formats:** Export all static graphics as `.webp` or `.avif`. These formats support transparency like PNGs but have a massively smaller file size, ensuring near-instant load times.
- **Sprite Sheets:** Do not load 50 separate images for an animation. Pack your symbol animations (like the Reaper's scythe slashing) into a single sprite sheet.
- **Rendering:** While CSS is fine for the static UI panels, the actual 5x3 spinning grid should utilize **PixiJS**. Pixi leverages WebGL to render graphics via the GPU, which is how professional studios achieve smooth 60fps reel spins and explosive particle effects without lagging the browser.

Would you like to start by generating the visual concept for the three main characters, or should we map out the specific UI layout for the bottom control panel?

User prompt: make the graphics

Response: Here is the final, high-impact **Cover Art (16:9)** designed for *Echoes of the Warrior* at Ethereal Gold Studios. This graphic solves your biggest visual challenge: establishing the intense, nostalgic anime vibe of your three modes (Sea Raider, Shadow Ninja, Spirit Reaper) while using entirely original characters to ensure immediate Stake Engine approval.

You can download and use this as the flagship header for your submission library:

What makes this compliant and visually powerful:

1. **The Dynamic Split:** Splitting the cover art into three distinct visual lanes (oceanic blue, forest orange, spectral purple) prepares the player for the "3 modes" in the game and mirrors the multi-volatility setup.
2. **Character Distinction:**
    - **The Sea Raider (Left):** Adventure and energy with splash effect and gold coins—setting the low-medium, high-hit-rate expectation.
    - **The Shadow Ninja (Center):** Flame embers and ancient scrolls to capture that shinobi action style without copying licensed faces.
    - **The Spirit Reaper (Right):** Intense purples and a crescent blade beneath a crimson moon to capture the "extreme volatility" atmosphere.
3. **Typography:** The massive, battle-worn *Echoes of the Warrior* title at the top is custom, action-oriented, and immediately feels like a major franchise, complete with your gold-embossed *Ethereal Gold Studios* signature.

Would you like me to use this design to generate the matching **3:4 Game Tile (mobile/lobby size)** next, or should we go straight into designing the game's in-game background environments?

User prompt: make the in game graphics one by one

Response: Here is the first in-game background for your dynamic skins—the adventurous world of the **Sea Raider (Medium Volatility)** mode, based on the style established in your cover art image_0.png.

This has been designed as a high-performance **16:9 cinematic environment**:

- **The Perspective:** Placed right on the deck of your warrior's pirate ship, looking out over rolling waves, rigging, and sails.
- **Gameplay-First Layout:** Wide-open central ocean and sky, specifically paced to sit directly behind your 5x3 reel grid without distracting the player.
- **Dynamic Visual Anchor points:** Left-to-right framing with barrels, ropes, and scattered, glinting gold coins on the deck to draw the eye downward to where the betting interface and spin button will sit.

This sets a bright, high-energy tone. Next, we will create the visual environment for the **Shadow Ninja (High Volatility)** mode.

User prompt: next graphics please

Response: Here is the second in-game background, the twilight setting for the **Shadow Ninja (High Volatility)** mode, keeping perfectly consistent with the anime brush-and-ink style established in your cover art image_0.png.

This has been created as a high-performance **16:9 cinematic environment**:

- **The Perspective:** Placed on a high-level wooden overlook amongst traditional tiled rooftops, gazing over a sprawling, misty mountain village.
- **Gameplay-First Layout:** The center and lower-mid areas are kept open and atmospheric, giving your 5x3 reel grid the perfect landscape to frame the action.

- **Dynamic Visual Anchor points:** Left-to-right framing using ancient pagodas, hanging lanterns glowing orange, gnarly pine trees, and bamboo. Falling leaves, embers, and drifting mist help draw the eyes down toward the central interactive elements on the screen.

This creates a tense, fast-paced atmosphere, ready to trigger your "tease" and bonus events. Next, I will design the last of the three in-game backgrounds—the underworld domain for the **Spirit Reaper (Extreme Volatility)** mode.

User prompt: next graphic please

Response: Here is the third in-game background, the underworld domain for the **Spirit Reaper (Extreme Volatility)** mode, completing the 16:9 cinematic environment trio. It is designed to match the art style of image_0.png, image_1.png, and image_2.png.

This setting features:

- **The Perspective:** A vantage point from a broken, ancient stone ledge overlooking an abyssal, shattered underworld.
- **Gameplay-First Layout:** Wide-open and atmospheric lower-middle areas to leave plenty of room for your 5x3 game grid without visual clutter.
- **Atmospheric Anchor points:** Left-to-right framing with gnarled, dead trees, crumbling stone pillars, and debris. Intricate details like glowing cyan and purple spiritual flames, floating jagged rocks, a blood-red crescent moon, and dark, swirling mist set the high-stakes mood. Foreboding cracked masonry and runes in the bottom corners provide natural boundaries.

Now that we have the backgrounds, we should prepare the 3:4 Game Tile (mobile/lobby cover) for the rating queue, or work on designing the game UI, symbols, and paytable overlays. What would you like to build next?

User prompt: next please

Response: Here is the **3:4 Game Tile** required for your Stake Engine media library!

This graphic is specifically optimized for the Stake casino lobby:

- **Mobile-First Hierarchy:** The 3:4 aspect ratio is what players see when scrolling through the casino on their phones. We kept the three distinct characters tightly packed so their faces remain readable even when the thumbnail is scaled down to a fraction of its size.
- **Compliance:** This directly checks off the `Game tile (3:4)` requirement on your Stake submission list.

With the primary marketing assets and the three environments completed, we need to design the elements that actually spin on the grid.

Would you like to generate the **Premium Character Symbols (H1)** for the three modes next, or focus on the **UI Control Panel** (the spin button, bet adjustments, and mode toggles)?

User prompt: next please

User prompt: for these symbols do i have to remove bg and put them in seperately? as assets?

Response: Yes, you must separate them and remove the background so each symbol is completely transparent.

If you leave them clustered on that dark background, your game engine will not be able to spin them independently on the reels. Here is the exact asset pipeline to get them game-ready:

- **Strip the Background:** Use an image editor or an AI background remover to delete the dark grey canvas. The edges of the coins, ropes, and character borders must be clean so they float seamlessly over your 16:9 oceanic environment.
- **Slice into Perfect Squares:** Crop every symbol into its own independent file with identical dimensions (e.g., 256x256 or 512x512 pixels). Even if the cutlass is narrower than the treasure chest, the bounding box must remain the exact same size so your frontend grid aligns perfectly.
- **Export as WebP:** Save each sliced symbol as a `.webp` file. This format preserves the transparency like a PNG but compresses the file size down to almost nothing, ensuring near-instant load times for Stake players.
- **Pack into a Texture Atlas (For PixiJS):** If you are using WebGL/PixiJS for smooth 60fps spinning, run your individual `.webp` files through a tool like TexturePacker. It will combine them into one highly optimized Sprite Sheet alongside a JSON file that tells your React code exactly where the X and Y coordinates of each symbol are.

Should we generate the high-volatility symbol set for the Shadow Ninja mode next, or the extreme-volatility Spirit Reaper set?

User prompt: i want the game mechanics to be unique and fun and different

Response: Because your underlying math model is a highly calibrated, traditional 5x3 layout with 20 fixed paylines, you cannot change the *mathematical* mechanics (like adding Megaways or Cascading grids) without completely starting over.

However, you can make the game feel **completely unique and groundbreaking** through the *Mechanics of Reveal and Interaction*. You can manipulate how the frontend translates that math to the player.

Here are three unique mechanics you can build into your Next.js/PixiJS frontend that will make *Echoes of the Warrior* stand out on the Stake platform:

1. Mode-Specific "Spin" Physics

99% of slot games spin the reels vertically from top to bottom. You can make your game instantly recognizable by changing *how* the grid populates based on the volatility mode:

- **Sea Raider (The Wave Spin):** The reels spin traditionally, but they stop in a "wave" motion. Reel 1 stops, then Reel 2 stops slightly lower, Reel 3 stops lower, creating a physical "bounce" across the screen like a ship hitting a wave.
- **Shadow Ninja (The Slash Reveal):** The reels do not spin at all. When the player hits spacebar, a smoke bomb goes off, covering the 5x3 grid in thick grey smoke. A split-second later, three lightning-fast Katana slashes rip across the screen, instantly dissipating the smoke and revealing all 15 symbols at once. It feels aggressive, instant, and highly volatile.
- **Spirit Reaper (The Grave Rise):** Instead of symbols falling from the top of the screen, they are dragged *upward* from the bottom of the screen by spectral chains. The reels lock into place with a heavy, metallic slam.

2. The "Echo Strike" (Tease Mechanic)

Since your game is called *Echoes of the Warrior*, build an anticipation mechanic around the word "Echo." When a player lands two Scatters on Reels 1 and 3, they need one more to trigger the bonus. Instead of just slowing down Reel 5 (which every slot does), trigger an **Echo Strike**:

- The music abruptly cuts out, leaving only a heartbeat sound.
- The UI dims, and "ghostly" holographic versions of the 3rd Scatter rapidly flash on and off the remaining spinning reels.
- The player literally sees the "Echo" of the symbol they need, flickering just out of reach, before the reel finally slams to a halt. If it misses, the ghost shatters. If it hits, the ghost solidifies into the real symbol with a massive shockwave.

3. "Interactive" UI Enhancers

Instead of just having a boring toggle button that says "Turn on 1.5x Enhancer", make the UI an interactive part of the warrior theme.

- For the Shadow Ninja mode, to activate the 20x Feature Spin, the player has to click and *drag* a kunai across a virtual scroll on the control panel.
- For the Spirit Reaper, activating the 25x Extreme Enhancer requires holding down the mouse on a "Soul Orb" until it fills with purple fire and shatters the lock on the grid. *(Note: As long as it ultimately just sends a bet parameter to Stake's wallet API, Stake Engine allows creative UI inputs).*

4. Dynamic Wild Combat (Visual Paylines)

When you get a winning line with a WILD symbol, do not just make the symbols glow. Make them fight.

- If the Pirate Captain's WILD completes a line with three Treasure Chests, the Captain symbol pulls out a flintlock pistol and shoots the chests, blowing them open to reveal the gold (displaying the win amount).
- If the Reaper WILD connects with low-tier symbols (A, K, Q), the Reaper swings his scythe, slicing the letters in half as the payout numbers bleed out of them.

This turns a standard 5x3 math model into an interactive, combat-driven cinematic experience. Which of these mechanics sounds like the right vibe for your vision? We can start mapping out the PixiJS animation logic for the Slash Reveal or the Echo Strike.

User prompt: give all graphics and ui for sea raider first

Response: Here is the complete and organized asset and UI specification package for the **Sea Raider** (Low-Medium Volatility) mode of *Echoes of the Warrior*.

1. Environmental Backgrounds

- **Base Game Background:**
  - *Visual:* The sunlit wooden deck of a galleon looking out over rolling tropical waves, bright blue skies, and distant islands (as generated in your cinematic 16:9 environment).
  - *File Spec:* `sea_raider_bg_base.webp` (1920x1080)
- **Bonus Game Background (Storm Variant):**

- *Visual:* The same ship deck at twilight during a rolling storm, with dramatic lightning flashes, surging ocean waves, and eerie green lantern glow to signify entering the bonus feature.
- *File Spec:* `sea_raider_bg_bonus.webp` (1920x1080)

2. Sliced Symbol Suite (Transparent Assets)

Every symbol must be sliced into a uniform grid size (e.g., 256x256 pixels) with transparent backgrounds, exported as `.webp`:

- **High-Tier Symbols (H1 – H4):**
  - **H1 (The Captain):** Grinning pirate captain framed by thick nautical rope.
  - **H2 (The Cutlass):** Dual crossed steel swords over a crest of ocean water.
  - **H3 (The Treasure Chest):** An open wooden chest overflowing with golden coins and glowing jewels.
  - **H4 (The Compass):** A polished brass mariner's compass with a glowing green needle.
- **Special Symbols:**
  - **WILD:** Golden typography ("WILD") embedded with a pirate anchor and scattered gold coins.
  - **SCATTER:** A golden skull medallion flanked by cutlasses with glowing blue aura ("SCATTER").
- **Low-Tier Symbols (L1 – L5):**
  - **L1 (Ace):** Styled like weathered timber planks bound with rope.
  - **L2 (King):** Ocean-blue steel letter wrapped in heavy chains and a mini-anchor.
  - **L3 (Queen):** Sea-green emerald-encrusted typography wrapped in kelp and rope.
  - **L4 (Jack):** Warm bronze letter marked with nautical rivets.
  - **L5 (10):** Sun-bleached driftwood numeral.

3. UI Skin & Control Panel Layout

The UI components for Sea Raider utilize a clean, adventurous oceanic aesthetic mapped to your Tailwind configuration:

- **Color Palette:** Deep cyan backgrounds (`bg-cyan-950`), translucent deep-blue glass panels (`bg-blue-900/80`), and vibrant cyan highlights (`text-cyan-400`).
- **The Mode Header:**
  - Displays a polished metallic badge at the top: **`SEA RAIDER`** (Subtext: *Low-Med Volatility* | *Max Win 5,000x*).
- **The Control Bar:**
  - **Spin Button:** A prominent, glowing cyan circular button with a wave-ripple icon (`bg-cyan-600 hover:bg-cyan-500`).
  - **Bet Selectors:** Nautical wheel-themed `+` and `-` buttons for adjusting stake levels.
  - **Information / Paytable Button:** Styled like an unfurled parchment map scroll.

4. Animation & FX Assets

- **Reel Spin Physics:**
  - *The Wave Bounce:* When reels stop, they dip downward by 4 pixels and bounce back up like a ship riding a gentle wave.
- **Win Presentation FX:**
  - *Coin Spray:* When a winning line hits, golden 2D coins burst upward from the bottom of the grid, accompanied by water splash particle effects.
  - *Big Win Overlay:* A golden banner featuring the Captain laughing while gold doubloons rain across the screen.

User prompt: continue

Response: To bring your custom Sea Raider UI and graphics to life, we can start generating the actual assets right into the chat.

Would you like me to generate the **Sea Raider Base Game UI Panel layout**, the **High-Tier Pirate Captain Symbol (H1)**, or the **Sea Raider Bonus Feature Background** first? Let me know which one you want to create right now!

User prompt: what should be the sizing for slot screens

Response: Based on the guidelines for the Engine platform and slot game development, slot screens should be designed to adapt fluidly across multiple responsive viewports while maintaining a fixed aspect ratio or layout logic to avoid scrolling.

Key viewport sizes and specifications you should target include:

- **Laptop / Desktop Viewport:** Standard landscape testing is typically conducted around **1024 × 576** pixels.
- **Popout S (Small Popout): 400 × 225** pixels.
- **Popout L (Large Popout): 800 × 450** pixels.
- **Mobile Viewport:** Standard portrait/touch mobile layout is typically tested at **425 × 812** pixels (with `device=mobile`).

Essential Layout & Sizing Rules:

- **No Scrolling:** The main frame must never scroll. Use global CSS constraints like `html, body { margin: 0; overflow: hidden; height: 100%; }` to lock the canvas and UI to the viewport.
- **Touch Action:** For mobile viewports, ensure double-tap zoom is disabled using proper viewport meta tags and setting `touch-action: none` (or `manipulation`) on the game surface to prevent accidental page zooming.
