

ASSIGNMENT 14.3

2303A51334

MD Arshad

Batch 20

Task 1: AI-Assisted Personal Portfolio Website

PROMPT:

A student wants to showcase academic projects, technical skills, and contact information through a personal portfolio website. AI tools are used to speed up development while maintaining quality and customization.

Tasks

1. Use GitHub Copilot to generate a semantic HTML structure with sections:

- o Home
- o About
- o Projects
- o Contact

2. Ask Copilot to suggest responsive CSS using Flexbox or Grid.

3. Customize AI-generated CSS to add:

- o Hover effects on project cards
- o Smooth scrolling navigation

Expected Outcome

- Clean and well-structured portfolio website
- Responsive layout for desktop and mobile screens
- Interactive project cards

CODE:

```
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8">
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<title>Abhilash Goud | Portfolio</title>

<link href="https://fonts.googleapis.com/css2?family=Poppins:wght@300;400;600&display=swap"
rel="stylesheet">

<style>
:root{
--bg:#0f172a;
--bg2:#1e293b;
--text:#ffffff;
--card:rgba(255,255,255,0.05);
}
.light{
--bg:#f8f9fa;
--bg2:#e2e3e5;
--text:#0f172a;
--card:#ffffff;
}
```

```
*{ margin:
0;
padding:0;
box-sizing:border-box;
font-family:'Poppins',sans-serif;
scroll-behavior:smooth;
}

body{
background:linear-gradient(135deg,var(--bg),var(--bg2));
color:var(--text);
transition:0.4s;
}
```

```
/* HEADER */
header{ display:
flex;
justify-content:space-between;
align-items:center;
padding:20px 60px;
position:sticky;
top:0;
background:rgba(255,255,255,0.05);
backdrop-filter:blur(10px);
z-index:1000;
}
```

```
nav
a{ margin:0
15px;
text-decoration:none;
color:var(--text);
transition:0.3s;
}
nav a:hover{color:#38bdf8;}
```

```
/* HERO */
.hero{
text-align:center;
padding:120px 20px 60px;
}
.hero h2{font-size:42px;}
.role{color:#38bdf8;margin:10px 0;}
```

```
/* SECTIONS */
section{ padding:60
px 40px; opacity:0;
transform:translateY(40px);
transition:0.6s;
}
section.show{ opacity:1;
transform:translateY(0);
}
```

```
/* CARDS */
```

```

.card{
background:var(--card);
padding:20px;
border-radius:12px;
margin-top:15px;
}

/* PROJECT GRID */
.projects{ displ
ay:grid;
grid-template-columns:repeat(auto-fit,minmax(250px,1fr));
gap:20px;
}

.project-
card{ background:var(--
card); padding:20px;
border-radius:12px;
transition:0.3s;
}
.project-
card:hover{ transform:transl
ateY(-10px);
box-shadow:0 10px 20px rgba(0,0,0,0.3);
}

/* SKILLS */
.skills
span{ display:inline-
block;
background:#38bdf8;
color:#000;
padding:6px 12px;
border-radius:20px;
margin:5px;
}

/* CONTACT */
.contact-
link{ color:var(--
-text);
text-decoration:none;
}
.contact-link:hover{
text-decoration:underline;
}

/* FOOTER */
footer{
text-align:center;
padding:20px;
color:gray;
}

/* RESPONSIVE */
@media(max-
width:768px){ header{

```

```
flex-direction:column;
}
nav{
```

```

margin-top:10px;
}
}
</style>
</head>

<body>

<header>
<h1>Abhilash</h1>
<nav>
<a href="#about">About</a>
<a href="#skills">Skills</a>
<a href="#projects">Projects</a>
<a href="#contact">Contact</a>
</nav>
</header>

<!-- HERO -->
<section class="hero show">
<h2>Hi, I'm <span id="typing"></span></h2>
<p class="role">Computer Science Student</p>
<p>Learning by building and improving every day.</p>
</section>

<!-- ABOUT -->
<section id="about">
<h2>About Me</h2>
<div class="card">
<p>B.Tech Computer Science student with strong knowledge in DSA.</p>
</div>
</section>

<!-- SKILLS -->
<section id="skills">
<h2>Skills</h2>
<div class="card skills">
<span>Python</span>
<span>C</span>
<span>SQL</span>
<span>Machine Learning</span>
<span>NLP</span>
</div>
</section>

PROJECTS
<section id="projects">
<h2>Projects</h2>
<div class="projects">

<div class="project-card">
<h3>AI vs Real Image Classification</h3>
<p>Deep learning model with ~87% accuracy.</p>
</div>

<div class="project-card">
<h3>Text Classifier</h3>

```

<p>Hybrid NLP model using Transformer + Capsule Network.</p>
</div>

<div class="project-card">
<h3>Posture Detection</h3>
<p>Real-time activity detection using OpenCV.</p>
</div>

</div>
</section>

<!-- CONTACT -->
<section id="contact">
<h2>Contact</h2>
<div class="card">
<p>anapuramabhilashgoud@gmail.com</p>
</div>
</section>


<footer>
<p>© 2026 Abhilash Goud Portfolio</p>
</footer>

<script>
// Typing Effect
const text="Abhilash Goud";
let i=0;
function
type(){ if(i<text.length){
document.getElementById("typing").innerHTML+=text.charAt(i);
i++;
setTimeout(type,150);
}
}
type();

// Scroll Animation
const sections=document.querySelectorAll("section");
window.addEventListener("scroll",()=>{ sections.forEach(sec=>{
if(sec.getBoundingClientRect().top < window.innerHeight-100){ sec.classList.add("show");
}
});
});
</script>

</body>
</html>

OUTPUT:



Explanation:

AI tools like GitHub Copilot help quickly generate a structured HTML layout and responsive CSS, ensuring the portfolio is clean and adaptable across devices.

Custom enhancements like hover effects and smooth scrolling improve interactivity and create a more engaging user experience.

Task 2: AI-Generated Restaurant Landing Page

PROMPT:

A local restaurant requires a simple yet attractive landing page to display its offerings. The developer uses AI assistance to rapidly generate UI components. Tasks

1. Use Copilot to create a navigation bar with links:

- o Home
- o Menu
- o Gallery
- Contact

2. Generate a menu section styled with CSS cards.

3. Implement a JavaScript-based image slider for the gallery using Copilot suggestions.

4. Customize animations or transitions for better user experience.

Expected Outcome

- Fully functional restaurant landing page
- Responsive navigation bar
- Working image slider with smooth transition

CODE:

```
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8">
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<title>Crave Corner - Fine Dining Experience</title>
<link href="https://fonts.googleapis.com/css2?family=Poppins:wght@300;400;600&display=swap"
rel="stylesheet">

<style>
:root {
  --bg: #fff5e1;
  --text: #333;
  --primary: #ff6347;
  --secondary: #ffcccb;
}

* {
  margin: 0;
  padding: 0;
  box-sizing: border-box;
  font-family: 'Poppins', sans-serif;
}

html {
  scroll-behavior: smooth;
}

body {
  background-color: var(--bg);
  color: var(--text);
}

/* Header / Navbar */
header {
  display: flex;
  justify-content: space-between;
  align-items: center;
  padding: 20px 40px;
  background-color: var(--primary);
  color: #fff;
}

.logo {
  font-size: 22px;
  font-weight: 600;
```



```
}
```

```
nav ul {  
  list-style: none;  
  display: flex;  
  gap: 20px;  
}
```

```
nav ul li a {  
  text-decoration: none;  
  color: #fff;  
  transition: 0.3s;  
}
```

```
nav ul li a:hover {  
  color: var(--secondary);  
}
```

```
/* Hero Section */  
.hero {  
  text-align: center;  
  padding: 100px 20px;  
}
```

```
.hero h1 {  
  font-size: 48px;  
}
```

```
.hero p {  
  margin-top: 10px;  
  font-size: 18px;  
}
```

```
/* Menu Section */  
.menu  
  { padding:  
    40px;  
  text-align: center;  
}
```

```
.menu-container  
  { display: grid;  
    grid-template-columns: repeat(auto-fit, minmax(250px, 1fr));  
    gap: 20px;  
    margin-top: 20px;  
}
```

```
.card {
```

```
background: white;
border-radius: 10px;
box-shadow: 0 4px 10px rgba(0,0,0,0.2);
padding: 20px;
transition: transform 0.3s;
}
```

```
.card:hover { transform:
  scale(1.05);
}
```

```
/* Gallery */
```

```
.gallery
{ padding:
  40px;
  text-align: center;
}
```

```
.slider {
  position: relative;
  max-width: 600px;
  margin: auto;
}
```

```
.slide
{ display:
  none;
}
```

```
.slide img
{ width:
  100%;
  border-radius: 10px;
}
```

```
.fade {
  animation: fadeEffect 1s;
}
```

```
@keyframes fadeEffect
{ from {opacity: .4}
  to {opacity: 1}
}
```

```
/* Contact */
```

```
.contact {
  text-align: center;
}
```

```
padding: 30px;  
background: #f4f4f4;  
}
```

```

/* Responsive */
@media(max-width: 600px)
{ nav ul {
    flex-direction: column;
  }
}
</style>
</head>

<body>

<!-- Header -->
<header>
  <div class="logo">Crave Corner</div>
  <nav>
    <ul>
      <li><a href="#home">Home</a></li>
      <li><a href="#menu">Menu</a></li>
      <!-- <li><a href="#gallery">Gallery</a></li> -->
      <li><a href="#contact">Contact</a></li>
    </ul>
  </nav>
</header>

<!-- Hero Section -->
<section class="hero" id="home">
  <h1>Welcome to Crave Corner</h1>
  <p>Experience the best flavors in town!</p>
</section>

<!-- Menu Section -->
<section id="menu" class="menu">
  <h2>Our Menu</h2>
  <div class="menu-container">
    <div class="card">
      <h3>Momos</h3>
      <p>chicken momos</p>
      <p>Veg momos</p>
    </div>
    <div class="card">
      <h3>Pizza</h3>
      <p>Delicious cheesy pizza</p>
      <p>Chicken pizza</p>
      <p>veg pizza</p>
      <p>Butter pizza</p>
    </div>
  </div>

```

```
<div class="card">
  <h3>Burger</h3>
  <p> Hamburger</p>
  <p>Chickenburger</p>
  <p>Cheeseburger</p>
  <p>Vegburger</p>
  <p>Baconburger</p>
</div>
</div>
<div class="card">
  <h3>Chicken Starters</h3>
  <p>Chicken wings</p>
  <p>Chicken strips</p>
  <p>Chicken lollipops</p>
  <p>Chicken thandhuri</p>
</div>
<div class="card">
  <h3>Pasta</h3>
  <p>Creamy Italian pasta</p>
  <p>Juicy Italian pasta</p>
</div>
</div>
</section>
```

```
<!-- Gallery Section
<section id="gallery" class="gallery">
  <h2>Gallery</h2>
  <div class="slider">
    <div class="slide fade">
      
    </div>
    <div class="slide fade">
      
    </div>
    <div class="slide fade">
      
    </div>
  </div>
</section> -->
```

```
<!-- Contact -->
<section id="contact" class="contact">
  <h2>Contact Us</h2>
  <p>Email: info@CraveCorner.com</p>
</section>
```

```
<script>
```

```

let slideIndex = 0;
showSlides();

function showSlides() {
  let slides = document.getElementsByClassName("slide");
  for (let i = 0; i < slides.length; i++)
    { slides[i].style.display = "none";
    }
  slideIndex++;
  if (slideIndex > slides.length) { slideIndex = 1 }
  slides[slideIndex - 1].style.display = "block";
  setTimeout(showSlides, 3000);
}
</script>

```

```

<script>
// Active link highlight on scroll
const sections = document.querySelectorAll("section");
const navLinks = document.querySelectorAll("nav ul li a");

window.addEventListener("scroll", () =>
  { let current = "";

  sections.forEach(section => {
    const sectionTop = section.offsetTop - 100;
    if (pageYOffset >= sectionTop) {
      current = section.getAttribute("id");
    }
  });

  navLinks.forEach(a =>
    { a.classList.remove("active");
    if (a.getAttribute("href") === "#" + current)
      { a.classList.add("active");
      }
    });
  });
</script>


```

```

</body>
</html>

```

OUTPUT:



Explanation:

AI tools like GitHub Copilot help quickly generate the navigation bar, menu cards, and image slider, speeding up development of a functional landing page.

Custom animations and responsive design enhance user experience, resulting in a visually appealing and interactive restaurant website.

Task3: AI-Powered Event Registration Form PROMPT:

SR University is hosting a technical fest and requires an online registration form with real-time validation to ensure accurate user input.

Tasks

1. Ask Copilot to generate an HTML form with the following fields:

- o Name
- o Email
- o Phone Number
- o Department
- o Event Selection

2. Use AI assistance to style the form using CSS for readability and accessibility.

3. Implement JavaScript validation using Copilot:

- o Email format validation
- o Phone number length validation
- o Required field checks

Expected Outcome

- User-friendly and visually appealing form
- Real-time validation messages

- Prevention of invalid submissions'

CODE:

```
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8">
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<title>SR University Tech Fest Registration</title>
```

```
<style>
```

```
body {
  font-family: Arial, sans-serif;
  background: #f4f7fb;
  display: flex;
  justify-content: center;
  align-items: center;
  height: 100vh;
}
```

```
.container
{ background: #fff;
padding: 25px;
border-radius: 10px;
box-shadow: 0 5px 15px rgba(0,0,0,0.2);
width: 350px;
}
```

```
h2 {
  text-align: center;
  margin-bottom: 20px;
}
```

```
.form-group {
  margin-bottom: 15px;
}
```

```
input, select
{ width: 100%;
padding: 10px;
border-radius: 5px;
border: 1px solid #ccc;
}
```

```
.error
{ color:
red;
font-size: 12px;
}
```

```
button { width:
100%;
```

```
padding: 10px;
border: none;
background: #28a745;
color: white;
border-radius: 5px;
cursor: pointer;
transition: 0.3s;
}
```

```
button:hover
{ background:
#218838;
}
```

```
</style>
```

```
</head>
```

```
<body>
```

```
<div class="container">
```

```
<h2>Tech Fest Registration</h2>
```

```
<form id="regForm">
```

```
<div class="form-group">
```

```
<input type="text" id="name" placeholder="Name">
```

```
<div class="error" id="nameError"></div>
```

```
</div>
```

```
<div class="form-group">
```

```
<input type="email" id="email" placeholder="Email">
```

```
<div class="error" id="emailError"></div>
```

```
</div>
```

```
<div class="form-group">
```

```
<input type="text" id="phone" placeholder="Phone Number">
```

```
<div class="error" id="phoneError"></div>
```

```
</div>
```

```
<div class="form-group">
```

```
<select id="department">
```

```
<option value="">Select Department</option>
```

```
<option value="CSE">Computer Science</option>
```

```
<option value="ECE">Electronics</option>
```

```
<option value="EEE">Electrical</option>
```

```
<option value="ME">Mechanical</option>
```

```
</select>
```

```
<div class="error" id="deptError"></div>
```

```
</div>
```

```
<div class="form-group">
```

```
<select id="event">
```

```
<option value="">Select Event</option>
```

```
<option value="coding">Coding Challenge</option>
```

```
<option value="robotics">Robotics Competition</option>
```

```
<option value="hackathon">Hackathon</option>
```

```
</select>
```

```
<div class="error" id="eventError"></div>
```

</div>

```
<button type="submit">Register</button>
</form>
</div>
```

```
<script>
```

```
const form = document.getElementById("regForm");
```

```
form.addEventListener("submit", function(e)
{ e.preventDefault();
```

```
let valid = true;
```

```
const name = document.getElementById("name").value.trim();
const email = document.getElementById("email").value.trim();
const phone = document.getElementById("phone").value.trim();
const dept = document.getElementById("department").value;
const event = document.getElementById("event").value;
```

```
// Name
```

```
if(name === "") {
  document.getElementById("nameError").innerText = "Name is required";
  valid = false;
} else
{ document.getElementById("nameError").innerText =
  "";
}
```

```
// Email
```

```
const emailPattern = /^[^ ]+@[^ ]+\.[a-z]{2,3}$/;
if(!email.match(emailPattern)) {
  document.getElementById("emailError").innerText = "Invalid email";
  valid = false;
} else
{ document.getElementById("emailError").innerText =
  "";
}
```

```
// Phone
```

```
if (phone.length !== 10 || isNaN(phone))
{ document.getElementById("phoneError").innerText = "Enter 10-digit phone";
  valid = false;
} else
{ document.getElementById("phoneError").innerText =
  "";
}
```

```
// Department
```

```
if(dept === "") {
  document.getElementById("deptError").innerText = "Select department";
  valid = false;
} else
{ document.getElementById("deptError").innerText =
  "";
}
```

```
// Event
if (event === "")
{ document.getElementById("eventError").innerText = "Select
event"; valid = false;
```

```


    } else
    { document.getElementById("eventError").innerText =
      "";}
  }

  if (valid) {
    alert("Registration Successful!");
    form.reset();
  }
});
</script>

</body>
</html>

```

OUTPUT:



Explanation:

AI tools like GitHub Copilot help quickly generate the HTML form, styling, and JavaScript validation logic for accurate user input.

Real-time validation and clean UI design ensure a user-friendly experience while preventing invalid form submissions.

Task 4: AI-Assisted E-Commerce Product Page

PROMPT:

A startup is developing a basic e-commerce product page to showcase products and manage simple cart functionality.

Tasks

1. Use Copilot to generate a grid-based product catalog using HTML and CSS.
2. Implement an "Add to Cart" feature using JavaScript.
3. Modify AI-generated code to include:
 - o Cart item counter at the top-right corner
 - o Visual feedback when a product is added

Expected Outcome

- Functional product catalog
- Working cart counter
- Interactive user experience

CODE:

```
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8">
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<title> Men's TrendCart</title>
```

```
<style>
```

```
body
```

```
{ margin:
```

```
0;
```

```
font-family: Arial, sans-serif;
```

```
background: #f5f5f5;
```

```
}
```

```
/* Header */
```

```
.header
```

```
{ display:
```

```
flex;
```

```
justify-content: space-between;
```

```
align-items: center;
```

```
padding: 15px 30px;
```

```
background: #333;
```

```
color: white;
```

```
}
```

```
.cart {
```

```
position: relative;
```

```
cursor: pointer;
```

```
}
```

```
.cart-count
```

```
{ position:
```

```
absolute; top: -
```

```
8px;
```

```
right: -10px;
```

```
background: red;
```

```
color: white;
```

```
border-radius: 50%;
```

```
padding: 4px 8px;
```

```
font-size: 12px;
```

```
}
```



```
/* Cart Sidebar */
```

```
.cart-panel
```

```
{ position:
```

```
fixed;
```

```
top: 0;
right: -350px;
width: 300px;
height: 100%;
background: white;
box-shadow: -3px 0 10px rgba(0,0,0,0.2);
padding: 20px;
transition: right 0.3s ease;
overflow-y: auto;
}
```

```
.cart-panel.active
{ right: 0;
}
```

```
.cart-panel h3
{ margin-top:
0;
}
```

```
.close-btn
{ background: red;
color: white;
border: none;
padding: 5px 10px;
float: right;
cursor: pointer;
}
```

```
/* Product Grid */
```

```
.products
{ display:
grid;
grid-template-columns: repeat(auto-fit, minmax(200px, 1fr));
gap: 20px;
padding: 20px;
}
```

```
.card {
background: white;
border-radius: 10px;
padding: 15px;
text-align: center;
box-shadow: 0 4px 10px rgba(0,0,0,0.2);
}
```

```
transition: transform 0.3s;  
}
```

```
.card:hover
{
  transform:
  scale(1.05);
}
```

```
.card img
{
  width:
  100%;
  border-radius: 10px;
}
```

```
button {
  margin-top: 10px;
  padding: 10px;
  border: none;
  background: #28a745;
  color: white;
  border-radius: 5px;
  cursor: pointer;
}
```

```
.added {
  background: #007bff !important;
}
```

```
.cart-item {
  border-bottom: 1px solid #ddd;
  padding: 10px 0;
}
```

</style>

</head>

<body>

<div class="header">

<h2>Men's TrendCart</h2>

<div class="cart" onclick="toggleCart()">

□ Cart

0

</div>

</div>

<!-- Cart Panel -->

```
<div class="cart-panel" id="cartPanel">  
  <button class="close-btn" onclick="toggleCart()">X</button>
```

```
<h3>Your Cart</h3>
<div id="cartItems"></div>
</div>

<!-- Products -->
<div class="products">

  <div class="card">
    
    <h3>Product 1</h3>
    <p>₹780</p>
    <button onclick="addToCart(this,'Product 1',780)">Add to Cart</button>
  </div>

  <div class="card">
    
    <h3>Product 2</h3>
    <p>₹899</p>
    <button onclick="addToCart(this,'Product 2',899)">Add to Cart</button>
  </div>

  <div class="card">
    
    <h3>Product 3</h3>
    <p>₹950</p>
    <button onclick="addToCart(this,'Product 3',950)">Add to Cart</button>
  </div>

  <div class="card">
    
    <h3>Product 4</h3>
    <p>₹1200</p>
    <button onclick="addToCart(this,'Product 4',1200)">Add to Cart</button>
  </div>

  <div class="card">
    
    <h3>Product 5</h3>
```

```

    <p>₹1200</p>
    <button onclick="addToCart(this,'Product 4',1200)">Add to Cart</button>
</div>
<div class="card">
    
    <h3>Product 6</h3>
    <p>₹1200</p>
    <button onclick="addToCart(this,'Product 4',1200)">Add to Cart</button>
</div>
<div class="card">
    
    <h3>Product 7</h3>
    <p>₹1200</p>
    <button onclick="addToCart(this,'Product 4',1200)">Add to Cart</button>
</div>

</div>

<script>
let count = 0;
let cartData = [];

function addToCart(btn, name, price)
{
    count++;
    document.getElementById("cartCount").innerText = count;

    // Add item to array
    cartData.push({ name, price });

    displayCart();

    // Button animation
    btn.innerText = "Added!";
    btn.classList.add("added");

    setTimeout(() =>
    {
        btn.innerText = "Add to
        Cart";
        btn.classList.remove("added");
    }, 1000);
}

```

```
function displayCart() {
  let cartItems = document.getElementById("cartItems");
  cartItems.innerHTML = "";


  cartData.forEach(item => {
    let div = document.createElement("div");
    div.classList.add("cart-item");
    div.innerHTML = `<strong>${item.name}</strong><br>₹${item.price}`;
    cartItems.appendChild(div);
  });
}

function toggleCart()
{ document.getElementById("cartPanel").classList.toggle("active");
}
</script>
```

</body>

</html>

OUTPUT:



Explanation:

AI tools like GitHub Copilot help generate a grid-based product catalog and basic cart functionality quickly, reducing development time.

Custom features like a cart counter and visual feedback enhance interactivity, creating a smooth and engaging shopping experience.

Task 5: Create a Responsive Web Page Layout

PROMPT:

- Design a basic webpage layout with a header, main content area, and footer using HTML and CSS.
- Use AI to assist in generating responsive CSS for different screen sizes.
- Ensure the layout is clean and visually organized.

Expected Output:

- A responsive web page with:
- Header with navigation links
- Main section with placeholder text/images
- Footer with copyright or contact info
- Layout adapts correctly to desktop, tablet, and mobile screen sizes.

Note: Report should be submitted as a word document for all tasks in a single document with prompts, comments C code explanation, and output and if required, screenshots.

CODE:

```
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8">
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<title>Responsive Web Page Layout</title>

<style>
body {
  font-family: Arial, sans-serif;
  margin: 0;
  padding: 0;
  background-color: #f4f4f4;
}

/* ===== HEADER ===== */
header {
  background-color: #333;
  color: #fff;
  padding: 20px;
}

.navbar
{ display:
flex;
justify-content: space-between;
align-items: center;
}

nav {
  display: flex;
  gap: 15px;
}

nav a
{ color:
#fff;
text-decoration: none;
}

nav a:hover {
  text-decoration: underline;
}

/* ===== MAIN LAYOUT ===== */
.main
{ display:
grid;
grid-template-columns: 2fr 1fr;
gap: 20px;
padding: 20px;
}

/* Content */
```

```
.content  
{ background:  
white;
```

```

padding: 20px;
border-radius: 8px;
text-align: center;
}

/* □ IMAGE STYLE FIXED */
.content img
{ width: 200px;
height: 200px;
object-fit: cover;
border-radius: 10px;
margin-top: 10px;
}

/* Sidebar */
.sidebar {
background: #eaeaea;
padding: 20px;
border-radius: 8px;
}

.sidebar h3
{ margin-top:
10px;
}

.sidebar ul {
list-style: none;
padding: 0;
}

.sidebar ul li
{ padding: 5px 0;
cursor: pointer;
}

.sidebar ul li:hover {
text-decoration: underline;
}

/* ===== FOOTER ===== */
footer {
background-color: #333;
color: #fff;
text-align: center;
padding: 10px;
margin-top: 20px;
}

/* ===== TABLET ===== */
@media (max-width: 768px) {
.main {
grid-template-columns: 1fr;
}

nav {
flex-direction: column;

```

}

```

}

/* ===== MOBILE ===== */
@media (max-width: 480px) {
  .navbar {
    flex-direction: column;
    align-items: flex-start;
  }
}
</style>
</head>

<body>

<!-- ===== HEADER ===== -->
<header>
  <div class="navbar">
    <h1>SID SRIRAM</h1>
    <nav>
      <a href="#">Home</a>
      <a href="#">About</a>
      <a href="#">Songs</a>
      <a href="#">Contact</a>
    </nav>
  </div>
</header>

<!-- ===== MAIN ===== -->
<section class="main">

  <!-- Content -->
  <div class="content">
    <h2>Welcome</h2>
    <p>This page is dedicated to Sid Sriram. Explore songs, updates, and more.</p>

    <!-- ✓ CLEAN IMAGE -->
    
  </div>

  <!-- Sidebar -->
  <div class="sidebar">

    <h3>Quick Links</h3>
    <ul>
      <li>Home</li>
      <li>About</li>
      <li>Songs</li>
      <li>Contact</li>
    </ul>

    <h3>Latest Updates</h3>
    <p>☐ New song released!</p>
    <p>☐ Live concert updates</p>

    <h3>Contact</h3>
    <p>Email: info@sidsriram.com</p>

```


```
</div>

</section>

<!-- ===== FOOTER ===== -->
<footer>
  &copy; 2024 SID SRIRAM | All rights reserved.
</footer>

</body>
</html>
```

OUTPUT:



Explanation: AI tools like GitHub Copilot assist in quickly generating a structured layout with header, main content, and footer along with responsive CSS. The result is a clean, well-organized web page that adapts smoothly across desktop, tablet, and mobile screen sizes.