
Peripheral # 1 : Mac Address: 51:62:5E

Central Mac : 51:42:DA

Periodic Adv PDU Time (From Central): 331445-308945= 22,500ms OR 22.5 Secs

Explanation: Peripheral # 1 (51:62:5E) getting the periodic adv. ACK from the central (51:42:DA) ,Every 22.5 secs set at Central End. This Combined ACK have both the Peripheral's(1&2) MAC addresses.




Peripheral # 2 : Mac Address: 4A:9E:8E

Central Mac : 51:42:DA

Periodic Adv PDU Time (From Central): 1230005-1207505= 22,500ms OR 22.5 Secs

Explanation: Peripheral # 2 (4A:9E:8E) getting the periodic adv. ACK from the central (51:42:DA) ,Every 22.5 secs set at Central End. This Combined ACK have both the Peripheral's(1&2) MAC addresses.



Central: (Periodic ADV PDU From Peripheral # 1)

Peripheral # 1 (Mac Address: 51:62:5E)

Handle:0x0

Periodic Adv PDU Time (From Peripheral # 1): 1476165-1461165= 15,000ms OR 15 Secs

Explanation: Peripheral # 1 (51:62:5E) sending the periodic adv to the central (51:42: DA), Every 15 secs set at Peripheral End.

```
V (1461165) CENTRAL_ADV_DEMO: PERIODIC_ADV_REPORT_EVT.. 51:62:5E -->sync handle is 0x0
D (1461165) CENTRAL_ADV_DEMO: shared data type is
I (1461175) CENTRAL_ADV_DEMO: Sending ACK data.....................
I (1461175) CENTRAL_ADV_DEMO: ESP_GAP_BLE_EXT_ADV_DATA_SET_COMPLETE_EVT, status 0, instance 0
I (1461185) CENTRAL_ADV_DEMO: ACK advertisement data configured successfully
I (1461195) CENTRAL_ADV_DEMO: 02 01 06 02 0a eb 0f 09 43 45 4e 5f 41 43 4b 5f
I (1461205) CENTRAL_ADV_DEMO: 42 45 41 43 4f 4e 51 62 5e 4a 9e 8e 00 00 00 43
I (1461215) CENTRAL_ADV_DEMO: 4f 44 45 07 00 00 00 00 00
I (1461215) CENTRAL_ADV_DEMO: ESP_GAP_BLE_EXT_ADV_START_COMPLETE_EVT, status 0, instance number 1
I (1461225) CENTRAL_ADV_DEMO: Acknowledgment beacon sent....
I (1461255) CENTRAL_ADV_DEMO: ESP_GAP_BLE_EXT_ADV_STOP_COMPLETE_EVT, status 0, instance number 1
I (1461255) CENTRAL_ADV_DEMO: ESP_GAP_BLE_EXT_ADV_DATA_SET_COMPLETE_EVT, status 0, instance 0
I (1461255) CENTRAL_ADV_DEMO: ESP_GAP_BLE_PERIODIC_ADV_START_COMPLETE_EVT, status 0, instance 0
I (1461265) CENTRAL_ADV_DEMO: CONFIG_BT_BLE_FEAT_PERIODIC_ADV_ENH
V (1462615) CENTRAL_ADV_DEMO: PERIODIC_ADV_REPORT_EVT.. 4A:9E:8E -->sync handle is 0x1
D (1462615) CENTRAL_ADV_DEMO: shared data type is
I (1462615) CENTRAL_ADV_DEMO: Sending ACK data.....................
I (1462625) CENTRAL_ADV_DEMO: ESP_GAP_BLE_EXT_ADV_DATA_SET_COMPLETE_EVT, status 0, instance 0
I (1462635) CENTRAL_ADV_DEMO: ACK advertisement data configured successfully
I (1462645) CENTRAL_ADV_DEMO: 02 01 06 02 0a eb 0f 09 43 45 4e 5f 41 43 4b 5f
I (1462655) CENTRAL_ADV_DEMO: 42 45 41 43 4f 4e 51 62 5e 4a 9e 8e 00 00 00 43
I (1462655) CENTRAL_ADV_DEMO: 4f 44 45 07 00 00 00 00 00
I (1462665) CENTRAL_ADV_DEMO: ESP_GAP_BLE_EXT_ADV_START_COMPLETE_EVT, status 0, instance number 1
I (1462675) CENTRAL_ADV_DEMO: Acknowledgment beacon sent....
I (1462705) CENTRAL_ADV_DEMO: ESP_GAP_BLE_EXT_ADV_STOP_COMPLETE_EVT, status 0, instance number 1
I (1466275) CENTRAL_ADV_DEMO: ESP_GAP_BLE_EXT_ADV_DATA_SET_COMPLETE_EVT, status 0, instance 0
I (1466275) CENTRAL_ADV_DEMO: ESP_GAP_BLE_PERIODIC_ADV_START_COMPLETE_EVT, status 0, instance 0
I (1466275) CENTRAL_ADV_DEMO: CONFIG_BT_BLE_FEAT_PERIODIC_ADV_ENH
V (1476165) CENTRAL_ADV_DEMO: PERIODIC_ADV_REPORT_EVT.. 51:62:5E -->sync handle is 0x0
```

Central: (Periodic ADV PDU with Peripheral # 2)

Peripheral # 1 (Mac Address: 4A:9E:8E)

Handle:0x1

Periodic Adv PDU Time (From Peripheral # 2): 7597655-7582655= 15,000ms OR 15 Secs

Explanation: Peripheral # 1 (4A:9E:8E) sending the periodic adv to the central (51:42: DA), Every 15 secs set at Peripheral End.

