


Figure 1: *SmartConsole Gateways & Servers view. A-GW-Cluster (10.1.1.1), A-GW-01 (10.1.1.2), A-GW-02 (10.1.1.3) and A-SME (10.1.1.130) show a red status indicator; A-SMS (10.1.1.101) shows a green one. The summary pane shows Alpha-Standard as the Access Control Policy of A-GW-Cluster. The screenshot does not state the cause of the red indicators.*




Figure 2: *The default Standard policy package: a single rule, Cleanup rule, with Source, Destination and Services Any, Action Accept, Track Log and Install On set to Policy Targets. The Summary pane shows Created by System and a hit count of 405.*




Figure 3: *The Standard rulebase with the Hits column displayed (405) alongside the Track and Install On columns.*




Figure 4: *Manage policies and layers: the two policy packages, Alpha-Standard (target A-GW-Cluster) and Standard (target All gateways).*




Figure 5: *Global Properties, FireWall page: implied-rule options with their rulebase positions, and the Log Implied Rules option (unticked).*



Figure 6: *New Host dialog for Mail_Server (192.168.12.151) with the comment "Proposed Mail Server in Alpha-Standard DMZ", shown over the Object Explorer.*




Figure 7: *The eight-rule Access Control rulebase in the Standard package before sections were added (67 draft changes saved). Rule 8, the Cleanup rule, is selected and shows Drop, Log and Install On A-GW-Cluster.*




Figure 8: *The rulebase with all four sections expanded: Management and Protection (1-2), DMZ Services (3-4), Outbound Access (5-7) and Cleanup (8). 82 draft changes are saved at this point.*




Figure 9: *All four sections collapsed, showing only the section titles and their rule ranges.*




Figure 10: *Mixed view: Management and Protection and Cleanup expanded, DMZ Services and Outbound Access collapsed. The message below rule 8 is discussed in Section 4.3.*




Figure 11: *Network object A-INT-NET, NAT page: automatic address translation rules enabled, method Hide, Hide behind the gateway, Install on gateway All.*




Figure 12: *NAT rulebase: Network Hide NAT (1-6). Rule 2 translates Original Source A-INT-NET to A-INT-NET (Hiding Address) for destination Any; rule 1 leaves A-INT-NET to A-INT-NET traffic untranslated. 83 draft changes are saved.*




Figure 13: *TEMP Block Internal (rule 6: A-INT-NET, Any, Any, Drop, Log, Install On A-GW-Cluster) placed immediately above Internal Web Out (rule 7) in the Outbound Access section. The Summary pane shows a hit count of 0 (0%, Zero).*




Figure 14: *Recent Tasks after the first attempt: "Policy installation - Standard", "Installation failed on A-GW-Cluster", 08-Nov-26 13:07:50 by cpadmin. The rulebase still shows TEMP Block Internal above Internal Web Out and no pending changes.*




Figure 15: *TEMP Block Internal moved to rule 7, immediately below Internal Web Out (rule 6). The toolbar shows 1 draft change, so this view is before the second publication.*




Figure 16: *After publication: no pending changes, TEMP Block Internal still at rule 7, and the status bar reads "Policy installation - Standard Failed".*




Figure 17: *Recent Tasks listing two failed installations of Standard on A-GW-Cluster, at 13:11:26 and 13:07:50, both by cpadmin. These are the two installations recorded for the experiment.*




Figure 18: *The restored rulebase: TEMP Block Internal is gone and the original order is back (rules 1 to 8 under the four sections). The status bar reads "Published".*




Figure 19: *Install Policy Details for the second attempt: Policy installation - Standard, 08-Nov-26 13:11:26 to 13:11:36, "Installation failed on A-GW-Cluster"; A-GW-Cluster, A-GW-01 and A-GW-02 all report Failed.*




Figure 20: *The same window with the A-GW-Cluster row expanded: the VPN certificates of A-GW-01 and A-GW-02 (CN=A-GW-Cluster VPN Certificate,O=A-SMS.alpha.cp.g8f49h) "has already expired", expiration date Sat May 23 07:13:37 2026, with the reference sk31539.*