

Innovation dossier - 1. The idea

page 1/3

THE DERIVATION - THREE PARTS, EACH LABELLED

1. Reality **OBSERVED**

3.5% of trusted reviews (369 reviews across 77 real products) carry this friction, with a -0.571* average rating gap. Signal: Motor/fan noise is a recurring complaint, now backed by peer-reviewed evidence it drives real under-use.

2. Transformation **METHOD_CHOICE**

METHOD CHOICE, not evidence: the authored operator table assigns TEMPORAL_SHIFT - "Move the job earlier/later." - to this friction. Analyst design judgment, applied deterministically.

3. Product consequence **RESEARCH_TENSION**

Optimize for hours-actually-run under real noise tolerance, not peak lab CADR. Assumption challenged: "Clean-air delivery rate (CADR) is the primary performance basis." -> What if performance were reported as a loss-rate curve or realized exposure reduction, not a lab CADR number?

PARENT PATHS

tension:T1 - Filtration vs. noise-driven adherence **TENSION**

test: Falsified when one design point achieves RP-01's measured primary-room particulate reduction at a sound level that removes noise as a named reason for running the device less (RP-05) - both halves are stored, quantified findings.

tension:T2 - Constant vs. automatic operation **TENSION**

test: Falsified when an auto-mode arm reaches the lower bound of RP-07's constant-mode reduction interval while keeping auto's runtime/noise advantage - the two stored confidence intervals would then overlap and the trade-off dissolves.

tension:T3 - CADR theory vs. real-home performance **TENSION**

test: Falsified when a CADR-derived sizing prediction matches a source-strength-adjusted measured loss rate within the fan-speed band RP-06 reports, in a home with the central air-handling configuration RP-01 identifies as decisive.

tension:T6 - Pollutant reduction vs. clinical outcome certainty **TENSION**

test: Resolved when an independent replication of RP-08 reproduces its clinical effect in a cohort whose particulate reduction matches RP-03's measured range - RP-08's own record names independent replication as the missing step. A failed replication resolves it the other way.

assumption:A5 - Clean-air delivery rate (CADR) is the primary performance basis.

ASSUMPTION TO TEST

test: Challenged when a certification body in the trend corpus adopts a loss-rate or realized-exposure metric alongside CADR - concretely, when TC-R03 (AHAM Verifide, the one record whose theme tags contain 'cadr': ['certification', 'cadr', 'iaq_standards']) stops centring on it, or TC-R02 (ENERGY STAR, themes ['regulation', 'energy_efficiency', 'iaq_standards'], CADR present only in its prose scope note) adds a non-CADR performance theme tag. Fragile baseline: both documents carry published_date null, so change detection has no dated anchor.

assumption:A6 - Continuous, constant operation is the default expectation.

ASSUMPTION TO TEST

test: Challenged when connected+adaptive share exceeds 25% of the corpus (currently 23/237 = 9.7%), or when an independent trial reproduces RP-07's constant-mode filtration under auto operation.

evidence ids: taxonomy:noise, RP-05, RP-07, TC-R11

FIELD EVIDENCE BEHIND THESE PATHS (TITLES)

- Self-reported health impacts of do-it-yourself air cleaner use in a smoke-impacted community
- Real-World Effectiveness of Portable Air Cleaners in Reducing Home Particulate Matter Concentrations
- Reduction of personal PM2.5 exposure via indoor air filtration systems in Detroit: an intervention study
- The impact of portable air cleaners on indoor particulate matter concentrations and perceptions of indoor air quality: a randomized crossover trial in three multifamily buildings
- Analysis of sources and sinks of indoor particulate matter reveals insights into the real-world efficacy of portable air cleaners in a randomized intervention trial
- Indoor environmental health and asthma relief: findings from a longitudinal HEPA filter trial
- Effectiveness of portable HEPA air cleaners on reducing indoor PM2.5 and NH3 in an agricultural cohort of children with asthma: A randomized intervention trial

DESIGN DNA

F consumer friction (taxonomy:noise) **PRESENT**

Real Amazon review-text friction theme (see Consumer Pain methodology).

O design operator **METHOD_CHOICE**

Authored operator vocabulary applied deterministically (METHOD_CHOICE, not evidence) - see OPERATORS/THEME_OPERATORS in src/real/magic_box_real.py.

S signal (noise) **PRESENT**

Motor/fan noise is a recurring complaint, now backed by peer-reviewed evidence it drives real under-use.

T scientific tension **PRESENT**

Filtration vs. noise-driven adherence; Constant vs. automatic operation; CADR theory vs. real-home performance; Pollutant reduction vs. clinical outcome certainty

R rival gap **PRESENT**

11 named real competitors measurably weaker on this theme. [Dyson, Plixio, Oreck, Envion, Wynd, Molekule, AMEIFU, AZEUS, AIRTHEREAL, Egofine, Elechomes]

C versuni capability **MISSING_UNVERIFIED**

No real Versuni internal capability/org-readiness dataset exists in this pipeline.

A category assumption **PRESENT**

Clean-air delivery rate (CADR) is the primary performance basis.; Continuous, constant operation is the default expectation.

E economic condition **PRESENT**

Real price-weighted exposure computed for this theme (\$84,015.62).

ECONOMICS - RELATIVE INDICATORS ONLY

price-weighted exposure: \$84015.62

SUM of real observed listed prices across affected reviews with a known price. This is a RELATIVE exposure indicator, not a revenue or market-size estimate - it has no units-sold, conversion-rate, or time-period basis. It answers 'which friction touches more expensive products' not 'how much money is at stake per year.'

comparable market median: \$159.9 (n=35 products) - not this concept's price

MEDIAN real listed price across the 35 distinct real products affected by this friction that have a known price. This is what products in this segment actually cost today - not a proposed price for a new concept, which this evidence cannot establish.

category assumptions: A5, A6

UNCERTAINTIES

- No real acoustic-engineering trend document exists in this corpus at all - the medium rating is a judgment call made in the absence of any external precedent, not a citation.

CONTRADICTIONS

- none recorded for this innovation

OBSERVED VS ESTIMATED VS UNKNOWN

observed: friction stats; envelope: performance cadr m3h, room coverage m2, acoustic min dba; DNA F/S/T/R/A/E

method choice: operator, archetype design rule; DNA O

unknown: envelope: target mass kg, target power w, target dimensions; persona; DNA C

Where this idea stands: DEVELOPING

Non-dominated and grounded in a real research tension.

PROTOTYPE STATE

CONCEPT_VISUAL

CONCEPT_VISUAL means a schematic exists, nothing more: no digital model, no physical prototype, no test data.

Machine-composed schematic from the innovation's stored fields only (operator rule, friction stats, comparable envelope). Not a design rendering; a Fable render or drawing would also be CONCEPT_VISUAL, never a digital model or physical prototype.

NEXT EXPERIMENT

A real acoustic-engineering standard or published low-RPM motor precedent, if found, would raise this to high; a real internal R&D estimate showing it requires novel hardware would lower it to low.

KILL CRITERION

No authored kill criterion yet - a non-formal innovation earns one by displacing the formal recommendation (Scenario lens) or by a human decision to invest.

CRITIC DIMENSIONS

EVIDENCE	SURVIVE	Real Consumer Pain evidence: prevalence 3.5%, average rating gap -0.571 - materially above the gate floor.
ECONOMIC	SURVIVE	Real price-weighted exposure (\$84,016) is at or above the corpus median (\$16,113).
COMPETITIVE	SURVIVE	Real white space: 11 named real rivals are measurably weaker on this theme.
HUMAN	NEEDS_EVIDENCE	No real usability/human-factors evidence exists in this pipeline for this concept.
PHYSICAL	NEEDS_EVIDENCE	No real lab/engineering feasibility data exists in this pipeline for this concept.
VERSUNI_FIT	NEEDS_EVIDENCE	No real organizational-capability assessment exists in this pipeline for this concept.
TIMING	NEEDS_EVIDENCE	No real market-timing/window evidence exists in this pipeline for this concept.
ROBUSTNESS	NEEDS_EVIDENCE	No real sensitivity/robustness study exists in this pipeline for this concept.
critic overall: NEEDS_EVIDENCE		

CRITERIA RESULTS

NEEDS_EVIDENCE: 32 - PASS: 13 - N/A: 4 - CHALLENGE: 3

B5	CHALLENGE	Filtration vs. noise-driven adherence; Constant vs. automatic operation; CADR theory vs. real-home performance; Pollutant reduction vs. clinical outcome certainty
P2	CHALLENGE	Filtration vs. noise-driven adherence; Constant vs. automatic operation; CADR theory vs. real-home performance; Pollutant reduction vs. clinical outcome certainty
F3	CHALLENGE	medium

LINEAGE / PROVENANCE

generated by: src/real/innovations_real.py

magic run input sha256: 0b3f9862e0e270a295eacd709182802e981090e817f4f1072000e37aa83f150c

funnel snapshot: 73aa128628a9304d744c80cb718ecf82ed99b270b6e5d457a0198b59b6041e37

figure source: /concept-visuals/noise_TEMPORAL_SHIFT.svg (generated 2026-08-31T16:09:19.522463+00:00 by Claude Fable 5 generator - src/real/concept_visuals.py)

data source: data/processed/innovations_real.json + data/processed/funnel_real.json (deterministic; no invented fields)

dossier generator: src/real/generate_innovation_dossiers.py